

This publication contains Parts Information for all 1988 and 1989 Trucks with the exception of parts information on RAM D50 (See Import Catalog). For F.W.D. trucks (See Passenger Car Parts Catalog).

The use of this Parts Catalog and the arrangement of information herein is explained in the General Information Section as indexed below.

INDEX TO INFORMATION PAGES

|   |           |
|---|-----------|
| • ABBREVIATIONS .....                       | INF-16    |
| • ALPHABETICAL INDEX .....                  | INF- 5    |
| • BODY PLATE INTERPRETATION .....           | INF-10-11 |
| • BODY CODE PLATE.....                      | INF-10-11 |
| • BUILD DATE MO. AND YR. ....               | INF- 9    |
| • COLOR CODED OR COMBINED PART NUMBERS..... | INF- 6    |
| • DATE CORRELATION TABLES .....             | INF-12-13 |
| • ENGINE IDENTIFICATION NUMBERS .....       | INF- 7    |
| • GROUP CONTENTS .....                      | INF- 3    |
| • HOW TO LOCATE PARTS .....                 | INF- 2    |
| • ILLUSTRATION INDEX.....                   | INF- 5    |
| • INTERIOR TRIM .....                       | INF- 6    |
| • LABEL LOCATIONS .....                     | INF- 8    |
| • METRIC CONVERSION TABLE .....             | INF-15    |
| • NUMERICAL INDEX .....                     | INF- 5    |
| • PAGE NUMBERING .....                      | INF- 4    |
| • PARTS PACKAGES.....                       | INF- 5    |
| • PRICE CLASS (SERIES) INFORMATION .....    | INF- 9    |
| • RIGHT AND LEFT PART NUMBERS.....          | INF- 4    |
| • SALES CODES .....                         | INF-14    |
| • SPECIFYING INFORMATION .....              | INF- 4    |
| • STANDARD PARTS .....                      | INF- 5    |
| • SYMBOLS USED IN THIS CATALOG .....        | INF- 4    |
| • TRANSMISSION MODEL & SERIAL NUMBER.....   | INF- 6    |
| • VEHICLE IDENTIFICATION NUMBER .....       | INF- 9    |

HOW TO USE THIS CATALOG AND LOCATE PARTS

This Catalog is divided into Part Groups in which illustrations for parts of a similar function and/or location are published. The Group Contents listing on the next page shows the type of parts contained in each group. Tabs are provided or available to separate each group.

Several methods may be used to locate a specific part:

Option 1: From the Group Contents listing, select the group which would most logically contain the part to be found. Open the catalog to the beginning of that group. The first page of the group will contain an index of illustrations. Select the illustration most likely to contain the part. Turn to the selected illustration and locate the part by reviewing the illustration item numbers and associated text information following the illustration.

Option 2: If the "noun" name of the part you seek is known, an alphabetical index of Nouns and Illustration titles is provided to assist in finding the part. Several keys may be found in this index.

|   |                             |
|---|-----------------------------|
| <b>RESERVOIR</b> , Power Strng. Oil Pump. .Group 19 | Group Reference             |
| <b>ALTERNATOR</b> , Cummins Diesel . . . . .8-1600  | Illustration Reference      |
| <b>BELT</b> , Front Seat N Body. . . . .ITB-1000/3  | Illustration/Item Reference |
| Group _____   |                             |
| Illustration No. _____                              |                             |
| Item _____  |                             |

Option 3: If the part number is known but the applications need to be determined, refer to the numerical index. This index shows the group, illustration number and item for each part listed in the catalog. Multiple references mean the part is listed more than once.

## PART GROUP - TITLES & CONTENT

| GROUP           | CONTENTS   |
|-----------------|--|
| INF             | Information Section  |
| AL              | Alphabetical Index   |
| IL              | Illustration Index (All Groups)  |
| 1               | Catalog Notices  |
| 2               | <b>Front Suspension &amp; Drive</b><br>Front Suspension Components ...<br>Steering Knuckles Front Drive Shafts,<br>Axles, Locking Hubs ... Front<br>Differential   |
| 3               | <b>Rear Axle</b><br>Rear Axle and Component Parts ...<br>Rear Axle Mountings   |
| 4               | <b>Parking Brake Controls</b>  |
| 5               | <b>Service Brakes</b><br>Brake Controls and Mechanism ...<br>Brake Warning Switch, Parking Brake<br>Components within the Wheel ...<br>Wheel Hardware, Bearings and Seals  |
| 6               | <b>Clutch</b><br>Clutch Unit and Components ...<br>Clutch Pedal, Controls  |
| 7               | <b>Cooling</b><br>Front Grille, Grille Support, Radiator<br>Supports, Headlamp Supports ...<br>Radiators, Fans and Fan Motors,<br>Hoses, Thermostats ... Transmission<br>Cooling ... Water Pump ... Drive<br>Belts and Pulleys ... Turbocharger<br>Cooling |
| 8               | <b>Electrical</b><br>Switches, Relays, Solenoids, Sensors,<br>... Battery Trays ... Engine Electrical<br>... Starters, Alternators, Distributors<br>... Front, Rear, Interior Lamp ... Body<br>Wiring ... Horn   |
| 8A              | <b>Instrument Panel and Console</b><br>Instrument Panel and Console<br>Electrical Parts, Clusters, Switches,<br>Wiring ... All Hard and Soft Trim Parts<br>... Radio, Speakers and Antenna   |
| 9<br>(A, B ...) | <b>Engine (By Engine Type)</b><br>Engine Components ... Engine Oil<br>System ... Flywheels, Torque<br>Converters ... Engine Mounting   |
| 11              | <b>Exhaust</b><br>Exhaust System Components ... Heat<br>Shields  |
| 13              | <b>Frame, Bumper &amp; Fascia</b><br>Frame Components, Crossmembers<br>... Bumper and Fascia Components<br>... Snow Plow Parts   |
| 14              | <b>Fuel</b><br>Accelerator Pedal, Linkage, Throttle<br>Control ... Air Cleaner ... Carburetors,<br>Throttle Body and Injection<br>Components ... Fuel Lines, Fuel Tank<br>... Fuel Pump ... Turbocharger<br>Components ... Speed Control                   |
| 16              | <b>Prop. Shaft and Universal Joint</b>   |

| GROUP            | CONTENTS   |
|------------------|--|
| 17               | <b>Rear Suspension</b><br>Rear Suspension Components   |
| 18               | <b>Service Bulletin Parts</b>  |
| 19               | <b>Steering</b><br>Steering Wheels, Column ... Power<br>Steering Pump ... Steering Gear ...<br>Steering Linkage, Tie Rods  |
| 21M              | <b>Manual Transmission and Transfer Cases</b><br>Manual Transmission, Transaxle and<br>Components ... Gearshift Controls ...<br>Transfer Case, Controls, Mountings ...<br>Speedometer Pinion and Cable                             |
| 21A              | <b>Automatic Transmission</b><br>Automatic Transmission, Transaxle<br>and Components ... Gearshift<br>Controls ... Speedometer Pinion and<br>Cable   |
| 22               | <b>Wheels</b><br>Wheel Rims ... Wheel Covers,<br>Hubcaps ... Jack and Spare Tire<br>Storage  |
| 23               | <b>Exterior Ornamentation</b><br>Exterior Ornamentation, Tape Stripes,<br>Decals ... Exterior Moldings ... Vinyl<br>Roof and Trim  |
| 23A              | <b>Body-Sheet Metal Except Doors</b><br>Body Metal ... Stationary Glass ...<br>Sunroof ... Convertible Top ... Hood<br>and Deck Release  |
| 23C              | <b>Body-Doors and Related Parts</b><br>Door Metal ... Door Hardware ...<br>Door Glass ... and Regulator ... Door<br>Mirrors ... Weatherstrips  |
| 23D              | <b>Body-Miscellaneous</b><br>Lock Cylinders and Keys ...<br>Windshield Washer/Wiper System   |
| IT<br>(A, B ...) | <b>Interior Trim (By Body Code)</b><br>All Interior Trim Except Dash and<br>Console ... Seats and Seat Belts ...<br>Seat Adjusters, Manual and Power ...<br>Carpet ... Interior Panels and<br>Moldings ... Security/Tonneau Covers |
| 24               | <b>Heater and Air</b><br>Heater, Air Conditioning System and<br>Controls   |
| 25               | <b>Emission Systems</b><br>Air Pump ... EGR System ... Vapor<br>Canister   |
| NU               | <b>Numerical Index</b>   |

## PAGE NUMBERING

Two-part page numbers are used throughout this catalog. The first part of the page designation indicates one major group or section. The second part indicates the actual page number in the group. For example:

2-1 indicates Group 2, Front Suspension, Page 1  
3-4 indicates Group 3, Axle Rear, Page 4

In the maintenance of the Loose Leaf Parts Catalog Revision Service, it may become necessary to add information beyond the capacity of the page. In this event, an "A" page will be used. For example, if it becomes necessary, because of change, to add several part numbers to page 2-1 and space does not permit the addition, you will be given Page 2-1A. Page 2-1A should be filed immediately following Page 2-1.

Figure and Item Numbers are also commonly used to identify locations in this Catalog, i.e., 14-900/8 refers to Group 14, illustration 900, Item Number 8. Illustration Numbers are always ascending sequential within the Groups.

## RIGHT AND LEFT PART NUMBERS

Right and Left part numbers are frequently combined on one line, e.g. 3514 444-5. Such numbers are interpreted as 3514 444 Right side application and 3514 445 Left Side. Right and Left Sides are always determined by their relationship to the driver when normally seated and looking forward.

## SYMBOLS USED IN THIS PARTS CATALOG

The following symbols are commonly used with Part Number and quantity information in this Catalog:

# — Preceding a part number indicates parts which have been added and not previously published.

AR — Indicates the quantity required may vary or is to be determined by the user.

## SPECIFYING INFORMATION

The following information is included in this Parts Catalog:

1. Part Name
2. Part Number
3. Model Application
4. Quantity used per vehicle
5. Description and dimensions necessary for proper identification of parts where necessary
6. Model or Engine Column:  
Engine by Displacement or Vehicle Model  
Code Body Style Code or Price Class.
7. Effective points of model year running changes are indicated by vehicle serial number, engine number or body number where applicable. When serial number effective points are not available, production effective dates are used. (Refer to the Federal Certification Label for the build date).
8. Parts designated as CANADA or EXPORT are not available through US parts outlets.

In the event replacement parts not listed herein are required due to a special service situation, Dealers should contact their factory specifier for assistance. Problems encountered with peculiar part specifications can be resolved in the same manner.

## ILLUSTRATION INDEX

This index is a compilation of catalog parts description data with reference to illustrations, figures and key numbers as shown:

| ILLUSTRATION INDEX | GROUP | ILLUS. NO. |
|--------------------|-------|------------|
| FENDER D. W. ....  |       | 23A-1400   |

The first page of each group contains a listing of all illustrations within that group. Also refer to illustrations alphabetically listed in information section.

## ALPHABETICAL INDEX

This index is a compilation of catalog parts description data with a reference to the location of the item by group - Figure and key number as shown in the following example:

|                  |               |
|------------------|---------------|
| Housing, w/Pump  | 7 - 1500 / 18 |
| Group            |               |
| Illustration No. |               |
| Item             |               |

The index will be expanded progressively as data is added to computer files. To locate a part by name, refer to the Alphabetical Index. This indicates the group and illustration and item number where the part is located. Alphabetical Index can be found in INF section of catalog.

## NUMERICAL INDEX

A listing of Part Numbers contained in the catalog. The numbers are in numerical sequence with reference to the group and illustration and item number where the part is located.

## PARTS PACKAGES

Service Parts Packages, containing all parts needed for specific service operation, are listed in their respective groups with related parts. The listing will show adaptability and model application.

## STANDARD PARTS

Important attaching standard parts such as bolts, nuts, etc. are generally listed in the text of the respective major parts groups.

## COLOR CODED OR COMBINED PART NUMBERS

Appearing throughout this catalog are part numbers containing both letters and numbers. For example: D500 KB7. These are good serviceable part numbers. The combination of letters and numbers merely indicates the parts are keyed to the interior color of the vehicles on which they are used.

In addition, Right and Left part numbers are frequently combined on one line; e.g. D500-1 KB7. Such numbers are interpreted as D500 KB7, Right side application, and D501 KB7 Left side. Right and Left Sides are always determined by their relationship to the driver when normally seated and looking forward.

## INTERIOR TRIM

Refer to the Group IT, Interior Trim section of the catalog, for information relative to Interior Soft and Hard Trim, Rolled Stock, etc.

## TRANSMISSION IDENTIFICATION

### MANUAL TRANSMISSION

(Example PP23044360001)

| PLANT CODE                        | COMPONENT CODE   | DATE CODE                          | SERIAL NUMBER  |
|-----------------------------------|--|------------------------------------|--|
| 2 letters                         | 3 digits   | 4 digits                           | 4 digits   |
| PP - New Process<br>Gear Division | 230 - 230 trans.<br>250 - 250 trans.<br>833 - 833 trans. | Based on the calendar<br>on INF-13 | A sequential number<br>beginning with 0001<br>for each day's<br>production |

Location: Below centerline on Front Portion of Right Side

### AUTOMATIC TRANSMISSION

(Example PK3681063W44360001)

| PLANT CODE  | PART NO. | CHANGE CODE   | DATE CODE                             | SERIAL NUMBER   |
|-------------|----------|---|---------------------------------------|---|
| 2 letters   | 7 digits | 1 digit   | 4 digits                              | 4 digits  |
| PK - Kokomo | 3681063  | W<br>(Factory use only<br>of no significance<br>to the field) | Based on the<br>calendar on<br>INF-13 | A sequential number<br>beginning with 0001<br>for each day's<br>production. |

Location: On Oil Pan Side Rail-Left Side.

**NOTE:** A derivative of the Vehicle Identification Number is also stamped on all production installed Engines and Transmissions, e.g.:

|            |                |                         |
|------------|----------------|-------------------------|
| J          | A              | 1000001                 |
| Model Year | Assembly Plant | Vehicle Sequence Number |

## ENGINE IDENTIFICATION NUMBERS

Following is an explanation of data found on the Engine Serial Number Pad

**2.2L, 2.5L Engine Typical:** 7 T 22 PT 6926 1  
 Model Year \_\_\_\_\_ Shift Built  
 Engine Plant (Trenton) \_\_\_\_\_ Date Code (10,000 Day Calendar)  
 Displacement (Liters) \_\_\_\_\_ Engine Usage

**3.9L, 5.2L & 5.9L Engine Typical:** B 318 1024 2579  
 Model Year and/or Plant \_\_\_\_\_ Daily Sequence Number (Optional)  
 Displacement \_\_\_\_\_ Date Code (1024 = Oct. 24)

## 4 CYL., 6 CYL. AND 8 CYLINDER ENGINE SERIAL NUMBER & PARTS IDENTIFICATION CODES & SYMBOLS DEFINED:

**A** = Oversize Cylinder Bore      **LC** = Low Compression      **S** = Special Engine  
**E** = Cast Crankshaft      **M** = Mound Road Engine      **T** = Trenton Engine/Truck  
**H** = Standard 4 Bbl.      **PC** = Passenger Car Engine      **W** = Windsor Engine  
**HP** = High Performance      **R** = Passenger Car Engine      **X** = O/S Valve Guide  
**K** = Toluca Engine Plant

**DIAMOND** ( ) = O/S Tappets      **MALTESE CROSS** (+) = 001 U/S Crankshaft x followed by MALTESE CROSS (X +) = .010 U/S Crankshaft

| Engine Number Location | Displacement | Serial Number Pad Located               |
|------------------------|--------------|---|
|                        | 2.2L         | Rear Face of Block, below Cylinder Head |
|                        | 2.5L         | Rear Face of Block, below Cylinder Head |
|                        | 3.9L         | Left Front of Block below Cylinder Head |
|                        | 5.2L         | Left Front of Block below Cylinder Head |
|                        | 5.9L         | Left Front of Block below Cylinder Head |

**CAUTION:** Replacement Engine Assemblies are furnished with blank engine number pads. Dealers are governed by state and local regulations regarding the affixing of engine numbers to these engines. In states where license fees are based on displacement or taxable horsepower it will be necessary to change the vehicle registration only if the replacement engine differs from the one it replaces.

## GENERAL INFORMATION

### Vehicle Identification Number

The vehicle identification number consists of a combination of seventeen letters and numbers. The first six elements identify the model, body type, GVW class, engine, model year and assembly plant.

The last element indicates the plant building sequence. All models will begin with 100001. The Vehicle Identification Number is located on the Vehicle Identification Plate, Equipment Identification Plate, and the applicable U.S. Federal Motor Vehicle Safety Standards "Certification Label" and Frame Rail. (Figs. 1, 2 and 3), refer to V.I.N. Chart for code and sample V.I.N.

### Vehicle Identification Plate

The vehicle identification plate as shown in (Fig. 1) is attached to the rear face of the drivers door, or on the "B" post, on all models.




Fig. 1 — Vehicle Identification Plate  
Equipment Identification Plate

The equipment identification plate as shown in Figure 2, contains information regarding the vehicle: model, wheelbase, V.I.N. (Vehicle Identification Number), T.O.N. (Order Number), and all production or special equipment on the vehicle when it is shipped from the factory. Always refer to this plate when ordering parts. The location of the equipment identification plate is on the hood inner surface.




Fig. 2 — Equipment Identification Plate  
Vehicle Safety Certification Labels

A vehicle safety certification label, Figure 3, is attached to the rear facing of the drivers door on all models. This label reflects the date of manufacture numerically month and year in the upper right hand corner, Gross Vehicle Weight Rating (GVWR), Gross Axle Weight Rating (GAWR) front, Gross Axle Weight Rating (GAWR) rear and Vehicle Identification Number (VIN). A Month-Day-Hour (MDH) number is included on this label in the lower left hand corner which indicates a Month, Day and Hour manufacturing control point.

This label, when applied, verifies vehicle conformation to all applicable Federal Motor Vehicle Safety Standards in effect on the date of manufacture.

All communications or inquiries regarding vehicle should include the Month-Day-Hour and Vehicle Identification Number.




Fig. 3 — Vehicle Certification Label



VIN PLATE IDENTIFICATION

1

2

3

4

5

6

7

8

9

10

11

12 thru 17

Country

Make

Vehicle  
Type

Other

Line

Series

Body  
Style

Engine

Check  
Digit

Model  
Year

Assy.  
Plant

Sequence No.

- 5** **LINE**  
**1988**

  - B = Ram Wagon  
Ram Van
  - D = Ramcharger 4x2  
Ram Chassis Cab 4x2  
Ram Pick-Up 4x2
  - W = Ramcharger 4x4  
Power Ram  
Chassis Cab 4x4  
Power Ram Pick-Up 4x4
  - N = Dakota 4x2  
Dakota Sport 4x2  
Shelby Dakota 4x2
  - R = Dakota 4x4  
Dakota Sport 4x4

**1989**

  - B = Ram Wagon  
Ram Van
  - E = Ramcharger 4x2  
Ram Chassis Cab 4x2  
Ram Pick-Up 4x2
  - G = Dakota 4x4  
Shelby Dakota 4x4  
Dakota Sport 4x4
  - L = Dakota 4x2  
Shelby Dakota 4x2  
Dakota Sport 4x2
  - M = Ramcharger 4x4  
Ram Chassis Cab 4x4  
Ram Pick-Up 4x4

- SERIES N-BODY**  
 1 = (E) Economy  
 2 = (L) Low Line  
 3 = (M) Medium Line  
 4 = (H) High Line  
 5 = (P) Premium  
 6 = (S) Sport  
 7 = (X) Special  
 9 = S.E.C. KPPF81 For Shelby Built Dakota


- SERIES - B.D. BODIES**  
0 = 100 Job Rated Truck  
1 = 150 Job Rated Truck  
2 = 250 Job Rated Truck  
3 = 350 Job Rated Truck  
4 = 450 Job Rated Truck  
6 = 600 Job Rated Truck  
8 = 800 Job Rated Truck

- 8 ENGINE**
- 1988**
- C = 2.2L 2 bbl. (EDE)  
W = 5.9L 4 bbl. Fed. (EMC)  
X = 3.9L EFI (EHB)  
Y = 5.2L EFI (ELG)  
1 = 5.9L 4 bbl. Cal. (EMC)  
2 = 5.2L 2 bbl. (ELP)  
5 = 5.9L 4 bbl. HD. (EMH)  
8 = 5.9L Diesel (ETA)
- 1989**
- G = 2.5L 4 cyl. 2 bbl. (EDA)  
X = 3.9L 6 cyl. EFI (EHB)  
Y = 5.2L 8 bbl. EFI (ELG)  
Z = 5.9L 8 cyl. EFI (EMG)  
5 = 5.9L 8 cyl. EFI HDC (EMJ)  
8 = 5.9L 6 cyl. Turbo Diesel (ETA)

- 10 MODEL YEAR**  
H = 1987  
J = 1988  
K = 1989  
L = 1990

- SEQUENCE NO.**  
Model Year assembly sequence—  
begins with 100001  
Except: Warren #2 starts w/500001 &  
Warren #1 starts w/700001


THE BODY CODE PLATE IS LOCATED ON THE UPPER PANEL COWL RT. SIDE UNDER SCREEN ON D MODELS, ON THE B MODELS THE BODY CODE PLATE IS ON THE FIRE WALL BEHIND THE BATTERY. ON N MODELS IT IS LOCATED ON THE RT. SIDE UNDER THE WINDSHIELD COWL, OR ON THE FLOOR PAN AT THE REAR OF THE SEAT TRACK, OR UNDER THE JACK ASSEMBLY IN THE CAB. THE PLATE CONTAINS 9 ROWS OF DATA TO PROVIDE FOR GREATER MODEL COMPLEXITY. THE BOTTOM 4 ROWS ARE RESERVED FOR SPECIFIC INFORMATION. OTHER SALES CODES USED TO BUILD A SPECIFIC VEHICLE ARE LISTED IN THE ASCENDING ORDER. THE FOLLOWING SPECIFIC INFORMATION OF BOTTOM 4 ROWS IS DEPICTED BELOW.



**NOTE:** A zero (0) in the second position of the body style indicates "All" available body styles for that vehicle line.

## • 1989 BODY CODE PLATE •

THE BODY CODE PLATE IS LOCATED ON THE UPPER PANEL COWL RT. SIDE UNDER SCREEN ON D MODELS, ON THE B MODELS THE BODY CODE PLATE IS ON THE FIRE WALL BEHIND THE BATTERY. ON N MODELS IT IS LOCATED ON THE RT. SIDE UNDER THE WINDSHIELD COWL, OR ON THE FLOOR PAN AT THE REAR OF THE SEAT TRACK, OR UNDER THE JACK ASSEMBLY IN THE CAB. THE PLATE CONTAINS 9 ROWS OF DATA TO PROVIDE FOR GREATER MODEL COMPLEXITY. THE BOTTOM 4 ROWS ARE RESERVED FOR SPECIFIC INFORMATION. OTHER SALES CODES USED TO BUILD A SPECIFIC VEHICLE ARE LISTED IN THE ASCENDING ORDER. THE FOLLOWING SPECIFIC INFORMATION OF BOTTOM 4 ROWS IS DEPICTED BELOW.



### MODEL CODE

| MODEL SERIES | STYLE | 11 | 12                               | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
|--------------|-------|----|----------------------------------|----|----|----|----|----|----|----|----|----|----|----|
| AB1          | L     | 11 | VAN 109" W.B.                    |    |    |    |    |    |    |    |    |    |    |    |
| AB1          | L     | 12 | VAN 127" W.B.                    |    |    |    |    |    |    |    |    |    |    |    |
| AB1          | E, L  | 51 | WAGON 109" W.B.                  |    |    |    |    |    |    |    |    |    |    |    |
| AB1          | L     | 52 | WAGON 109" W.B.                  |    |    |    |    |    |    |    |    |    |    |    |
| AB2          | L     | 11 | VAN 109" W.B.                    |    |    |    |    |    |    |    |    |    |    |    |
| AB2          | L     | 12 | VAN 127" W.B.                    |    |    |    |    |    |    |    |    |    |    |    |
| AB2          | L     | 13 | MAXIVAN 127" W.B.                |    |    |    |    |    |    |    |    |    |    |    |
| AB2          | L     | 52 | WAGON 127" W.B.                  |    |    |    |    |    |    |    |    |    |    |    |
| AB2          | L     | 53 | MAXIWAGON 127" W.B.              |    |    |    |    |    |    |    |    |    |    |    |
| AB3          | L     | 12 | VAN 127.6" W.B.                  |    |    |    |    |    |    |    |    |    |    |    |
| AB3          | L     | 13 | MAXIVAN 127.X" W.B.              |    |    |    |    |    |    |    |    |    |    |    |
| AB3          | L     | 52 | WAGON 127.6" W.B.                |    |    |    |    |    |    |    |    |    |    |    |
| AB3          | L     | 53 | MAXIWAGON 127.X" W.B.            |    |    |    |    |    |    |    |    |    |    |    |
| AT4          | L     | 02 | FRONT SECTION 127" W.B.          |    |    |    |    |    |    |    |    |    |    |    |
| AT4          | L     | 04 | FRONT SECTION 145" W.B.          |    |    |    |    |    |    |    |    |    |    |    |
| AT4          | L     | 05 | FRONT SECTION 163" W.B.          |    |    |    |    |    |    |    |    |    |    |    |
| AN1          | L     | 31 | CLUB CAB 130.9" W.B.             |    |    |    |    |    |    |    |    |    |    |    |
| AN1          | S, L  | 61 | MID SIZE CONVENTIONAL CAB 119"   |    |    |    |    |    |    |    |    |    |    |    |
| AN1          | L     | 62 | MID SIZE CONVENTIONAL CAB 123.9" |    |    |    |    |    |    |    |    |    |    |    |
| AN5          | S, L  | 61 | MID SIZE CONVENTIONAL CAB 111.9" |    |    |    |    |    |    |    |    |    |    |    |
| AN5          | L     | 62 | MID SIZE CONVENTIONAL CAB 123.9" |    |    |    |    |    |    |    |    |    |    |    |
| AD1          | E, L  | 61 | CONVENTIONAL CAB 115"            |    |    |    |    |    |    |    |    |    |    |    |
| AD1          | E, L  | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD2          | L     | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD3          | L     | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD3          | L     | 63 | CONVENTIONAL CAB 135"            |    |    |    |    |    |    |    |    |    |    |    |
| AD3          | L     | 64 | CONVENTIONAL CAB 159"            |    |    |    |    |    |    |    |    |    |    |    |
| AD4          | E, L  | 71 | SPORT UTILITY 106"               |    |    |    |    |    |    |    |    |    |    |    |
| AD5          | E, L  | 61 | CONVENTIONAL CAB 115"            |    |    |    |    |    |    |    |    |    |    |    |
| AD5          | E, L  | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD6          | E, L  | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD7          | L     | 62 | CONVENTIONAL CAB 131"            |    |    |    |    |    |    |    |    |    |    |    |
| AD7          | L     | 63 | CONVENTIONAL CAB 135"            |    |    |    |    |    |    |    |    |    |    |    |
| AD8          | E, L  | 71 | SPORT UTILITY 106"               |    |    |    |    |    |    |    |    |    |    |    |

### BODY CODE PLATE LAYOUT

| LINE # | 1                                      | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
|--------|--|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 1      | ALL DIGITS INFORMATION - LEFT TO RIGHT |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 2      | TRANSMISSION BUILD CODE                |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 3      | AXLE BUILD CODE                        |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 4      | TRIM CODE                              |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 5      | MODEL                                  |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 6      | ENGINE BUILD CODE                      |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 7      | VIN                                    |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 8      | B/W SEQ.                               |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 9      | TAILGATE MLDG.                         |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 10     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 11     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 12     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 13     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 14     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 15     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 16     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 17     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 18     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 19     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 20     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 21     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 22     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 23     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 24     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 25     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 26     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 27     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 28     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 29     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 30     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| 31     | SALES CODE                             |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |

## DATE CODE CORRELATION TABLE

### 1989 DAY NUMBER

| DATE | JAN.  | FEB.  | MAR.  | APR.  | MAY   | JUNE  | JULY  | AUG.  | SEPT. | OCT.  | NOV.  | DEC.  |
|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1    | 10019 | 10050 | 10078 | 10109 | 10139 | 10170 | 10200 | 10231 | 10262 | 10292 | 10322 | 10352 |
| 2    | 10020 | 10051 | 10079 | 10110 | 10140 | 10171 | 10201 | 10232 | 10263 | 10293 | 10323 | 10353 |
| 3    | 10021 | 10052 | 10080 | 10111 | 10141 | 10172 | 10202 | 10233 | 10264 | 10294 | 10324 | 10354 |
| 4    | 10022 | 10053 | 10081 | 10112 | 10142 | 10173 | 10203 | 10234 | 10265 | 10295 | 10325 | 10355 |
| 5    | 10023 | 10054 | 10082 | 10113 | 10143 | 10174 | 10204 | 10235 | 10266 | 10296 | 10326 | 10356 |
| 6    | 10024 | 10055 | 10083 | 10114 | 10144 | 10175 | 10205 | 10236 | 10267 | 10297 | 10327 | 10357 |
| 7    | 10025 | 10056 | 10084 | 10115 | 10145 | 10176 | 10206 | 10237 | 10268 | 10298 | 10328 | 10358 |
| 8    | 10026 | 10057 | 10085 | 10116 | 10146 | 10177 | 10207 | 10238 | 10269 | 10299 | 10329 | 10359 |
| 9    | 10027 | 10058 | 10086 | 10117 | 10147 | 10178 | 10208 | 10239 | 10270 | 10300 | 10330 | 10360 |
| 10   | 10028 | 10059 | 10087 | 10118 | 10148 | 10179 | 10209 | 10240 | 10271 | 10301 | 10331 | 10361 |
| 11   | 10029 | 10060 | 10088 | 10119 | 10149 | 10180 | 10210 | 10241 | 10272 | 10302 | 10332 | 10362 |
| 12   | 10030 | 10061 | 10089 | 10120 | 10150 | 10181 | 10211 | 10242 | 10273 | 10303 | 10333 | 10363 |
| 13   | 10031 | 10062 | 10090 | 10121 | 10151 | 10182 | 10212 | 10243 | 10274 | 10304 | 10334 | 10364 |
| 14   | 10032 | 10063 | 10091 | 10122 | 10152 | 10183 | 10213 | 10244 | 10275 | 10305 | 10335 | 10365 |
| 15   | 10033 | 10064 | 10092 | 10123 | 10153 | 10184 | 10214 | 10245 | 10276 | 10306 | 10336 | 10366 |
| 16   | 10034 | 10065 | 10093 | 10124 | 10154 | 10185 | 10215 | 10246 | 10277 | 10307 | 10337 | 10367 |
| 17   | 10035 | 10066 | 10094 | 10125 | 10155 | 10186 | 10216 | 10247 | 10278 | 10308 | 10338 | 10368 |
| 18   | 10036 | 10067 | 10095 | 10126 | 10156 | 10187 | 10217 | 10248 | 10279 | 10309 | 10339 | 10369 |
| 19   | 10037 | 10068 | 10096 | 10127 | 10157 | 10188 | 10218 | 10249 | 10280 | 10310 | 10340 | 10370 |
| 20   | 10038 | 10069 | 10097 | 10128 | 10158 | 10189 | 10219 | 10250 | 10281 | 10311 | 10341 | 10371 |
| 21   | 10039 | 10070 | 10098 | 10129 | 10159 | 10190 | 10220 | 10251 | 10282 | 10312 | 10342 | 10372 |
| 22   | 10040 | 10071 | 10099 | 10130 | 10160 | 10191 | 10221 | 10252 | 10283 | 10313 | 10343 | 10373 |
| 23   | 10041 | 10072 | 10100 | 10131 | 10161 | 10192 | 10222 | 10253 | 10284 | 10314 | 10344 | 10374 |
| 24   | 10042 | 10073 | 10101 | 10132 | 10162 | 10193 | 10223 | 10254 | 10285 | 10315 | 10345 | 10375 |
| 25   | 10043 | 10074 | 10102 | 10133 | 10163 | 10194 | 10224 | 10255 | 10286 | 10316 | 10346 | 10376 |
| 26   | 10044 | 10075 | 10103 | 10134 | 10164 | 10195 | 10225 | 10256 | 10287 | 10317 | 10347 | 10377 |
| 27   | 10045 | 10076 | 10104 | 10135 | 10165 | 10196 | 10226 | 10257 | 10288 | 10318 | 10348 | 10378 |
| 28   | 10046 | 10077 | 10105 | 10136 | 10166 | 10197 | 10227 | 10258 | 10289 | 10319 | 10349 | 10379 |
| 29   | 10047 |       | 10106 | 10137 | 10167 | 10198 | 10228 | 10259 | 10290 | 10320 | 10350 | 10380 |
| 30   | 10048 |       | 10107 | 10138 | 10168 | 10199 | 10229 | 10260 | 10291 | 10321 | 10351 | 10381 |
| 31   | 10049 |       | 10108 |       | 10169 |       | 10230 | 10261 |       |       |       | 10382 |
|      |       |       |       |       |       |       |       |       |       |       |       | 10383 |

### 1988 DAY NUMBER

| 1998 DAY NUMBER |      |      |      |      |      |      |      |      |       |      |      |       |
|-----------------|------|------|------|------|------|------|------|------|-------|------|------|-------|
| DATE            | JAN. | FEB. | MAR. | APR. | MAY  | JUNE | JULY | AUG. | SEPT. | OCT. | NOV. | DEC.  |
| 1               | 9653 | 9684 | 9713 | 9744 | 9774 | 9805 | 9835 | 9866 | 9897  | 9927 | 9958 | 9988  |
| 2               | 9654 | 9685 | 9714 | 9745 | 9775 | 9806 | 9836 | 9867 | 9898  | 9928 | 9959 | 9989  |
| 3               | 9655 | 9686 | 9715 | 9746 | 9776 | 9807 | 9837 | 9868 | 9899  | 9929 | 9960 | 9990  |
| 4               | 9656 | 9687 | 9716 | 9747 | 9777 | 9808 | 9838 | 9869 | 9900  | 9930 | 9961 | 9991  |
| 5               | 9657 | 9688 | 9717 | 9748 | 9778 | 9809 | 9839 | 9870 | 9901  | 9931 | 9962 | 9992  |
| 6               | 9658 | 9689 | 9718 | 9749 | 9779 | 9810 | 9840 | 9871 | 9902  | 9932 | 9963 | 9993  |
| 7               | 9659 | 9690 | 9719 | 9750 | 9780 | 9811 | 9841 | 9872 | 9903  | 9933 | 9964 | 9994  |
| 8               | 9660 | 9691 | 9720 | 9751 | 9781 | 9812 | 9842 | 9873 | 9904  | 9934 | 9965 | 9995  |
| 9               | 9661 | 9692 | 9721 | 9752 | 9782 | 9813 | 9843 | 9874 | 9905  | 9935 | 9966 | 9996  |
| 10              | 9662 | 9693 | 9722 | 9753 | 9783 | 9814 | 9844 | 9875 | 9906  | 9936 | 9967 | 9997  |
| 11              | 9663 | 9694 | 9723 | 9754 | 9784 | 9815 | 9845 | 9876 | 9907  | 9937 | 9968 | 9998  |
| 12              | 9664 | 9695 | 9724 | 9755 | 9785 | 9816 | 9846 | 9877 | 9908  | 9938 | 9969 | 9999  |
| 13              | 9665 | 9696 | 9725 | 9756 | 9786 | 9817 | 9847 | 9878 | 9909  | 9939 | 9970 | 10000 |
| 14              | 9666 | 9697 | 9726 | 9757 | 9787 | 9818 | 9848 | 9879 | 9910  | 9940 | 9971 | 10001 |
| 15              | 9667 | 9698 | 9727 | 9758 | 9788 | 9819 | 9849 | 9880 | 9911  | 9941 | 9972 | 10002 |
| 16              | 9668 | 9699 | 9728 | 9759 | 9789 | 9820 | 9850 | 9881 | 9912  | 9942 | 9973 | 10003 |
| 17              | 9669 | 9700 | 9729 | 9760 | 9790 | 9821 | 9851 | 9882 | 9913  | 9943 | 9974 | 10004 |
| 18              | 9670 | 9701 | 9730 | 9761 | 9791 | 9822 | 9852 | 9883 | 9914  | 9944 | 9975 | 10005 |
| 19              | 9671 | 9702 | 9731 | 9762 | 9792 | 9823 | 9853 | 9884 | 9915  | 9945 | 9976 | 10006 |
| 20              | 9672 | 9703 | 9732 | 9763 | 9793 | 9824 | 9854 | 9885 | 9916  | 9946 | 9977 | 10007 |
| 21              | 9673 | 9704 | 9733 | 9764 | 9794 | 9825 | 9855 | 9886 | 9917  | 9947 | 9978 | 10008 |
| 22              | 9674 | 9705 | 9734 | 9765 | 9795 | 9826 | 9856 | 9887 | 9918  | 9948 | 9979 | 10009 |
| 23              | 9675 | 9706 | 9735 | 9766 | 9796 | 9827 | 9857 | 9888 | 9919  | 9949 | 9980 | 10010 |
| 24              | 9676 | 9707 | 9736 | 9767 | 9797 | 9828 | 9858 | 9889 | 9920  | 9950 | 9981 | 10011 |
| 25              | 9677 | 9708 | 9737 | 9768 | 9798 | 9829 | 9859 | 9890 | 9921  | 9951 | 9982 | 10012 |
| 26              | 9678 | 9709 | 9738 | 9769 | 9799 | 9830 | 9860 | 9891 | 9922  | 9952 | 9983 | 10013 |
| 27              | 9679 | 9710 | 9739 | 9770 | 9800 | 9831 | 9861 | 9892 | 9923  | 9953 | 9984 | 10014 |
| 28              | 9680 | 9711 | 9740 | 9771 | 9801 | 9832 | 9862 | 9893 | 9924  | 9954 | 9985 | 10015 |
| 29              | 9681 | 9712 | 9741 | 9772 | 9802 | 9833 | 9863 | 9894 | 9925  | 9955 | 9986 | 10016 |
| 30              | 9682 |      | 9742 | 9773 | 9803 | 9834 | 9864 | 9895 | 9926  | 9956 | 9987 | 10017 |
| 31              | 9683 |      | 9743 |      | 9804 |      | 9865 | 9896 |       | 9957 |      | 10018 |

## DATE CODE CORRELATION TABLE

### 1987 DAY NUMBER

| DATE | JAN. | FEB. | MAR. | APR. | MAY  | JUNE | JULY | AUG. | SEPT. | OCT. | NOV. | DEC. |
|------|------|------|------|------|------|------|------|------|-------|------|------|------|
| 1    | 9288 | 9319 | 9347 | 9378 | 9408 | 9439 | 9469 | 9500 | 9531  | 9561 | 9592 | 9622 |
| 2    | 9289 | 9320 | 9348 | 9379 | 9409 | 9440 | 9470 | 9501 | 9532  | 9562 | 9593 | 9623 |
| 3    | 9290 | 9321 | 9349 | 9380 | 9410 | 9441 | 9471 | 9502 | 9533  | 9563 | 9594 | 9624 |
| 4    | 9291 | 9322 | 9350 | 9381 | 9411 | 9442 | 9472 | 9503 | 9534  | 9564 | 9595 | 9625 |
| 5    | 9292 | 9323 | 9351 | 9382 | 9412 | 9443 | 9473 | 9504 | 9535  | 9565 | 9596 | 9626 |
| 6    | 9293 | 9324 | 9352 | 9383 | 9413 | 9444 | 9474 | 9505 | 9536  | 9566 | 9597 | 9627 |
| 7    | 9294 | 9325 | 9353 | 9384 | 9414 | 9445 | 9475 | 9506 | 9537  | 9567 | 9598 | 9628 |
| 8    | 9295 | 9326 | 9354 | 9385 | 9415 | 9446 | 9476 | 9507 | 9538  | 9568 | 9599 | 9629 |
| 9    | 9296 | 9327 | 9355 | 9386 | 9416 | 9447 | 9477 | 9508 | 9539  | 9569 | 9600 | 9630 |
| 10   | 9297 | 9328 | 9356 | 9387 | 9417 | 9448 | 9478 | 9509 | 9540  | 9570 | 9601 | 9631 |
| 11   | 9298 | 9329 | 9357 | 9388 | 9418 | 9449 | 9479 | 9510 | 9541  | 9571 | 9602 | 9632 |
| 12   | 9299 | 9330 | 9358 | 9389 | 9419 | 9450 | 9480 | 9511 | 9542  | 9572 | 9603 | 9633 |
| 13   | 9300 | 9331 | 9359 | 9390 | 9420 | 9451 | 9481 | 9512 | 9543  | 9573 | 9604 | 9634 |
| 14   | 9301 | 9332 | 9360 | 9391 | 9421 | 9452 | 9482 | 9513 | 9544  | 9574 | 9605 | 9635 |
| 15   | 9302 | 9333 | 9361 | 9392 | 9422 | 9453 | 9483 | 9514 | 9545  | 9575 | 9606 | 9636 |
| 16   | 9303 | 9334 | 9362 | 9393 | 9423 | 9454 | 9484 | 9515 | 9546  | 9576 | 9607 | 9637 |
| 17   | 9304 | 9335 | 9363 | 9394 | 9424 | 9455 | 9485 | 9516 | 9547  | 9577 | 9608 | 9638 |
| 18   | 9305 | 9336 | 9364 | 9395 | 9425 | 9456 | 9486 | 9517 | 9548  | 9578 | 9609 | 9639 |
| 19   | 9306 | 9337 | 9365 | 9396 | 9426 | 9457 | 9487 | 9518 | 9549  | 9579 | 9610 | 9640 |
| 20   | 9307 | 9338 | 9366 | 9397 | 9427 | 9458 | 9488 | 9519 | 9550  | 9580 | 9611 | 9641 |
| 21   | 9308 | 9339 | 9367 | 9398 | 9428 | 9459 | 9489 | 9520 | 9551  | 9581 | 9612 | 9642 |
| 22   | 9309 | 9340 | 9368 | 9399 | 9429 | 9460 | 9490 | 9521 | 9552  | 9582 | 9613 | 9643 |
| 23   | 9310 | 9341 | 9369 | 9400 | 9430 | 9461 | 9491 | 9522 | 9553  | 9583 | 9614 | 9644 |
| 24   | 9311 | 9342 | 9370 | 9401 | 9431 | 9462 | 9492 | 9523 | 9554  | 9584 | 9615 | 9645 |
| 25   | 9312 | 9343 | 9371 | 9402 | 9432 | 9463 | 9493 | 9524 | 9555  | 9585 | 9616 | 9646 |
| 26   | 9313 | 9344 | 9372 | 9403 | 9433 | 9464 | 9494 | 9525 | 9556  | 9586 | 9617 | 9647 |
| 27   | 9314 | 9345 | 9373 | 9404 | 9434 | 9465 | 9495 | 9526 | 9557  | 9587 | 9618 | 9648 |
| 28   | 9315 | 9346 | 9374 | 9405 | 9435 | 9466 | 9496 | 9527 | 9558  | 9588 | 9619 | 9649 |
| 29   | 9316 |      | 9375 | 9406 | 9436 | 9467 | 9497 | 9528 | 9559  | 9589 | 9620 | 9650 |
| 30   | 9317 |      | 9376 | 9407 | 9437 | 9468 | 9498 | 9529 | 9560  | 9590 | 9621 | 9651 |
| 31   | 9318 |      | 9377 |      | 9438 |      | 9499 | 9530 |       | 9591 |      | 9652 |

## SALES CODES

Due to the increase complexity of qualifications required to describe the application of some replacement parts; particularly those related to the Emission Control System, Sales Codes are used on a selected basis in some areas of this publication.

Normally, Sales Codes will be employed as secondary qualifiers and are for the express purpose of providing positive identification of parts applicable to vehicle components or systems so complex in nature that normal methods of written qualification are either inadequate or confusing.

The Sales code will always appear after the written description of the part; will be enclosed in parenthesis; will be prefixed S/C, and will follow a hyphen appended to the S/C, e.g.: (S/C-HAO).

To determine whether or not the vehicle for which the part is being specified was built with a particular Sales Code it will be necessary to refer to the Body Code Plate depicted on page INF-10. Sales Codes are also listed on vehicle invoices and on the Maroney label which is affixed to the side glass on new units.

NOTE: The definition of sales code used are listed below.

**EDA** - 2.5L & CYL 2bbl.

**EDE** - 2.2L 2 bbl. Gas

**EHB** - 3.9L EFI Gas

**ELG** - 5.2L EFI Gas

**ELP** - 5.2L 2 bbl. Propane

**EMC** - 5.9L 4 bbl. Gas

**EMG** - 5.9L 8 CYL. EFI

**EMH** - 5.9L 4 bbl. Gas

**EMJ** - 5.9L 8 CYL. HDC

**ETA** - 5.9L T/Diesel

**NAA** - Electronic Spark Advance w/Catalyst - Except California System. Used in conjunction with a Catalytic Exhaust System. Unleaded Fuel is required.

**NAB** - Electronic Spark Advance w/o Catalyst. Used in conjunction with a conventional Non-Catalytic Exhaust System. Unleaded Fuel is not required. Canada & Export.

**NAC** - Catalyst w/o Electronic Spark Advance. Standard equipment on some selected model and engine combinations. Used in conjunction with a Catalytic Exhaust System. Unleaded Fuel is required.

**NAD** - w/o Catalyst w/o Electronic Spark Advance. Primarily for Canadian & European Vehicles. Available in U.S. on some truck Models w/360 Eng. over 8500 lbs GVW.

**NAE** - Emission Control Testing and Label - Community Referred to as "California Emission Controls." Mandatory for designated engines on trucks sold in the State of California.

**NAF** - High Altitude Emission Control Pkg. Required for some truck lines and engine combinations sold in some geographical markets predominately above 4000 feet elevation.

**NBB** - Heavy Duty Cycle

**NCA** - Air Pump

**NCB** - Aspirator

**NDA** - Catalytic Converter

**NDB** - w/o Catalytic Converter

METRIC CONVERSION TABLE

LINEAR MEASUREMENT

|                  |                   |                   |                       |
|------------------|-------------------|-------------------|-----------------------|
| 1 foot (ft.)     | = 12 inches (in.) | 1 centimeter (cm) | = 10 millimeters (mm) |
| 1 yard (yd.)     | = 3 ft. = 36 in.  | 1 meter (m)       | = 100 cm = 1000 mm    |
| 1 mile (statute) | = 5,280 ft.       | 1 kilometer (km)  | = 1000 meters         |

| To convert | Into        | Multiply by | To convert  | Into   | Multiply by |
|------------|-------------|-------------|-------------|--------|-------------|
| inches     | centimeters | 2.5400      | centimeters | inches | 0.3937      |
| inches     | millimeters | 25.4000     | millimeters | inches | 0.0394      |
| feet       | meters      | 0.3048      | meters      | feet   | 3.2808      |
| feet       | millimeters | 304.8000    | millimeters | feet   | 0.0033      |
| yards      | meters      | 0.9144      | meters      | yards  | 1.0936      |
| miles      | kilometers  | 1.6093      | kilometers  | miles  | 0.6214      |

AREA MEASUREMENT

|                        |                              |                                     |  |
|------------------------|------------------------------|-------------------------------------|--|
| 1 square foot (sq.ft)  | = 144 square inches (sq.in.) | 1 sq. centimeter (cm <sup>2</sup> ) | = 100 sq. millimeters (mm <sup>2</sup> ) |
| 1 square yard (sq.yd.) | = 9 square feet              | 1 sq. meter (m <sup>2</sup> )       | = 10,000 cm <sup>2</sup>                 |
| 1 acre                 | = 4,840 sq. ft.              | 1 are (a)                           | = 100 m <sup>2</sup>                     |
| 1 square mile          | = 640 acres                  | 1 sq. kilometer (km <sup>2</sup> )  | = 1,000,000 m <sup>2</sup>               |

| To convert    | Into            | Multiply by | To convert      | Into       | Multiply by |
|---------------|-----------------|-------------|-----------------|------------|-------------|
| square inches | sq. centimeters | 6.4516      | sq. centimeters | sq. inches | 0.1550      |
| square feet   | sq. meters      | 0.0929      | sq. meters      | sq. feet   | 10.7639     |
| square yards  | sq. meters      | 0.8361      | sq. meters      | sq. yards  | 1.1960      |
| acres         | sq. meters      | 4.0470      | sq. meters      | acres      | 0.0002      |
| square miles  | sq. kilometers  | 2.5900      | sq. kilometers  | sq. miles  | 0.3861      |

CUBIC MEASUREMENT (VOLUME)

|                        |                              |                                     |   |              |                    |
|------------------------|------------------------------|-------------------------------------|---|--------------|--------------------|
| 1 cubic foot (cu. ft.) | 1.728 cubic inches (cu. in.) | 1 cu. centimeter (cm <sup>3</sup> ) | = 1000 cu. millimeters (mm <sup>3</sup> ) |              |                    |
| 1 cubic yard (cu. yd.) | 27 cubic feet                | 1 cubic meter (m <sup>3</sup> )     | = 1,000,000 cm <sup>3</sup>               |              |                    |
|                        |                              |                                     |   |              |                    |
| <b>To convert</b>      | <b>Into</b>                  | <b>Multiply by</b>                  | <b>To convert</b>                         | <b>Into</b>  | <b>Multiply by</b> |
| cubic inches           | cu. centimeters              | 16.3872                             | cu. centimeters                           | cubic inches | 0.0610             |
| cubic feet             | cubic meters                 | 0.0283                              | cubic meters                              | cubic feet   | 35.3145            |
| cubic yards            | cubic meters                 | 0.7646                              | cubic meters                              | cubic yards  | 1.3079             |

LIQUID MEASUREMENT (CAPACITY)

|                 |                           |                    |                        |
|-----------------|---------------------------|--------------------|------------------------|
| 1 pint (pt.)    | = 28.875 cubic inches     | 1 centimeter (cl.) | = 10 milliliters (ml.) |
| 1 quart (qt.)   | = 2 pints = 57.75 cu. in. | 1 liter (l)        | = 100 cl. = 1000 ml.   |
| 1 gallon (gal.) | = 4 qts. = 231 cu. in.    | 1 kiloliter (kl)   | = 1000 liters          |

| To convert   | Into   | Multiply by | To convert | Into         | Multiply by |
|--------------|--------|-------------|------------|--------------|-------------|
| cubic inches | liters | 0.0164      | liters     | cubic inches | 61.0250     |
| pints        | liters | 2.1132      | liters     | pints        | 0.4732      |
| quarts       | liters | 0.9463      | liters     | quarts       | 1.0566      |
| gallons      | liters | 3.7853      | liters     | gallons      | 0.2642      |
| cubic feet   | liters | 28.3162     | liters     | cubic feet   | 0.0353      |

WEIGHT MEASUREMENT

|                   |               |                    |                       |              |                    |
|-------------------|---------------|--------------------|-----------------------|--------------|--------------------|
| 1 ounce (oz.)     | = 16 drams    | 1 centigram (cg.)  | = 10 milligrams (mg.) |              |                    |
| 1 pound (lb.)     | = 16 ounces   | 1 gram (g.)        | = 100 cg. = 1000 mg.  |              |                    |
| 1 short ton       | = 2000 pounds | 1 kilogram (kg.)   | = 1000 grams          |              |                    |
| 1 long ton        | = 2240 pounds | 1 metric ton (t.)  | = 1000 kg.            |              |                    |
|                   |               |                    |                       |              |                    |
| <b>To convert</b> | <b>Into</b>   | <b>Multiply by</b> | <b>To convert</b>     | <b>Into</b>  | <b>Multiply by</b> |
| drams             | grams         | 1.7718             | grams                 | drams        | 0.5644             |
| ounces            | drams         | 28.3495            | grams                 | ounces       | 0.0353             |
| pounds            | kilograms     | 0.4536             | kilograms             | pounds       | 2.2046             |
| tons (short)      | tons (metric) | 0.9072             | tons (metric)         | tons (short) | 1.1023             |

POWER MEASUREMENT

|                   |                   |                       |                   |                   |             |
|-------------------|-------------------|-----------------------|-------------------|-------------------|-------------|
| 1 horsepower (hp) | = 746 watts       | = 7457 kilowatts (kw) | 1 horsepower (ps) | = 736 watts       | = 7355 kw   |
|                   |                   |                       |                   |                   |             |
| To convert        | Into              | Multiply by           | To convert        | Into              | Multiply by |
| horsepower (U.S.) | horsepower (met.) | 1.0139                | horsepower (met.) | horsepower (U.S.) | 0.9863      |
| horsepower (U.S.) | kilowatts         | 0.7457                | kilowatts         | horsepower (met.) | 0.7355      |
| kilowatts         | horsepower (U.S.) | 1.3405                | horsepower (met.) | kilowatts         | 1.2596      |

ABBREVIATIONS

Abbreviations as used throughout this catalog are interpreted as follows:

|            |  |          |                                 |
|------------|--|----------|---------------------------------|
| ABS        | ABSORBER                                 | CCW      | COUNTERCLOCKWISE                |
| ACC        | ACCESSORY                                | C/E      | COMMUTATOR END                  |
| ACCEL      | ACCELERATOR                              | CHAM     | CHAMFRED                        |
| A/CLNR     | AIR CLEANER                              | CHMBR    | CHAMBER                         |
| A/COND     | AIR CONDITIONING                         | CHR      | CHROMIUM                        |
| ACTG       | ACTUATING                                | C.I.     | CUBIC INCH                      |
| ACTR       | ACTUATOR                                 | C/IRON   | CAST IRON                       |
| ADAPT      | ADAPTER-ADAPTATION                       | C/CASE   | CRANKCASE                       |
| ADJ        | ADJUSTING-ADJUSTOR-ADJUSTABLE-ADJUSTMENT | CK/CHFT  | CRANKSHAFT                      |
| A/INL      | AIR INLET                                | CL       | CLEANER                         |
| ALTR       | ALTERNATOR                               | CL/NUT   | CLINCH NUT                      |
| ALUM       | ALUMINUM                                 | C/LP     | COURTESY LAMP                   |
| AMP        | AMPERE                                   | CLSR     | CLOSURE                         |
| AMPL       | AMPLIFIER                                | C/LTR    | CIGAR OR CIGARETTE LIGHTER      |
| AMTR       | AMMETER                                  | C/MBR    | CROSSMEMBER                     |
| ANCH       | ANCHOR                                   | COE      | CAB OVER ENGINE                 |
| &          | AND                                      | COL      | COLUMN                          |
| A/OUT      | AIR OUTLET                               | COMB     | COMBINATION                     |
| APPROX     | APPROXIMATE, APPROXIMATELY               | COMBN    | COMBUSTION                      |
| AR         | AS REQUIRED                              | COMP     | COMPLETE, COMPONENT             |
| A/RATLR    | ANTI RATTLER                             | COMPN    | COMPRESSION                     |
| A REST     | ARM REST                                 | COMPR    | COMPRESSOR                      |
| ARM        | ARMATURE                                 | COMPT    | COMPARTMENT                     |
| A/SQK      | ANTISQUEAK                               | COMTR    | COMMUTATOR                      |
| ASSY       | ASSEMBLY                                 | COND     | CONDENSER                       |
| A/SUSP     | AIR SUSPENSION                           | CONDT    | CONDUIT                         |
| A.T.C.     | AUTOMATIC TEMPERATURE CONTROL            | CONDTG   | CONDITIONING                    |
| ATT        | ATTACHING                                | CONN     | CONNECTING-CONNECTION-CONNECTOR |
| A/TRANS    | AUTOMATIC TRANSMISSION                   | CONT     | CONTINUED-CONTROL               |
| AUTO       | AUTOMATIC                                | CONTD    | CONTINUED                       |
| AUX        | AUXILIARY                                | CONV     | CONVERTER                       |
| BAL        | BALANCE                                  | COP      | COPPER                          |
| BATT       | BATTERY                                  | CO/SHFT  | COUNTERSHAFT                    |
| BBL        | BARREL                                   | CO/WT    | COUNTERWEIGHT                   |
| B/BRK      | BOOSTER BRAKE                            | CP       | CANDLEPOWER                     |
| B/CRK      | BELL CRANK                               | C/PILLAR | CENTER PILLAR                   |
| B.E        | BLACK ENAMEL                             | CPLG     | COUPLING                        |
| B/JNT      | BALL JOINT                               | C/SHFT   | CROSS SHAFT                     |
| BLK        | BLOCK                                    | CSTG     | CASTING                         |
| BLT        | BUILT                                    | CTR      | CENTER                          |
| BLWR       | BLOWER                                   | CU       | CUBIC                           |
| BMPR       | BUMPER                                   | CUSH     | CUSHION                         |
| BOLT / RET | BOLT / RETAINER                          | CUST     | CUSTOM                          |
| BOLT / WA. | BOLT / WASHER                            | CV       | CONVERTIBLE                     |
| BR         | BRASS                                    | C/VAL    | CONTROL VALVE                   |
| BRD        | BOARD                                    | CVR      | COVER                           |
| BRG        | BEARING                                  | C/WT     | COUNTERWEIGHT                   |
| BRK        | BRAKE                                    | CYL      | CYLINDER                        |
| BRKT       | BRACKET                                  | DBL      | DOUBLE                          |
| BRKR       | BREAKER                                  | D/CVR    | DUST COVER                      |
| BRT        | BRIGHT                                   | D/E      | DRIVE END                       |
| BRZ        | BRONZE                                   | DECAL    | DECALCOMANIA                    |
| BSTR       | BOOSTER                                  | DEFL     | DEFLECTOR                       |
| B/STUD     | BALL STUD                                | DEFGR    | DEFOGGER                        |
| BTM        | BOTTOM                                   | DEFR     | DEFROSTER                       |
| BTN        | BUTTON                                   | DEG (°)  | DEGREE                          |
| B/UP       | BACK UP                                  | D/EXH    | DUAL EXHAUST                    |
| BUSH       | BUSHING                                  | DIA      | DIAMETER                        |
| CAD        | CADIUM                                   | DIAG     | DIAGONAL                        |
| CAN        | CANADA-CANADIAN                          | DIAPH    | DIAPHRAGM                       |
| CAP        | CAPACITY                                 | DIFF     | DIFFERENTIAL                    |
| C.A.S.     | CLEANER AIR SYSTEM                       | DIM      | DIMENSION                       |
| CARB       | CARBURETOR                               | DIR      | DIRECT-DIRECTIONAL              |
| CATA       | CATALYTIC                                | DIR CL   | DIRECT CLUTCH                   |
| C/BAR      | CROSS BAR                                | DIST     | DISTRIBUTOR-DISTRIBUTING        |
| CBL        | CABLE                                    | DIV      | DIVISION-DIVISIONAL             |
| C/BRD      | CIRCUIT BOARD                            | D/LINK   | DRAG LINK                       |
| C.BRKR     | CIRCUIT BREAKER                          | D/LP     | DOME LAMP                       |

**ABBREVIATIONS (Cont'd)**

|                  |                                      |                |                                 |
|------------------|--------------------------------------|----------------|---------------------------------|
| DMPR.....        | DAMPER                               | GR .....       | GEAR                            |
| DOM .....        | DOMESTIC                             | G/REG .....    | GENERATOR-REGULATOR             |
| D/PINION .....   | DRIVE PINION                         | GRL .....      | GRILLE                          |
| DR .....         | DOOR                                 | GRMT .....     | GROMMET                         |
| D/R SHAFT ..     | DOUBLE ROCKER SHAFT                  | G/SHIFT .....  | GEARSHIFT                       |
| DRIV .....       | DRIVE                                | GSKT .....     | GASKET                          |
| DRVN .....       | DRIVEN                               | GVW .....      | GROSS VEHICLE WEIGHT            |
| D/SEAL .....     | DUST SEAL                            | H/BRK .....    | HAND BRAKE                      |
| D/SHLD .....     | DUST SHIELD                          | H/C .....      | HIGH COMPRESSION                |
| D/SW .....       | DIMMER SWITCH                        | HD .....       | HEAD                            |
| EBL .....        | ELECTRIC HEATED BACK LIGHT           | H/D .....      | HEAVY DUTY                      |
| ECC .....        | ECCENTRIC                            | HDL .....      | HANDLE                          |
| ECS .....        | EVAPORATE EMISSION CONTROL SYSTEM    | H/LIN .....    | HEAD LINING                     |
| E.F.I. (M) ..... | ELECTRONIC FUEL INJECTION (METERING) | HDLS .....     | HEADLESS                        |
| E.G.R. ....      | EXHAUST GAS RECIRCULATION            | HDR .....      | HEADER                          |
| ELECT .....      | ELECTRIC                             | HEMI .....     | HEMISPHERICAL                   |
| ELIM .....       | ELIMINATOR                           | HEX .....      | HEXAGON                         |
| EMR .....        | ENGINE MAINTENANCE REMINDER          | HGE .....      | HINGE                           |
| ENG .....        | ENGINE                               | H/GUIDE .....  | HYDRAGUIDE                      |
| EQ .....         | EQUIPMENT                            | H/LP .....     | HEADLAMP                        |
| ESC .....        | ESCUTCHEON                           | H/PERF .....   | HIGH PERFORMANCE                |
| ETC .....        | ET CETERA                            | H/REST .....   | HEAD REST                       |
| EVAP .....       | EVAPORATON-EVAPORATOR                | HSG .....      | HOUSING                         |
| EX .....         | EXTRA                                | H/SNK .....    | HEAT SINK                       |
| EXC .....        | EXCLUDE                              | H/SHLD .....   | HEAT SHIELD                     |
| EXH .....        | EXHAUST                              | HT .....       | HEATER                          |
| EXP .....        | EXPORT                               | HVY .....      | HEAVY                           |
| EXPN .....       | EXPANSION                            | HYD .....      | HYDRAULIC                       |
| EXT .....        | EXTENSION                            | I/ARM .....    | IDLER ARM                       |
| EXTL .....       | EXTERNAL                             | I.D. ....      | INSIDE DIAMETER                 |
| EXTR .....       | EXTRUDED                             | IDENT .....    | IDENTIFICATION                  |
| F .....          | FAHRENHEIT                           | IGN .....      | IGNITION                        |
| FACT .....       | FACTORY                              | IN .....       | INCH                            |
| F/AIR .....      | FRESH AIR                            | INCL .....     | INCLUSIVE-INCLUDES              |
| FAST .....       | FASTENING-FASTENER                   | IND .....      | INDUSTRIAL                      |
| F/AXLE .....     | FRONT AXLE                           | INDIC .....    | INDICATOR                       |
| F/BRD .....      | FLOOR BOARD                          | INL .....      | INLET                           |
| F/CPLG .....     | FLUID COUPLING                       | INR .....      | INNER                           |
| F/DR .....       | FRONT DOOR                           | INS .....      | INSULATING-INSULATION-INSULATOR |
| F/FILT .....     | FUEL FILTER                          | INST .....     | INSTRUMENT-INSTRUCTION          |
| F/GA .....       | FUEL GAGE                            | INT .....      | INTAKE                          |
| F/IDLE .....     | FAST IDLE                            | INTER .....    | INTERMITTENTLY-INTERMEDIATE     |
| FIL HD .....     | FILLISTER HEAD                       | INTL .....     | INTERNAL                        |
| FIN .....        | FINISH                               | INTLK .....    | INTERLOCK                       |
| F/INJ .....      | FUEL INJECTION                       | I/PNL .....    | INSTRUMENT PANEL                |
| FLD .....        | FIELD                                | I/PULLEY ..... | IDLER PULLEY                    |
| FLEX .....       | FLEXIBLE                             | I/S .....      | INSIDE                          |
| FLG .....        | FLANGE                               | J/BLK .....    | JUNCTION BLOCK                  |
| FL HD .....      | FLAT HEAD                            | JNT .....      | JOINT                           |
| FLR .....        | FLOOR                                | K/DN .....     | KICKDOWN                        |
| F/MLDG .....     | FINISH MOULDING                      | KDX .....      | KNOCK DOWN EXPORT               |
| FNDR .....       | FENDER                               | KILO .....     | KILOMETER                       |
| F/PAN .....      | FLOOR PAN                            | KNU .....      | KNUCKLE                         |
| F/PUMP .....     | FUEL PUMP                            | K/UP .....     | KICKUP                          |
| FREQ .....       | FREQUENCY                            | LBS .....      | POUNDS                          |
| FRT .....        | FRONT                                | L/C .....      | LOW COMPRESSION                 |
| FT .....         | FOOT-FEET                            | LCF .....      | LOW CAB FORWARD                 |
| F/TANK .....     | FUEL TANK                            | L/COMPT .....  | LUGGAGE COMPARTMENT             |
| FTG .....        | FITTING                              | LEA .....      | LEATHER                         |
| F/TOP .....      | FOLDING TOP                          | LED .....      | LIGHT EMITTING DIODE            |
| GA .....         | GAUGE-GAGE                           | LGH .....      | LENGTH                          |
| GALV .....       | GALVANIZED                           | LHD .....      | LEFT HAND DRIVE                 |
| GARN .....       | GARNISH                              | L.H. THD ..... | LEFT HAND THREAD                |
| G/BOX .....      | GLOVE BOX                            | LIC .....      | LICENSE                         |
| GEN .....        | GENERATOR                            | LIN .....      | LINING-LINER                    |
| GLA .....        | GLASS                                | LK .....       | LOCK                            |
| G/MLDG .....     | GARNISH-MOULDING                     | LKG .....      | LOCKING                         |
| GND .....        | GROUND                               | LK/NUT .....   | LOCK NUT                        |
| GOV .....        | GOVERNOR                             | LK/WA .....    | LOCK WASHER                     |

**ABBREVIATIONS (Cont'd)**

|               |                                 |                |                        |
|---------------|---------------------------------|----------------|------------------------|
| LOC .....     | LOCATING                        | PIV .....      | PIVOT                  |
| LP .....      | LAMP                            | PKG .....      | PACKAGE                |
| LPG .....     | LIQUID PROPANE GAS              | PL .....       | PLAIN                  |
| L.S.H. ....   | LOW SECTION HEIGHT              | P/LAMP .....   | PARKING LAMP           |
| LT .....      | LEFT                            | PLR .....      | PILLAR                 |
| LUB .....     | LUBRICANT-LUBRICATING           | PLT .....      | PLATE-PLATED           |
| LUGG .....    | LUGGAGE                         | PLUNG .....    | PLUNGER                |
| LVR .....     | LEVER                           | PL/WA .....    | PLAIN WASHER           |
| LWR .....     | LOWER                           | P/MTR .....    | POTENTIOMETER          |
| M / I .....   | MARINE / INDUSTRIAL             | PNL .....      | PANEL                  |
| M/ADJ .....   | MANUAL ADJUSTING                | PNTD .....     | PAINTED                |
| MAN .....     | MANUAL                          | POS .....      | POSITIVE               |
| MANF .....    | MANIFOLD                        | POLY .....     | POLYESTER              |
| MAR .....     | MARINE                          | P/PNL .....    | POCKET PANEL           |
| MAX .....     | MAXIMUM                         | PRESS .....    | PRESSURE               |
| MAX PERF ..   | MAXIMUM PERFORMANCE             | PRI .....      | PRIMARY                |
| M/BRK .....   | MANUAL BRAKE                    | PROD .....     | PRODUCTION             |
| MBR .....     | MEMBER                          | P/ROD .....    | PUSH ROD               |
| M/CYL .....   | MASTER CYLINDER                 | PROP .....     | PROPELLER              |
| MECH .....    | MECHANISM                       | PRPG .....     | PROPORTIONING          |
| MED .....     | MEDIUM                          | PSF .....      | POUNDS PER SQUARE FOOT |
| MEDAL .....   | MEDALLION                       | PSI .....      | POUNDS PER SQUARE INCH |
| MIL .....     | MILITARY                        | P/STRG .....   | POWER STEERING         |
| MIN .....     | MINIMUM                         | PT .....       | POINT                  |
| MDLG .....    | MOULDING                        | PTO .....      | POWER TAKE OFF         |
| MOD .....     | MODEL                           | PWR .....      | POWER                  |
| M/MTRG .....  | MAIN METERING                   | Q/PNL .....    | QUARTER PANEL          |
| M.P.H. ....   | MILES PER HOUR                  | QTR .....      | QUARTER                |
| MT .....      | MOUNT                           | Q/WDO .....    | QUARTER WINDOW         |
| MTG .....     | MOUNTING                        | R .....        | RADIUS                 |
| MTR .....     | MOTOR                           | R/A .....      | REAR AXLE              |
| M/TRANS ..... | MANUAL TRANSMISSION             | R/AXLE .....   | REAR AXXLE             |
| MTRG .....    | METERING                        | RAD .....      | RADIATOR               |
| NEG .....     | NEGATIVE                        | R/CONT .....   | REMOTE CONTROL         |
| NEUT .....    | NEUTRAL                         | RC/SHIFT ..    | ROCKER SHAFT           |
| NI .....      | NICKEL                          | RD .....       | ROUND                  |
| NO. OR # ...  | NUMBER                          | R/DR .....     | REAR DOOR              |
| NOM .....     | NOMINAL                         | REC .....      | RECEIVER               |
| NO .....      | NITROGEN OXIDE EMISSION CONTROL | RECIR .....    | RECIRCULATING          |
| N/PLT .....   | NAME PLATE                      | RECT .....     | RECTANGULAR            |
| NUT / WA ...  | NUT AND WASHER                  | RECTR .....    | RECTIFIER              |
| O/CTR .....   | OVER CENTER                     | RED .....      | REDUCTION              |
| O.D. ....     | OUTSIDE DIAMETER                | REFL .....     | REFLECTOR              |
| O/DRV .....   | OVER DRIVE                      | REG .....      | REGULATOR              |
| O/GA .....    | OIL GAUGE                       | REINF .....    | REINFORCEMENT          |
| OPER .....    | OPERATING                       | REL .....      | RELEASE                |
| OPNG .....    | OPENING                         | REM .....      | REMOTE                 |
| OPP .....     | OPPOSITE                        | REQ .....      | REQUIRED               |
| OPT .....     | OPTIONAL                        | RES .....      | RESISTOR               |
| O/PUMP .....  | OIL PUMP                        | RET .....      | RETAINER               |
| ORN .....     | ORNAMENT                        | RETG .....     | RETAINING              |
| O/RUNN .....  | OVERUNNING                      | REV .....      | REVERSE                |
| O/S .....     | OUTSIDE                         | REVERB .....   | REVERBERATOR           |
| O/SIZE .....  | OVERSIZE                        | R/FLR .....    | REAR FLOOR             |
| OTR .....     | OUTER                           | RHD .....      | RIGHT HAND DRIVE       |
| OUTL .....    | OUTLET                          | RHEO .....     | RHEOSTAT               |
| OV .....      | OVAL                            | R.H. THD ..... | RIGHT HAND THREAD      |
| O/W .....     | OPTIONAL WITH                   | R/L .....      | RIGHT AND LEFT         |
| O/WRAP .....  | OVERWRAP                        | RPM .....      | REVOLUTIONS PER MINUTE |
| OZ .....      | OUNCE                           | R/QTR .....    | REAR QUARTER           |
| P .....       | PITCH                           | RR .....       | REAR                   |
| PACK .....    | PACKING                         | RSVR .....     | RESERVOIR              |
| PARK .....    | PARKING                         | RT .....       | RIGHT                  |
| PART .....    | PARTIAL PARTITION               | R/WDO .....    | REAR WINDOW            |
| PASS .....    | PASSENGER                       | S/ABS .....    | SHOCK ABSORBER         |
| P/BRK .....   | POWER BRAKE                     | S/C .....      | SALES CODE             |
| P/BTN .....   | PUSH BUTTON                     | S/COMPT .....  | SIDE COMPARTMENT       |
| PC/BRD .....  | PRINTED CIRCUIT BOARD           | S/DEFL .....   | STONE DEFLECTOR        |
| PED .....     | PEDAL                           | SECT .....     | SECTION                |
| PERF .....    | PERFORMANCE                     | SER .....      | SERIAL-SERVICE         |
| PIST .....    | PISTON                          | S/EXH .....    | SINGLE EXHAUST         |

---

## ABBREVIATIONS (Cont'd)

|               |                         |               |                               |
|---------------|-------------------------|---------------|-------------------------------|
| S-FIN .....   | SEMI-FINISHED           | 3RD .....     | THIRD                         |
| S/GR .....    | STEERING GEAR           | THR .....     | THRUST                        |
| SHFT .....    | SHIFT                   | THROT .....   | THROTTLE                      |
| SHLD .....    | SHIELD                  | T.I.C. ....   | THERMOSTATIC IGNITION CONTROL |
| SIG .....     | SIGNAL                  | T/LP .....    | TAIL LAMP                     |
| S/KNU .....   | STEERING KNUCKLE        | TORQ .....    | TORQUE                        |
| SLD .....     | SLIDE                   | TORS .....    | TORSION                       |
| SLDG .....    | SLIDING                 | TPI .....     | THREADS PER INCH              |
| S/LP .....    | STOP LAMP               | T/PIPE .....  | TAIL PIPE                     |
| SLTD .....    | SLOTTED                 | T/PLT .....   | TAPPING PLATE                 |
| SLV .....     | SLEEVE                  | T/PNL .....   | TRIM PANEL                    |
| S/MBR .....   | SIDE MARKER             | TPR .....     | TAPER                         |
| SOC .....     | SOCKET                  | TRANS .....   | TRANSMISSION                  |
| SOL .....     | SOLENOID                | TRANSF .....  | TRANSFER                      |
| SPD .....     | SPEED                   | TRIMD .....   | TRIMMED                       |
| SPEEDO .....  | SPEEDOMETER             | T/SIG .....   | TURN SIGNAL                   |
| SPKR .....    | SPEAKER                 | TRUN. ....    | TRUNNION                      |
| SPL .....     | SPECIAL                 | TST .....     | TAIL STOP / TURNING           |
| SPL EQUIP ... | SPECIAL EQUIPMENT       | T/STRIP ..... | TACKING STRIP                 |
| SPRG .....    | SPRING                  | TUB .....     | TUBULAR                       |
| S/PNL .....   | SIDE PANEL              | U/BODY .....  | UNDERBODY                     |
| SP/SHLD ..... | SPLASH SHIELD           | U/DRV .....   | UNDERDRIVE                    |
| SQ .....      | SQUARE                  | U/JNT .....   | UNIVERSAL JOINT               |
| S/R SHAFT ..  | SINGLE ROCKER SHAFT     | UNIV .....    | UNIVERSAL                     |
| S/RAIL .....  | SIDE RAIL               | UPR .....     | UPPER                         |
| S/RING .....  | SNAP RING               | U/S .....     | UNDERSIZE                     |
| S/SHLD .....  | SIDE SHIELD             | U/SEAT .....  | UNDERSEAT                     |
| S/SILL .....  | SIDE SILL               | U/W .....     | USED WITH                     |
| S/SPD .....   | SINGLE SPEED            | V .....       | VENTUR (QTY OF CARB BBL)      |
| STA .....     | STATION-STATIONARY      | VAC .....     | VACUUM                        |
| STAB .....    | STABILIZER              | VAL .....     | VALVE                         |
| STD .....     | STANDARD                | V/DMPR .....  | VIBRATION DAMPER              |
| STGHT .....   | STRAIGHT                | VENT .....    | VENTILATOR-VENTILATING        |
| STL .....     | STEEL                   | VERT .....    | VERTICAL                      |
| STRG .....    | STEERING                | VOL CONT ...  | VOLUME CONTROL                |
| STRKR .....   | STRIKER                 | V/REG .....   | VOLTAGE REGULATOR             |
| STRNR .....   | STRAINER                | V/SPD .....   | VARIABLE SPEED                |
| STRTR .....   | STARTER                 | V/WING .....  | VENT WING                     |
| SUCT .....    | SUCTION                 | W .....       | WATT                          |
| SUPT .....    | SUPPORT                 | WA .....      | WASHER                        |
| SUSP .....    | SUSPENSION              | WAG .....     | WAGON                         |
| SW .....      | SWITCH                  | WB .....      | WHEELBASE                     |
| SYNCH .....   | SYNCHRONIZER            | W/BRG .....   | WHEEL BEARING                 |
| T .....       | TEETH                   | W/CORD .....  | WEATHERCORD                   |
| TAP .....     | TAPPING                 | WDO .....     | WINDOW                        |
| TBI .....     | THROTTLE BODY INJECTION | WHL .....     | WHEEL                         |
| T/BKL .....   | TURN BUCKLE             | W/HSE .....   | WHEELHOUSE                    |
| T/BLK .....   | TERMINAL BLOCK          | W/LIFT .....  | WINDOW LIFT                   |
| T/COMP .....  | TRIMMED COMPLETE        | W/O .....     | WITHOUT                       |
| T/CONT .....  | THROTTLE CONTROL        | W/PUMP .....  | WATER PUMP                    |
| T/CONV .....  | TORQUE CONVERTER        | W/REG .....   | WINDOW REGULATOR              |
| TEMP .....    | TEMPERATURE             | W/SHLD .....  | WINDSHIELD                    |
| TERM .....    | TERMINAL                | W/STRIP ..... | WEATHERSTRIP                  |
| T/GA .....    | TEMPERATURE GAUGE       | WT .....      | WEIGHT                        |
| T-GATE .....  | TAILGATE                | W/WASHER ..   | WINDSHIELD WASHER             |
| THD .....     | THREAD                  | W/WPR .....   | WINDSHIELD WIPER              |
| THK .....     | THICK                   | X/MBR .....   | X MEMBER                      |
| THERMO .....  | THERMOSTAT              |               |                               |

---

GROUP 2 - FRONT SUSPENSION & DRIVE

ILLUSTRATION TITLE GROUP-FIG. NO.

FRONT SUSPENSION

|   |            |
|---|------------|
| ARM & STEERING KNUCKLE, FRONT SUSP. UPPER CONTROL B1,2,3                              | Fig. 2-100 |
| SUSPENSION, FRONT COIL W/LOWER CONTROL ARM & SWAY BAR B1,2,3                          | Fig. 2-200 |
| SUSPENSION, FRONT COIL WITH SHOCK ABSORBER & SWAY ELIMINATOR D1,2,3,4                 | Fig. 2-300 |
| SUSPENSION, FRONT LEAF W/3500,4500 LB. AXLE SHOCK ABSORBER & SWAY ELIMINATOR D5,6,7,8 | Fig. 2-500 |

FRONT SPRINGS

|   |            |
|---|------------|
| SPRING REPLACEMENT CHART,FRONT - D MODELS | Fig. 2-600 |
|---|------------|


FRONT AXLES

|  |             |
|--|-------------|
| HUBS & COMPONENTS, LOCKING D5,6,7,8 (1984)                                 | Fig. 2-700  |
| DISCONNECT ASSY - FRONT AXLE 208 TRANSFER CASE (1985) D5,6,7,8             | Fig. 2-750  |
| AXLE, FRONT - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8                         | Fig. 2-800  |
| DIFFERENTIAL, FRONT AXLE - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8            | Fig. 2-900  |
| CASE KIT, DIFFERENTIAL - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8              | Fig. 2-1000 |
| GEAR & PINION KIT, DRIVE - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8            | Fig. 2-1100 |
| DIFFERENTIAL PARTS KIT - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8              | Fig. 2-1200 |
| AXLE, FRONT - 1985 SPICER 44F WITH VACUUM DISCONNECT D5,6,7,8              | Fig. 2-1225 |
| DIFFERENTIAL, FRONT AXLE - 1985 SPICER 44F WITH VACUUM DISCONNECT D5,6,7,8 | Fig. 2-1250 |
| GEAR & PINION KIT, DRIVE - 1985 DANA 44F WITH VACUUM DISCONNECT D5,6,7,8   | Fig. 2-1275 |
| AXLE, FRONT SPICER 60-4500 LB. D7  | Fig. 2-1300 |
| DIFFERENTIAL, FRONT AXLE SPICER 60-4500 LB. D7                             | Fig. 2-1400 |
| DIFFERENTIAL CASE KIT SPICER 60-4500 LB. D7                                | Fig. 2-1500 |
| GEAR & PINION KIT SPICER 60-4500 LB. D7                                    | Fig. 2-1600 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

ARM & STEERING KNUCKLE, FRONT SUSP. UPPER CONTROL B1,2,3  
Figure 2-100

4302 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | 4167 415    | 4   |      |       | WASHER, Pivot Bar                            |
| 2    |             | 2   |      |       | BAR, Serv. In Assy., Item 7                  |
| 3    |             | 2   |      |       | SLEEVE, Serv. In Assy., Item 7               |
| 4    | 4213 118    | 4   | B1,2 |       | BUSHING, Upper Control Arm<br>w/3300 Lb.Axle |
|      | 4213 119    | 4   | B3   |       | w/3600,4000 Lb. Axle                         |
| 5    | 4032 192    | 4   |      |       | RETAINER, Upper Control Arm Bushing          |
| 6    | 6031 718    | 4   |      |       | NUT, Upper C/Arm Pivot Bar                   |
| 7    |             |     |      |       | ARM ASSEMBLY, Upper Control                  |
|      | 4210 872-3  | 1   |      |       | w/3300 Lb. Axle                              |
|      | 4210 874-5  | 1   |      |       | w/3600 Lb. Axle                              |
|      | 4210 876-7  | 1   |      |       | w/4000 Lb. Axle                              |
| 8    |             |     |      |       | SEAL, Upper Control Arm Ball Joint           |
|      | 3722 449    | 2   |      |       | w/3300,3600 Lb.Axle                          |
|      | 3402 950    | 2   |      |       | w/4000 Lb. Axle                              |
| 9    |             |     |      |       | BALL JOINT, Upper                            |
|      | 2808 394    | 2   |      |       | w/3300,3600 Lb. Axle                         |
|      | 3744 929    | 2   |      |       | w/4000 Lb. Axle                              |
| 10   | 0152 344    | 2   |      |       | NUT, Jounce Bumper Bolt                      |
| 11   | 6031 842    | 4   |      |       | BOLT, Control Arm Pivot Bar                  |
| 12   |             | 4   |      |       | WASHER, (Not Serviced)                       |
|      | 6028 776    | 4   |      |       | LOCKWASHER, Control Arm Pivot Bar Bolt ***   |
| 13   | 4014 050    | 2   |      |       | BUMPER, Upper Control Arm                    |
| 14   | 4117 796    | 4   |      |       | NUT, RETAINER                                |
| 15   | 4117 796    | 4   |      |       | NUT, Pivot Bar Bolt                          |
| 16   |             |     |      |       | ARM, Steering Knuckle                        |
|      | 4237 882-3  | 1   |      |       | w/3300,3600 Lb.Axle                          |
|      | 4237 886-7  | 1   |      |       | w/4000 Lb. Axle                              |
| 17   |             |     |      |       | NUT, Knuckle To Arm Bolt                     |
|      | 0152 353    | 4   |      |       | w/3300,3600 LB.Axle                          |
|      | 0152 355    | 4   |      |       | w/4000 Lb. Axle                              |
| 18   |             |     |      |       | NUT, Ball Joint Stud                         |
|      | 1671 405    | 2   |      |       | w/3300,3600 Lb. Axle                         |
|      | 9425 133    | 2   |      |       | w/4000 Lb. Axle                              |
| 19   |             | AR  |      |       | PIN, Cotter (Not Serv.)                      |
| 20   |             |     |      |       | KNUCKLE, Steering                            |
|      | 4164 876-7  | 1   |      |       | w/3300 Lb. Axle                              |
|      | 4036 542-3  | 1   |      |       | w/3600 Lb. Axle                              |
|      | 3634 916-7  | 1   |      |       | w/4000 Lb. Axle                              |
| 21   |             |     |      |       | BOLT, Knuckle To Arm                         |
|      | 6030 009    | 4   |      |       | w/3300,3600 Lb.Axle                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



ARM & STEERING KNUCKLE, FRONT SUSP. UPPER CONTROL B1,2,3  
Figure 2-100

4302 100A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                      |
|------|-------------|-----|------|-------|----------------------------------|
|      | 6030 063    | 4   |      |       | w/4000 Lb. Axle                  |
| 22   | 0273 912    | 2   |      |       | NUT, Ball Joint Stud             |
|      | 1671 405    | 2   |      |       | w/3300, 3600Lb. Axle ***         |
|      | 6030 099    | AR  |      |       | w/4000 Lb. Axle                  |
| 23   |             |     |      |       | OILER, Ball Joint-Upper or Lower |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

SUSPENSION, FRONT COIL W/LOWER CONTROL ARM & SWAY BAR B1,2,3  
Figure 2-200

4302 200B



| ITEM  | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|---|-------------|-----|------|--------|---|
| NOTE: Spring Ratings Are Listed As Ground/Pad Capacity. |             |     |      |        |   |
| 1   | 4037 659    | 2   |      |        | BUSHING, Strut Rod Rear<br>w/3300,4000 Lb. Axle           |
|   | 4037 660    | 2   |      |        | w/3600 Lb. Axle   |
| 2   | 3898 897    | 2   |      |        | RETAINER, Strut Rear Bushing                              |
| 3   | 6031 718    | 2   |      |        | NUT, Control Arm Strut                                    |
| 4   | 6027 381    | 2   |      |        | PIN, Control Arm Strut                                    |
| 5   | 3898 817    | 2   |      |        | BUSHING, Strut Rod Front<br>w/3300 Lb. Axle               |
|   | 4036 909    | 2   |      | B3     | w/3600 Lb. Axle   |
|   | 3898 974    | 2   |      |        | w/4000 Lb. Axle   |
| 6   | 3898 896    | 2   |      |        | RETAINER, Strut Front Bushing                             |
| 7   | 4032 322    | 2   |      |        | STRUT, Lower Control Arm                                  |
| 8   | 4032 470-1  | 1   |      |        | BRACKET, Jounce Bumper<br>w/o Sway Bar                    |
|   | 4116 590-1  | 1   |      |        | w/Sway Bar  |
| -   | 4116 599    | 2   |      |        | SPACER, Sway Eliminator Mounting Bracket                  |
| 9   | 4112 343    | 2   |      |        | BUMPER, Jounce<br>w/3300 Lb. Axle                         |
|   | 4112 342    | 2   |      |        | w/3600, 4000 Lb. Axle                                     |
| 10  | 4089 580    | 2   |      |        | ISOLATOR, Coil Spring Upper                               |
| 11  | 4116 988    | 2   |      | B1,2,3 | SPRING, Front Susp. Coil<br>1615/1750 Lb.                 |
|   | 4164 858    | 2   |      | B3     | 1685/1850 Lb.   |
|   | 4164 859    | 2   |      | B3     | 1735/1900 Lb.   |
|   | 4116 983    | 2   |      | B1,2   | 1145/1280 Lb.   |
|   | 4116 984    | 2   |      | B1,2   | 1250/1385 Lb.   |
|   | 4116 984    | 2   |      | B3     | 1170/1335 Lb.   |
|   | 4116 985    | 2   |      | B1,2   | 1355/1490 Lb.   |
|   | 4116 985    | 2   |      | B3     | 1270/1435 Lb.   |
|   | 4116 986    | 2   |      | B1,2   | 1455/1590 Lb.   |
|   | 4116 986    | 2   |      | B3     | 1365/1530 Lb.   |
|   | 4116 989    | 2   |      | B3     | 1625/1800 Lb.   |
|   | 4116 987    | 2   |      | B1,2   | 1515/1650 Lb.   |
|   | 4116 987    | 2   |      | B3     | 1420/1585 Lb.   |
|   | 4116 990    | 2   |      | B3     | 1825/2000 Lb.   |
| 12  |             |     |      |        | WASHER, Not Serviced                                      |
| 13  | 6029 982    | 4   |      |        | NUT, Strut Bolt   |
| 14  | 3722 751    | 2   |      |        | RETAINER, Shock Absorber Bushing, Lwr.                    |
| 15  | 4131 350    | 2   |      |        | SHOCK ABSORBER, Front<br>w/1' Dia., w/3300, 3600 Lb. Axle |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, FRONT COIL W/LOWER CONTROL ARM & SWAY BAR B1,2,3  
Figure 2-200

4302 200B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4131 320    | 2   |      |       | w/1 3/16" Dia., w/3300, 3600 Lb. Axle              |
|      | 4131 321    | 2   |      |       | w/H.D., w/4000 Lb. Axle                            |
| 16   | 0181 088    | 4   |      |       | SCREW, Shock Absorber                              |
| 17   |             |     |      |       | BALL JOINT PACKAGE, Lower Control Arm              |
|      | 3837 088    | 2   |      |       | w/3300, 3600 Lb.Axle                               |
|      | 3683 983    | 2   |      |       | w/4000 Lb.Axle                                     |
| 18   |             |     |      |       | SEAL, Ball Joint                                   |
|      | 3402 950    | 2   |      |       | w/3300,3600 Lb. Axle                               |
|      | 3632 820    | 2   |      |       | w/4000 Lb. Axle (Served In 3683983 Ball Joint Pkg. |
| 19   |             |     |      |       | ARM ASSY., Lower Control ***                       |
|      | 4210 584-5  | 1   |      |       | w/3300 Lb.Axle                                     |
|      | 4164 464-5  | 1   |      |       | w/3600 Lb. Axle                                    |
|      | 4036 808-9  | 1   |      |       | w/4000 Lb. Axle                                    |
| 20   |             |     |      |       | BUSHING, Lower Control Arm                         |
|      | 4036 569    | 2   |      |       | w/3300,3600 Lb. Axle                               |
|      | 4031 862    | 2   |      |       | w/4000 Lb. Axle                                    |
| 21   |             |     |      |       | WASHER, Not Served                                 |
| 22   | 6031 332    | 2   |      |       | BOLT, Control Arm Bushing                          |
| 23   | 0152 355    | 2   |      |       | NUT, Control Arm Bushing Bolt                      |
| 24   | 4039 137    | 4   |      |       | BUSHING, Shock Upper Mounting                      |
| 25   | 2206 925    | 2   |      |       | RETAINER, Shock Upper                              |
| 26   | 0114 942    | 2   |      |       | NUT  |
| 27   |             |     |      |       | INSULATOR, Served In 3879212                       |
| 28   |             |     |      |       | RETAINER, Served In 3879212                        |
| 29   |             |     |      |       | NUT, Served In 3879212                             |
| 30   | 4116 589    | 2   |      |       | LINK, Sway Eliminator Shaft                        |
| 31   | 4116 582    | 1   |      |       | SHAFT, Sway Eliminator                             |
|      | 4117 051    | 2   |      |       | BUSHING, Sway Eliminator Shaft                     |
| 32   |             |     |      |       | SCREW, Not Served                                  |
| 33   | 4116 588    | 2   |      |       | PLATE, Sway Eliminator Shaft Bushing Retainer      |
| 34   | 9422 041    | 6   |      |       | BOLT, Sway Elim. Shaft Bushing Retainer            |
| 35   | 2535 173    | 2   |      |       | RETAINER, Sway Elim. Shaft Bushing                 |
| 36   | 4116 584-5  | 1   |      |       | BRACKET, Sway Eliminator Shaft Mounting            |
|      | 6030 369    | AR  |      |       | BOLT, Turn Stop Bracket                            |
| 37   | 6031 570    | 4   |      |       | BOLT, Jounce Bumper To Lower Control Arm           |
| 38   | 6030 099    | AR  |      |       | OILER, Ball Joint-Upper & Lower                    |
| 39   |             |     |      |       | NUT, Ball Joint Stud                               |
|      | 1671 405    | 2   |      |       | w/3300,3600 Lb. Axle                               |
|      | 9425 133    | 2   |      |       | w/4000 Lb. Axle                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 2-200**

This diagram illustrates the assembly of a vehicle chassis, showing various components and their assembly sequence. The components are numbered 1 through 39, and the assembly steps are indicated by dashed lines and arrows.

**Key Components and Assembly Steps:**

- 1, 2, 3, 4:** Top plate, upper control arm, lower control arm, and a pin/bush assembly.
- 5, 6, 7, 8, 9:** Upper control arm, lower control arm, and various bushings/pins.
- 10, 11:** Coil spring and coil spring plate.
- 12, 13:** Bushings/pins for the control arms.
- 14, 15, 16:** Shock absorber and its mounting components.
- 17, 18, 19:** Lower control arm, lower control arm bushing, and lower control arm plate.
- 20, 21, 22:** Lower control arm, lower control arm bushing, and lower control arm plate.
- 23, 24, 25, 26:** Various bushings/pins for the control arms.
- 27, 28, 29, 30, 31:** Sway bar, sway bar bushing, sway bar pin, sway bar plate, and sway bar plate pin.
- 32, 33, 34, 35, 36, 37, 38, 39:** Sway bar, sway bar bushing, sway bar pin, sway bar plate, sway bar plate pin, sway bar plate, and sway bar plate pin.

The diagram shows the assembly of the upper control arm, lower control arm, coil spring, shock absorber, and sway bar. The components are numbered 1 through 39, and the assembly steps are indicated by dashed lines and arrows.


**SWAY ELIMINATOR**

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>B-B VANS AND WAGONS (4X2)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

# SUSPENSION, FRONT COIL WITH SHOCK ABSORBER & SWAY ELIMINATOR D1,2,3,4

## Figure 2-300

4302 300A



| ITEM   | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION   |
|--|-------------|-----|--------|-------|---|
| 1  | 2808 445    | 1   |        |       | CAM PACKAGE, Consists Of Items 2,3,4,5,6                        |
| 2  |             | 4   |        |       | CAM and BOLT, Serviced In Item 1 & 6                            |
| 3  |             | 4   |        |       | CAM, Serviced In Item 1 & 6                                     |
| 4  | 0123 174    | 4   |        |       | LOCKWASHER, Also Serviced In Item 6 ***                         |
| 5  | 6030 998    | 4   |        |       | NUT, Control Arm Cam Bolt-Also Serviced In Item 6               |
| 6  | 3621 931    | 1   |        |       | CAM and BSHG. PKG., Consists Of Items 2,3,4,5,7,8 ***           |
| 7  | 3492 782    | 4   |        |       | SLEEVE, Also Serviced In Item 6                                 |
| 8  | 2269 124    | 4   |        |       | BUSHING, Also Serviced In Item 6                                |
| 9  | 0152 344    | 2   |        |       | NUT, Upper Bumper-3/8-16  |
| 10   | 2808 394    | 2   |        |       | BALL JOINT PKG., Upper Control Arm w/3000,3300,3600Lb. Axle *** |
|  | 3744 929    | 2   |        |       | w/4000 Lb. Axle   |
| 11   | 3722 449    | 2   |        |       | SEAL, Upper Control Arm B/Joint w/3000,3300,3600Lb. Axle        |
|  | 3402 950    | 2   |        |       | w/4000 Lb. Axle   |
| 12   | 4014 050    | 2   |        |       | BUMPER, Upper Control Arm                                       |
| 13   | 3492 122-3  | 1   |        |       | ARM w/REINFORCEMENT, Front Susp.Upper Control ***               |
| 15   | 2961 123    | 2   |        |       | BUSHING, Lwr. Control Arm w/3000,3300,3600 Lb. Axle             |
|  | 3492 128    | 2   |        |       | w/4000 Lb. Axle   |
| 16   | 3492 860-1  | 1   |        |       | ARM & REINFORCEMENT, Lwr. Control w/3000,3300,3600 Lb. Axle     |
|  | 3492 126-7  | 1   |        |       | w/4000 Lb. Axle   |
| 17   |             |     |        |       | SPRING, Coil  |
| NOTE: Spring Ratings Will Now Be Listed As Pad/Ground Capacity |             |     |        |       |   |
|  | 3492 933    | 2   | D1,4   |       | 1200/1340 Lb.   |
|  | 3497 931    | 2   | D1,2,4 |       | 1300/1440 Lb.   |
|  | 3492 934    | 2   | D1     |       | 1400/1540 Lb.   |
|  | 3492 934    | 2   | D2     |       | 1400/1565 Lb.   |
|  | 3492 935    | 2   | D1     |       | 1475/1615 Lb.   |
|  | 3492 935    | 2   | D2,3   |       | 1475/1645 Lb.   |
|  | 3496 340    | 2   | D2,3   |       | 1500/1750 Lb.   |
|  | 3492 936    | 2   | D1,2,3 |       | 1550/1800 Lb.   |
|  | 3496 341    | 2   | D2,3   |       | 1725/1915 Lb.   |
|  | 4322 629    | 2   |        |       | SPACER, Frt. Susp. Coil Spring                                  |
| 18   | 0273 912    | AR  | D1,2,4 |       | NUT, Knuckle To Arm Bolt-5/8-18                                 |
|  | 0152 355    | AR  | D2,3   |       | 3/4-16  |
|  | 0152 353    | AR  | D1,2,4 |       | 5/8-18  |
| 19   | 0273 912    | AR  |        |       | NUT, Ball Joint Stud Upper-5/8-18                               |
|  | 1671 405    | 2   |        |       | NUT, Stud-Lwr. w/3000,3300,3600 Lb. Axle                        |
|  | 9425 133    | 2   |        |       | w/4000 Lb. Axle   |
| 20   |             | AR  |        |       | PIN, Not Serviced   |
| 21   | 4164 876-7  | 1   | D1,4   |       | KNUCKLE, Steering w/3000,3300 Lb. Axle                          |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, FRONT COIL WITH SHOCK ABSORBER & SWAY ELIMINATOR D1,2,3,4  
Figure 2-300

4302 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION   |
|------|-------------|-----|------|----------|---|
|      | 4036 542-3  | 1   |      | D2       | w/3300 Lb. Axle   |
|      | 3634 916-7  | 1   |      | D2,3     | w/4000 Lb. Axle   |
| 22   | 6030 009    | 4   |      |          | BOLT, Knuckle To Arm w/3000,3300,3600 Lb.Axle                     |
|      | 6030 063    | 4   |      |          | w/4000 Lb. Axle   |
| 23   | 3837 088    | 2   |      |          | BALL JOINT PKG., Lwr. Control Arm w/3000,3300,3600 Lb. Axle       |
|      | 3683 983    | 2   |      | D3       | w/4000 Lb. Axle   |
| 24   | 3402 950    | 2   |      | D1,2,3,4 | SEAL, Lower Ball Joint-With 3000,3300,4000 Lb. Axle 4000 Lb. Axle |
| 25   | 4088 048-9  | 1   |      | D1,2,4   | ARM, Strg. Knuckle w/3000,3300 Lb.Axle                            |
|      | 3638 172-3  | 1   |      | D2,3     | w/4000 Lb. Axle   |
| 26   | 0114 942    | AR  |      | D1,2,3   | NUT, 3/8-24   |
| 27   | 2206 925    | AR  |      |          | RETAINER, Shock Absorber Upper                                    |
|      | 3722 751    | AR  |      |          | Lower   |
| 28   | 2206 923    | AR  |      |          | BUSHING   |
| 29   | 4186 011    | 2   |      | D1,2,3,4 | SHOCK ABSORBER, Light Duty w/3000,3300 Lb. Axle                   |
|      | 4086 417    | 2   |      |          | Heavy Duty w/3000,3300 Lb. Axle - Monroe                          |
|      | 4039 723    | 2   |      |          | Heavy Duty w/3000,3300 Lb. Axle - Gabriel                         |
|      | 4086 420    | 2   |      | D3       | Heavy Duty w/4000 Lb.Axle   |
| 30   | 0152 353    | 2   |      | D1,2,4   | NUT, Lower Control Arm Bushing Bolt-5/8-18                        |
|      | 0152 355    | 2   |      | D2,3     | 3/4-16  |
| 31   | 6029 377    | 2   |      | D1,2,4   | BOLT, Lower Control Arm-5/16-18 x 4.50                            |
|      | 6029 614    | 2   |      | D2,3     | 3/4-16 X 4.75   |
| 32   | 6027 381    | 2   |      |          | PIN, Strut Spring   |
| 33   | 0152 354    | 2   |      |          | NUT, Strut-3/4-10   |
| 34   | 3633 112    | 2   |      |          | RETAINER, Strut Front Bushing                                     |
| 35   | 3491 238    | 2   |      |          | BUSHING, Strut Front  |
| 36   | 3491 239    | 2   |      |          | BUSHING, Strut Rear   |
| 37   | 3633 126    | 2   |      |          | RETAINER, Rear-Bronze Color                                       |
| 38   | 3632 976-7  | 1   |      |          | STRUT, Lower Control Arm  |
| 39   | 6025 355    | AR  |      |          | SCREW, 5/16-18 x 1.25   |
| 40   | 0120 393    | AR  |      |          | WASHER  |
| 41   | 9418 275    | AR  |      |          | BOLT, 7/16-14 x 1.50  |
| 42   | 0152 346    | AR  |      |          | NUT, 7/16-14  |
| 43   | 9425 118    | 4   |      |          | BOLT, Eliminator Shaft Bushing Retainer                           |
| 44   | 9425 118    | 4   |      |          | BOLT, Sway Eliminator Link  |
| 45   | 3637 619    | 2   |      |          | LINK ASSY., Sway Eliminator Shaft ***                             |
| 46   | 3637 620    | 2   |      |          | RETAINER, Sway Eliminator Shaft Link Insulator                    |
| 47   | 0118 614    | AR  |      |          | NUT, 5/16-18  |
| 48   |             |     |      |          | RETAINER, Refer To Item 59  |
| 49   |             |     |      |          | INSULATOR, Refer To Item 59                                       |
| 50   | 0118 614    | 2   |      |          | NUT, Refer To Item 59   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, FRONT COIL WITH SHOCK ABSORBER & SWAY ELIMINATOR D1,2,3,4  
Figure 2-300

4302 300A




| ITEM           | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                    |
|----------------|-------------|-----|------|--------|--|
| 51             | 0152 342    | AR  |      |        | NUT, Lock- 5/16-18                             |
| 52             | 2535 173    | 2   |      |        | RETAINER, Sway Eliminator Shaft Bushing        |
| 53             | 3637 617    | 1   |      |        | SHAFT, Sway Eliminator Light Duty              |
| 54             | 3640 090-1  | 1   |      |        | BRACKET, Sway Eliminator To Frame              |
| 55             | 3637 772    | 2   |      |        | BUMPER, Front Suspension Jounce                |
| 56             | 3637 622    | 2   |      |        | INSULATOR                                      |
| 57             | 6030 099    | AR  |      | D1,2,4 | OILER, Upper or Lower Ball Joint               |
| 58             | 4086 982-3  | 1   |      |        | BRACKET, Upper Control Arm And Shock Mounting  |
| 59             | 3879 212    | 1   |      |        | PARTS PACKAGE, Sway Eliminator                 |
| Consists Of:   |             |     |      |        |  |
| Insulators (2) |             |     |      |        |  |
| Retainer (2)   |             |     |      |        |  |
| 118614 Nut (1) |             |     |      |        |  |
| 60             | 6029 982    | 4   |      |        | NUT, Strut Bolt                                |
| 61             | 2071 572    | 2   |      |        | BUSHING, Sway Eliminator Shaft                 |
| 62             | 0273 912    | 2   |      |        | NUT, Ball Joint Stud w/3000,3300,3600 Lb. Axle |
|                | 1671 405    | 2   |      |        | w/4000 Lb. Axle                                |
| 63             | 6030 369    | 4   |      |        | BOLT, Lower Control Arm Strut                  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SUSPENSION, FRONT LEAF W/3500,4500 LB. AXLE SHOCK ABSORBER & SWAY ELIMINATOR D5,6,7,8  
Figure 2-500

4302 500B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 2535 173    | 2   |      |       | RETAINER, Sway Eliminator Shaft, Light Duty |
|      | 3894 769    | 2   |      |       | Heavy Duty                                  |
| 1A   | 2071 572    | 2   |      |       | BUSHING, Sway Eliminator Shaft, H.D.        |
| 2    | 9425 118    | 4   |      |       | BOLT, Shaft Retainer                        |
| 3    | 3736 998    | 1   |      |       | SHAFT, Sway Eliminator Light Duty           |
|      | 3828 316    | 1   |      |       | Heavy Duty                                  |
| 4    | 0118 614    | 4   |      |       | NUT, Shaft Retainer Bolt                    |
| 5    |             |     |      |       | FRONT SPRING                                |
|      | 3894 044    | 2   |      |       | 1400/1640 LB.,3 Leaf - 1984                 |
|      | 4228 415    | 2   |      |       | 1400/1500 LB.,3 Leaf - 1985                 |
|      | 3893 747    | 2   |      |       | 1550/1800 LB.,3 Leaf - 1984                 |
|      | 4228 416    | 2   |      |       | 1550/1840 LB.,3 Leaf - 1985                 |
|      | 3828 910    | 2   |      |       | 1750/2100 LB.,3 Leaf - 1984                 |
|      | 4228 418    | 2   |      |       | 1750/2100 LB.,3 Leaf - 1985                 |
|      | 3821 852    | 2   | D7   |       | 1900/2140 LB.,6 Leaf - 1984                 |
|      | 4228 419    | 2   | D7   |       | 1900/2250 LB.,6 Leaf - 1985                 |
|      | 3821 848    | 2   | D7   |       | 1600/1840 LB.,5 Leaf - 1984                 |
|      | 4228 417    | 2   | D7   |       | 1600/1840 LB.,5 Leaf - 1985                 |
| 6    |             |     |      |       | INTERLINER, Leaf Spring                     |
|      | 3638 666    | AR  | D7   |       | w/1600 & 1900 Lb. Ft. Axle                  |
|      | 3492 073    | AR  |      |       | 2 1/2 x 2 1/2" long                         |
|      | 1948 396    | AR  |      |       | 2 1/2 x 3 1/2" long                         |
|      | 3549 063    | AR  |      |       | 2 1/2 x 5" long with 1/2" hole              |
| 7    | 3828 925    | 1   |      |       | CLIP, Front Spring-Right, 3500 Lb.Axle      |
|      | 4036 857    | 2   |      |       | Left-3500 Lb.Axle                           |
|      | 4042 544    | 1   |      |       | Right 4500 Lb. Axle                         |
|      | 3492 067    | 2   |      |       | Left-4500 Lb. Axle                          |
| -    | 2539 574    | 2   |      |       | INSULATOR, Spring Clip                      |
| 8    |             |     |      |       | RETAINER, 3500 Lb., Refer To Item 36        |
| 9    | 0152 478    | 2   |      |       | NUT, Link Bolt-1/2-13,3500 Lb. Axle         |
| 10   | 4036 005    | 2   |      |       | LINK, Sway Eliminator Shaft-3500 Lb.        |
| 11   |             |     |      |       | INSULATOR, 3500 Lb.Axle, Refer To Item 36   |
| 12   | 0118 614    | 2   |      |       | NUT, 3500 Lb.Axle, Also In Item 36          |
| 13   | 0272 920    | 2   |      |       | NUT, Pivot Stud-3/4-16                      |
| 14   | 1920 540    | 4   |      |       | BUSHING, Front Spring Eye                   |
| 15   | 3497 488    | 2   |      |       | SHACKLE, w/o Bolts                          |
| 16   | 0152 349    | 4   |      |       | NUT, Shackle Bolt-1/2-20-Upper & Lower      |
| 17   | 4117 742    | 2   |      |       | BRACKET, Shock Mounting                     |
| 18   | 6025 020    | 2   |      |       | NUT, Bumper-3/8-16                          |
| 19   | 6029 981    | 4   |      |       | BOLT, Shock Bracket To Frame                |
| 20   | 3496 291    | 2   |      |       | BUMPER, Front Spring                        |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SUSPENSION, FRONT LEAF W/3500,4500 LB. AXLE SHOCK ABSORBER & SWAY ELIMINATOR D5,6,7,8  
Figure 2-500


4302 500B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 21   | 0115 731    | 4   |      |       | NUT, Shock Stud-1/2-20                                      |
| 22   | 1319 555    | 4   |      |       | RETAINER, Shock Bushing, Large Dia. Hole                    |
|      | 1319 554    | 4   |      |       | Small Dia. Hole   |
| 23   | 2225 394    | 2   |      |       | STUD, Shock Lower Pivot                                     |
| 24   | 3879 297    | 2   |      |       | SHOCK ABSORBER, Light Duty-3500 lb. Axle                    |
|      | 4086 421    | 2   |      |       | Front-Heavy Duty  |
| 25   | 3497 486    | 2   |      |       | SHACKLE, w/Bolts  |
| 26   |             | 8   |      |       | WASHER, Clip-Coned (Not Serv.)                              |
| 27   | 6029 459    | 8   |      |       | NUT, Clip or Stud-9/16-18                                   |
| 28   | 9418 507    | 2   |      |       | BOLT, Sway Elim. Link                                       |
| 29   | 4116 993    | 1   |      |       | PLATE, Spring Clip-w/1400,1550,1750 lb. Spring At Pad, Left |
|      | 4116 995    | 1   |      |       | Right   |
|      | 4116 992    | 1   | D7   |       | w/1600,1900 Lb. Spring at Pad - Left (Up To 1-16-85)        |
|      | 4322 743    | 1   | D7   |       | Left (After 1-16-85)  |
|      | 4116 994    | 1   | D7   |       | Right (Up To 1-16-85)                                       |
|      | 4322 742    | 1   | D7   |       | Right (After 1-16-85)                                       |
| 30   | 0152 349    | 4   |      |       | NUT, Shock Bracket Bolt-1/2-20                              |
| 30A  |             | 2   |      |       | REINFORCMENT, S/Abs. Frame Frt. (Not Serviced)              |
| 31   | 1923 876    | 2   |      |       | BOLT, Front Spring Eye Front-1/2-20 x 3.88                  |
| 32   | 0152 349    | 2   |      |       | NUT, Spring Eye Bolt-1/2-20                                 |
| 33   | 6030 753    | 2   |      |       | STUD, Front Spring Mtg.-Right Side w/3500 Lb. Axle          |
|      | 6030 758    | 2   | D7   |       | w/4500 Lb. Axle   |
| 34   | 2229 479    | 2   |      |       | BUSHING, Shock Absorber Pivot                               |
| 35   | 0593 805    | 2   |      |       | BOLT, Front Spring Center                                   |
|      | 0114 942    | 2   |      |       | NUT, Front Spring Center Bolt                               |
| -    | 3879 212    | 1   |      |       | PARTS PACKAGE, Sway Eliminator                              |
|      |             |     |      |       | Consists Of:  |
|      |             |     |      |       | Insulators (2)  |
|      |             |     |      |       | Retainers (2)   |
|      |             |     |      |       | 118614 Nut (1)  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**Figure 2-600**


[illegible]

(66) = 100 W.D.

**« RETURN TO GROUP INDEX**

HUBS & COMPONENTS, LOCKING D5,6,7,8 (1984)  
Figure 2-700

4302 700A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION   |
|------|-------------|-----|------|----------|---|
| 1    | 4137 700    | 2   |      | D5,6,7,8 | HUB, Borg Warner Auto. Locking-(Complete)-3500 Lb. Axle-(4 W D) - 1984  |
| ---  | 4411 998    | 2   |      | D5,6,7,8 | KIT, COVER & SEAL, Auto locking Hub - 1984<br>CONSISTS OF:<br>COVER - Auto Locking Hub w/Decorative Plate (1)<br>SEALING RING (1)<br>SCREW ASSY., (Screws,"O"Ring & Washer) (1) |
| ---  | 4411 997    | 2   |      |          |   |
| ---  | #4384 121   | 2   |      | D5,6,7,8 | KIT, COVER & SEAL, AUTO LOCKING HUB - 1984<br>CONSIST OF:<br>Cover Auto Lock Hub w/Decorative Plate (1)<br>Sealing Ring (1)<br>Screw Assy., (Screw "O" Ring & Washer) (1)       |
| ---  | 4137 701    | 2   |      | D5,6,7,8 | KIT, AUTO LOCKING HUB - 1984<br>CONSISTS OF:<br>Drag Sleeve Detent Washer & Brake Band Assy.(1)<br>Cage - Outer (1)<br>Instruction Sheet (1)                                    |
| ---  | 4137 704    | 2   |      | D5,6,7,8 | KIT, AUTO LOCKING HUB - 1984<br>CONSIST OF:<br>Bearing Race & Cup Assy. (1)<br>Spring, Bearing Race (1)   |
| ---  | 4137 707    | 2   |      | D5,6,7,8 | SEAL KIT, AUTO LOCKING HUB - 1984<br>CONSIST OF:<br>Screws & "O" Ring Assy.<br>Sealing Ring (1)   |
|      | 6025 668    | 2   |      | D5,6,7,8 | RING, Locking Hub Body External Retaining - 1984  |
|      | 6031 996    | 2   |      | D5,6,7,8 | WASHER, Frt. Axle Shaft Stop - 1984   |
|      | 4219 120    | 2   |      | D5,6,7,8 | Drag Sleeve Retainer Washer - 1984  |
| 2    | 4089 021    | 2   |      | D7       | HUB, Dualmatic Manual Locking-(Complete)-4500 Lb.   |
| 3    | 4219 116    | 2   |      | D7       | HANDLE ASSY., Dualmatic Lock Hub  |
| 4    |             | 6   |      | D7       | SCREW, Cam (Service in 4219118 Kit)   |
| 5    |             | 6   |      | D7       | SCREW, Shift Knob Retaining (Service in 4219118 Kit)  |
| 6    |             | 2   |      | D7       | SPRING, (Service in Assy.)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

HUBS & COMPONENTS, LOCKING D5,6,7,8 (1984)  
Figure 2-700

4302 700A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 7    |             | 2   |      | D7    | GEAR, Sliding (Service in Assy.)     |
| 8    |             | 2   |      | D7    | CAM, (Service in Assy.)              |
| 9    |             | 4   |      | D7    | "O" RING, (Service in 4219118 Kit)   |
| 10   | 4219 117    | 2   |      | D7    | BASE Assy., Dualmatic Lock Hub       |
| 11   |             | 2   |      | D7    | GASKET, (Service in 4219118 Kit)     |
| 12   |             | 2   |      | D7    | GEAR, Drive Shaft (Service in Assy.) |
| 13   |             | 2   |      | D7    | BUSHING, (Service in Assy.)          |
| 14   |             | 4   |      | D7    | SNAP RING, (Service in Assy.)        |
| ---  | 4219 118    | 2   |      | D7    | KIT - DUALMATIC LOCK HUB             |

CONSIST OF:  
GASKETS (2)  
"O" RINGS (2)  
SCREWS (4)  
LOCKING CLIPS (12)

|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                            | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            |                  |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

### Figure 2-750


[illegible]

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**

AXLE, FRONT - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8  
Figure 2-800

4302 800A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | BOLT, (Refer To Group 5)                    |
| 2 &  | 3634 267    | 2   |      |       | NUT, Knuckle Socket, Lower                  |
| 3 &  | 3634 269    | 2   |      |       | NUT, Knuckle Socket, Upper                  |
| 4    |             |     |      |       | PIN, Cotter                                 |
| 5 &  |             |     |      |       | SOCKET, Strg. Knuckle-Serviced in Item A    |
| 6 &  | 3634 268    | 1   |      |       | RING, Socket Adjusting                      |
| 7    |             |     |      |       | YOKE, (Refer To Group 16)                   |
| 8    | 3898 449    | 1   |      |       | VENT, Axle Breather                         |
| 9    | 4213 215    | 1   |      | D5,8  | HOUSING & TUBE                              |
|      | 4210 962    | 1   |      | D6,7  | HOUSING & TUBE                              |
| 10 & |             |     |      |       | ARM, Strg. Knuckle-Serviced in Item B       |
| 11   |             |     |      | D5,8  | NUT, Stop Screw (Not Serviced)              |
| 12   |             |     |      | D5,8  | SCREW, Stop (Not Serviced)                  |
| 13 & | 3634 270    | 3   |      |       | NUT, Knuckle Arm Stud                       |
| 14 & | 3634 278    | 3   |      |       | STUD, Knuckle Arm                           |
| 15 & | 3634 277    | 3   |      |       | ADAPTER, Knuckle Arm Stud                   |
| 17 & |             |     |      |       | PLUG, Cover - (Serv.in Item C)              |
| 18   | 3898 449    | 1   |      |       | BREATHER, Diff. Carrier Cover               |
| 19 & |             |     |      |       | COVER-(Serv.in Item C)                      |
| 20 & | 2954 031    | 10  |      |       | BOLT, Diff. Carrier Cover                   |
| 22 & | 3634 266    | 2   |      |       | RETAINER, Socket, Lower                     |
| 23 & |             | 1   |      | D5,8  | KNUCKLE, Strg. Right, (Serviced In Item D)  |
|      | 4219 003    | 1   |      | D5,8  | KNUCKLE w/STUD, Steering, Left              |
|      | 4210 520    | 1   |      | D6,7  | KNUCKLE, Steering, Right                    |
|      | 4219 002    | 1   |      | D6,7  | KNUCKLE w/STUD, Steering, Left              |
| 24   | 4210 956    | 1   |      | D5,8  | SHAFT, Drive-Inner-Right                    |
|      | 4210 957    | 1   |      | D5,8  | SHAFT, Drive-Inner-Left                     |
|      | 3893 992    | 1   |      | D6,7  | SHAFT, Drive-Inner-Right                    |
|      | 3893 993    | 1   |      | D6,7  | SHAFT, Drive-Inner-Left                     |
| 25   | 3744 918    | AR  |      |       | CROSS PACKAGE, U/Joint                      |
|      |             |     |      |       | Consists of:                                |
|      |             |     |      |       | Cross (1)                                   |
|      |             |     |      |       | Bearing (4)                                 |
|      |             |     |      |       | 3822808 Snap ring (4)                       |
| 26   | 4210 959    | 2   |      |       | SLINGER, Drive Shaft                        |
| 27   | 4210 958    | 2   |      |       | SHAFT, Drive - Outer                        |
| 28   | 4210 530    | 2   |      |       | SEAL, Spindle Oil                           |
| 29   | 3732 174    | 2   |      |       | SPACER, Bearing Spindle                     |
| 30   |             |     |      |       | BEARING, Spindle (Serv. in Item 33 & 34)    |
| 31   | 4210 524    | 1   |      |       | SPINDLE, Frt. Wheel-(Spindle Only)          |
|      | 4210 527    | 12  |      |       | NUT,Spindle & Splash Shield to Knuckle Bolt |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, FRONT - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8  
Figure 2-800

4302 800A




| ITEM                       | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                      |
|----------------------------|-------------|-----|------|----------|--|
|                            | 4210 528    | 12  |      |          | WASHER,Spindle & Splash Shield to Knuckle Bolt   |
|                            | 3865 307    | 12  |      |          | BOLT,Spindle & Splash Shield to Knuckle          |
| 32                         | 1791 668    | 2   |      |          | NUT, Tie Rod Socket                              |
| 33                         | 4210 968    | 1   |      | D5,6,7,8 | BEARING & SEAL KIT, Frt. Wheel                   |
|                            |             |     |      |          | Consists of:                                     |
|                            |             |     |      |          | 4210530 SEAL, Oil (1)                            |
|                            |             |     |      |          | BEARING, Needle (1)                              |
| 34                         | 4210 963    | 1   |      | D5,6,7,8 | SPINDLE ASSY., Frt. Wheel Bearing                |
|                            |             |     |      |          | Consists of:                                     |
|                            |             |     |      |          | 4210524 SPINDLE (1)                              |
|                            |             |     |      |          | 4210530 SEAL, Oil (1)                            |
|                            |             |     |      |          | BEARING, Needle (1)                              |
| NOTE: REPAIR SERVICE KITS. |             |     |      |          |  |
|                            | 4219 121    | 1   |      |          | SPINDLE KIT, Frt.Wheel Brg.                      |
|                            |             |     |      |          | Consists of:                                     |
|                            |             |     |      |          | Spindle (1)                                      |
|                            |             |     |      |          | Bearing, w/o Race (1)                            |
|                            |             |     |      |          | Seal, Oil (Brg.)                                 |
|                            |             |     |      |          | Spacer, Whl. Brg. Spindle                        |
|                            |             |     |      |          | Spacer, Whl. Brg. Spindle                        |
|                            |             |     |      |          | Seal, Oil - Drive Shaft                          |
| A                          | 3894 976    | 1   |      |          | SOCKET KIT, Steering Knuckle                     |
|                            |             |     |      |          | Consists of:                                     |
|                            |             |     |      |          | SOCKET, Upper (1)                                |
|                            |             |     |      |          | SOCKET, Lower (1)                                |
|                            |             |     |      |          | 3634268 RING, Socket Adjusting (1)               |
|                            |             |     |      |          | 3634269 Nut, Socket Adjusting Ring (1)           |
|                            |             |     |      |          | PIN, Cotter (1)                                  |
|                            |             |     |      |          | 3634266 RETAINER, Socket, Lower (1)              |
|                            |             |     |      |          | 3634267 NUT, Knuckle Socket (1)                  |
| B                          | 3894 977    | 1   |      | D5,6,7,8 | ARM KIT, Steering Knuckle                        |
| C                          | 4210 964    | 1   |      | D5,6,7,8 | COVER KIT, Diff. Carrier                         |
|                            |             |     |      |          | Consist of: (Components Parts Not Available)     |
| D                          | 4210 965    | 1   |      | D5,8     | KNUCKLE KIT, Steering - Right (Comp. Not Avail.) |
|                            | 4210 966    | 1   |      | D5,8     | KNUCKLE KIT, Steering - Left (Comp. Not Avail.)  |
|                            | 4210 535    | 1   |      | D6,7     | KNUCKLE KIT, Steering - Right (Comp. Not Avail.) |
|                            | 4219 043    | 1   |      | D6,7     | KNUCKLE KIT, Steering - Left (Comp. Not Avail.)  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

DIFFERENTIAL, FRONT AXLE - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8  
Figure 2-900

4302 900A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | 4116 366    | 2   |      |       | GUIDE & SEAL, Drive Shaft                    |
| 2    |             |     |      |       | SEAL, Drive Shaft Guide Oil-Use In Item 1    |
| 3    | 1793 510    | 2   |      |       | CUP, Differential Bearing                    |
| 4    | 1790 523    | 2   |      |       | CONE, Differential Bearing                   |
| 5    |             |     |      |       | SHIM, Diff. Brg. Adj.(Refer To 2-1000)       |
| 6    | 1791 564    | 10  |      |       | SCREW, Drive Gear                            |
| 7    | 4031 974    | 1   |      |       | SLINGER, Drive Pinion Bearing Oil Seal-Front |
| 8    |             |     |      |       | GASKET, (Serv. In Item 9)                    |
| 9    | 4213 202    | 1   |      |       | SEAL, Drive Pinion Bearing Oil               |
| 10   |             |     |      |       | NUT, Refer To Group 16                       |
| 11   |             |     |      |       | WASHER, Refer To Group 16                    |
| 12   | 1793 516    | 1   |      |       | CONE, Drive Pinion Bearing Front             |
| 13   |             |     |      |       | YOKE, Refer To Group 16                      |
| 14   |             |     |      |       | SLINGER, Refer To Group 16                   |
| 15   |             |     |      |       | SHIM, Dr. Pinion Brg.Adj.Frt.                |
| 16   | 1935 851    | 1   |      |       | SHAFT, Differential Pinion                   |
| 17   |             |     |      |       | CASE, (Refer To Fig. 2-1000)                 |
| 18   | 1791 563    | 1   |      |       | PIN, Lock                                    |
| 19   |             |     |      |       | GEAR, Refer To Figure 2-1100                 |
| 20   | 1793 513    | 1   |      |       | CONE, Drive Pinion Bearing-Rear              |
| 21   | 0698 413    | 1   |      |       | CUP, Drive Pinion Bearing-Front              |
|      | 0854 617    | 1   |      |       | CUP, Drive Pinion Bearing-Rear               |
| 22   |             |     |      |       | PINION, Refer To Figure 2-1100               |
| 23   |             |     |      |       | CAP, Serviced in 4210962 Housing & Tube      |
| 24   |             |     |      |       | SCREW, Cap-Not Serviced                      |
| 25   | 3491 680    | 2   |      |       | WASHER, Diff. Gear Thrust                    |
| 26   | 2954 032    | 2   |      |       | GEAR, Differential Side                      |
| 27   | 1791 560    | 2   |      |       | PINION, Differential                         |
| 28   | 1791 561    | 2   |      |       | WASHER, Differential Pinion Thrust           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required




## 4302 1000A



**« RETURN TO GROUP INDEX**

GEAR & PINION KIT, DRIVE - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8  
Figure 2-1100

4302 1100A



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                   |
|------|-------------|-----|------|--------|---|
|      | 4213 222    | 1   |      | D5,8   | GEAR & PINION KITS, Drive w/2.94 Ratio        |
|      | 3822 825    | 1   |      | D5,8   | w/ 3.23 Ratio                                 |
|      | 3822 809    | 1   |      | D5,6,8 | w/ 3.54 Ratio                                 |
|      | 3893 986    | 1   |      | D6,7   | w/ 4.09 Ratio                                 |
| 1    |             |     |      |        | GEAR & PINION (1)                             |
| 2    |             |     |      |        | NUT, Pinion (1)                               |
| 3    |             |     |      |        | 1791564 SCREW, Dreve Gear (10)                |
| 4    |             |     |      |        | 1791576 WASHER, Pinion Nut (1)                |
| 5    |             |     |      |        | BEARING, Drive Pinion Rr.- See Note 1 (1)     |
| 6    |             |     |      |        | BEARING, Drive Pinion Frt.-See Note 1 (1)     |
| 7    |             |     |      |        | 2961190 SEAL, Pinion Bearing (1)              |
| 8    | 4031 974    | 1   |      |        | 4031974 SLINGER, Pinion Bearing Front (1)     |
| 9    |             | 1   |      |        | SHIM KIT, Drive Pinion Bearing-See Note:1 (1) |
| 10   |             |     |      |        | 3893982 SLINGER, Pinion Bearing Rear (1)      |
| 11   | 3893 981    | 1   |      |        | BAFFLE, Pinion Bearing                        |
| 12   | 3634 984    | 1   |      |        | GASKET, Carrier Cover                         |

NOTE:1 DRIVE PINION BEARING

Consists of:  
854617 CUP,Rear Bearing (1)  
1793513 CONE,Rear Bearing (1)  
698413 CUP,Front Bearing (1)  
1793516 CONE,Front Bearing (1)


NOTE:2 PINION SHIM KIT

Consists of:  
1791583 SHIM,Frt Dr.Pinion Brg.-.003 (AR)  
1791584 SHIM,Frt.Dr.Pinion Brg.-.005 (AR)  
1791586 SHIM,Rr. Dr.Pinion Brg.-.003 (AR)  
1791587 SHIM,Rr.Dr.Pinion Brg.-.005 (AR)

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

DIFFERENTIAL PARTS KIT - 1984 SPICER 44F-BJ,3500 LB. D5,6,7,8  
Figure 2-1200

4302 1200A




| ITEM                    | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|-------------------------|-------------|-----|------|-------|--|
| PARTS KIT, Differential |             |     |      |       |  |
|                         | 4089 273    | 1   |      |       | 3.23,3.54,4.09 Ratio                           |
|                         |             |     |      |       | Consists Of:                                   |
| 1                       |             |     |      |       | 1791560 PINION, Differential (2)               |
| 2                       |             |     |      |       | 2954032 GEAR, Differential Side (2)            |
| 3                       |             |     |      |       | 1791561 WASHER, Differential Pinion Thrust (2) |
| 4                       |             |     |      |       | 3491680 WASHER, Differential Gear Thrust (2)   |
| 5                       |             |     |      |       | 1935851 SHAFT, Differential (1)                |
| 6                       |             |     |      |       | 1791563 PIN, Differential Shaft Lock (1)       |
| 7                       |             |     |      |       | 1791564 BOLT, Drive Gear (10)                  |
| 8                       |             |     |      |       | 3634984 GASKET, Carrier Cover (1)              |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**AXLE, FRONT - 1985 SPICER 44F WITH VACUUM DISCONNECT D5,6,7,8**  
**Figure 2-1225**

4302 1225 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|-------|-------------|-----|------|-------|---|
| 1     | 4137 730    | 1   |      |       | SWITCH, Frt. Cover Disconnect                   |
| 2     | 4137 724    | 1   |      |       | COVER, Disconnect Housing                       |
| 3     | 4137 726    | 1   |      |       | "O" RING, Vacuum Motor ***                      |
| 4     | 4137 725    | 1   |      |       | MOTOR ASSY., (Vacuum) ***                       |
| 5     | #4137 728   | 1   |      |       | RING, Snap (Vacuum Mtr.)                        |
| 6     | #4137 729   | 2   |      |       | RING, Snap (Shift Fork)                         |
| 7     | #4137 727   | 1   |      |       | FORK, Shift                                     |
| 8     | #4137 731   | 2   |      |       | CLIP, Shift Fork                                |
| 9     | #4137 732   | 1   |      |       | GASKET, Cover                                   |
| 10    | #4137 733   | 4   |      |       | WASHER, Lock                                    |
| 11    | #4137 734   | 4   |      |       | SCREW, Cap                                      |
| 12    | #4137 739   | 1   |      |       | RING, Snap (Output Shaft)                       |
| 13    | #4137 738   | 1   |      |       | SHAFT, (Output Shaft) Left                      |
| 14    | #4137 740   | 1   |      |       | BEARING ASSY., w/o Race (Output Shaft)          |
| 15    | #4137 736   | 1   |      |       | COLLAR, Clutch                                  |
| 16    | #4137 737   | 1   |      |       | BEARING ASSY., (Intermediate Shaft Inner Pilot) |
| 17    | #4137 760   | 1   |      | D5,8  | SHAFT ASSY., (Intermediate) Left                |
|       | 4137 773    | 1   |      | D6,7  |   |
| 18    | #4137 743   | 1   |      |       | BEARING ASSY., w/o Race (Intermediate Shaft)    |
| 19    | #4137 744   | 1   |      |       | SEAL, Oil (Intermediate Shaft) (Stamp #473814)  |
| 20    | #4137 757   | 2   |      |       | JOINT PKG., w/Bearings & Rings                  |
| 21-28 | 4210 965    | 1   |      | D5,8  | KIT - KNUCKLE ASSY., Right                      |
|       | 4210 535    | 1   |      | D6,7  | Right   |
| 21-32 | 4210 966    | 1   |      | D5,8  | Left  |
|       | 4219 043    | 1   |      | D6,7  | Left  |
| 21    |             |     |      |       | KNUCKLE, Strg. (Serv. in Kit)                   |
| 22    | 3865 307    | 12  |      |       | BOLT, Hex                                       |
| 23-28 | 3894 976    | 2   |      |       | KIT - SOCKET ASSY.                              |
| 23    | 3634 269    | 2   |      |       | NUT, Slotted, Upper                             |
| 24    | 0137 204    | 2   |      |       | PIN, Cotter                                     |
| 25    | 3634 268    | 2   |      |       | RING, Adjusting                                 |
| 26    |             |     |      |       | SOCKET, Strg. Knuckle (Serv. in Kit)            |
| 27    | 3634 267    | 2   |      |       | NUT, Lock, Lower                                |
| 28    | 3634 266    | 2   |      |       | RING, Snap                                      |
| 29-32 | 3894 977    | 1   |      |       | KIT - STEERING ARM, Left                        |
| 29    |             |     |      |       | ARM, Strg. (Serv. in Kit)                       |
| 30    | 3634 270    | 3   |      |       | NUT, Lock                                       |
| 31    | 3634 277    | 3   |      |       | ADAPTER, Stud                                   |
| 32    | 3634 278    | 3   |      |       | STUD, Knuckle Arm                               |
| 33    | #4137 745   | 1   |      | D5,8  | HOUSING W/TUBE, w/3.23 & 3.54 Ratio             |
|       | 4137 746    | 1   |      | D6,7  | w/3.54 & 4.09 Ratio                             |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, FRONT - 1985 SPICER 44F WITH VACUUM DISCONNECT D5,6,7,8  
Figure 2-1225

4302 1225 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|-------|-------------|-----|------|-------|---------------------------------------|
| 34    | 2952 894    | 1   |      |       | END YOKE ASSY., w/Seal                |
|       | 1791 574    | 1   |      |       | SLINGER, End Yoke (Also in Assy.)     |
| 35-38 | #4137 747   | 1   |      |       | KIT - CARRIER COVER ASSY.             |
| 35    |             |     |      |       | COVER, w/Clip (Serv. in Kit)          |
| 36    | 2954 031    | 10  |      |       | SCREW, Flange Head                    |
| 37    | 3634 984    | 1   |      |       | GASKET, Carrier Cover                 |
| 38    | 3640 792    | 1   |      |       | PLUG, Pipe Square Drive               |
| 39    | #4137 735   | 1   |      |       | SHIELD, Protection                    |
| 40    | 4210 956    | 1   |      | D5,8  | SHAFT, Drive (Intermediate) Right     |
|       | 3893 992    | 1   |      | D6,7  | (Intermediate) Right                  |
| 41    | 3732 746    | 2   |      |       | SLINGER, Drive Shaft                  |
| 42    | 4210 958    | 2   |      |       | SHAFT, Spindle Yoke (Outer)           |
| 43-47 | 4219 121    | 1   |      |       | KIT - SPINDLE ASSY., Right            |
|       | 4137 758    | 1   |      |       | Left                                  |
| 43    |             |     |      |       | SPINDLE, (Serv. in Kit)               |
| 44    | 3634 274    | 2   |      |       | BEARING, w/o Race                     |
|       | 4137 759    | 2   |      |       | RETAINER, Oil Seal                    |
| 45    | #4137 765   | 2   |      |       | SEAL, Oil (Brg.) or (Retainer)        |
| 46    | 3732 174    | 2   |      |       | SPACER, Whl. Brg. Spindle             |
| 47    | 4210 952    | 2   |      |       | SEAL, Oil - Drive Shaft               |
| 48    | 1791 701    | 2   |      |       | BOLT, Stop - Strg. Knuckle            |
| 49    |             | 2   |      |       | NUT, Stop - Strg. Knuckle (Not Serv.) |
| 50    | 4346 107    | 1   |      |       | VENT, Front Axle Breather             |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DIFFERENTIAL, FRONT AXLE - 1985 SPICER 44F WITH VACUUM DISCONNECT D5,6,7,8  
Figure 2-1250

4302 1250




| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                    |
|------|-------------|-----|------|--------|--|
| 1    | 4116 366    | 2   |      |        | SEAL, Oil (Housing Tube Inner)                 |
| 3    | 1793 510    | 2   |      |        | CUP, Differential Bearing                      |
| 4    | 1790 523    | 2   |      |        | CONE, Differential Bearing                     |
| 5    |             |     |      |        | SHIM, Diff. Brg. Adj. (Refer To 2-1275)        |
| 6    | #4137 750   | 10  |      |        | SCREW, Drive Gear                              |
| 7    | 4031 974    | 1   |      |        | SLINGER, Drive Pinion Brg. Oil Seal, Frt.      |
| 8    | 4213 202    | 1   |      |        | SEAL, Drive Pinion Brg., Oil                   |
| 9    | 0854 617    | 1   |      |        | CUP, Drive Pinion Brg.                         |
| 10   | 1791 575    | 1   |      |        | NUT, Pinion                                    |
| 11   | 1791 576    | 1   |      |        | WASHER, Pinion                                 |
| 12   | 1793 513    | 1   |      |        | CONE, Drive Pinion Brg. Frt.                   |
| 13   | 2952 894    | 1   |      |        | END YOKE ASSY., w/Seal                         |
| 14   | 1791 574    | 1   |      |        | SLINGER, End Yoke (Also In Assy.)              |
| 15   |             |     |      |        | SHIM, Drive Pinion Brg. Adj. (Refer to 2-1275) |
| 16   | 1935 851    | 1   |      |        | SHAFT, Differential Pinion                     |
| 17   | #4137 753   | 1   |      | D5,6,8 | CASE, Diff. w/3.23 & 3.54 Ratio                |
|      | 4137 756    | 1   |      | D6,7   | w/4.09 Ratio                                   |
| 18   | #1791 563   | 1   |      |        | PIN, Lock                                      |
| 19   |             | 1   |      |        | GEAR, Differential (Refer To Illus. 2-1275)    |
| 20   | 1793 516    | 1   |      |        | CONE, Drive Pinion Brg., Rear                  |
| 21   | 0698 413    | 1   |      |        | CUP, Drive Pinion Brg.                         |
| 22   |             |     |      |        | PINION, Differential (Refer To 2-1275)         |
| 23   |             |     |      |        | CAP, (Serv. in Housing & Tube)                 |
| 24   |             |     |      |        | BOLT, Cap (Not Serv.)                          |
| 25   | #4137 755   | 2   |      |        | WASHER, Diff. Gear Thrust                      |
| 26   | #4137 754   | 2   |      |        | GEAR, Differential Side                        |
| 27   | 1791 560    | 2   |      |        | PINION, Differential                           |
| 28   | 1791 561    | 2   |      |        | WASHER, Diff. Pinion Thrust                    |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**GEAR & PINION KIT, DRIVE - 1985 DANA 44F WITH VACUUM DISCONNECT D5,6,7,8**  
**Figure 2-1275**

4302 1275



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL  | DESCRIPTION                             |
|------|----------------|-----|------|--------|---|
| 1-5  | #4137 748      | 1   |      | D5,8   | GEAR & PINION ASSY., Drive w/3.23 Ratio |
|      | 4137 749       | 1   |      | D5,6,8 | w/3.54 Ratio                            |
|      | 4137 772       | 1   |      | D6,7   | w/4.09 Ratio                            |
| 1    |                |     |      |        | GEAR, Hypoid Drive (Serv. in Assy.)     |
| 2    |                |     |      |        | PINION, Hypoid Drive (Serv. in Assy.)   |
| 3    | 1791 576       | 1   |      |        | WASHER, Pinion Nut                      |
| 4    | 1791 575       | 1   |      |        | NUT, Pinion                             |
| 5    | #4137 750      | 10  |      |        | SCREW, Hex                              |
| 6    | #4137 769      | 1   |      |        | KIT- Differential Adj. Shim             |
| 7    | #4137 770      | 1   |      |        | KIT- Differential & Pinion Shim         |

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

AXLE, FRONT SPICER 60-4500 LB. D7  
Figure 2-1300

4302 1300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 6030 766    | 2   |      |       | RING, Drive Flange Retaining   |
| 2    | 3894 148    | 2   |      |       | FLANGE, Drive Shaft  |
| 3    | 4089 295    | 2   |      |       | SPINDLE, Front Wheel Bearing   |
| 3A   |             |     |      |       | SPINDLE KIT, Refer To Item 43-in 4086640 Kit ***                               |
| 4    |             |     |      |       | BEARING, Refer To Item 43-In 4086641 Kit                                       |
|      | 4137 283    | 1   |      |       | SEAL ASSY., Frt. Axle Drive Pinion Brg. Oil ***                                |
| 5    |             |     |      |       | SEAL, Refer To Item 43-In 4086640 Kit  |
| 6    | 3894 144    | 1   |      |       | SPACER, Refer To Item 43-In 4086640 Kit  |
| 7    | 3894 111    | 2   |      |       | SLINGER, Front Axle Drive Shaft  |
| 8    | 3894 165    | 2   |      |       | SHAFT, Front Axle Drive-Outer  |
| 9    | 3837 585    | 2   |      |       | CROSS PACKAGE, Frt. Axle Drive Shaft<br>Consists Of:<br>3822808 RING, Snap (4) |
|      |             |     |      |       | BEARING RACE, Cross (4)  |
|      |             |     |      |       | CROSS (1)  |
| 10   | 3894 166    | 1   |      |       | SHAFT, Frt. Axle Drive-Inner Right   |
|      | 3894 167    | 1   |      |       | SHAFT, Frt. Axle Drive-Inner Left  |
| 11   | 3894 122    | 1   |      |       | KNUCKLE, Front Axle Steering-Right   |
|      | 3894 123    | 1   |      |       | KNUCKLE, Front Axle Steering-Left  |
| 11A  | 3634 979    | 2   |      |       | SCREW, Steering Knuckle Stop   |
| 11B  |             | 2   |      |       | NUT, Not Serviced  |
| 12   | 3894 140    | 1   |      |       | CAP, w/o Arm, Upper  |
| 13   | 3894 142    | 4   |      |       | LOCKWASHER, Upper Cap Screw ***  |
| 14   | 3894 961    | 4   |      |       | SCREW, Upper Cap-Right   |
| 15   | 3894 130    | 4   |      |       | FITTING, Grease  |
| 16   | 3894 145    | 2   |      |       | GASKET, Front Axle Steering Arm  |
| 17   | 3894 136    | 2   |      |       | SPRING, King Pin Compression   |
|      | 4115 852    | 2   |      |       | RETAINER, King Pin Compression Spring  |
| 18   | 3894 137    | 2   |      |       | BUSHING, King Pin Upper  |
| 19   | 4115 851    | 1   |      |       | SEAL, King Pin Upper-Serviced In Item 34                                       |
| 19A  | 4032 086    | 12  |      |       | BOLT, Front Axle Steering Knuckle  |
| 21   | 1795 574    | 4   |      |       | NUT, Upper Cap Arm Stud  |
| 22   | 3894 129    | 1   |      |       | ARM & CAP, Strg. Knuckle-Upper ***   |
| 23   |             | 4   |      |       | STUD, Front Axle Upper Cap And Arm Serv. In Assy.                              |
| 24   | 3898 449    | 1   |      |       | VENT, Front Axle Hsg. Breather   |
| 25   | 3894 110    | 1   |      |       | HOUSING AND TUBE   |
| 26   | 3894 138    | 2   |      |       | KING PIN, Upper  |
| 27   |             |     |      |       | RETAINER, King Pin Grease Lower-In Item 34                                     |
| 28   |             |     |      |       | CUP, In Item 34  |
| 29   |             |     |      |       | CONE, In Item 34   |
| 30   | 3894 147    | 1   |      |       | SEAL, Lower - In Item 34   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

D11 = SPORT UTILITY (4X4)

D12 = SPORT UTILITY (4X4)

D13 = SPORT UTILITY (4X4)

D14 = SPORT UTILITY (4X4)

D15 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.


(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



AXLE, FRONT SPICER 60-4500 LB. D7  
Figure 2-1300

4302 1300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 31   | 3894 139    | 2   |      |       | CAP & KING PIN, Lower  |
| 32   | 3894 142    | 12  |      |       | LOCKWASHER, Lower Cap Screw ***  |
| 33   | 3894 141    | 12  |      |       | SCREW, Lower Cap   |
| 34   | 3894 964    | 1   |      |       | KING PIN PARTS KIT, Steering Knuckle ***<br>Consists Of:                       |
|      |             |     |      |       | 4115851 SEAL, Knuckle Upper (1)  |
|      |             |     |      |       | 3894147 SEAL, Knuckle Lower (1)  |
|      |             |     |      |       | 3894146 RETAINER, Knuckle Lower (1)  |
|      |             |     |      |       | CUP, Knuckle Bearing (1)   |
|      |             |     |      |       | CONE, Knuckle Bearing (1)  |
| 35   | 3894 131    | 2   |      |       | SEAL, Drive Shaft Oil, Inner   |
|      | 3894 121    | 2   |      |       | SEAL, Drive Shaft Oil, Outer   |
| 36   | 2952 474    | 10  |      |       | BOLT, Diff.Carrier Cover   |
| 37   |             | 1   |      |       | PLUG, Differential Cover, Serviced In Item 40                                  |
| 38   |             | 1   |      |       | COVER, Differential, Serviced In Item 40                                       |
| 39   | 3634 985    | 1   |      |       | GASKET, Diff. Cover  |
| 40   | 4219 104    | 1   |      |       | COVER KIT, Differential Carrier ***<br>Consists Of:-(Components Not Available) |
| -    | 4086 640    | 1   |      |       | SPINDLE KIT, Wheel Bearing ***<br>Consists Of:                                 |
|      |             |     |      |       | 3894133 SPINDLE, Wheel Bearing (1)   |
|      |             |     |      |       | 3894144 SPACER, Wheel Spindle (1)  |
|      |             |     |      |       | 3894121 SEAL, Drive Shaft Oil (1)  |
|      | 4086 641    | 1   |      |       | BEARING AND SEAL KIT, Front Wheel ***<br>Consists Of:                          |
|      |             |     |      |       | NEEDLE BEARING, Spindle (1)  |
|      |             |     |      |       | 3894144 SPACER, Wheel Spindle (1)  |
|      |             |     |      |       | 3894121 SEAL, Drive Shaft Oil-Outer (1)  |
|      |             |     |      |       | SEAL, V-Block Or Spindle Bearing (1)   |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DIFFERENTIAL, FRONT AXLE SPICER 60-4500 LB. D7  
Figure 2-1400

4303 1400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | GUIDE, Drive Shaft-Part Not Used-Refer To Item 2                        |
| 2    | 3894 121    | 2   |      |       | SEAL, Drive Shaft Guide Oil Outer                                       |
|      | 3894 131    | 2   |      |       | SEAL, Drive Shaft Guide Oil Inner                                       |
| 3    |             |     |      |       | CUP, Refer To Figure 2-1500   |
| 4    |             |     |      |       | CONE, Refer To Figure 2-1500  |
| 5    | 1795 152    | AR  |      |       | SHIM, Diff. Bearing Adjusting-.003                                      |
|      | 1795 153    | AR  |      |       | SHIM, Diff. Bearing Adjusting-.005                                      |
| 6    | 1795 170    | 12  |      |       | SCREW, Drive Gear   |
| 7    | 1795 193    | 1   |      |       | SLINGER, Drive Pinion Oil   |
| 8    |             |     |      |       | GASKET, Serviced In Item 9  |
| 9    | 4137 283    | 1   |      |       | SEAL, Gasket and Oil  |
| 10   | 1795 173    | 1   |      |       | NUT, Pinion   |
| 11   | 1795 175    | 1   |      |       | WASHER, Pinion  |
| 12   |             |     |      |       | CONE, Refer To Figure 2-1600  |
| 13   |             |     |      |       | YOKE, Refer To Group 16   |
| 14   |             |     |      |       | SHIELD, Refer To Group 16   |
| 15   | 1795 185    | AR  |      |       | SHIM, Drive Pinion Brg. Adjusting-Front-.003                            |
|      | 1795 186    | AR  |      |       | SHIM, Drive Pinion Brg. Adjusting-Front-.005                            |
|      | 1922 314    | AR  |      |       | SHIM, Drive Pinion Brg. Adjusting-Rear-.003                             |
|      | 1922 315    | AR  |      |       | SHIM, Drive Pinion Brg. Adjusting-Rear-.005                             |
| 16   | 1922 276    | 1   |      |       | SHAFT, Diff. Pinion   |
| 17   |             |     |      |       | CASE, Refer To Figure 2-1500  |
| 18   | 9432 419    | 1   |      |       | PIN, Pinion Shaft Lock  |
| 19   |             |     |      |       | GEAR, Refer To Figure 2-1600  |
| 20   |             |     |      |       | CONE, Refer To Figure 2-1600  |
| 21   |             |     |      |       | CUP, Front-Refer to Figure 2-1600                                       |
|      |             |     |      |       | CUP, Rear-Refer To Figure 2-1600  |
| 22   |             |     |      |       | PINION,Refer To Figure 2-1600   |
| 23   |             |     |      |       | CAP, Serviced In (3894110) Housing & Tube Assy., Refer To Figure 2-1300 |
| 24   |             | 4   |      |       | SCREW, Carrier Hsg. Cap (Not Serv.)                                     |
| 25   | 2961 848    | 2   |      |       | WASHER, Diff. Side Gear Thrust  |
| 26   |             |     |      |       | GEAR, Diff. Side-Refer To Figure 2-1500                                 |
| 27   | 2908 520    | 2   |      |       | PINION, Diff.   |
| 28   | 3507 543    | 2   |      |       | WASHER, Diff. Pinion Thrust   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (TRUCK) 4X4

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DIFFERENTIAL CASE KIT SPICER 60-4500 LB. D7  
Figure 2-1500

4302 1500



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| CASE KIT, Differential ***                          |             |     |      |       |   |
|   | 3894 114    | 1   |      |       | 4.10 Ratio  |
|   | 3894 115    | 1   |      |       | 4.56,4.88 Ratio                                     |
| CASE KIT CONSISTS OF:                               |             |     |      |       |   |
| 1   |             | 1   |      |       | CASE ASSY., Differential See Note: 1 ***            |
| 2   |             | 1   |      |       | BEARING KIT, Differential See Note: 2 ***           |
| 3   | 1795 170    | 12  |      |       | SCREWS, Drive Gear ***                              |
| 4   |             | 1   |      |       | SHIM KIT, Differential Bearing Adj. See Note: 3 *** |
| 5   | 3634 985    | 1   |      |       | GASKET, Carrier Cover                               |
| NOTE: 1 DIFFERENTIAL CASE ASSY. ***                 |             |     |      |       |   |
| CONSISTS OF:  |             |     |      |       |   |
|   | 4089 271    | 1   |      |       | CASE, Used In 3894114 Kit                           |
|   | 1922 355    | 1   |      |       | CASE, Used In 3894115 Kit                           |
|   | 1922 276    | 1   |      |       | SHAFT, Pinion                                       |
|   | 2961 848    | 2   |      |       | WASHER, Side Gear Thrust                            |
|   | 2908 520    | 2   |      |       | PINION  |
|   | 3507 543    | 2   |      |       | WASHER, Differential Pinion Thrust                  |
|   | 9432 419    | 1   |      |       | PIN, Lock   |
|   |             | 2   |      |       | GEAR, Side  |
| NOTE: 2 DIFFERENTIAL BEARING KIT ***                |             |     |      |       |   |
| CONSISTS OF:  |             |     |      |       |   |
|   | 1799 295    | 2   |      |       | CUP, Differential Bearing                           |
|   | 1799 296    | 2   |      |       | CONE, Differential Bearing                          |
| NOTE: 3 DIFFERENTIAL BEARING ADJUSTING SHIM KIT *** |             |     |      |       |   |
| CONSISTS OF:  |             |     |      |       |   |
|   | 1795 152    | AR  |      |       | SHIM-.003   |
|   | 1795 153    | AR  |      |       | SHIM-.005   |

|                            |  |  |  |  |  |
|----------------------------|--|--|--|--|--|
| MODEL CODES:               |  |  |  |  |  |
| TRUCK LINE                 |  |  |  |  |  |
| D123 = CONVENTIONAL        |  |  |  |  |  |
| TRUCK (4X2)                |  |  |  |  |  |
| D4 = SPORT UTILITY (4X2)   |  |  |  |  |  |
| D5,6,7 = CONVENTIONAL      |  |  |  |  |  |
| (TRUCK) 4X4                |  |  |  |  |  |
| D8 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D9 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D10 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D11 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D12 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D13 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D14 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D15 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D16 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D17 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D18 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D19 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D20 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D21 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D22 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D23 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D24 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D25 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D26 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D27 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D28 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D29 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D30 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D31 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D32 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D33 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D34 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D35 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D36 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D37 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D38 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D39 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D40 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D41 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D42 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D43 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D44 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D45 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D46 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D47 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D48 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D49 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D50 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D51 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D52 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D53 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D54 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D55 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D56 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D57 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D58 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D59 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D60 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D61 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D62 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D63 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D64 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D65 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D66 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D67 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D68 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D69 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D70 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D71 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D72 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D73 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D74 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D75 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D76 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D77 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D78 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D79 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D80 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D81 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D82 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D83 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D84 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D85 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D86 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D87 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D88 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D89 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D90 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D91 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D92 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D93 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D94 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D95 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D96 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D97 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D98 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D99 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D100 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D101 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D102 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D103 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D104 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D105 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D106 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D107 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D108 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D109 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D110 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D111 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D112 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D113 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D114 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D115 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D116 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D117 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D118 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D119 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D120 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D121 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D122 = SPORT UTILITY (4X4) |  |  |  |  |  |
| D123 = CONVENTIONAL        |  |  |  |  |  |
| TRUCK (4X2)                |  |  |  |  |  |
| D4 = SPORT UTILITY (4X2)   |  |  |  |  |  |
| D5,6,7 = CONVENTIONAL      |  |  |  |  |  |
| (TRUCK) 4X4                |  |  |  |  |  |
| D8 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D9 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D10 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D11 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D12 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D13 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D14 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D15 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D16 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D17 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D18 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D19 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D20 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D21 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D22 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D23 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D24 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D25 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D26 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D27 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D28 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D29 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D30 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D31 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D32 = SPORT UTILITY (4X4)  |  |  |  |  |  |
|                            |  |  |  |  |  |

### Figure 2-1600

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: A large circular gear or flywheel with a serrated outer edge.
- 2**: A hexagonal nut.
- 3**: A rectangular plate with ten small circular holes arranged in two rows of five.
- 4**: A small circular washer or spacer.
- 5**: A small circular component, possibly a pin or a small washer.
- 6**: A small circular component, possibly a pin or a small washer.
- 7**: A small circular component, possibly a pin or a small washer.
- 8**: A small circular component, possibly a pin or a small washer.
- 9**: A stack of three coiled springs.
- 10**: A small circular component, possibly a pin or a small washer.
- 11**: A small circular component, possibly a pin or a small washer.
- 12**: A large octagonal frame with eight small circular holes around its perimeter.

|          |    |   |
|----------|----|---|
| 1795 185 | AR | NOTE:1 PINION SHIM KIT CONSISTS OF:<br>SHIM-.003-Front Drive Pinion Bearing |
| 1795 186 | AR | SHIM-.005-Front Drive Pinion Bearing  |
| 1922 314 | AR | SHIM-.003-Rear Drive Pinion Bearing   |
| 1922 315 | AR | SHIM-.005-Rear Drive Pinion Bearing   |

**« RETURN TO GROUP INDEX**

GROUP 3 - REAR AXLE


ILLUSTRATION TITLE GROUP-FIG. NO.

|   |            |
|---|------------|
| REAR AXLE   |            |
| AXLE, REAR W/DIFFERENTIAL AND CARRIER CHRYSLER-8 1/4, 8 3/8 D1-D4,B1-B2 . . . . .                                 | Fig. 3-100 |
| AXLE, REAR w/DIFFERENTIAL AND CARRIER CHRYSLER-9 1/4 D-1,2,4,5,6,8 B-1,2,3 . . . . .                              | Fig. 3-200 |
| AXLE, REAR (WITH TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-1,2,3,6,7 B-3 . . . . .                                 | Fig. 3-300 |
| AXLE, REAR (WITHOUT TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-12367-B3 . . . . .                                   | Fig. 3-400 |
| AXLE, REAR SPICER-70-6900,7200,7500,8000 Lb. D-1,2,3 & D-7 . . . . .  | Fig. 3-500 |
| DIFFERENTIAL, AXLE REAR-WITH ANTI-SPIN SPICER 70-4 PINION-7500 LB. D-1,2,3,7 . . . . .                            | Fig. 3-600 |
| DIFFERENTIAL, AXLE REAR-WITHOUT ANTI-SPIN SPICER-70-2 PINION-6900,7200,7500,8000,10000 Lb.<br>D-1,2,3,7 . . . . . | Fig. 3-700 |
| VENT, AXLE REAR - B,D . . . . .   | Fig. 3-800 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

AXLE, REAR W/DIFFERENTIAL AND CARRIER CHRYSLER-8 1/4, 8 3/8 D1-D4,B1-B2  
Figure 3-100

4303 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|

NOTE: DIFFERENTIAL AND CARRIER, w/TUBES ASSEMBLIES CONSIST OF THE FOLLOWING ITEMS - EXCEPT ITEMS 1,2,3, 40, AND 41

| DIFFERENTIAL & CARRIER-WITHOUT ANTI-SPIN |          |    |  |       |                               |
|--|----------|----|--|-------|-------------------------------|
|  | 4346 026 | 1  |  | B1    | 2.71 Ratio 1985               |
|  | 4346 034 | 1  |  | D1    | 2.71 Ratio 1985               |
|  | 4137 845 | 1  |  | D1-D4 | 2.94 Ratio 1984               |
|  | 4346 035 | 1  |  | D1-4  | 2.94 Ratio 1985               |
|  | 4137 848 | 1  |  | B1,2  | 2.94 Ratio 1984               |
|  | 4346 028 | 1  |  | B1,2  | 2.94 Ratio 1985               |
|  | 4137 818 | 1  |  | B1,2  | 3.21 Ratio 1984               |
|  | 4346 030 | 1  |  | B1,2  | 3.21 Ratio 1985               |
|  | 4137 847 | 1  |  | D1-D4 | 3.21 Ratio 1984               |
|  | 4346 037 | 1  |  | D1-4  | 3.21 Ratio 1985               |
|  | 4137 820 | 1  |  | B1,2  | 3.55 Ratio 1984               |
|  | 4346 032 | 1  |  | B1,2  | 3.55 Ratio 1985               |
|  | 4137 816 | 1  |  | D1    | 3.55 Ratio 1984               |
|  | 4346 038 | 1  |  | D1    | 3.55 Ratio 1985               |
|  | 4137 814 | 1  |  | D     | 3.90 Ratio 1984               |
|  | 4346 039 | 1  |  | D     | 3.90 Ratio 1985               |
|  | 4137 815 | 1  |  | B1,2  | 3.90 Ratio 1984               |
|  | 4346 033 | 1  |  | B1,2  | 3.90 Ratio 1985               |
| DIFFERENTIAL & CARRIER-WITH ANTI-SPIN    |          |    |  |       |                               |
|  | 4346 027 | 1  |  | B1    | 2.71 Ratio 1985               |
|  | 4137 819 | 1  |  | B1,2  | 2.94 Ratio 1984               |
|  | 4346 029 | 1  |  | B1,2  | 2.94 Ratio 1985               |
|  | 4137 846 | 1  |  | D1,4  | 2.94 Ratio                    |
|  | 4137 849 | 1  |  | B1,2  | 3.21 Ratio 1984               |
|  | 4346 031 | 1  |  | B1,2  | 3.21 Ratio 1985               |
| 1  | 4137 838 | 2  |  | D1    | SHAFT, Drive 1984             |
|  | 4137 838 | 2  |  | D4    | 1984                          |
|  | 4137 672 | 2  |  | D1-4  | 1985                          |
|  | 3496 577 | 2  |  | B1,2  | SHAFT, Drive 1984             |
|  | 4137 670 | 2  |  | B1,2  | 1985                          |
|  | 3432 698 | 10 |  |       | BOLT, Drive Shaft Wheel Drive |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, REAR W/DIFFERENTIAL AND CARRIER CHRYSLER-8 1/4, 8 3/8 D1-D4,B1-B2  
Figure 3-100

4303 100



| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION   |
|------|-------------|-----|------|---------|---|
| 2    | 2931 875    | 2   |      |         | SEAL, Drive Shaft Bearing Outer 1984                                |
|      | 4137 426    | 2   |      |         | 1985  |
| 3    | 3744 495    | 2   |      |         | BEARING, Drive Shaft  |
| 4    |             | 1   |      |         | SCREW   |
| 5    | 3723 238    | 1   |      |         | TUBE, Vent  |
| 6    | 2070 316    | 1   |      |         | CONE, Drive Pinion Bearing, Front                                   |
|      | 2800 484    | 1   |      |         | Rear  |
| 7    |             |     |      |         | GEAR & PINION SET PKG., (Includes Bearings Seal, Spacer and Screws) |
|      | 3837 580    | 1   |      | B1,D1   | 2.71 Ratio 1985   |
|      | 3837 581    | 1   |      |         | 2.94 Ratio  |
|      | 3837 582    | 1   |      |         | 3.21 Ratio  |
|      | 3837 583    | 1   |      | D1-B1,2 | 3.55 Ratio  |
|      | 3837 584    | 1   |      |         | 3.90 Ratio  |
| 8    | 2881 041    | 1   |      |         | SEAL, Drive Pinion Front Bearing Oil                                |
| 9    | 6032 511    | 10  |      |         | SCREW and WASHER, Cover   |
| 10   | 3723 687    | 1   |      |         | PLUG, Cover Filler  |
| 12   | 2070 317    | 1   |      |         | CUP, Drive Pinion Bearing Front                                     |
|      | 2800 485    | 1   |      |         | CUP, Drive Pinion Bearing Rear                                      |
| 14   | 4137 822    | 1   |      | D1-D4   | CARRIER, w/Tubes, Drive Pinion 1984                                 |
|      | 4346 041    | 1   |      | D1-4    | 1985  |
| 15   | 4137 823    | 1   |      | B1,2    | CARRIER, w/Tubes Pkg.(Inc. Diff. Brgs) 1984                         |
|      | 4346 040    | 1   |      | B1,2    | 1985  |
| 16   |             | 2   |      |         | CAP (Served in Items 14 and 15)                                     |
|      | 3432 695    | 4   |      |         | SCREW, Diff. Brg. Cap   |
| 17   | 3507 876    | 2   |      |         | ADJUSTER, Differential Bearing                                      |
|      | 2931 817    | AR  |      |         | SHIM, Drive Pinion Front Bearing Adjusting                          |
| 18   | 3723 569    | 2   |      |         | CUP, Rear Axle Diff. Bearing-3 1/16 O.D.                            |
| 19   | 1790 541    | 2   |      |         | CONE, Rear Axle Differential Bearing                                |
| 20   |             |     |      |         | SHAFT, Differential Pinion-Served In Item 31                        |
| 22   | 2881 423    | 1   |      |         | CASE, Differential  |
| 23   | 3507 575    | 1   |      |         | SPACER, Pinion Bearing Adjuster                                     |
| 24   |             |     |      |         | SHIM, Drive Pinion Bearing Rear                                     |
|      | 3723 520    | AR  |      |         | .020  |
|      | 3723 522    | AR  |      |         | .022  |
|      | 3723 524    | AR  |      |         | .024  |
|      | 3723 526    | AR  |      |         | .026  |
|      | 3723 527    | AR  |      |         | .027  |
|      | 3723 528    | AR  |      |         | .028  |
|      | 3723 529    | AR  |      |         | .029  |
|      | 3723 530    | AR  |      |         | .030  |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, REAR W/DIFFERENTIAL AND CARRIER CHRYSLER-8 1/4, 8 3/8 D1-D4,B1-B2  
Figure 3-100

4303 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 3723 531    | AR  |      |       | .031  |
|      | 3723 532    | AR  |      |       | .032  |
|      | 3723 635    | AR  |      |       | .035  |
|      | 3723 536    | AR  |      |       | .036  |
|      | 3723 538    | AR  |      |       | .038  |
| 25   | 3723 859    | 2   |      |       | LOCK, Differential Bearing Adjuster   |
| 26   |             | 2   |      |       | WASHER (Not Serviced)   |
| 27   | 6032 511    | 2   |      |       | SCREW and WASHER, Differential Bearing Adjuster Lock  |
| 28   | 3507 724    | 1   |      |       | SCREW, Pinion Shaft Lock  |
| 29   | 3432 695    | 4   |      |       | SCREW   |
| 30   | 4131 293    | 1   |      |       | WASHER, Pkg., Side Gear Thrust, (Consists of 2 Each of .031-.033; .036-.038; .041-.043; .046-.048 thk. Washers) |
| 31   | 4176 754    | 1   |      |       | GEAR & PINION PACKAGE, Differential Side<br>Consists of Gears, Pinion, Washer and Shaft                         |
| 33   | 2852 883    | 2   |      |       | LOCK, Drive Shaft   |
| 35   | 2852 912    | 2   |      |       | WASHER, Pinion Thrust, w/o Anti Spin  |
| 36   | 4318 025    | 1   |      |       | SEALER, Cover-(Liquid)  |
| 37   | 4049 689    | 1   |      |       | COVER & PLUG PACKAGE, Rear Axle Housing   |
| 39   | 4131 255    | 10  |      |       | SCREW PKG, Drive Gear   |
| 40   | 3723 668    | AR  |      |       | BOLT, Brake Support To Axle   |
| 41   | 0152 345    | 10  |      |       | NUT   |
| 43   | 3723 690    | 1   |      |       | DIFFERENTIAL, Rear Axle-With Anti Spin<br>Consists of Case, Gears, Pinion and Springs                           |


|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = DRIVEN AND WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



# AXLE, REAR w/DIFFERENTIAL AND CARRIER CHRYSLER-9 1/4 D-1,2,4,5,6,8 B-1,2,3

Figure 3-200

4303 200 A



ANTI SPIN DIFFERENTIAL

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|

NOTE: Differential and Carrier Assemblies Consist of the following list of items except items 1,2,3 and 31

## DIFFERENTIAL & CARRIER, Without Anti-Spin

|          |   |      |                                    |
|----------|---|------|------------------------------------|
| 4137 336 | 1 | D    | 3.21 Ratio 1984                    |
| 4137 435 | 1 | D    | 3.21 Ratio 1985 Up to 2/4/85       |
| 4137 689 | 1 | D    | 3.21 Ratio 1985 After 2/4/85       |
| 4137 338 | 1 | D    | 3.55 Ratio 1984                    |
| 4137 691 | 1 | D    | 3.55 Ratio 1985                    |
| 4137 686 | 1 | D2-6 | 3.55 Ratio, H.D 1985               |
| 4137 687 | 1 | D2   | 3.90 Ratio, H.D 1985               |
| 4137 324 | 1 | B    | 3.55 Ratio, H.D. 1984              |
| 4137 324 | 1 | B3   | 3.55 Ratio 1985 Up to 2/4/85       |
| 4137 684 | 1 | B3   | 3.55 Ratio 1985 After 2/4/85       |
| 4137 325 | 1 | B    | 3.90 Ratio, H.D. 1984              |
| 4137 325 | 1 | B3   | 3.90 Ratio, H.D. 1985 Up to 3/4/85 |
| 4137 685 | 1 | B3   | 3.90 Ratio, H.D. 1985 After 3/4/85 |

## DIFFERENTIAL & CARRIER, w/Anti Spin

|    |          |    |          |   |
|----|----------|----|----------|---|
|    | 4137 337 | 1  | D-12358  | 3.21 Ratio 1984   |
|    | 4137 436 | 1  | D-123458 | 3.21 Ratio 1985 Up to 2/4/85                            |
|    | 4137 690 | 1  | D-123458 | 3.21 Ratio 1985 After 2/4/85                            |
| 1  | 3723 824 | 2  | D1-D4    | SHAFT, Drive (Use w/Small "C" Lock)                     |
|    | 4137 428 | 2  | D1-D4    | (Use w/Large "C" Lock)                                  |
|    | 4117 897 | 2  |          | H.D. w/8 Holes 1984                                     |
|    | 4117 897 | 2  | B3,D2,6  | w/8 Holes 1985  |
|    | 4037 726 | 2  | D5-D8    | SHAFT, Drive-w/5 1/2" Bolt Circle (Use w/Small"C" Lock) |
|    | 4137 429 | 2  | D5-D8    | (Use w/Large "C" Lock)                                  |
|    | 4137 429 | 2  | D5-D8    | From 4-2-84 to 1984                                     |
|    | 4137 429 | 2  | D1,4,5,8 | 1985  |
| 1A | 3432 698 | 10 |          | BOLT, Drive Shaft Wheel Drive (Use w/5 Hole Shaft)      |
|    | 6032 505 | 16 |          | (Use w/8 Hole Shaft)                                    |
| 2  | 2931 875 | 2  |          | SEAL, Drive Shaft Brg. Oil 1984                         |
|    | 4137 426 | 2  | D1,4,5,8 | 1985  |
|    | 4137 314 | 2  |          | SEAL, Drive Shaft, H.D. 1984                            |
|    | 4137 314 | 2  | B3,D2,6  | 1985  |
| 3  | 3744 495 | 2  |          | BEARING, Drive Shaft 1984                               |
|    | 3744 495 | 2  | D1,4,5,8 | 1985  |
|    | 4117 858 | 2  |          | H.D. 1984   |
|    | 4117 858 | 2  | B3,D2,6  | 1985  |
| 4  | 1820 552 | 1  |          | CONE, Drive Pinion Front Bearing                        |
|    | 2852 731 | 1  |          | Drive Pinion Rear Bearing                               |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# AXLE, REAR w/DIFFERENTIAL AND CARRIER CHRYSLER-9 1/4 D-1,2,4,5,6,8 B-1,2,3

Figure 3-200

4303 200 A



ANTI SPIN DIFFERENTIAL

| ITEM | PART NUMBER | QTY | BODY      | MODEL | DESCRIPTION   |
|------|-------------|-----|-----------|-------|---|
| 5    | 2931 862    | 1   |           |       | SEAL, Drive Pinion Front Bearing                              |
| 6    | 1820 551    | 1   |           |       | CUP, Drive Pinion Front Bearing                               |
|      | 2852 732    | 1   |           |       | Drive Pinion Rear Bearing                                     |
| 7    | 4030 254    | 1   | D-1,4,5,8 |       | CARRIER & TUBE, Drive Pinion 1984                             |
|      | 4346 049    | 1   | D-1,4,5,8 |       | 1985 Up to 2/4/85   |
|      | 4137 692    | 1   | D-1,4,5,8 |       | 1985 After 2/4/85   |
|      | 4117 876    | 1   | B         |       | H.D. 1984   |
|      | 4117 876    | 1   | B3        |       | 1985 Up to 2/4/85   |
|      | 4137 694    | 1   | B3        |       | 1985 After 2/4/85   |
|      | 4137 695    | 1   | D2,6      |       | H.D. 1985   |
| 8    | 3507 723    | 2   |           |       | ADJUSTER, Diff. Brg.  |
|      | 2931 818    | 1   |           |       | SHIM, Drive Pinion Front Bearing Adjuster                     |
| 9    | 3723 148    | 2   |           |       | CUP, Diff. Brg.   |
| 10   | 3723 149    | 2   |           |       | CONE, Diff. Brg.  |
| 11   | 3723 018    | 12  |           |       | SCREW, Drive Gear   |
| 12   | 1633 928    | 1   |           |       | SHAFT, Diff. Pinion, w/o Anti Spin                            |
| 13   | 3507 633    | 1   |           |       | CASE, w/o Anti Spin   |
| 14   |             |     |           |       | GEAR SET PKG., (Consists Of Gear Set, Brgs., Spacer and Seal) |
|      | 3837 594    | 1   |           |       | 3.21, 3.23 Ratio  |
|      | 3837 595    | 1   |           |       | 3.55 Ratio  |
|      | 3837 596    | 1   |           |       | 3.90 Ratio  |
|      | 3507 699    | 1   |           |       | GEAR AND PINION SET, 3.90 Ratio Only                          |
| 15   | 3507 678    | 1   |           |       | SPACER, Drive Pinion Bearing Adjuster                         |
|      | 2931 818    | 1   |           |       | SHIM, Drive Pinion Frt. Bearing Adjuster                      |
| 16   |             |     |           |       | SHIM, Drive Pinion Bearing, Rear                              |
|      | 3432 320    | AR  |           |       | .020  |
|      | 3432 321    | AR  |           |       | .021  |
|      | 3432 322    | AR  |           |       | .022  |
|      | 3432 323    | AR  |           |       | .023  |
|      | 3432 324    | AR  |           |       | .024  |
|      | 3432 325    | AR  |           |       | .025  |
|      | 3432 326    | AR  |           |       | .026  |
|      | 3432 327    | AR  |           |       | .027  |
|      | 3432 328    | AR  |           |       | .028  |
|      | 3432 329    | AR  |           |       | .029  |
|      | 3432 330    | AR  |           |       | .030  |
|      | 3432 331    | AR  |           |       | .031  |
|      | 3432 332    | AR  |           |       | .032  |
|      | 3432 333    | AR  |           |       | .033  |
|      | 3432 334    | AR  |           |       | .034  |
|      | 3432 335    | AR  |           |       | .035  |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 3-200**

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      | 3432 336       | AR  |      |       | .036   |
|      | 3432 337       | AR  |      |       | .037   |
|      | 3432 338       | AR  |      |       | .038   |
| 17   | 3723 858       | 2   |      |       | LOCK, Diff. Bearing Adjuster   |
| 18   | 6032 511       | 2   |      |       | SCREW and WASHER, Differential Bearing Adjuster Lock   |
| 19   | 3432 695       | 4   |      |       | SCREW, Diff. Brg. Cap  |
| 20   | 4131 294       | 1   |      |       | WASHER PKG., Side Gear Thrust (Consists of 2 Each of .031-.033-.036-.037-.038-.041-.042-.043-.046-.047-.048 Thk. Washers w/o Anti Spin |
| 21   | 4137 319       | 2   |      |       | GEAR, Differential Side (Use w/Small "C" Lock)   |
|      | 4137 675       | 2   |      |       | (Use w/Large "C" Lock)   |
| 22   | 2852 883       | 2   |      |       | LOCK, Drive Shaft (Small "X" Lock)   |
|      | 4137 669       | 2   |      |       | (Large "C" Lock)   |
| 23   | 3507 641       | 2   |      |       | WASHER, Pinion Thrust  |
| 24   |                |     |      |       | GASKET, Cover-Use Liquid Sealer-Part #4026070  |
| 25   | 3723 687       | 1   |      |       | PLUG, Cover Filler   |
| 26   | 4049 690       | 1   |      |       | COVER & PLUG PKG., (Rubber Plug)   |
| 26   | 4117 859       | 1   |      |       | COVER, Axle Carr. H.D.   |
| 27   | 6032 594       | 12  |      |       | SCREW and WASHER, Cover  |
| 28   | 3507 724       | 1   |      |       | SCREW, Pinion Shaft  |
| 29   | 4137 321       | 2   |      |       | PINION, Diff.  |
| 30   | 3723 668       | AR  |      |       | BOLT, Brake Support To Axle  |
| 31   | 0152 345       | 10  |      |       | NUT  |
| 32   | 4137 425       | 1   |      |       | DIFFERENTIAL ASSY., (Partial)w/Anti-Spin (Use w/Large "C" Lock)  |
|      | 3723 691       | 1   |      |       | (Use w/Small "C" Lock)   |
|      |                |     |      |       | Consists Of:   |
|      |                |     |      |       | Gears  |
|      |                |     |      |       | Pinions  |
|      |                |     |      |       | Springs  |




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**



**AXLE, REAR (WITH TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-1,2,3,6,7 B-3**  
**Figure 3-300**

4303-300



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| NOTE: AXLE IDENTIFICATION NO. - SIX DIGIT PLUS A SUFFIX NO. - LOCATED ON AXLE HSG. RIGHT TUBE. |             |     |      |       |  |
| 1  | 1799 295    | 2   |      |       | CUP, Differential Bearing  |
| 2  | 1799 296    | 2   |      |       | CONE, Differential Bearing   |
| 3  | 3893 660    | 1   |      | B3    | GEAR & PINION SET, 3.55 Ratio                                      |
|  | 2952 469    | 1   |      |       | SLINGER, Rr. Axle Drive Pinion                                     |
| 4  | 3893 661    | 1   |      | B,D   | DIFFERENTIAL, (Consists of CASE, GEARS, PINIONS, DISCS and PLATES) |
| 5  | 1795 152    | AR  |      |       | SHIM, .003   |
|  | 1795 153    | AR  |      |       | .005   |
| 6  |             | 4   |      |       | SCREW (Serviced in Item 21)  |
| 7  |             | 2   |      |       | CAP (Serviced in Item 21)  |
| 8  | 1799 300    | 1   |      |       | CONE, Drive Pinion, Front  |
|  | 1327 846    | 1   |      |       | CONE, Drive Pinion, Rear   |
| 9  | 1799 299    | 1   |      |       | CUP, Drive Pinion, Front   |
|  | 1327 847    | 1   |      |       | CUP, Drive Pinion, Rear  |
| 10   | 1795 185    | AR  |      |       | SHIM, Front Bearing, .003  |
|  | 1795 186    | AR  |      |       | Front Bearing, .005  |
|  | 1922 314    | AR  |      |       | Rear Bearing, .003   |
|  | 1922 315    | AR  |      |       | Rear Bearing, .005   |
| 11   | 2952 474    | 10  |      |       | BOLT, Cover  |
| 12   | 4031 945    | 1   |      |       | PLUG, Cover (Rubber)   |
|  | 3640 792    | 1   |      |       | PLUG, Filler (Metal)   |
| 13   |             | 1   |      |       | COVER, Differential Carrier-Refer To Item 32                       |
| 14   | 3634 985    | 1   |      |       | GASKET, Cover  |
| 15   | 1795 193    | 1   |      |       | SLINGER, Pinion Oil Seal Outer                                     |
|  | 4137 768    | 1   |      |       | SPACER, Pinion Bearing (Not Shown)                                 |
| 19   | 4137 283    | 1   |      |       | SEAL, Drive Pinion Oil   |
| 20   |             | 1   |      |       | PLUG (Not Serviced)  |
| 21   |             |     |      |       | HOUSING, Rear Axle, w/5500 Lb.                                     |
|  | 4213 209    | 1   |      | D     | Up to 9/1/83   |
|  | 4137 786    | 1   |      | D     | After 9/1/83   |
|  | 4269 133    | 1   |      | D     | w/5800 Lb. Axle, Up to 9/1/83                                      |
|  | 4137 790    | 1   |      | D     | w/5800 Lb. Axle, After 9/1/83                                      |
|  | 4213 205    | 1   |      | B3    | w/5500 Lb. Axle 1984   |
|  | 4137 787    | 1   |      | B3    | w/5500 Lb. Axle 1985   |
|  | 4213 204    | 1   |      | B3    | w/6200 Lb. Axle, H.D.  |
| 23   | 0112 210    | 16  |      | D2,3  | STUD, 6200 lb. Axle, Budd Wheel                                    |
|  | 6031 062    | 16  |      |       | SCREW, Dura Lok Type, 5500 lb. Axle                                |
| 24   | 1508 989    | 16  |      |       | DOWEL, Drive Shaft   |
| 25   | 4032 798    | 1   |      |       | BREATHER or VENT   |
| 26   | 0152 347    | 16  |      |       | NUT, Stud  |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, REAR (WITH TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-1,2,3,6,7 B-3  
Figure 3-300


4303-300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 27   | 4036 684    | 2   |      | D     | SHAFT, Drive w/5500 & 5800 Lb. Axle                      |
|      | 4036 682-3  | 1   |      | B3    | w/5500 Lb. w/Single Wheel & Offset Diff.                 |
|      | 4089 284-5  | 2   |      | B3    | w/6200 Lb. H.D.  |
| 28   | 4032 759    | 2   |      |       | GASKET, Drive Shaft-5500 Lb. Axle                        |
|      | 2909 288    | 2   |      |       | w/6200 Lb.Axle   |
| 30   |             |     |      |       | CASE ASSY. KIT, Diff., w/3.55 & 4.10 Ratio               |
|      | 4137 751    | 1   |      | D     | w/4.10 Ratio After 9/1/83                                |
|      | 4137 751    | 1   |      | B3    | w/3.55 & 4.10 Ratio 1985                                 |
|      | 4115 854    | 1   |      | B3    | CASE KIT, Diff., w/3.55, 3.73 & 4.10 Ratio               |
| 31   | 4115 854    | 1   |      | D     | w/3.55 & 4.10 Ratio                                      |
|      |             |     |      |       | Consists of 3497606 Diff.,Diff Brgs., Shims, Screw       |
|      | 3893 660    | 1   |      |       | GEAR & PINION KIT, w/3.55 Ratio 1984                     |
|      | 4137 752    | 1   |      | B,D   | w/3.55 Ratio 1985  |
|      | 3894 117    | 1   |      | B     | w/4.10 Ratio 1984  |
|      | 4137 775    | 1   |      | B     | w/4.10 Ratio 1985  |
|      | 3894 117    | 1   |      | D     | w/4.10 Ratio Up to 9/1/83                                |
|      | 4137 775    | 1   |      | D     | w/4.10 Ratio After 9/1/83                                |
|      | 4137 752    | 1   |      | B,D   | KIT GEAR & PINION, w/3.55 Ratio                          |
|      | 4137 775    | 1   |      | B,D   | w/4.10 Ratio   |
| 32   |             |     |      |       | CONSISTS OF:   |
|      |             |     |      |       | 1- _____ GEAR, Drive                                     |
|      |             |     |      |       | 1- _____ PINION, Drive                                   |
|      |             |     |      |       | 1- 1795173 NUT, Pinion                                   |
|      |             |     |      |       | 1- 1795175 WASHER, Pinion Drive                          |
|      |             |     |      |       | 12- 1795170 SCREW  |
|      | 3894 117    | 1   |      | D     | w/6200 Lb. Axle w/4.10 Ratio                             |
|      |             |     |      |       | CONSISTS OF:   |
|      |             |     |      |       | 1- _____ GEAR, Drive                                     |
|      |             |     |      |       | 1- _____ PINION, Drive                                   |
| 33   |             |     |      |       | AR- _____ SHIMS  |
|      |             |     |      |       | AR- _____ BEARINGS                                       |
|      |             |     |      |       | AR- _____ SEALS  |
|      |             |     |      |       | 1- _____ SLINGER   |
|      | 4219 104    | 1   |      |       | COVER KIT, Diff. Carrier                                 |
|      |             |     |      |       | Consists of Cover, Gasket & Bolts                        |
|      | 1795 170    | 12  |      |       | SCREW, Drive Gear  |
|      |             |     |      |       | NOTE: The Following Items Are Not Shown On Illustration. |
|      | 4210 801    | 1   |      |       | DISC and PLATE KIT, Limited Slip Differential            |
|      |             |     |      |       | SHIM KIT, Differential Adjuster                          |
| 34   | 3894 652    | 1   |      | B     | w/3.55 & 4.10 Ratio 1985                                 |
|      | 3894 652    | 1   |      | D     | w/4.10 Ratio After 9/1/83                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

## 4303 300




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.



AXLE, REAR (WITHOUT TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-12367-B3  
Figure 3-400

4303 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                    |
|------|-------------|-----|------|----------|--|
| 1    | 4213 209    | 1   |      | D        | HOUSING, Rear Axle w/5500 Lb. Up to 9/1/83     |
|      | 4137 786    | 1   |      | D        | w/5500 Lb. Axle After 9/1/83                   |
|      | 4269 133    | 1   |      | D        | w/5800 Lb. Axle Up to 9/1/83                   |
|      | 4137 790    | 1   |      | D        | w/5800 Lb. Axle After 9/1/83                   |
|      | 4213 212    | 1   |      | D        | w/6200 Lb. Axle, H.D.                          |
|      | 4213 204    | 1   |      | B3       | w/6200 Lb. Axle, H.D.                          |
|      | 4213 205    | 1   |      | B3       | w/5500 Lb. w/Offset Diff. & Single Wheels      |
|      | 4213 205    | 1   |      | B3       | w/4.10 Ratio Up to 4/2/84                      |
|      | 4137 787    | 1   |      | B3       | w/4.10 Ratio After 4/2/84                      |
|      | 4213 205    | 1   |      | B3       | w/5500 Lb. Axle w/3.54 Ratio 1984              |
|      | 4137 787    | 1   |      | B3       | w/5500 Lb. Axle w/3.54 Ratio 1985              |
|      | 4032 798    | 1   |      | All      | BREATHER or VENT                               |
| 2    |             | 1   |      | All      | SHIELD (See Group 16)                          |
| 3    |             | 1   |      | All      | YOKE (See Group 16)                            |
| 4    |             | 1   |      | All      | WASHER (See Group 16)                          |
| 5    |             | 1   |      | All      | NUT (See Group 16)                             |
| 6    | 4137 283    | 1   |      | All      | SEAL, Drive Pinion Oil                         |
|      | 4137 768    | 1   |      | All      | SPACER, Pinion Bearing (Not Shown)             |
| 7    | 1795 193    | 1   |      | All      | SLINGER, Pinion Oil Seal, Outer                |
| 8    | 1799 300    | 1   |      | All      | CONE, Drive Pinion, Front                      |
|      | 1327 846    | 1   |      | All      | Rear   |
| 9    | 1799 299    | 1   |      | All      | CUP, Drive Pinion, Front                       |
|      | 1327 847    | 1   |      | All      | Rear   |
| 10   | 4032 759    | 2   |      | D-267-B3 | GASKET, Drive Shaft-5500 Lb. Axle              |
|      | 2909 288    | 2   |      |          | w/6200 Lb. Axle                                |
| 11   | 4036 684    | 2   |      | D        | SHAFT, Drive w/5500 & 5800 Lb. Axle            |
|      | 4036 682-3  | 1   |      | B3       | w/5500 Lb. Axle w/Offset Diff. & Single Wheels |
|      | 4089 284-5  | 1   |      | B3       | w/6200 Lb. Axle, w/3.73, 4.10 Ratio            |
| 12   | 3634 985    | 1   |      | All      | GASKET, Cover                                  |
| 13   | 3893 660    | 1   |      | All      | GEAR & PINION SET, (Only), 3.54 to 1 Ratio     |
|      | 2952 469    | 1   |      | All      | SLINGER, Rr. Axle Drive Pinion                 |
|      | 3732 949    | 1   |      | D        | BAFFLE, Pinion Bearing w/4500# Frt. Axle       |
| 14   | 1799 295    | 2   |      | All      | CUP, Diff. Bearing                             |
| 15   | 1799 296    | 2   |      | All      | CONE, Diff. Bearing                            |
| 16   | 1795 152    | AR  |      | All      | SHIM, .003                                     |
|      | 1795 153    | AR  |      | All      | .005   |
| 17   | 2961 848    | 2   |      | All      | WASHER, Diff. Gear Thrust                      |
| 18   | 2953 824    | 2   |      | All      | GEAR, Diff. Side                               |
| 19   | 3507 543    | 2   |      | All      | WASHER, Differential Pinion Thrust             |
| 20   | 2908 520    | 2   |      | All      | PINION, Diff.                                  |
| 21   |             | 4   |      | All      | BOLT (Serviced in Item 1)                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, REAR (WITHOUT TRAC-LOK) SPICER-60-5500,5800,6200 LB. D-12367-B3  
Figure 3-400

4303 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 22   |             | 2   |      | All   | CAP, Bearing (Served in Item 1)                                      |
| 23   | 4089 282    | 1   |      | All   | CASE,3.54,4.10 Ratio   |
| 24   | 9432 419    | 1   |      | All   | PIN, Lock  |
| 25   | 3640 792    | 1   |      | All   | PLUG, Filler (Metal)   |
|      | 4031 945    | 1   |      | All   | (Rubber)   |
| 26   | 2952 474    | 10  |      | All   | BOLT, Cover  |
| 27   | 1795 170    | 12  |      | All   | SCREW, Drive Gear  |
| 28   | 1922 276    | 1   |      | All   | SHAFT, Pinion Cross  |
| 30   | 1795 185    | AR  |      | All   | SHIM, Frt. Bearing Adjusting,.003                                    |
|      | 1795 186    | AR  |      | All   | .005   |
|      | 1922 314    | AR  |      | All   | SHIM, Rr. Bearing Adjusting,.003                                     |
|      | 1922 315    | AR  |      | All   | .005   |
| 31   |             |     |      |       | GEAR & PINNION KIT, Drive Gear                                       |
|      |             |     |      |       | Consists Of Gear & Pinion Set,Shims,Bearings,Seals,Slinger & Baffle. |
|      | 3893 660    | 1   |      | All   | 3.54 Ratio   |
|      | 4167 288    | 1   |      | All   | 3.73 Ratio   |
|      | 3894 117    | 1   |      | All   | 4.10 Ratio Up to 9/1/83  |
|      | 4137 775    | 1   |      | All   | 4.10 Ratio After 9/1/83  |
| 32   | 3894 162    | 1   |      | All   | DIFFERENTIAL CASE ASSY.KIT,3.54,3.73,4.10 Ratio                      |
|      | 4137 778    | 1   |      | D     | SHIM KIT, Differential & Pinion w/5500,5800 Lb. Axle, After 9/1/83   |
| 33   | 4219 104    | 1   |      | All   | COVER KIT, Diff. Carrier   |
|      |             |     |      |       | Consists Of Cover,Gasket & Bolts                                     |
| 34   | 4089 282    | 1   |      | All   | DIFFERENTIAL CASE KIT, 3.54 & 4.10 Ratio                             |
| 36   | 0152 347    | 16  |      | All   | NUT,Stud   |
| 37   | 1508 989    | 16  |      | All   | DOWEL, Drive Shaft   |
| 38   | 0112 210    | 16  |      | All   | STUD, Drive Shaft w/6200 Lb. Axle                                    |
|      | 6031 062    | 16  |      | All   | w/5500 Lb. Axle-Dura Lok Type  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



AXLE, REAR SPICER-70-6900,7200,7500,8000 Lb. D-1,2,3 & D-7  
Figure 3-500

4303 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|

NOTE: Refer to description column when specifying parts.  
NOTE: Four (4) Pinion Axles have a two (2) piece Differential Case, two (2) Pinion Axles have a one piece Differential Case. Axle Identification No. -Six Digits plus a suffix No. located on Housing-right tube next to carrier

|                                   |          |    |       |  |   |
|-----------------------------------|----------|----|-------|--|---|
| AXLE-WITHOUT BRAKES & AXLE SHAFTS |          |    |       |  |   |
| 1                                 | 4213 210 | 1  | D-1,2 |  | HOUSING, Except Sweptline w/Dual Wheels   |
|                                   | 4213 210 | 1  | D-3,7 |  | w/4.56 Ratio (Up to Approximately 12/12/83)   |
|                                   | 4137 797 | 1  | D-3,7 |  | w/4.56 Ratio (After Approximately 12/12/83)   |
| 2                                 | 4213 211 | 1  | D-3   |  | w/Sweptline,With Dual Wheels  |
|                                   | 4137 792 | 1  | D-3   |  | w/4.10 Ratio (Up to Approximately 9/7/83)   |
|                                   | 4032 798 | 1  | All   |  | w/4.10 Ratio (After Approximately 9/7/83)   |
|                                   | 1799 299 | 1  | All   |  | BREATHER or VENT  |
|                                   | 1799 297 | 1  | All   |  | CUP,Drive Pinion, Front   |
| 3                                 |          |    |       |  | Rear  |
|                                   | 1327 847 | 1  | D-3,7 |  | Rear, w/4.10 and 4.56 Ratio (After Approximately 9/7/83)                                |
|                                   | 1799 300 | 1  | All   |  | CONE, Drive Pinion, Front   |
|                                   | 1799 298 | 1  | All   |  | Rear  |
| 4                                 | 4137 771 | 1  | D-3,7 |  | Rear, w/4.10 and 4.56 Ratio (After Approximately 9/7/83)                                |
|                                   | 1795 193 | 1  | All   |  | SLINGER,Pinion Oil Seal, Outer  |
|                                   | 4112 001 | 1  | All   |  | SEAL, Drive Pinion Oil 1984   |
| 5                                 | 4137 283 | 1  | D-3,7 |  | w/4.10 and 4.56 Ratio (After Approximately 9/7/83)                                      |
|                                   | 4137 283 | 1  | All   |  | 1985  |
| 6                                 | 3507 585 | 1  | D7    |  | use w/7290 Companion Yoke   |
|                                   |          | 1  | All   |  | YOKE, (Refer To Group 16)   |
|                                   |          | 1  | All   |  | WASHER, (Refer To Group 16)   |
| 7                                 |          | 1  | All   |  | NUT,(Refer To Group 16)   |
|                                   | 2909 288 | 2  |       |  | GASKET, Drive Shaft   |
|                                   | 3633 829 | 2  | D3    |  | SHAFT, Drive Except Sweptline, w/Dual Wheels  |
| 8                                 | 3893 673 | 2  | D3    |  | Sweptline w/Dual Wheels   |
|                                   | 3633 829 | 2  | D3,7  |  | w/4.56 Ratio  |
| 9                                 |          | 2  |       |  | CAP (Serviced in Item 1)  |
|                                   |          | 4  |       |  | SCREW (Not Serviced)  |
|                                   |          |    |       |  | GEAR & PINION (Serv.In Item 19)   |
| 10                                | 1795 170 | 12 | All   |  | SCREW, Drive Gear   |
|                                   | 2952 471 | 1  |       |  | GASKET,Carrier Cover  |
|                                   |          | 1  |       |  | COVER (Serv. In Item 20)  |
| 11                                | 3640 792 | 1  | All   |  | PLUG, Carrier Cover   |
|                                   | 2952 474 | 10 | All   |  | BOLT,Carrier Cover  |
|                                   |          |    |       |  | GEAR & PINION KIT, Drive,(Consists Of: Gear & Pinion,Shims, Brgs.,Seal,Slinger & Baffle |
| 12                                | 3828 139 | 1  |       |  | 4.10 Ratio (Up to Approximately 9/7/83)   |
|                                   | 3893 689 | 1  |       |  | 4.56 Ratio (Up to Approximately 12/22/83)   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AXLE, REAR SPICER-70-6900,7200,7500,8000 Lb. D-1,2,3 & D-7  
Figure 3-500

4303 500




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
|  |             |     |      |       | GEAR AND PINION KIT  |
|  | 4137 783    | 1   |      |       | 4.10 Ratio (After Approximately 9/7/83)                      |
|  | 4137 784    | 1   |      |       | 4.56 Ratio (After Approximately 12/22/83)                    |
|  |             |     |      |       | CONSISTS OF:   |
|  |             |     |      |       | 1- _____ GEAR, Drive   |
|  |             |     |      |       | 1- _____ PINION, Drive                                       |
|  |             |     |      |       | 1-1795173 NUT, Pinion  |
|  |             |     |      |       | 1-1795175 WASHER, Pinion Nut                                 |
|  |             |     |      |       | 12-1795170 SCREW, Hex  |
| 20   | 4115 262    | 1   |      |       | COVER KIT, Diff. Carrier                                     |
|  | 4137 793    | 1   |      | D-3,7 | w/4.10 and 4.56 Ratio (After Approximately 9/7/83)           |
|  |             |     |      |       | CONSISTS OF:   |
|  |             |     |      |       | 1- _____ COVER w/CLIP  |
|  |             |     |      |       | 1-3640792 PLUG, Pipe Square Drive                            |
|  |             |     |      |       | 1-2952474 Screw, Flanged Head                                |
| 21   | 1795 185    | AR  |      | All   | SHIM, Frt. Bearing Adjusting, .003                           |
|  | 1795 186    | AR  |      | All   | .005   |
|  | 1795 189    | AR  |      | All   | SHIM, Rr. Bearing Adjusting, .003                            |
|  | 1795 190    | AR  |      | All   | .005   |
| 22   | 2952 466    | 1   |      | All   | BAFFLE, Oil Seal   |
| 23   | 0112 210    | 16  |      |       | STUD, Drive Shaft Flange                                     |
| 24   | 1508 989    | 16  |      |       | DOWEL, Drive Shaft Flange                                    |
| 25   | 0152 347    | 16  |      |       | NUT, Drive Shaft Flange Stud                                 |
| NOTE: The Following Items Are Not Shown On Illustration. -Six Digits plus a suffix No. located on Housing-right tube next to carrier |             |     |      |       |  |
|  | 3898 313    | 1   |      | D3,7  | SHIM KIT, Differential Adjuster w/4.10 and 4.56 Ratio (Use   |
|  |             |     |      |       | After Approximately 9/7/83)                                  |
|  |             |     |      |       | Consists Of:   |
|  |             |     |      |       | 1- _____ SHIM PKG., Differential Adjuster                    |
|  |             |     |      |       | 1- _____ GASKET, Carrier Cover                               |
|  | 4137 796    | 1   |      | D3,7  | SHIM KIT, Differential and Pinion w/4.10 and 4.56 Ratio (Use |
|  |             |     |      |       | After Approximately 9/7/83)                                  |
|  |             |     |      |       | Consists Of:   |
|  |             |     |      |       | 1- _____ SHIM PKG., Differential Adjuster                    |
|  |             |     |      |       | 1- _____ SHIM PKG., Pinion and Bearing Adjuster              |
|  |             |     |      |       | 1- _____ GASKET, Carrier Cover                               |
|  |             |     |      |       | 1- _____ NUT, Pinion   |
|  |             |     |      |       | 1- _____ WASHER, Pinion Nut                                  |
|  | 4137 794    | 1   |      | D3,7  | WASHER-THRUST, Pinion Bearing w/4.10 and 4.56 Ratio (Use     |
|  |             |     |      |       | After Approximately 9/7/83)                                  |
|  | 4137 795    | 1   |      | D3,7  | SPACER, Pinion Bearing w/4.10 and 4.56 Ratio (Use After      |
|  |             |     |      |       | Approximately 9/7/83)  |

| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| B - VANS AND WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

DIFFERENTIAL, AXLE REAR-WITH ANTI-SPIN SPICER 70-4 PINION-7500 LB. D-1,2,3,7  
Figure 3-600

4303 600




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|-------------|-----|------|-------|---|
| 1  | 2955 837    | 2   |      | All   | GEAR, Diff. Side                                      |
| 2  | 2852 513    | 2   |      | All   | RING  |
| 3  | 1929 759    | 4   |      | All   | PLATE, Friction (Flat)                                |
|  | 2228 429    | 2   |      | All   | (Dished)  |
| 4  |             | 1   |      | All   | CASE, w/4.56 Ratio (Service Kit)                      |
| 5  | 1929 758    | 2   |      | All   | DISC, Friction (Flat)                                 |
|  | 2238 893    | 2   |      | All   | (Dished)  |
| 6  | 1929 756    | 4   |      | All   | PINION  |
| 7  | 1929 754    | 2   |      | All   | SHAFT   |
| 8  | 1799 296    | 2   |      | All   | CONE, Differential Bearing                            |
|  | 1799 295    | 2   |      | All   | CUP, Diff. Brg. Cone                                  |
|  | 1795 152    | AR  |      | All   | SHIM, Diff. Bearing, .003                             |
|  | 1795 153    | AR  |      | All   | .005  |
| 9  | 2952 459    | 10  |      | All   | SCREW, Diff. Case, 2 1/4" Long                        |
| NOTE: REPAIR SERVICE KITS. -Six Digits plus a suffix No. located on Housing-right tube next to carrier |             |     |      |       |   |
|  | 4031 954    | 1   |      |       | DIFFERENTIAL CASE ASSY.KIT, w/4.56 Ratio              |
| CONSISTS OF:   |             |     |      |       |   |
|  |             |     |      |       | 1-_____ CASE Assy., Differential                      |
|  |             |     |      |       | 1-_____ SHIM PKG., Diff. Bearing Adjuster             |
|  |             |     |      |       | 2-_____ BEARING, Cup (Differential)                   |
|  |             |     |      |       | 2-_____ BEARING, Cone (Differential)                  |
|  |             |     |      |       | 12-_____ SCREW, Drive Gear                            |
|  | 4219 047    | 1   |      |       | DIFFERENTIAL CASE KIT, w/4.56 Ratio                   |
|  | 4219 047    | 1   |      |       | (Up to Approximately 12/12/83)                        |
|  | 4137 798    | 1   |      |       | DIFFERENTIAL CASE INNER PARTS KIT w/4.56 Ratio (After |
| Approximately 12/12/83)  |             |     |      |       |   |
| CONSISTS OF:   |             |     |      |       |   |
|  |             |     |      |       | 1-_____ GEAR SET and RINGS, Differential              |
|  |             |     |      |       | 1-_____ PIN, Differential                             |
|  | 2852 523    |     |      |       | 1-2852523 DISC and PLATE KIT                          |
|  |             |     |      |       | 12-_____ SCREW, Drive Gear                            |
|  |             |     |      |       | 1-_____ GASKET, Carrier Cover                         |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

DIFFERENTIAL, AXLE REAR-WITHOUT ANTI-SPIN SPICER-70-2 PINION-6900,7200,7500,8000,10000 Lb. D-1,2,3,7  
Figure 3-700

4503 700



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|--|-------------|-----|------|-------|--------------------------------------|
| NOTE: Items 1 Thru 11 Are Also Contained In Item 5- DIFFERENTIAL KIT -Six Digits plus a suffix No. located on Housing-right tube next to carrier |             |     |      |       |                                      |
| 1  | 1799 295    | 2   |      | ALL   | CUP,Differential Bearing             |
| 2  | 1799 296    | 2   |      | ALL   | CONE,Differential Bearing            |
| 3  |             | 1   |      | ALL   | ADJUSTING SHIM KIT (Serviced In Kit) |
| 4  | 3823 560    | 1   |      |       | SHAFT, Diff. Pinion Cross            |
| 5  |             |     |      |       | CASE, Diff., Refer To Item K or L    |
| 6  | 3823 562    | 1   |      | All   | PIN, Diff.Pinion Shaft Lock          |
| 7  | 3823 561    | 2   |      | All   | WASHER,Differential Pinion Thrust    |
| 8  | 3823 559    | 2   |      | All   | PINION,Differential                  |
| 9  | 3823 558    | 2   |      | All   | GEAR, Diff. Side                     |
| 10   | 2961 848    | 2   |      | All   | WASHER,Differential Gear Thrust      |
| 12   | 4115 256    | 1   |      |       | DIFFERENTIAL CASE PARTS KIT          |

Consists Of: Pinions, s/Gear, Pinion Shaft, Washers, Gasket, & Drive Gear Bolts


NOTE: REPAIR SERVICE KITS. -Six Digits plus a suffix No. located on Housing-right tube next to carrier

|                                   |          |   |  |      |  |
|-----------------------------------|----------|---|--|------|--|
| K                                 |          |   |  |      |  |
|                                   | 3893 690 | 1 |  | D3   | DIFFERENTIAL CASE ASSY. KIT w/4.10 Ratio, D3 Sweptline w/Dual Wheels |
|                                   | 3893 691 | 1 |  | D3,7 | w/4.56 Ratio   |
| Consists Of:                      |          |   |  |      |  |
| Differential Case Assy.(Complete) |          |   |  |      |  |
| Adjusting Shim Kit                |          |   |  |      |  |
| Differential Bearing              |          |   |  |      |  |
| Screws                            |          |   |  |      |  |
| L                                 |          |   |  |      |  |
|                                   | 4031 947 | 1 |  | D3   | DIFFERENTIAL CASE KIT w/4.10 Ratio, D3 Sweptline w/Dual Wheels       |
|                                   | 4031 946 | 1 |  | D7   | w/4.56 Ratio   |
|                                   | 4031 946 | 1 |  | D7   | w/4.56 Ratio w/o Limited Slip  |
| Consists Of:                      |          |   |  |      |  |
| Differential Case-(only)          |          |   |  |      |  |
| Adjusting Shim Kit                |          |   |  |      |  |
| Shaft Lock                        |          |   |  |      |  |
| Screws                            |          |   |  |      |  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

VENT, AXLE REAR - B,D  
Figure 3-800

4303 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION             |
|------|-------------|-----|------|-------|-------------------------|
| 1    | 4203 316    | 1   |      | All   | HOSE, Vent (50 Ft.Roll) |
| 2    | 2448 761    | 1   |      | All   | CLAMP, Hose             |
| 3    |             |     |      | All   | CLIP (Not Serviced)     |
| 4    | 4213 328    | 1   |      | All   | CAP,Vent                |
| 5    |             |     |      |       | SCREW, Vent             |
|      | 4137 476    | 1   |      |       | Up to 2/21/84           |
|      | 4137 696    | 1   |      |       | After 2/21/84           |
| 6    |             |     |      | All   | TEE, Brake (Ref.)       |
| 7    |             |     |      | All   | C/Mem. Rr. Shock (Ref.) |
| 8    |             |     |      | All   | SHOCK,Rear (Ref.)       |
| 9    |             |     |      | All   | CLIP, P/Brake (Ref.)    |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRUMS AND WAGONS (REF)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |


GROUP 4 - BRAKES, PARKING

| ILLUSTRATION TITLE                                | GROUP-FIG. NO. |
|---|----------------|
| LEVER AND CABLE, PARKING BRAKE B1,2 .....         | Fig. 4-100     |
| LEVER AND CABLE, PARKING BRAKE B3 .....           | Fig. 4-200     |
| LEVER AND CABLE, PARKING BRAKE D4,8 .....         | Fig. 4-300     |
| LEVER AND CABLE, PARKING BRAKE D1,2,3,5,6,7 ..... | Fig. 4-400     |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

LEVER AND CABLE, PARKING BRAKE B1,2  
 Figure 4-100

4304 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CABLE, Parking Brake, Front                           |
|      | 4294 103    | 1   |      |       | w/109" W.B., 111.00" Lg.                              |
|      | 4294 104    | 1   |      |       | w/127" W.B., 129.75" Lg.                              |
| 2    | 2201 467    | 1   |      |       | CLIP, Cable Retaining                                 |
| 3    | 4294 187    | 1   |      |       | LEVER ASSY., Parking Brake, Foot                      |
| 4    | 4019 175    | 1   |      |       | PAD, Foot Lever                                       |
| 5    | 3467 924    | 1   |      |       | RETAINER, Cable                                       |
| 6    | 0181 086    | 1   |      |       | SCREW, 5/16-18 x 3/4"                                 |
| 7    | 3492 980    | AR  |      |       | CLIP, Cable Retaining, Front                          |
| 8    |             | AR  |      |       | CLIP, Cable Retaining (Not Serviced)                  |
| 9    | 2516 998    | 2   |      |       | CLIP, Cable Retaining Rear C/Membr.                   |
| 10   | 4238 183    | 1   |      |       | GUIDE, Cable, C/Mbr., Wire Type                       |
|      | 4210 918    | 1   |      |       | GUIDE, Cable Side Rail, w/Aux. A/C & Htr. (Wire Type) |
| 12   | 4294 219    | 1   |      |       | CABLE, Rear Right, 83.12" Lg.                         |
| 13   | 4294 220    | 1   |      |       | CABLE, Rear Left, 43.00" Lg.                          |
| 14   | 4086 497    | 1   |      |       | HANDLE, Release Rod                                   |
| 15   | 4215 934    | 1   |      |       | BRACKET, Cowl Panel                                   |
| 16   | 4112 019    | 1   |      |       | BRACKET, Front Cable Anchor                           |
| 17   | 4112 018    | 1   |      |       | BRACKET, Rear Cable Anchor                            |
| 18   | 3575 604    | 1   |      |       | CONNECTOR, Brake Cable Adjusting                      |
| 19   | 3575 605    | 1   |      |       | CONNECTOR, Rear Cable                                 |
| 20   | 3467 939    | 1   |      |       | RETAINER, Right Rear Cable                            |
| 21   | 6030 607    | 1   |      |       | NUT, Cable Adjusting, 5/16-18                         |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
 TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
 (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LEVER AND CABLE, PARKING BRAKE B3  
Figure 4-200

4304 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4294 105    | 1   |      |       | CABLE, Front, w/127" W.B., 135.50" Lg.                |
| 2    | 2201 467    | AR  |      |       | CLIP, Cable Retaining                                 |
|      | 3492 980    | 1   |      |       | Cable Retaining, Front                                |
| 3    | 4036 655    | 1   |      |       | LEVER ASSY., Parking Brake, Foot                      |
| 4    | 4019 175    | 1   |      |       | PAD, Foot Lever                                       |
| 5    | 3467 924    | 1   |      |       | RETAINER, Cable                                       |
| 6    | 0181 086    | 1   |      |       | SCREW, 5/16-18 x .75                                  |
| 7    | 6030 607    | 1   |      |       | NUT, Cable Adjusting, 5/16-18                         |
| 8    | 3898 231    | 1   |      |       | CABLE, Rear, Left, 44"Lg.                             |
|      | 4210 922    | 1   |      |       | Right, 127" W.B., 82" Lg.                             |
|      | 4210 918    | 1   |      |       | GUIDE, Cable Side Rail, w/Aux. A/C & Htr. (Wire Type) |
| 9    | 2516 998    | 1   |      |       | CLIP, Cable   |
| 10   | 0181 088    | 1   |      |       | BOLT, 5/16-18 x 1                                     |
| 11   | 0118 614    | 1   |      |       | NUT, 5/16-18  |
| 12   | 4036 907    | 1   |      |       | EQUALIZER, Cable                                      |
| 13   | 2509 796    | 1   |      |       | SPRING, Equalizer                                     |
| 14   | 4086 497    | 1   |      |       | HANDLE, Release Rod                                   |
| 15   | 4112 022    | 1   |      |       | BRACKET, Rear Cable Anchor                            |
| 16   | 4087 598    | 1   |      |       | BRACKET, Cowl Panel                                   |
| 17   | 4112 019    | 1   |      |       | BRACKET, Front Cable Anchor                           |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



# LEVER AND CABLE, PARKING BRAKE D4,8

Figure 4-300

4304 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 0118 614    | 3   |      |       | NUT, Lever Mtg., 5/16-18                       |
| 2    | 3880 430    | 1   |      |       | LEVER ASSY., Parking Brake, Foot               |
| 3    | 4019 175    | 1   |      |       | PAD, Foot Lever                                |
| 4    | 3467 924    | 1   |      |       | RETAINER, Cable                                |
| 5    | 6025 020    | 2   |      |       | NUT, 3/8-16                                    |
| 6    | 2201 467    | 1   |      |       | CLIP, Cable Retaining                          |
| 7    | 0181 112    | 2   |      |       | BOLT, 3/8-16 x 1"                              |
| 8    | 4210 905    | 1   |      |       | BRACKET, Front Cable Anchor                    |
| 9    | 3575 604    | 1   |      |       | CONNECTOR, Cable Adjusting                     |
| 10   | 6030 607    | 1   |      |       | NUT, Lock, 5/16-18                             |
| 11   | 0152 345    | 1   |      |       | NUT, Lock, 3/8-24                              |
| 12   | 3897 476    | 2   |      |       | BUSHING, Ratio Lever                           |
| 13   | 4032 780    | 1   |      |       | LEVER, Ratio                                   |
| 14   | 6030 885    | 1   |      |       | BOLT   |
| 15   | 6025 020    | 2   |      |       | NUT, 3/8-16                                    |
| 16   | 0181 112    | 2   |      |       | BOLT, 3/8-16 x 1"                              |
| 17   | 4036 907    | 1   |      |       | EQUALIZER, Front to Rear Cable                 |
| 18   | 6030 607    | 1   |      |       | NUT, Adjusting, 5/16-18                        |
| 19   | 4167 556    | 1   |      |       | BRACKET, Rear Cable                            |
| 20   | 2201 467    | 2   |      |       | CLIP, Rear Cable                               |
| 21   | 0181 065    | 2   |      |       | BOLT, 1/4-20 x 1"                              |
| 22   | 0120 375    | 2   |      |       | NUT, 1/4-20                                    |
| 23   | 4116 867    | 1   |      |       | BRACKET, Guide, Wire Type                      |
| 24   | 4238 191    | 1   |      |       | CABLE, Front, 56.95" Lg.                       |
| 25   | 4032 779    | 1   |      |       | CABLE, Intermediate, 10.65" Lg.                |
| 26   | 4167 555    | 1   |      |       | ROD, Adjusting, Rear                           |
| 27   | 4294 222    | 1   |      |       | CABLE, Rear, Right w/10,11" Brakes, 40.62"Lg.  |
| 28   | 4294 223    | 1   |      |       | CABLE, Rear, Left w/10, 11" Brakes, 40.62" Lg. |
| 29   | 9414 712    | 3   |      |       | SCREW  |
| 30   | 2259 118    | 1   |      |       | SEAL, Cable to Floor Pan                       |
| 31   | 4213 415    | 1   |      |       | HANDLE, P/Brake Lever                          |
| 32   | 3494 696    | 1   |      |       | SUPPORT, Cowl Plenum P/Brake Mtg.              |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# LEVER AND CABLE, PARKING BRAKE D1,2,3,5,6,7

Figure 4-400

4304 400



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION                                    |
|------|-------------|-----|------|-----------|--|
| 1    | 0118 614    | 2   |      | All       | NUT, Front Mounting, 5/16-18                   |
| 2    | 0118 614    | 1   |      | All       | NUT, Rear Mounting, 5/16-18                    |
| 3    | 4294 186    | 1   |      | All       | LEVER ASSY., Parking Brake, Foot               |
| 4    | 3494 696    | 1   |      |           | SUPPORT, Cowl Plenum P/Brake Mtg.              |
| 5    | 4019 175    | 1   |      | All       | PAD, Foot Lever                                |
| 6    | 9414 712    | 3   |      | All       | SCREW, 8-18 x 1/2"                             |
| 7    | 2259 118    | 1   |      | All       | SEAL, Cable to Floor Pan                       |
| 8    | 3467 924    | 1   |      | All       | RETAINER, Cable                                |
| 9    | 6025 020    | 2   |      | All       | NUT, 3/8-16                                    |
| 10   | 2201 467    | 1   |      | All       | CLIP, Cable Retaining                          |
| 11   | 0181 112    | 2   |      | All       | BOLT, Bracket, 3/8-16 x 1"                     |
| 12   | 4030 313    | 1   |      | All       | BRACKET, Front Cable Anchor                    |
| 13   | 3575 604    | 1   |      | All       | CONNECTOR, Cable Adjusting                     |
| 14   | 6030 607    | 1   |      | All       | NUT, Adjusting, 5/16-18                        |
| 15   | 0152 345    | 1   |      | D1,D5     | NUT, Lock, 3/8-24                              |
| 16   | 3897 476    | 2   |      | D1,D5     | BUSHING, Ratio Lever                           |
| 17   | 4032 780    | 1   |      | D1,D5     | LEVER, Ratio                                   |
| 18   | 6030 885    | 1   |      | D1,D5     | BOLT   |
| 19   | 6025 020    | 2   |      | All       | NUT, 3/8-16                                    |
| 20   | 2201 467    | 2   |      | All       | CLIP, Cable Retaining                          |
| 21   | 4089 662    | 1   |      | All       | BRACKET, Rear Cable Mounting                   |
| 22   | 6030 607    | 1   |      | All       | NUT, Cable Adjusting, 5/16-18                  |
| 23   | 4036 907    | 1   |      | All       | EQUALIZER, Rear Cable                          |
| 24   | 0181 112    | 2   |      | All       | BOLT, 3/8-16 x 1"                              |
| 25   | 0181 065    | 2   |      | All       | BOLT, 1/4-20 x 1"                              |
| 26   | 4031 231    | 1   |      | All       | BRACKET, Rear Cable Guide                      |
| 27   | 0120 375    | 2   |      | All       | NUT, 1/4-20                                    |
| 28   | 4294 106    | 1   |      | D1,D5     | CABLE, Front, 67.82" Lg.(up to 4-2-84)         |
|      | 4294 297    | 1   |      | D1,D5     | CABLE, Front, 67.82" Lg.(After 4-2-84)         |
|      | 4294 108    | 1   |      | D2,3-D6,7 | 87.38" Lg.(up to 4-16-84)                      |
|      | 4294 298    | 1   |      | D2,3-D6,7 | 87.38" Lg.(After 4-16-84)                      |
| 29   | 4164 328    | 1   |      | D1,D5     | CABLE, Intermediate, w/115" W.B., 10.00 Lg.    |
|      | 4164 332    | 1   |      | D1,D5     | w/131" W.B., 26.00" Lg.                        |
|      | 4112 234    | 1   |      | D2,3-D6,7 | w/131" W.B., 14.00" Lg.                        |
|      | 4112 235    | 1   |      | D3,D7     | w/135" W.B., 18.00" Lg.                        |
|      | 4112 236    | 1   |      | D3,D7     | w/149" W.B.                                    |
|      | 4036 494    | 1   |      | D3        | w/159" W.B., 41.88" Lg.                        |
|      | 4164 325    | 1   |      | D3        | w/165" W.B.                                    |
| 30   | 4036 492    | 1   |      | D1,D5     | ROD, Adjusting                                 |
| 31   | 4294 223    | 1   |      | D1,D5     | CABLE, Rear, Left, w/10, 11" Brakes, 40.62 Lg. |
|      | 4030 359    | 1   |      | D2,3-D6,7 | w/12 x 2.5 & 3.0 Brakes, 43.88 Lg.             |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

## BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

## WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

## CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

## SPORT UTILITY:

(71) = 106" W.B.

## CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LEVER AND CABLE, PARKING BRAKE D1,2,3,5,6,7  
Figure 4-400

4304 400



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION                                     |
|------|-------------|-----|------|-----------|---|
| 32   | 4294 222    | 1   |      | D1,D5     | CABLE, Rear, Right, w/10, 11" Brakes, 81.62 Lg. |
|      | 4238 196    | 1   |      | D2,3-D6,7 | w/12 x 2.5 & 3.0 Brakes, 88.38 Lg.              |
| 33   | 4019 355    | 1   |      | All       | HANDLE, P/Brake Lever                           |

|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                            | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            |                  |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |


GROUP 5 - BRAKE, SERVICE

| ILLUSTRATION TITLE                      | GROUP-FIG. NO. |
|---|----------------|
| PEDAL, BRAKE B Models                   | Fig. 5-100     |
| PEDAL, BRAKE D Models                   | Fig. 5-200     |
| BOOSTER, MASTER CYLINDER B MODELS       | Fig. 5-300     |
| BOOSTER - MASTER CYLINDER D MODELS      | Fig. 5-400     |
| VACUUM CONNECTORS And HOSE BOOSTER      | Fig. 5-500     |
| LINES AND HOSES, BRAKE B MODELS         | Fig. 5-600     |
| LINES AND HOSES, BRAKE D Models         | Fig. 5-700     |
| BRAKE HEIGHT SENSING SYSTEM D3,7 Models | Fig. 5-800     |
| BRAKES, FRONT DICS B1,2,3 D1,2,3,4      | Fig. 5-900     |
| BRAKES, FRONT DICS D-5,6,7,8            | Fig. 5-1000    |
| BRAKES, REAR B-D Models 11 X 2.5        | Fig. 5-1100    |
| BRAKES, REAR 12 X 2.5" - 12 X 3" B - D  | Fig. 5-1200    |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

PEDAL, BRAKE B Models  
Figure 5-100

4305 100





| ITEM | PART NUMBER | QTY | BODY  | MODEL | DESCRIPTION                                  |
|------|-------------|-----|-------|-------|--|
| 1    | 4262 005    | 1   |       |       | SUPPORT, Pedal                               |
|      | 4351 071    | 1   |       |       | SUPPORT, Pedal (1985)                        |
| 2    | 4293 173    | 1   |       |       | SHAFT, Pedal, w/Auto. Trans.                 |
| 3    | 4088 821    | 1   |       |       | PEDAL W/BUSHING, w/Man. Brakes               |
|      | 4036 443    | 1   | B-1-2 |       | w/Power Brks. w/3600 lb. Front Axle          |
|      | 4036 588    | 1   | B-3   |       | w/Power Brakes, w/3600 & 4000 lb. Frt.Axle   |
|      | 4294 169    | 1   | B-3   |       | w/Power Brakes, w/3600 & 4000 lb. Frt.(1985) |
|      | 4036 587    | 1   | B     |       | w/Power Brakes,Auto.Trans.                   |
|      | 4294 167    | 1   | B     |       | w/Power Brakes,Auto.Trans.(1985)             |
|      | 4019 420    | 1   |       |       | PIN, Pedal Rod                               |
|      | 4019 421    | 1   |       |       | CLIP, Pedal Rod                              |
| 4    |             | 1   |       |       | PEDAL (Refer to Group 6)                     |
| 5    |             | 1   |       |       | PAD (Refer to Group 6)                       |
| 6    | 4089 163    | 1   |       |       | PAD, Pedal, w/o Pwr.Brks.                    |
|      | 4089 130    | 1   |       |       | w/ Pwr.Brks.                                 |
| 7    | 2128 774    | 2   |       |       | WASHER OR SPACER, Pedal Shaft                |
| 8    | 0152 349    | 1   |       |       | NUT, Pedal Shaft                             |
| 9    | 1799 558    | 2   |       |       | BUSHING, Pedal Shaft                         |
| 10   | 2266 820    | 1   |       |       | BUMPER OR STOP, Pedal                        |
|      | 4169 558    | 1   |       |       | SWITCH,Clutch Pedal Speed Control            |
|      | 2926 275    | 1   |       |       | SWITCH, Brake Pedal w/o Speed Cont.          |
|      | 4221 438    | 1   |       |       | SWITCH, Brake Pedal w/ Speed Cont.           |
|      | 2958 564    | 1   |       |       | BRACKET, Brake Switch                        |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PEDAL, BRAKE D Models  
Figure 5-200

4305 200



WITH MANUAL TRANSMISSION


| ITEM | PART NUMBER | QTY | BODY | MODEL        | DESCRIPTION                               |
|------|-------------|-----|------|--------------|---|
| 1    | 4212 979    | 1   |      |              | SUPPORT, Brake Pedal                      |
| 2    | 3491 621    | 1   |      |              | SHAFT, Brake Pedal                        |
| 3    | 6024 067    | 1   |      |              | SCREW, 10-24 x 3/4                        |
| 4    | 1799 558    | 2   |      |              | BUSHING, Pedal Shaft                      |
| 5    | 4294 119    | 1   |      | D1,2,4,5,6,8 | PEDAL w/ Manual Trans.                    |
|      | 4294 120    | 1   |      | D3,7         | PEDAL w/ Manual Trans.                    |
|      | 4294 116    | 1   |      | D1,2,4,5,6,8 | PEDAL w/ Auto Trans.                      |
|      | 4294 117    | 1   |      | D3,7         | PEDAL w/ Auto Trans.                      |
| 6    | 3492 837    | 1   |      |              | PAD, Auto. Trans.                         |
|      | 3492 833    | 1   |      |              | Man. Trans.                               |
| 7    | 2266 820    | 1   |      |              | BUMPER, Brake Pedal                       |
| 8    |             | 1   |      |              | NUT, 10-24 (Not Serviced)                 |
|      | 4169 556    | 1   |      |              | SWITCH,Clutch Pedal Speed Control w/Brkt. |
|      | 3489 750    | 1   |      |              | BRACKET, w/o Speed Cont.                  |
|      | 3489 751    | 1   |      |              | BRACKET, w/ Speed Cont.                   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

# BOOSTER, MASTER CYLINDER B MODELS

Figure 5-300

4305 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                 |
|------|-------------|-----|------|--------|---|
| 1    | 0118 614    | 4   |      | B1     | NUT, Stud, 5/16 - 18                        |
| 2    | 3638 296    | 1   |      | B1     | BRACKET, Master Cylinder Mounting           |
| 3    | 4088 819    | 1   |      | B1     | SEAL, Bracket                               |
| 4    | 4238 218    | 1   |      | B1     | ADAPTER PLATE, M/Cylinder to Dash           |
|      | 6023 110    | AR  |      | B1     | NUT, Lock, 7/16 - 20                        |
|      | 4294 036    | 1   |      | B1     | CLIP  |
| 5    | 4238 199    | 1   |      | B1     | CYLINDER, Master, w/Manual Disc             |
|      | 4238 197    | 1   |      | B1,2,3 | w/Power Disc, Aluminum Type                 |
|      | 4031 345    | 1   |      | B3     | School Bus, w/Hydro-Bstr.                   |
| 5A   |             |     |      |        | REPAIR PACKAGE, Master Cylinder             |
|      | 4176 773    | 1   |      | B      | w/3766183 Assy.                             |
|      | 4176 774    | 1   |      | B1     | w/3766201 Assy.                             |
| 6    | 2460 609    | AR  |      |        | BOLT, w/"O" Ring                            |
| 7    | 6025 020    | AR  |      | B1     | NUT, 3/8 - 16                               |
| 8    | 6029 799    | AR  |      | B1     | BOLT, 3/8 - 16 x .75                        |
| 9    | 4088 817    | 1   |      |        | SHAFT, Bellcrank                            |
| 10   | 4088 815    | 1   |      |        | BRACKET, Booster Mounting, Except 163" W.B. |
|      | 4164 721    | 1   |      |        | w/163" W.B.                                 |
| 11   | 2467 770    | 2   |      |        | BUSHING, Bellcrank                          |
| 12   | 4088 813    | 1   |      |        | BELLCRANK                                   |
| 13   | 4036 823    | 1   |      |        | ROD, Pedal to Bellcrank                     |
|      | 4294 160    | 1   |      |        | ROD, Pedal to Bellcrank (1985)              |
| 14   | 9417 507    | 1   |      |        | PIN, Spring                                 |
| 15   |             | 1   |      |        | WASHER (Not Serviced)                       |
| 16   | 0905 206    | 1   |      |        | WASHER, Spring                              |
| 17   | 2955 739    | 1   |      |        | BOOT, Push Rod                              |
| 18   | 4088 816    | 1   |      |        | GASKET, Mounting Bracket                    |
|      | 4115 207    | 1   |      |        | PLATE, Mounting Bracket                     |
| 19   | 0152 344    | 4   |      |        | NUT, 3/8 - 16                               |
| 20   | 4238 051    | 1   |      | B1-2   | CYLINDER, Booster w/3300 Lb.Frt.Axle        |
|      | 4294 161    | 1   |      | B1-2   | CYLINDER, Booster w/3300 Lb.Frt.Axle (1985) |
|      | 4088 807    | 1   |      | B3     | w/3600 lb. Front Axle                       |
|      | 4294 162    | 1   |      | B3     | w/3600 lb. Front Axle (1985)                |
|      | 4088 810    | 1   |      | B3     | w/4000 Lb.Frt.Axle                          |
|      | 4117 566    | 1   |      | B3     | SERVICE KIT - General Seal                  |
|      | 4089 229    | 1   |      |        |   |
|      | 4086 464    | 1   |      |        | SERVICE KIT - Accumulator Valve             |
|      |             |     |      |        | SEAL, Booster to Dash                       |
|      | 4088 816    | 1   |      |        | w/4088807-4088810 Assy.                     |
|      | 2954 728    | 1   |      |        | RETAINER, Valve Silencer, w/4088810 Assy.   |
|      | 3841 870    | 1   |      |        | w/4088810 Assy.                             |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 5-300**

4305 300A



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | 4116 367       | 1   |      |       | w/4088807 Assy.   |
|      | 4240 504       | 1   |      |       | VALVE, Check, Except Hydro-Booster                      |
|      | 2401 882       | 1   |      |       | w/4088803-4088807 Assy.                                 |
|      | 3461 302       | 1   |      |       | SILENCER, Booster Cylinder Valve                        |
| 21   | 6031 077       | 4   | B1   |       | BOLT, Master Cylinder Mounting                          |
| 22   | 4049 658       | 1   |      |       | GASKET and CLAMP PACKAGE, w/4031341 Master Cylinder *** |
| 23   | 2944 381       | 1   |      |       | CLAMP, Cover w/4031341 Master Cylinder                  |
| 24   | 3733 461       | 1   |      |       | COVER, w/4031345 Master Cylinder                        |
| 25   |                | 1   |      |       | INSERT, Primary Tube (Serviced in Assy.)                |
| 26   | 5204 056       | 2   |      |       | CAP, Reservoir  |
| 27   | 5204 057       | 2   |      |       | DIAPHRAGM, Cap  |
| 28   | 3766 449       | 1   |      |       | RESERVOIR   |
| 29   | 5204 149       | 2   |      |       | GROMMET, Reservoir                                      |
| 30   | 6031 392       | 1   |      |       | SNAP RING, Piston Stop                                  |
| 31   | 4240 510       | 1   |      |       | RING, Push Rod Retaining                                |
| 32   | 5204 051       | 1   |      |       | BOOT, Push Rod  |
| 33   | 4240 505       | 1   |      |       | ROD, Push   |
| 34   |                |     |      |       | BOOT, Booster Cylinder Push Rod                         |
|      | 3633 324       | 1   |      |       | w/4088807 Booster                                       |
|      | 2534 349       | 1   |      |       | w/4088810 Booster                                       |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required



BOOSTER - MASTER CYLINDER D MODELS  
Figure 5-400

4305 400A



| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION                                |
|------|-------------|-----|----------|-------|--|
| 1    |             |     |          |       | CYLINDER, Master                           |
|      | 4318 739    | 1   | All      |       | Aluminum Type                              |
|      | 4112 654    | 1   | D3,6,7   |       | w/4500 lb. Front Axle + D3 w/ Steel M/cyl. |
| 2    | 4088 819    | 1   | D1       |       | SEAL, Dash                                 |
|      | 4238 218    | 1   | D1       |       | ADAPTER PLATE, M/Cylinder to Dash          |
| 3    | 0118 614    | 4   | D1       |       | NUT, M/Cylinder Mounting, 5/16 - 18        |
|      | 0152 344    | 4   | All      |       | B/Cylinder Mounting, 3/8 - 16              |
| 4    | 4088 834    | 1   | D1       |       | ROD, Primary Piston Push                   |
| 5    | 2460 609    | 1   | All      |       | BOLT, w/"O" Ring                           |
| 6    | 6023 110    | 1   | All      |       | NUT, Lock                                  |
| 7    |             |     |          |       | WASHER (Not Serviced)                      |
| 8    |             |     |          |       | CYLINDER, Booster                          |
|      | 4294 123    | 1   | D1,4,5,8 |       | All Engines, w/Aluminum M/Cylinder         |
|      | 4294 122    | 1   | D2,3,6   |       | 3500 Frt.Axle + D3 w/ Alum. M/cyl.         |
|      | 4294 154    | 1   | D3,6,7   |       | w/4500 lb. Front Axle w/ Steel M/cyl.      |
| 9    |             |     |          |       | CLAMP (Not Serviced)                       |
| 10   | 3879 277    | AR  |          |       | HOSE, Vacuum (Roll Stock)                  |
| 11   |             |     |          |       | CONNECTOR, Vacuum (See Connector Chart)    |
| 12   |             |     |          |       | GASKET AND CLAMP PACKAGE                   |
|      | 4049 658    | 1   |          |       | w/4112654 M/Cyl.                           |
| 13   |             |     |          |       | COVER, Master Cylinder                     |
|      | 3733 461    | 1   |          |       | w/4112654 M/Cyl.                           |
| 14   |             |     |          |       | SCREW, Piston Stop                         |
|      | 3893 593    | 1   |          |       | w/4112654 M/Cyl.                           |
| 15   |             |     |          |       | "O" RING, Stop Screw (Not Serviced)        |
| 16   |             |     |          |       | REPAIR PACKAGE, Master Cylinder            |
|      | 3879 253    | 1   |          |       | w/4112654 M/Cyl.                           |
|      | 4205 975    | 1   |          |       | w/ Pwr. Brks.                              |
|      | 4205 976    | 1   |          |       | w/ Man. Brks.                              |
| 17   |             |     |          |       | STOP, Primary Piston                       |
| 18   |             |     |          |       | RETAINER, Housing Gasket                   |
|      | 3633 546    | 1   |          |       | w/4294154 Booster                          |
|      | 3633 547    | 1   |          |       | Fastener, Retainer, w/4294154 Booster      |
| 19   |             |     |          |       | BOOT, Push Rod                             |
|      | 3633 324    | 1   |          |       | w/4294123 Booster, Bendix                  |
|      | 3633 548    | 1   |          |       | w/4294154 Booster                          |
|      | 2534 349    | 1   |          |       | w/4294122 Booster                          |
| 20   |             |     |          |       | FILTER, Push Rod                           |
|      | 3893 599    | 1   |          |       | w/4294154 Booster                          |
| 21   |             |     |          |       | SILENCER, Valve                            |
|      | 3461 302    | 1   |          |       | w/4294122 Booster, Bendix                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BOOSTER - MASTER CYLINDER D MODELS  
Figure 5-400

4305 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                    |
|------|-------------|-----|------|----------|--|
|      | 3893 595    | 1   |      |          | w/4294154 Booster                              |
|      | 3893 596    | 1   |      |          | RETAINER, Silencer, w/4294154 Booster          |
|      | 2954 728    | 1   |      |          | w/4294122 Booster                              |
| 22   |             |     |      |          | ROD, Booster Push                              |
| 23   |             |     |      |          | GASKET, Mounting Spacer                        |
|      | 2954 726    | 1   |      |          | w/4294154 Booster                              |
|      | 4088 816    | 1   |      |          | w/4294122 Booster                              |
| 24   |             |     |      |          | GROMMET,(See Check Valve Pkg. 4240504)         |
| 25   | 4240 504    | 1   |      |          | VALVE PKG.                                     |
| 26   |             | 1   |      |          | ROD, Master Cylinder Push (Service in Item 27) |
| 27   | 4116 367    | 1   |      | D1,4,5,8 | PLATE AND SEAL, Booster ***                    |
|      | 3841 870    | 1   |      |          | w/4294154 Booster                              |
| 28   | 3821 722    | 1   |      |          | INSERT, Secondary Tube                         |
| 29   | 5204 051    | 1   |      |          | BOOT, Push Rod                                 |
| 30   | 4049 658    | 1   |      |          | CLAMP, M/Cylinder                              |
| 31   | 4049 658    | 1   |      |          | GASKET, M/Cylinder Cover                       |
| 32   | 4089 225    | 1   |      | D1,2,5,6 | BRACKET AND STUDS, Hydro-Booster Mounting      |
| 33   | 5204 056    | 2   |      |          | CAP, Reservoir                                 |
| 34   | 5204 057    | 2   |      |          | DIAPHRAGM, Cap                                 |
| 35   | 3766 449    | 1   |      |          | RESERVOIR                                      |
| 36   | 5204 149    | 2   |      |          | GROMMET, Reservoir                             |
| 37   | 6031 392    | 1   |      |          | SNAP RING, Piston Stop                         |
| 38   | 2074 960    | 1   |      |          | RING, Push Rod Retaining                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

VACUUM CONNECTORS And HOSE BOOSTER  
Figure 5-500

4305 500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 1944 154    | 1   |      |       | CONNECTOR, Booster Vacuum, Port Top                 |
| 2    | 3732 753    | 1   |      |       | CONNECTOR, Booster Vacuum, Open Top, No Ports       |
| 3    | 3699 038    | 1   |      |       | CONNECTOR, Booster Vacuum, Open Top, 6 Side Ports   |
| 4    | 4026 117    | 1   |      |       | CONNECTOR, Booster Vacuum, Port Top, 6 Side Ports   |
| 5    | 4094 872    | 1   |      |       | CONNECTOR, Booster Vacuum, Closed Top, 5 Side Ports |
| 6    | 4026 117    | 1   |      |       | CONNECTOR, Booster Vacuum, Port Top, 3 Side Ports   |
| 7    | 3580 170    | 1   |      |       | CAP, Booster Vacuum Connector Port, 1/8"            |
|      | 3580 171    | 1   |      |       | 3/16"   |
|      | 3580 172    | 1   |      |       | 1/4"  |

NOTE:--Use Booster Vacuum Hose PN 4026127, 23/32" I.D. or PN 3879277, 11/32" I.D., 50' Roll, with above Connectors. -Six Digits plus a suffix No. located on Housing-right tube next to carrier

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

LINES AND HOSES, BRAKE B MODELS  
 Figure 5-600

4305 6000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 1843 251    | AR  |      |       | TUBING, Brake Line, 25 Ft. Roll, 3/16" O.D. |
|      | 1843 252    | AR  |      |       | 1/4" O.D.                                   |
|      | 1843 253    | AR  |      |       | 5/16" O.D.                                  |
|      | 1843 254    | AR  |      |       | 3/8" O.D.                                   |
|      | 3879 283    | AR  |      |       | COVER, Tubing, 25 Ft. Roll, 3/16" O.D.      |
| 2    | 3879 284    | AR  |      |       | 1/4" O.D.                                   |
|      | 4026 140    | AR  |      |       | 3/8" O.D.                                   |
|      | 3640 629    | 2   |      |       | BRACKET, Tube (Shield)                      |
| 4    | 2208 893    | AR  |      |       | LOCK, Brake Hose                            |
| 5    | 4039 702    | 1   |      |       | BRACKET, Front Hose Anchor, Right           |
|      | 4039 701    | 1   |      |       | Left  |
| 6    | 4210 852-3  | 1   |      |       | HOSE, Front, w/Bracket                      |
| 7    | 2465 517    | 1   |      |       | CLIP  |
| 8    | 3641 830    | 1   |      |       | CLIP  |
| 9    | 3879 277    | AR  |      |       | HOSE, 11/16", 50 Ft. Roll                   |
| 10   |             | 2   |      |       | CLAMP, (Not Serviced)                       |
| 11   | 2219 383    | 1   |      |       | "O" RING, Tube                              |
| 12   |             | 1   |      |       | CONNECTOR, Vacuum (See Chart)               |
| 13   | 3492 980    | AR  |      |       | CLIP, Tubing                                |
| 14   | 2914 615    | 1   |      |       | BRACKET, Tube                               |
| 15   | 4167 486    | 1   |      | B1-2  | HOSE W/TEE, Rear ***                        |
|      | 4164 537    | 1   |      | B3    | HOSE W/TEE, Rear ***                        |
| 16   |             | 1   |      |       | TEE, Brake Hose (Not Serviced)              |
| 17   | 4293 184    | 1   |      | B3    | VALVE, Metering and Warning                 |
|      | 4293 183    | 1   |      | B1-2  |   |
| 18   | 3620 790    | 1   |      |       | SWITCH, Brk. Indicator                      |
|      | 4266 340    | 1   |      |       | SHIELD, Valve 225 Eng.                      |
|      | 4164 231    | 1   |      |       | TUBE, Booster Vacuum, w/225 Eng.            |
|      | 3641 561    | 1   |      |       | w/318-360 Eng., w/2 Bbl. Carb.              |
|      | 4086 704    | 1   |      |       | w/318-360 Eng., w/4 Bbl. Carb.              |
| 19   | 6030 084    | 4   |      |       | GASKET, Brake Hose                          |
| 20   | 6030 026    | 2   |      |       | SCREW, Brake Hose                           |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
           TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
           (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.

SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.


AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

LINES AND HOSES, BRAKE D Models  
Figure 5-700

4305 700

| ITEM | PART NUMBER | QTY | BODY | MODEL      | DESCRIPTION   |
|------|-------------|-----|------|------------|---|
| 1    | 3633 586    | AR  |      |            | CLIP, Brake Hose                                      |
| 2    | 1843 251    | AR  |      |            | TUBING, Brake Line, 25 Ft. Roll, 3/16" O.D.           |
|      | 1843 252    | AR  |      |            | 1/4" O.D.   |
|      | 1843 253    | AR  |      |            | 5/16" O.D.  |
|      | 1843 254    | AR  |      |            | 3/8" O.D.   |
| 3    | 4238 166    | 1   |      |            | HOSE W/TEE, Rear                                      |
| 4    | 4030 242    | 1   |      |            | BRACKET, Hose, Rear                                   |
| 5    | 3879 283    | AR  |      |            | COVER, Brake Tube, 25 Ft. Roll, 3/16" O.D             |
|      | 3879 284    | AR  |      |            | 1/4" O.D.   |
| 6    | 4112 325    | 1   |      | D5,6,7,8   | HOSE W/TEE, Front                                     |
|      | 4313 712    | 1   |      | D5,6,7,8   | HOSE W/TEE, Front (1985)                              |
| 7    | 4115 552    | 2   |      | D5,6,7,8   | HOSE, Front, w/3500 lb. Axle                          |
|      | 4115 622-3  | 1   |      | D7         | w/Bracket, w/4500 lb. Axle                            |
|      | 4176 785    | 2   |      | D1,2,3     | w/Bracket   |
| 8    | 2208 893    | AR  |      |            | LOCK, Brake Hose                                      |
| 9    | 3823 036    | 2   |      | D5,6,8     | BRACKET, Inner  |
| 10   | 4030 399    | 1   |      | D5,6,7,8   | BRACKET, On C/Member                                  |
|      | 4313 702    | 1   |      | D5,6,7,8   | BRACKET, On C/Member (1985)                           |
| 11   | 4032 798    | 1   |      |            | SCREW AND VENT, w/Spicer Axle                         |
|      | 0182 753    | 1   |      |            | Screw, w/Chrysler Axle                                |
| 12   | 3641 830    | 2   |      |            | CLIP, Brake Tube                                      |
| 13   | 3634 316    | 1   |      |            | BRACKET, Tube Support                                 |
| 14   | 4293 184    | 1   |      | D2,3,5,6,7 | VALVE, Metering and Warning                           |
|      | 4293 183    | 1   |      | D1,4,8     |   |
|      | 3620 790    | 1   |      |            | SWITCH, Brk. Indicator                                |
| 15   | 6030 084    | 4   |      |            | GASKET, Hose Screw                                    |
| 16   | 6030 026    | 2   |      | D5,6,7,8   | SCREW, Hose, w/3500 lb. Axle                          |
|      | 6030 230    | 2   |      | D5,6,7     | w/4500 lb. Axle                                       |
|      | 6030 026    | 2   |      | D1,2,3,4   |   |
| 17   | 4238 022    | 1   |      | D3,7       | BRACKET, Valve Mounting, w/Frame Reinforcement        |
|      | 4115 839    | 1   |      |            | w/o Frame Reinforcement                               |
|      | 4112 938    | 1   |      | D3         | CLIP, Valve to Front Axle Tube, w/Frame Reinforcement |


|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = VAN AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



BRAKE HEIGHT SENSING SYSTEM D3,7 Models  
Figure 5-800

4305 800


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                  |
|------|-------------|-----|------|-------|------------------------------|
| 1    | 4313 673    | 1   |      | D3    | VALVE w/Brkt. w/131+135 W.B. |
|      | 4313 833    | 1   |      | D3    | VALVE w/Brkt. w/159+165 W.B. |
|      | 4313 689    | 1   |      | D7    | VALVE w/Brkt.                |
| 2    | 4313 830    | 1   |      | D3    | LEVER                        |
|      | 4313 831    | 1   |      | D7    | LEVER                        |
| 3    | 4313 836    | 1   |      |       | UNION                        |
| 4    | 0181 088    | 2   |      |       | SCREW w/Washer               |
| 5    | 0120 367    | 1   |      |       | NUT w/Washer                 |
| 6    | 6030 607    | 1   |      |       | NUT- Flanged                 |
| 7    | 4313 685    | 1   |      |       | BOLT- Shoulder               |
| 8    | 3404 625    | 2   |      |       | CLIP                         |



|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

# BRAKES, FRONT DICS B1,2,3 D1,2,3,4 Figure 5-900

4305 900



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION                                 |
|------|-------------|-----|------|-----------|---|
| 1-3  | 4313 390-1  | 1   |      |           | CALIPER HOUSING, Partail                    |
| 2    | 3780 788    | 2   |      |           | BLEEDER SCREW                               |
|      | 4094 878    | 2   |      |           | CAP, Bleeder                                |
| 3    | 4186 987    | 2   |      |           | PISTON, BOOT And SEAL PKG. w/o 4000LB. Axle |
|      | 4186 988    | 2   |      |           | PISTON, BOOT And SEAL PKG. w/ 4000LB. Axle  |
| 4    | 4318 728    | 1   |      |           | BRAKE PAD SET                               |
|      | 4318 727    | 1   |      | D3        | BRAKE PAD SET                               |
| 5    | 6029 930    | 4   |      |           | SCREW                                       |
| 6    | 4186 997    | 4   |      |           | SPRING, Retainer                            |
| 7    | 3580 824    | 4   |      |           | RETAINER                                    |
| 8    | 3766 519    | 2   |      |           | RUBBER BAND                                 |
| 9    | 3699 992    | 2   |      |           | ADAPTER, w/o 4000LB. Axle                   |
|      | 4117 532    | 2   |      |           | ADAPTER, w/ 4000LB. Axle                    |
| 10   | 6030 784    | 4   |      |           | SCREW, w/o 4000LB. Axle                     |
|      | 6029 925    | 4   |      |           | SCREW, w/ 4000LB. Axle                      |
| 11   |             | 2   |      |           | KNUCLE, (See Group 2)                       |
| 12   | 6030 026    | 2   |      |           | SCREW, Brake Hose                           |
| 13   | 6030 084    | 4   |      |           | GASKET, Washer                              |
| 14   | 4210 852-3  | 1   |      | B1,2,3    | HOSE, Brake                                 |
|      | 4176 785    | 2   |      | D1,2,3,4  | HOSE, Brake                                 |
| 15   | 3497 930    | 2   |      |           | SEAL  |
| 16   | 3637 562-3  | 1   |      | B1,2-D1,4 | SHEILD, Splash                              |
|      | 3637 564-5  | 1   |      | B3-D2,3   | SHEILD, Splash                              |
| 17   | 0181 084    | 6   |      |           | SCREW                                       |
| 18   | 3699 678    | 2   |      |           | SEAL, w/ 5 Stud Hub                         |
|      | 3820 197    | 2   |      |           | SEAL, w/ 8 Stud Hub                         |
| 19   | 4269 677    | 2   |      |           | CONE And ROLLER, Inner w/ 5 Stud Hub        |
|      | 1937 771    | 2   |      |           | CONE And ROLLER, Inner w/ 8 Stud Hub        |
| 20   | 4269 676    | 2   |      |           | CUP, Inner w/ 5 Stud Hub                    |
|      | 1937 770    | 2   |      |           | CUP, Inner w/ 8 Stud Hub                    |
| 21   | 3683 974    | 2   |      |           | CUP w/ Cone, Outer PKG. w/ 5 Stud Hub       |
|      | 1139 293    | 2   |      |           | CUP, Outer w/ 8 Stud Hub                    |
| 22   | 3683 974    | 2   |      |           | CONE w/ Cup, Outer PKG. w/ 5 Stud Hub       |
|      | 1790 546    | 2   |      |           | CONE And ROLLER, Outer PKG. w/ 8 Stud Hub   |
| 23   | 6029 984    | 2   |      |           | WASHER                                      |
| 24   | 6029 692    | 2   |      |           | NUT, Adjusting w/o 4000lb. Axle             |
|      | 6029 985    | 2   |      |           | NUT, Adjusting w/ 4000lb. Axle              |
| 25   | 1673 324    | 2   |      |           | LOCK, Nut w/o 4000lb. Axle                  |
|      | 6029 986    | 2   |      |           | LOCK, Nut w/ 4000lb. Axle                   |
| 26   | 3580 894    | 2   |      |           | CAP, w/ 5 Stud Hub                          |
|      | 3634 741    | 2   |      |           | CAP, w/ 8 Stud Hub                          |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.



CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4305 900




| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>5 - VANS AND WAGONS (4X2)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



BRAKES, FRONT DICS D-5,6,7,8  
 Figure 5-1000

4305 1000



| ITEM | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION  |
|------|-------------|-----|--------|-------|--|
| 1    | 4210 531    | 2   |        |       | CAP  |
| 2    | 2228 241    | 2   |        |       | SNAP RING (1985)                                   |
| 3    | 4137 763    | 2   |        |       | GEAR, Drive (1985)                                 |
| 4    | 4137 764    | 2   |        |       | SPACER, Drive Gear (1985)                          |
| 5    | 1791 914    | 2   |        |       | NUT  |
| 6    | 3641 474    | 2   |        |       | WASHER, Lock                                       |
| 7    | 4210 533    | 2   |        |       | NUT w/ Pin   |
| 8    | 1937 771    | 2   |        |       | CONE And ROLLER, Outer                             |
| 9    | 1937 770    | 2   |        |       | CUP, Outer   |
| 10   | 2409 826    | AR  |        |       | NUT, Std. 1/2"-20                                  |
|      | 4115 216    | AR  |        |       | NUT, Chrome 1/2"-20                                |
| 11   | 4219 119    | AR  |        |       | STUD   |
| 12   | 4117 575    | 2   |        |       | HUB And ROTOR, (1984) 5 Stud Hub w/ 3500lb. Axle   |
|      | 4116 203    | 2   |        |       | HUB And ROTOR, (1984) 8 Stud Hub w/ 3500lb. Axle   |
|      | 4137 762    | 2   |        |       | HUB And ROTOR, (1985) 5 Stud Hub w/ 3500lb. Axle   |
|      | 4137 774    | 2   |        |       | HUB And ROTOR, (1985) 8 Stud Hub w/ 3500lb. Axle   |
| 13   | 4117 803    | 2   |        |       | CUP, Inner   |
| 14   | 2852 729    | 2   |        |       | CONE And ROLLER, Inner                             |
| 15   | 4210 530    | 2   |        |       | SEAL, (1984)                                       |
|      | 4137 766    | 2   |        |       | SEAL, (1985)                                       |
| 16   | 2953 959    | 2   |        |       | CAP  |
| 17   | 2909 258    | 4   |        |       | NUT  |
| 18   | 2909 259    | 2   |        |       | WASHER, Lock                                       |
| 19   | 2852 729    | 2   |        |       | CONE And ROLLER, Outer                             |
| 20   | 2955 374    | 2   |        |       | CUP, Outer   |
| 21   | 2909 542    | AR  | D6     |       | NUT, 1/2"-20                                       |
|      | 1273 556    | AR  | D7     |       | NUT, 5/8"-18 w/ Single Rear Wheels                 |
|      | 3637 720    | AR  | D7     |       | NUT, 5/8"-18 w/ Dual Rear Wheels                   |
| 22   | 4030 779    | AR  | D6     |       | STUD, 1/2"-20                                      |
|      | 2515 316    | AR  | D7     |       | STUD, 5/8"-18 w/ Single Rear Wheels                |
|      | 3641 576    | AR  | D7     |       | STUD, 5/8"-18 w/ Dual Rear Wheels                  |
| 23   | 3821 532    | 2   | D6,7   |       | HUB And ROTOR w/ 4500lb. Axle                      |
|      | 3821 534    | 2   | D7     |       | HUB And ROTOR, w/ Dual Rear Wheels w/ 4500lb. Axle |
| 24   | 0568 500    | 2   |        |       | CUP, Inner   |
| 25   | 1799 296    | 2   |        |       | CONE And ROLLER, Inner                             |
| 26   | 3821 519    | 2   |        |       | SEAL   |
| 27   |             |     |        |       | SCREW And WASHER, Retainer                         |
|      | 6029 930    | 2   | D5,6,8 |       | w/3500 lb. Front Axle                              |
|      | 3893 684    | 2   | D6,7   |       | w/4500 lb. Front Axle                              |
| 28   | 4186 997    | 2   | D5,6,8 |       | SPRING, Retainer, w/3500 lb. Front Axle            |
|      | 3893 685    | 2   | D6,7   |       | w/4500 lb. Front Axle                              |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
 TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
 (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BRAKES, FRONT DICS D-5,6,7,8  
 Figure 5-1000

4305 1000



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                       |
|------|-------------|-----|------|----------|---|
|      | 4313 530    | 2   |      | D6,7     | w/4500 lb. Front Axle (1985)                      |
| 29   | 3580 824    | 2   |      | D5,6,8   | RETAINER, w/3500 lb. Front Axle                   |
|      | 3893 683    | 2   |      | D6,7     | w/4500 lb. Front Axle                             |
| 30   | 4213 136-7  | 1   |      |          | HOUSING, Caliper, w/3500 lb. Front Axle           |
|      | 4238 854-5  | 1   |      | D6,7     | w/4500 lb. Front Axle                             |
| 31   | 4117 266    | 2   |      | D5,6,7,8 | ADAPTER, w/3500 lb. Front Axle                    |
|      | 3821 530    | 1   |      | D6,7     | w/4500 lb. Front Axle RT.                         |
|      | 3821 531    | 1   |      | D6,7     | w/4500 lb. Front Axle LT.                         |
| 32   |             |     |      |          | SHIELD, Splash                                    |
|      | 3821 520-1  | 1   |      | D6,7     | w/4500 lb. Front Axle                             |
|      | 4210 526    | 1   |      | D5,6,7,8 | w/3500 lb. Front Axle                             |
|      | 3898 450    | 6   |      | D5,6,8   | BOLT, Shield to Hub, w/3500 lb. Front Axle        |
| 33   | 4318 728    | 1   |      | D5,8     | PAD W/LINING, Axle Set, w/3500 lb. Front Axle     |
|      | 4318 727    | 1   |      | D6,7     | w/3500 lb. Front Axle                             |
|      | 4313 198    | 1   |      | D6,7     | w/4500 lb. Front Axle                             |
|      | 4313 589    | 1   |      | D6,7     | w/4500 lb. Front Axle (1985)                      |
| 34   | 4186 987    | 1   |      | D5,6,8   | PISTON, BOOT AND SEAL PKG., w/3500 lb. Front Axle |
|      | 4094 106    | 1   |      | D6,7     | w/4500 lb. Front Axle                             |
| 35   | 4186 988    | 1   |      | D5,6,8   | BOOT & SEAL PKG. 3500 lb. Frt. Axle               |
| 36   | 3893 686    | 2   |      | All      | CLIP, Anti-Rattle                                 |
|      | 4313 531    | 2   |      | All      | CLIP, Anti-Rattle (1985)                          |
| 37   | 3780 788    | 2   |      | D5,6,8   | SCREW, Bleeder, w/3500 lb. Front Axle             |
|      | 1924 376    | 2   |      | D6,7     | w/4500 lb. Front Axle                             |
| 38   | 6031 429    | 4   |      | D5,6,8   | BOLT, Adapter to Knuckle, w/3500 lb. Front Axle   |
|      | 6029 925    | 4   |      | D6,7     | BOLT, Adapter to Knuckle, w/4500 lb. Front Axle   |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
 TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
 (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BRAKES, REAR B-D Models 11 X 2.5  
 Figure 5-1100

4103 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION  |
|------|-------------|-----|------|-----------|--|
| 1    | 2260 548    | 4   |      |           | PIN, Shoe Hold Down                                    |
| 2    | 6028 921    | 4   |      |           | SCREW, Wheel Cylinder Mounting                         |
| 3    | 2534 663    | 1   |      |           | SEAL, Wheel Cylinder to Support                        |
| 4    | 3880 630-1  | 1   |      |           | LEVER, Parking Brake                                   |
| 5    | 4293 190    |     |      |           | SHOE W/LINING, Axle Set                                |
| 6    | 2072 643    | 2   |      |           | WASHER   |
| 7    | 2072 644    | 2   |      |           | LOCK   |
| 8    | 4126 525    | 4   |      |           | SEAT, Shoe Hold Down Spring                            |
| 9    | 4126 525    | 4   |      |           | SPRING, Shoe Hold Down                                 |
| 10   | 4126 525    | 8   |      |           | RETAINER, Shoe Hold Down Spring                        |
| 11   | 3461 664    | 2   |      |           | CABLE, Automatic Adjusting                             |
| 12   | 2260 793    | 2   |      |           | GUIDE, Automatic Adjusting Cable                       |
| 13   | 2260 788    | 2   |      |           | PLATE, Shoe Guide                                      |
| 14   | 3461 665    | 2   |      |           | LEVER, Automatic Adjusting                             |
|      | 4049 681    | 2   |      |           | PIN, Automatic Adjusting Lever                         |
| 15   | 2260 787    | 4   |      |           | ROD, Shoe Push   |
| 16   | 3780 524    | 2   |      |           | REPAIR PACKAGE, Wheel Cylinder                         |
| 17   | 3766 674    | 2   |      |           | SCREW, Cylinder Bleeder                                |
| 18   | 2260 789    | 4   |      |           | SPRING, Shoe Return                                    |
| 19   | 2944 580-1  | 1   |      |           | SPRING, Adjusting Lever                                |
| 20   | 3461 660    | 2   |      |           | SPRING, Adjusting Cable                                |
| 21   | 2944 586    | 2   |      |           | SOCKET, Adjusting Screw                                |
| 22   | 3880 756-7  | 2   |      |           | STRUT  |
| 23   | 2533 822    | 2   |      |           | SPRING   |
| 24   | 2881 686-7  | 1   |      |           | SCREW, Adjusting                                       |
| 25   | 2944 692-3  | 1   |      |           | NUT, Adjusting Screw Pivot                             |
| 26   | 2880 555    | 2   |      |           | SPRING, Automatic Adjusting                            |
| 27   | 3699 603    | 2   |      |           | SUPPORT  |
|      | 0181 082    | 4   |      |           | SCREW, Cylinder Mounting                               |
|      | 3699 549    | 2   |      |           | PLUG, P/ Brake Hole                                    |
| 28   | 2072 614    | 2   |      |           | COVER, Adjusting Hole                                  |
| 29   | 6027 559    | 2   |      |           | WASHER, Adjusting Screw Socket                         |
| 30   | 2881 618    | 4   |      |           | BOOT, Wheel Cylinder                                   |
| 31   | 2260 843    | 4   |      |           | PISTON, Wheel Cylinder                                 |
| 32   |             | 4   |      |           | CUP, Wheel Cylinder-(Serv.in Ref. 16)                  |
| 33   | 3780 525    | 2   |      |           | CYLINDER, Wheel  |
| 34   |             | 2   |      |           | SPRING, Cylinder Piston- (Serv.in Ref. 16)             |
| 35   |             | 2   |      |           | SPRING AND EXPANDER ASSY. ***                          |
| 36   |             |     |      |           | EXPANDER, Piston (Serv.in Ref. 16)                     |
| 37   | 3780 537    | 2   |      | B1,2-D1,4 | DRUM, 11X2.5 w/ 4 1/2" B.C. (1984) (Cast#KH104731) (D) |
|      | 4238 865    | 2   |      | D5,8      | DRUM, 11X2.5 w/ 5" B.C. (1984) (Cast#107929) (D)       |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
           TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
           (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

BRAKES, REAR B-D Models 11 X 2.5  
 Figure 5-1100

4105 1100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
|      | 4238 865    | 2   |      |       | DRUM, 11X2.5 w/ 5" B.C. (1985) (Cast#107929) (D) |
| 38   | 6026 430    | AR  |      |       | RETAINER, Drum                                   |
| 39   | 2409 826    | AR  |      |       | NUT, 1/2"-20 Std.                                |
|      | 4115 216    | AR  |      |       | NUT, 1/2"-20 Chrome                              |
| 40   | 3432 698    | AR  |      |       | STUD, 1/2"-20                                    |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

BRAKES, REAR 12 X 2.5" - 12 X 3" B - D  
 Figure 5-1200

4305 1200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
| 1    | 3492 669    | 4   |      |       | COVER, Adjusting Hole                    |
| 2    | 0181 082    | 4   |      |       | SCREW, Cylinder Mounting                 |
| 3    | 3492 655    | 2   |      |       | NUT                                      |
| 4    | 3492 632-3  | 1   |      |       | SUPPORT, Brake                           |
|      | 3496 180    | 8   |      |       | BOLT, Support to Axle, w/12x2.5 Brakes   |
|      | 1664 518    | 8   |      |       | w/12x3 Brakes                            |
|      | 9422 661    | 8   |      |       | NUT, Support Bolt, w/12x2.5 Brakes       |
|      | 0152 349    | 8   |      |       | w/12x3 Brakes                            |
| 5    | 1924 376    | 2   |      |       | SCREW, Bleeder                           |
| 6    |             | 2   |      |       | CYLINDER, Wheel (Refer to Item #30)      |
| 7    | 3492 654    | 2   |      |       | BUSHING                                  |
| 8    | 3492 660-1  | 2   |      |       | PLATE                                    |
| 9    | 3492 663    | 4   |      |       | SPRING, Shoe Hold Down                   |
| 10   | 3492 653    | 2   |      |       | BOLT                                     |
| 11   | 3492 670    | 2   |      |       | WASHER                                   |
| 12   | 3492 656    | 2   |      |       | SPRING                                   |
| 13   | 3492 658-9  | 2   |      |       | LEVER                                    |
| 14   | 3492 672    | 2   |      |       | LEVER, Automatic Adjusting               |
| 15   | 3492 652    | 2   |      |       | WASHER, Adjusting Screw Socket           |
| 16   | 3492 644-5  | 1   |      |       | NUT, Adjusting Screw Pivot               |
| 17   | 3492 646-7  | 1   |      |       | SCREW, Adjusting                         |
| 18   | 3492 666-7  | 1   |      |       | SPRING, Adjusting Lever                  |
| 19   | 3492 643    | 2   |      |       | SOCKET, Adjusting Screw                  |
| 20   | 3492 651    | 2   |      |       | CABLE, Adjusting                         |
| 21   | 4088 904    | 1   |      |       | SHOE W/LINING, Axle Set, w/12x2.5 Brakes |
|      | 4088 907    | 1   |      |       | w/12x3 Brakes                            |
| 22   | 3492 671    | 2   |      |       | PIN, Adjusting Lever                     |
| 23   | 3492 664    | 2   |      |       | GUIDE, Adjusting Cable                   |
| 24   | 3496 235    | 2   |      |       | SPRING, Shoe Return, Upper               |
|      | 3492 668    | 2   |      |       | Lower                                    |
| 25   | 3492 662    | 4   |      |       | PIN, Shoe Hold Down Spring               |
| 26   | 3827 775    | 4   |      |       | ROD, Shoe Push                           |
| 27   | 2260 846    | 4   |      |       | BOOT, Cylinder                           |
| 28   | 2534 922    | 4   |      |       | PISTON, Cylinder, w/ 7/8" Cylinder       |
|      | 4088 902    | 4   |      |       | w/ 1" Cylinder                           |
| 29   | 4088 896    | 4   |      |       | CUP, Cylinder, w/ 7/8" Cylinder          |
|      | 4088 903    | 4   |      |       | w/ 1" Cylinder                           |
| 30   | 4088 892-3  | 1   |      |       | CYLINDER, Wheel, 7/8" Diameter           |
|      | 4088 898-9  | 1   |      |       | 1" Diameter                              |
|      | 4313 332-3  | 1   |      |       | 1 1/8" Diameter                          |
|      | 4219 048-9  | 1   |      |       | 1"1/16 Diameter w/12x3 w/ Dual           |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

BRAKES, REAR 12 X 2.5" - 12 X 3" B - D  
 Figure 5-1200

4305 1200



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| 31  |             |     |      |       | SPRING, Cylinder  |
|   |             | 2   |      |       | w/ 7/8" and 1" Cylinder Refer to Ref. #32                                 |
| 32  | 4088 891    | 2   |      |       | SPRING AND EXPANDER PKG., w/ 7/8" Cylinder                                |
|   | 4088 897    | 2   |      |       | w/ 1" Cylinder  |
|   | 4089 230    | 1   |      | D     | SERVICE KIT - Power Piston  |
| NOTE:--7/8" Cylinder is used with 12x2.5 Brakes. 1" Wheel Cylinder is used with 12x2.5 & 12x3 Brks. -Six Digits plus a suffix No. located on Housing-right tube next to carrier |             |     |      |       |   |
| 33  |             |     |      |       | HUB AND DRUM, Brake   |
|   | 4238 192    | 2   |      |       | w/12x2.5 & 12x3 Brks.   |
|   | 3496 560    | 2   |      |       | w/12x3 Brakes, Single Wheels  |
|   | 3637 776    | 2   |      |       | w/12x3 Brakes, Dual Wheels  |
|   | 4037 687    | 2   |      | B3    | w/12x3 Brakes, w/9000 lb. GVW   |
| 34  |             |     |      |       | DRUM, Brake   |
|   | 4238 866    | 2   |      |       | w/12x2.5 Brakes   |
|   | 3491 675    | 2   |      | B3    | w/12x2.5 Brakes And 12X3 Except 9000lb. GVW w/9 1/4 Axle (Cast#77626) (D) |
|   | 3496 563    | 2   |      |       | w/12x3 Brakes, Except 9000 lb. GVW  |
|   | 4112 626    | 2   |      | B3    | w/12x3 Brakes, w/9000 lb. GVW   |
|   |             |     |      |       | SLINGER, Grease   |
|   | 3496 566    | 2   |      |       | w/12x3 Brakes, Single Wheels  |
|   | 2952 194    | 2   |      |       | w/12x3 Brakes, Dual Wheels  |
| 35  |             |     |      |       | HUB AND CUP, Brake Drum   |
|   | 4036 930    | 2   |      |       | 12x2.5 Brakes   |
|   | 3496 574    | 2   |      |       | w/12x3 Brakes, Single Wheels  |
| 36  |             |     |      |       | STUD, Wheel   |
|   | 2955 940    | AR  |      |       | w/12x2.5 + 12x3 Brks.   |
|   | 6032 505    | AR  |      |       | w/12x2.5 + 12x3 Brks. w/ 9 1/4 Axle                                       |
|   | 3496 564    | AR  |      |       | w/12x3 Brakes, Single Wheels  |
|   | 3637 878    | AR  |      |       | w/12x3 Brakes, Dual Wheels  |
| 37  |             |     |      |       | STUD, Axle Driveshaft (Refer to Group 3)                                  |
| 38  |             |     |      |       | NUT, Wheel Stud   |
|   | 2909 542    | AR  |      |       | 12x2.5 Brakes, 1/2-20   |
|   | 1273 556    | AR  |      |       | w/12x3 Brakes, Single Wheels, 5/8-18                                      |
|   | 3637 720    | AR  |      |       | w/12x3 Brakes, Dual Wheels, 5/8-18  |
| 39  |             |     |      |       | SEAL, Wheel Oil   |
|   | 4032 450    | 2   |      |       | 12x2.5 Brakes   |
|   | 2954 738    | 2   |      |       | w/12x3 Brakes, Except 9000 lb. GVW  |
|   | 3496 557    | 2   |      | B3    | w/12x3 Brakes, w/9000 lb. GVW   |
| 40  |             |     |      |       | CUP, Wheel Bearing, Inner   |
|   | 2955 374    | 2   |      |       | 12x2.5 Brakes   |
|   | 2910 218    | 2   |      |       | w/12x3 Brakes, Except 9000 lb. GVW  |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
 TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
 (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BRAKES, REAR 12 X 2.5" - 12 X 3" B - D  
 Figure 5-1200

4305 1200



| ITEM | PART NUMBER | QTY | BODY    | MODEL | DESCRIPTION                            |
|------|-------------|-----|---------|-------|--|
| 41   | 0927 015    | 2   | B3,D2,3 |       | w/12x3 Brakes, w/9000 lb. GVW          |
|      | 2852 729    | 2   |         |       | CONE AND ROLLER, Wheel, Inner          |
|      | 2959 942    | 2   |         |       | 12x2.5 Brakes                          |
|      | 0927 017    | 2   |         |       | w/12x3 Brakes, Except 9000 lb. GVW     |
| 42   | 2955 374    | 2   | B3,D2,3 |       | w/12x3 Brakes, w/9000 lb. GVW          |
| 43   | 2852 729    | 2   |         |       | CUP, Wheel Bearing, Outer              |
| 44   | 2909 258    | 4   |         |       | CONE, Wheel Bearing, Outer             |
| 45   | 2909 259    | 2   |         |       | NUT, Bearing Adjusting                 |
| 46   | 4116 600    | 2   |         |       | LOCK, Bearing Adjusting Nut            |
| 47   | 4116 576    | 2   |         |       | NUT, Bearing Adjusting Lock            |
|      |             |     |         |       | LOCK, Bearing Adjusting Nut Washer *** |

|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             |                              |                            |                  |                  |                  |
| TRUCK LINE               | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

GROUP 6 - CLUTCH

ILLUSTRATION TITLEGROUP-FIG. NO.

CLUTCH

|   |            |
|---|------------|
| CLUTCH, 10", 10-1/2", 11" B1,2 - D1,2,3,5,6,7,8 ..... | Fig. 6-100 |
| HOUSING w/PAN, CLUTCH B1,2 - D1,2,3,5,6,7,8 .....     | Fig. 6-200 |
| PEDAL, CLUTCH - B1,2 .....                            | Fig. 6-300 |
| PEDAL, CLUTCH D1,2,3,5,6,7,8 .....                    | Fig. 6-400 |

CONTROLS


|  |            |
|--|------------|
| CONTROLS, CLUTCH - B1,2 .....                      | Fig. 6-500 |
| CONTROLS, CLUTCH, ALL ENGINES D1,2,3,5,6,7,8 ..... | Fig. 6-600 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



CLUTCH, 10", 10-1/2", 11" B1,2 - D1,2,3,5,6,7,8  
Figure 6-100

4306 100





| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION   |
|------|-------------|-----|------|---------|---|
| 1    | 2908 473    | 1   |      | B1,2-D1 | CLUTCH DISC, 10" Clutch, w/225 Eng., w/A833 Trans.          |
|      | 3743 424    | 1   |      | B1,2-D1 | 10-1/2" Clutch, w/318 Eng., w/A833 Trans.                   |
|      | 4295 458    | 1   |      | D       | 11" Clutch, w/225 Eng., w/435 Trans. (LUK)                  |
|      | 2909 451    | 1   |      | D       | 11" Clutch, w/318 Eng., w/435 Trans.                        |
|      | 3633 883    | 1   |      | D       | 11" Clutch, w/360 Eng., w/435 Trans.                        |
| 2    | 2239 683    | 1   |      | B1,2-D1 | CLUTCH COVER w/PLATE, 10" Clutch, w/225 Eng., w/A833 Trans. |
|      | 3681 615    | 1   |      | B1,2-D1 | 10-1/2" Clutch, w/318 Eng., w/A833 Trans.                   |
|      | 4329 165    | 1   |      | D       | 11" Clutch, w/225 Eng., w/435 Trans. (LUK)                  |
|      | 3496 815    | 1   |      | D       | 11" Clutch, w/318,360 Eng., w/435 Trans.                    |
|      | 6031 923    | 3   |      | D       | DOWEL, Clutch Cover to Flywheel w/11" Clutch, w/225 Eng.    |
| 3    | 0658 998    | 1   |      | All     | BEARING, Clutch Release                                     |
| 4    | 2073 687    | 2   |      | All     | SPRING, Bearing Pull Back                                   |
| 5    | 2405 077    | 1   |      | All     | BEARING w/SLEEVE, Clutch Release                            |
| 6    |             |     |      |         | NUT (Serviced in Assy.)                                     |
| 7    | 6029 060    | 6   |      | B1,2-D1 | SCREW, Cover to Flywheel, 10" Clutch                        |
|      | 0314 926    | 6   |      | B-D     | 10-1/2", 11" Clutch   |
|      | 0123 920    | 6   |      | B-D     | WASHER, Lock 3/8  |
| 9    |             | 3   |      | All     | EYE BOLT, Clutch Pressure Spring (Serviced in Assy.)        |
| 10   |             |     |      |         | SPRING, Clutch Pressure (Serviced in Assy.)                 |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

HOUSING w/PAN, CLUTCH B1,2 - D1,2,3,5,6,7,8  
Figure 6-200

4306 200



| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION   |
|------|-------------|-----|------|---------|---|
| 1    | 4210 706    | 1   |      | B1,2-D1 | CLUTCH HOUSING, 10" Clutch, w/225 Eng., w/A833 Trans. |
|      | 4210 711    | 1   |      | B1,2-D1 | 10-1/2" Clutch, w/318 Eng., w/A833 Trans.             |
|      | 4295 201    | 1   |      | D       | 11" Clutch, w/225 Eng., w/435 Trans.                  |
|      | 4210 710    | 1   |      | D       | 11" Clutch, w/318,360 Eng., w/435 Trans.              |
| 2    |             | AR  |      | All     | WASHER, 3/8" Coned (Not Serviced)                     |
| 3    |             |     |      |         | BOLT, Clutch Hsg. to Cyl. Block                       |
|      | 0189 984    | AR  |      |         | 3/8-16 x 1-1/4"                                       |
|      | 6027 865    | AR  |      |         | 3/8-16 x 1-3/8"                                       |
|      | 6022 266    | AR  |      |         | 3/8-16 x 1-1/2"                                       |
|      | 0454 467    | AR  |      |         | 3/8-16 x 1-3/4"                                       |
|      | 0181 126    | AR  |      |         | 3/8-16 x 2"   |
|      | 9418 275    | AR  |      |         | 7/16-14 x 1-1/2"                                      |
|      | 6030 270    | AR  |      |         | 7/16-14 x 1-3/4"                                      |
|      | 6024 473    | AR  |      |         | 7/16-14 x 2"  |
|      | 0181 146    | AR  |      |         | 7/16-14 x 2-1/4"                                      |
|      | 0181 151    | AR  |      |         | 7/16-14 x 3-1/4"                                      |
|      |             |     |      |         | SCREW, Clutch Hsg. to Trans. Case                     |
| 4    | 0181 186    | AR  |      |         | 9/16-12 x 1-1/2"                                      |
|      | 0181 188    | AR  |      |         | 9/16-12 x 1-3/4"                                      |
|      | 2129 885    | 1   |      | B1,2-D1 | PAN, Housing, w/10" Clutch, w/225 Eng.                |
|      | 2843 892    | 1   |      | B1,2-D1 | 10-1/2" Clutch, w/318 Eng.                            |
|      | 4295 208    | 1   |      | D       | 11" Clutch, w/225 Eng.                                |
|      | 2863 480    | 1   |      | D       | 11" Clutch, w/318,360 Eng.                            |
| 5    | 6031 413    | 5   |      | All     | SCREW w/WA.   |
| 6    | 6023 092    | AR  |      |         | SCREW, 1/4-20 x 1/2"                                  |
|      | 6026 919    | AR  |      |         | 5/16-18 x 5/8"  |
| 7    | 4028 186    | 1   |      | B1,2-D1 | SEAL, Pan Dust, w/10" Clutch, w/225 Eng.              |
|      | 2892 911    | 1   |      | B1,2-D1 | 10-1/2" Clutch, w/318 Eng.                            |
|      | 4295 204    | 1   |      | D       | 11" Clutch, w/225 Eng.                                |
| 8    | 2955 218    | 1   |      | D       | 11" Clutch, w/318-360 Eng.                            |
|      | 4058 205    | 1   |      | B1,2-D1 | STRUT, 10" Clutch, w/225 Eng.                         |
|      | 4130 828    | 1   |      | D       | 11" Clutch, w/225 Eng.                                |
| 9    | 6023 050    | 2   |      | B1,2-D1 | WASHER, 7/16"   |
| 10   | 9418 275    | 2   |      | B1,2-D1 | BOLT, 7/16-14 x 1-1/2"                                |
|      | 6024 473    | 1   |      | All     | SCREW w/WA., 7/16-14 x 2"                             |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PEDAL, CLUTCH - B1,2  
Figure 6-300

4306 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    | 4089 163    | 1   |      | All   | PAD, Clutch Pedal                     |
| 2    | 4036 411    | 1   |      | All   | PEDAL, Clutch                         |
| 3    | 1799 558    | 2   |      | All   | BUSHING, Clutch Pedal Shaft           |
| 4    | 2266 820    | 1   |      | All   | BUMPER, Clutch Pedal                  |
| 5    | 0120 393    | 1   |      | All   | WASHER, Plain 5/16                    |
| 6    | 6027 983    | 1   |      | All   | CLIP, Hair Pin                        |
| 7    | 4115 630    | 1   |      | All   | ROD, Clutch Release, Upper            |
| 8    |             |     |      |       | PIN, Cotter (Not Serviced)            |
| 9    | 0125 237    | 1   |      | All   | NUT, 3/8-24                           |
| 10   | 0120 394    | 1   |      | All   | WASHER, 3/8                           |
| 11   | 4036 413    | 1   |      | All   | LEVER, Clutch Pedal                   |
| 12   | 2961 307    | 1   |      | All   | BOOT, Clutch Pedal Rod                |
| 13   | 4118 613    | 1   |      | All   | COVER, Rod Hole, u/w Automatic Trans. |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

PEDAL, CLUTCH D1,2,3,5,6,7,8  
Figure 6-400

4306-400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 3491 621    | 1   |      | All   | SHAFT, Clutch Pedal                           |
| 2    | 6024 067    | 1   |      | All   | SCREW, 10-24 x 3/4"                           |
| 3    |             |     |      |       | NUT, Lock (Not Serviced)                      |
| 4    | 2266 820    | 1   |      | All   | BUMPER, Clutch Pedal                          |
| 5    | 2405 085    | 1   |      | All   | WASHER, Pedal Rod, Spring                     |
|      | 2405 086    | AR  |      | All   | Plain   |
| 6    | 4210 694    | 1   |      | All   | ROD, Clutch Pedal                             |
| 7    | 3732 938    | 1   |      | All   | BOOT, Clutch Pedal Rod                        |
| 8    | 4295 573    | 1   |      | All   | PEDAL, Clutch                                 |
| 9    | 3492 833    | 1   |      | All   | PAD, Clutch Pedal                             |
| 10   |             |     |      |       | PLATE, Cover, u/w Auto. Trans. (Not Serviced) |
| 11   | 6032 456    | 2   |      | All   | SCREW, Cover 8-32 x 1/2"                      |
| 12   | 1799 558    | 2   |      | All   | BUSHING, Clutch Pedal Hub                     |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = WAGON  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

# CONTROLS, CLUTCH - B1,2 Figure 6-500

4306 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 2830 857    | 1   |      |       | STUD, Cl. Hsg. Pivot, w/10" Clutch, w/225 Eng.      |
| 2    | 6028 776    | 1   |      | All   | WASHER, Pivot Stud, Coned 9/16                      |
| 3    | 0658 998    | 1   |      | All   | BEARING, Clutch Release                             |
| 4    | 2405 077    | 1   |      | All   | BEARING w/SLEEVE, Clutch Release                    |
| 5    | 2073 687    | 2   |      | All   | SPRING, Bearing Pull Back                           |
| 6    | 4210 695    | 1   |      |       | PIVOT, w/10" and 10-1/2" Clutch, w/A833 Trans.      |
| 7    |             | 1   |      | All   | WASHER, Coned 3/8 (Not Serviced)                    |
| 8    | 4202 859    | 1   |      | All   | SPRING, Cl. Release Fork Return                     |
| 9    | 4210 697    | 1   |      | All   | FORK w/SPRING, Cl. Release                          |
| 10   | 4202 858    | 1   |      | All   | SPRING, Cl. Release Fork Pivot                      |
|      | 6023 660    | 2   |      | All   | RIVET, Cl. Release Fork Spring                      |
| 11   | 3515 300    | 1   |      | All   | BOOT, Cl. Release Fork                              |
| 12   | 4019 412    | 1   |      | All   | INSULATOR, Cl. Release Fork Rod                     |
| 13   | 6030 979    | 1   |      | All   | NUT, Cl. Release Fork Adjusting                     |
| 14   | 4210 699    | 1   |      | All   | ROD, Cl. Release Fork                               |
| 15   | 2405 085    | 2   |      | All   | WASHER, Cl. Release Fork Rod, Spring                |
| 16   | 4210 690    | 4   |      | All   | BEARING, Cl. Torque Shaft Pivot                     |
| 17   | 2265 942    | 2   |      | All   | SEAL, Cl. Torque Shaft                              |
| 18   | 4213 317    | 1   |      | All   | SHAFT w/LEVERS, Cl. Release Torque                  |
| 19   | 2401 910    | 1   |      | All   | SNAP RING, Cl. Torque Shaft Pivot Brg.              |
| 20   | 0181 112    | 2   |      | All   | SCREW, 3/8-16 x 1"                                  |
| 21   | 2960 042    | 1   |      | All   | BRACKET w/STUD, Cl. Torque Shaft Pivot, Frame End   |
| 22   | 4115 631    | 1   |      | All   | BRACKET, Cl. Release Idler Lever Mtg., Up TO 3-1-84 |
|      | 4295 590    | 1   |      | All   | After 3-1-84  |
| 23   | 0181 112    | 3   |      | All   | BOLT, Brkt., 3/8-16 x 1"                            |
| 24   | 6025 020    | 3   |      | All   | NUT, Brkt. Bolt, 3/8"                               |
| 25   | 6029 335    | 1   |      | All   | NUT w/WA., Idler Shaft, 1/2"-20                     |
| 26   | 6027 983    | 3   |      | All   | CLIP, Rod Retaining Hair Pin                        |
| 27   | 0120 393    | 3   |      | All   | WASHER, Plain 5/16                                  |
| 28   | 4377 645    | 1   |      | All   | ROD, Cl. Release, Lower                             |
| 29   | 9411 017    | 1   |      | All   | FITTING, Grease                                     |
| 30   | 2955 472    | 1   |      | All   | SHAFT, Cl. Release Idler Lever                      |
| 31   | 4115 628    | 1   |      | All   | LEVER, Cl. Release Idler                            |
| 32   | 4115 630    | 1   |      | All   | ROD, Cl. Release, Upper                             |
| 33   | 2461 766    | 1   |      |       | STUD, Cl. Hsg. Pivot, w/10-1/2" Clutch              |
|      | 2405 086    | 1   |      | All   | WASHER, Cl. Torque Shaft Lever Pin                  |
| 34   | 2461 483    | 1   |      | All   | WASHER, Cl. Release Fork Rod Insulator              |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# CONTROLS, CLUTCH, ALL ENGINES D1,2,3,5,6,7,8

Figure 6-600

4306 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4295 769    | 1   |      | D     | STUD, Cl. Hsg. Pivot, w/11" Clutch, w/225 Eng.                            |
|      | 2461 766    | 1   |      | D     | w/11" Clutch, w/318,360 Eng.  |
| 2    | 6028 776    | 1   | All  |       | WASHER, Pivot Stud, Coned 9/16  |
| 3    | 0658 998    | 1   | All  |       | BEARING, Clutch Release   |
| 4    | 2405 077    | 1   | All  |       | BEARING w/SLEEVE, Clutch Release  |
| 5    | 2073 687    | 2   | All  |       | SPRING, Cl. Release Brg. Pull Back  |
| 6    |             | 1   | All  |       | WASHER, Coned 3/8 (Not Serviced)  |
| 7    | 4210 696    | 1   | D    |       | PIVOT, Release Fork, w/11" Cl., w/225 Eng., 435 Trans. 1984               |
|      | 4210 695    | 1   | D    |       | 1985  |
|      | 4210 695    | 1   | D1   |       | w/10" and 10-1/2" Clutch, All Engines, w/A833 Trans.                      |
|      | 4210 695    | 1   | D    |       | w/11" Clutch, w/318,360 Engines, w/435 Trans.                             |
| 8    | 4202 859    | 1   | All  |       | SPRING, Cl. Release Fork Return   |
| 9    | 4210 697    | 1   | All  |       | FORK w/SPRING, Clutch Release   |
| 10   | 4202 858    | 1   | All  |       | SPRING, Cl. Release Fork  |
|      | 6023 660    | 2   | All  |       | RIVET, Cl. Release Fork Spring  |
| 11   | 3515 300    | 1   | All  |       | SEAL, Cl. Release Fork  |
| 12   | 4019 412    | 1   | All  |       | INSULATOR, Cl. Release Fork Rod   |
| 13   | 2405 085    | 1   | All  |       | WASHER, Cl. Torque Shaft Lever, Spring                                    |
| 13   | 2405 086    | 1   | All  |       | Plain   |
| 14   | 6030 979    | 1   | All  |       | NUT, Cl. Release Fork Adj.  |
| 15   | 4210 699    | 1   | All  |       | ROD, Cl. Release Fork   |
| 16   | 2401 910    | 1   | All  |       | SNAP RING, Pivot Bearing  |
| 17   | 4210 690    | 4   | All  |       | BEARING, Cl. Torque Shaft Pivot   |
| 18   | 6025 020    | 5   | All  |       | NUT, 3/8-16   |
| 19   | 2461 766    | 1   | All  |       | STUD, Pivot, Frame End  |
| 20   | 4116 425    | 1   | All  |       | BRACKET, Pivot w/o Stud Frame End   |
| 21   | 6028 776    | 1   | All  |       | WASHER, Coned, 9/16   |
| 22   | 0118 618    | 1   | All  |       | NUT, 9/16-12  |
| 23   | 0181 108    | 1   | All  |       | BOLT, 3/8-16 x 3/4"   |
| 24   | 3735 425    | 1   | All  |       | PLATE, Bracket Reinf.   |
| 25   | 4210 694    | 1   | All  |       | ROD, Clutch Pedal   |
| 26   | 2265 942    | 2   | All  |       | SEAL, Cl. Torque Shaft  |
| 27   | 4210 692    | 1   | All  |       | SHAFT w/LEVERS, Clutch Torque   |
| 28   | 9411 022    | 1   | All  |       | FITTING, Grease   |
| 29   | 9418 275    | 2   | All  |       | SCREW, 7/16-14 x 1-1/2"   |
| 30   | 4210 688    | 1   | D1   |       | BRACKET w/STUD, Cl. Hsg. Pivot, w/10" Clutch, w/225 Eng., w/A833 Trans.   |
| 31   |             | 1   | All  |       | SCREW, 9/16-12 x 1" (Not Serviced)  |
| 32   |             | 1   | All  |       | WASHER, Coned 9/16 (Not Serviced)   |
| 33   | 4210 689    | 1   | D1   |       | BRACKET w/STUD, Cl. Hsg. Pivot, 10-1/2" Clutch, w/318 Eng., w/A833 Trans. |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROLS, CLUTCH, ALL ENGINES D1,2,3,5,6,7,8  
Figure 6-600

4306 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|

|    |          |   |  |     |  |
|----|----------|---|--|-----|--|
| 34 |          |   |  |     | SCREW, (P/O Eng. Assy.)                |
| 35 | 0120 395 | 2 |  | All | WASHER, 7/16                           |
| 36 | 0180 121 | 1 |  | All | SCREW, 3/8-16 x 7/8                    |
| 37 | 9417 794 | 1 |  | All | WASHER, Plain 3/8                      |
| 38 | 0118 615 | 1 |  | All | NUT, 3/8-16                            |
| 39 |          | 1 |  | All | COTTER PIN, (Not Serviced)             |
| 40 | 2461 483 | 1 |  | All | WASHER, Cl. Release Fork Rod Insulator |

da & Export. -Six Digits plus a suffix No. located on Housing-right tube next to carrier  
Eng. over 8500 lbs. GVW. -Six Digits plus a suffix No. located on Housing-right tube next to carrier  
he State of California. -Six Digits plus a suffix No. located on Housing-right tube next to carrier  
000 feet elevation. -Six Digits plus a suffix No. located on Housing-right tube next to carrier

|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                            | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            |                  |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| DAVING AND WAGONS (W.B.) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

GROUP 7 - COOLING


| ILLUSTRATION TITLE   | GROUP-FIG. NO. |
|--|----------------|
| RADIATOR GRILLE B MODEL .....                                      | Fig. 7-100     |
| RADIATOR GRILLE D MODEL .....                                      | Fig. 7-200     |
| RADIATOR AND RELATED PARTS 225 ENGINE .....                        | Fig. 7-300     |
| RADIATOR AND RELATED PARTS 318 - 360 ENGINE .....                  | Fig. 7-400     |
| COOLANT RESERVE TANKS .....  | Fig. 7-500     |
| TRANSMISSION OIL COOLER AND LINES 225 ENGINE .....                 | Fig. 7-600     |
| TRANS. OIL COOLER & AUX. OIL COOLER & LINES 318 - 360 ENGINE ..... | Fig. 7-700     |
| DRIVE BELTS 225 ENGINE .....                                       | Fig. 7-800     |
| DRIVE BELTS 318 - 360 ENGINE .....                                 | Fig. 7-825     |
| DRIVE BELTS 360 ENGINE OVER 8500 LBS. GVW .....                    | Fig. 7-850     |
| DRIVE PULLEYS 225 ENGINE .....                                     | Fig. 7-900     |
| DRIVE PULLEYS 318 - 360 ENGINE .....                               | Fig. 7-1000    |
| WATER PUMP AND RELATED PARTS .....                                 | Fig. 7-1100    |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



RADIATOR GRILLE B MODEL  
Figure 7-100

4307 100 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 0181 063    | AR  |      |       | SCREW w/WASHER  |
| 2    | 4113 846    | 1   |      |       | BRACE, Radiator Grille Panel Upper Support to Cowl    |
| 3    | 4351 142    | 1   |      |       | SUPPORT, Radiator Grille Panel - Upper (Painted)      |
| 4    | 4166 203    | 1   |      |       | REINFORCEMENT, Radiator Grille Panel Support - Center |
| 5    | 4351 293    | 1   |      |       | SUPPORT, Radiator Grille Panel - Lower                |
| 6    |             |     |      |       | REINFORCEMENT, Radiator Grille Lower Support          |
|      | 4113 517    | 1   |      |       | Center  |
|      | 4112 918-9  | 1   |      |       | Ends  |
| 7    |             |     |      |       | SUPPORT, Radiator Core - Left                         |
|      | 4215 505    | 1   |      |       | 19" & 22" Core up to 3-3-84                           |
|      | 4166 189    | 1   |      |       | 28" Core  |
| 8    | 0181 088    | 2   |      |       | SCREW w/WASHER  |
| 9    | 4212 052    | 1   |      |       | PANEL, Radiator Grille Ext.                           |
| 10   |             |     |      |       | SUPPORT, Radiator Core - Right                        |
|      | 4215 504    | 1   |      |       | 19" & 22" Core up to 3-3-84                           |
|      | 4166 188    | 1   |      |       | 28" Core  |
| 11   | 4215 726-7  | 1   |      |       | PANEL, Headlamp Adapter - Single                      |
| 12   | 4080 446    | 2   |      |       | ADAPTER, Headlamp Support - Dual                      |
| 13   | 4249 531    | 1   |      |       | PANEL, Radiator Grille - Round                        |
| 14   | 4249 565    | 1   |      |       | PANEL, Radiator Grille - Rectangular (Bright)         |
| 15   | 6030 480    | 8   |      |       | NUT, Snap In  |
| 16   | 0152 383    | 5   |      |       | SCREW   |
| 17   | 4215 724-5  | 1   |      |       | SUPPORT, Front Fender Panel                           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

RADIATOR GRILLE D MODEL  
Figure 7-200

4307 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4335 575    | 1   |      |       | SUPPORT, Radiator Grille                               |
| 2    | 4351 288    | 1   |      |       | EXT., Radiator Grille Support Radiator Core Mtg. Right |
|      | 4215 955    | 1   |      |       | Left   |
| 3    | 3495 277    | 1   |      |       | BRACKET, Radiator Grille Support to Grille Ext. Center |
| 4    | 0181 063    | 9   |      |       | SCREW  |
| 5    | 4168 734    | 1   |      |       | PANEL, Radiator Grille Ext.                            |
| 6    | 4211 760    | 1   |      |       | REINFORCEMENT, Radiator Grille Support - Lower Right   |
|      | 4211 759    | 1   |      |       | Left   |
| 7    | 4215 607    | 1   |      |       | BRACKET, Radiator Grille Support Hood Lock Mtg.        |
| 8    | 4168 721    | 1   |      |       | PANEL, Radiator Grille                                 |
| 9    | 6000 943    | 6   |      |       | NUT  |
| 10   | 0445 359    | 9   |      |       | U-NUT  |
| 11   | 4249 571    | 1   |      |       | GRILLE, Radiator Insert Bright                         |
|      | 4168 723    | 1   |      |       | Painted  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

RADIATOR AND RELATED PARTS 225 ENGINE  
Figure 7-300

4307 300



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION  |
|------|-------------|-----|------|-----------|--|
| 1    |             |     |      |           | CORE, Radiator   |
|      | 4140 964    | 1   |      | B         | stamped 4140964  |
|      | 4140 943    | 1   |      | D1        | stamped 4140943 - w/o Air Cond. w/o Max. Cooling - Man. Trans. |
|      | 4140 241    | 1   |      | D1        | stamped 4140642 - Auto. Trans.                                 |
|      | 4140 241    | 1   |      | D1        | stamped 4140642 - w/Max. Cooling - Man. Trans.                 |
|      | 4140 241    | 1   |      | D2,5      | stamped 4140642  |
| 2    | 3781 830    | 1   |      |           | CAP, Radiator  |
| 3    | 4140 772    | 1   |      | B         | HOSE, Inlet (H0061265)   |
|      | 3870 128    | 1   |      | D         | (H0060322)   |
| 4    | 2448 763    | 3   |      |           | CLAMP  |
| 5    | 0180 124    | 2   |      |           | BOLT   |
| 6    | 2121 524    | 1   |      |           | ELBOW, Cylinder Water Outlet                                   |
| 7    | 4131 240    | 1   |      |           | THERMOSTAT   |
| 8    | 1947 671    | 1   |      |           | GASKET, Cylinder Water Outlet Elbow                            |
| 9    | 1686 198    | 1   |      |           | DRAINCOCK  |
| 10   | 6032 277    | 1   |      |           | CLAMP  |
| 11   | 4266 137    | 1   |      | B         | HOSE, Outlet (H0061315)  |
|      | 3870 113    | 1   |      | D         | (H0060928)   |
| 12   | 4089 728    | 1   |      | B         | SHROUD, Fan  |
|      | 4089 572    | 1   |      | D         |  |
| 13   | 0181 097    | 1   |      |           | SCREW  |
| 14   |             |     |      |           | FAN  |
|      | 4117 005    | 1   |      | B1,2-D1,5 | w/Std. Cooling   |
|      | 3462 185    | 1   |      | D2        | w/Std. Cooling   |
|      | 4140 063    | 1   |      |           | w/Max. Cooling   |
| 15   | 1825 956    | 1   |      | B         | SPACER, Fan  |
|      | 1851 961    | 1   |      | D         |  |
| 16   |             |     |      |           | DRIVE, Fan   |
|      | 4095 853    | 1   |      |           | w/Max. Cooling w/Air Cond.                                     |
|      | 4167 771    | 1   |      |           | w/Max. Cooling w/o Air Cond.                                   |
| 17   | 0220 800    | 4   |      |           | SCREW  |
| 18   | 0181 086    | 4   |      |           | SCREW  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# RADIATOR AND RELATED PARTS 318 - 360 ENGINE

Figure 7-400

4307 400



| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION  |
|------|-------------|-----|----------|-------|--|
| 1    |             |     |          |       | CORE, Radiator   |
|      | 4140 937    | 1   | B        |       | stamped 4140937, 4140938 - 318 Eng. w/o Air Cond. w/o Max. Cooling 1984                    |
|      | 4140 977    | 1   | B1,2     |       | stamped 4140977 - 318 Eng. w/Max. Cooling 1984-85  |
|      | 4140 967    | 1   | B3       |       | stamped 4140967 - 318 Eng. w/Max. Cooling 1984-85  |
|      | 4140 978    | 1   | B1,2     |       | stamped 4140978 - 318 Eng. w/o Max. Cooling 1984-85  |
|      | 4140 978    | 1   | B3       |       | stamped 4140978 - 318 Eng. w/o Air Cond. w/o Max. Cooling 1984-85                          |
|      | 4140 977    | 1   | B3       |       | stamped 4140977 - 318 Eng. w/Air Cond. w/o Max. Cooling 1984-85                            |
|      | 4140 977    | 1   | B2       |       | stamped 4140977 - 360 Eng. w/Air Cond. and/or Max. Cooling 1984                            |
|      | 4140 967    | 1   | B3       |       | stamped 4140967 - 360 Eng. w/Max. Cooling - 1984   |
|      | 4140 977    | 1   | B3       |       | stamped 4140977 - 360 Eng. w/Air Cond. w/o Max. Cooling 1984-85                            |
|      | 4140 978    | 1   | B        |       | stamped 4140978 - 360 Eng. w/o Air Cond. w/o Max. Cooling 1985                             |
|      | 4140 967    | 1   | B        |       | stamped 4140967 - 360 Eng. w/Max. Cooling 1985   |
|      | 4140 647    | 1   | D1,5,8   |       | stamped 4140645 - 318 Eng. w/Air Cond. w/o Max. Cooling - Man. Trans. 1984                 |
|      | 4140 647    | 1   | D1,4,5,8 |       | stamped 4140645 - 318 Eng. w/o Max. Cooling - Auto. Trans. 1984-85                         |
|      | 4140 647    | 1   | D2,3,6,7 |       | stamped 4140645 - 318 Eng. w/o Air Cond. w/o Max. Cooling - Auto. Trans. 1984-85           |
|      | 4140 924    | 1   | exc. D4  |       | stamped 4140924 - 318 Eng. w/o Air Cond. 1984-85   |
|      | 4140 647    | 1   | D1,5,8   |       | stamped 4140646 - 318 - 360 Eng. w/Max. Cooling - Man. Trans. 1984-85                      |
|      | 4140 647    | 1   | D2,3,6,7 |       | stamped 4140646 - 318 - 360 Eng. w/Air Cond. w/o Max. Cooling - Man. Trans. 1984-85        |
|      | 4140 647    | 1   | D2,3,6,7 |       | stamped 4140647 - 318 - 360 Eng. w/Air Cond. w/o Max. Cooling - Auto. Trans. 1984-85       |
|      | 4167 354    | 1   | D2,3,6,7 |       | stamped 4140648 - 318 - 360 Eng. w/Max. Cooling - Man. Trans. 1984-85                      |
|      | 4167 354    | 1   | D2,3,6,7 |       | stamped 4167354 - 318 - 360 Eng. w/Max. Cooling w/o Aux. Oil Cooler - Auto. Trans. 1984-85 |
|      | 4140 647    | 1   | D1,4,5,8 |       | stamped 4140647 - 318 - 360 Eng. w/Max. Cooling w/o Aux. Oil Cooler - Auto. Trans. 1984-85 |
|      | 4140 647    | 1   | D1,4,5,8 |       | stamped 4140647, 4140656 - 318 - 360 Eng. w/Aux. Oil Cooler 1984-85                        |
|      | 4140 657    | 1   | D2,3,6,7 |       | stamped 4140640, 4140657 - 318 - 360 Eng. w/Aux. Oil Cooler 1984-85                        |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# RADIATOR AND RELATED PARTS 318 - 360 ENGINE

Figure 7-400

4307 400



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION   |
|------|-------------|-----|------|----------|---|
|      | 4140 647    | 1   |      | D1,4     | stamped 4140645 - 360 Eng. w/o Max. Cooling 1984-85                             |
|      | 4140 647    | 1   |      | D2,3,6,7 | stamped 4140645 - 360 Eng. w/o Air Cond. w/o Max. Cooling 1984-85               |
|      | 4140 647    | 1   |      | D5,8     | stamped 4140645 - 360 Eng. w/o Max. Cooling - Auto. Trans. 1984-85              |
|      | 4140 647    | 1   |      | D5,8     | stamped 4140645 - 360 Eng. w/Air Cond. w/o Max. Cooling - Man. Trans. 1984-85   |
|      | 4140 924    | 1   |      | D5,8     | stamped 4140924 - 360 Eng. w/o Air Cond. w/o Max. Cooling - Man. Trans. 1984-85 |
|      | 4140 647    | 1   |      | D1,4,5,8 | stamped 4140645 - 360 Eng. w/Air Cond. w/o Max. Cooling - Man. Trans. 1985      |
| 2    | 3781 830    | 1   |      |          | CAP, Radiator   |
| 3    |             |     |      |          | HOSE, Inlet   |
|      | 4266 263    | 1   |      | B1,2     | 318 - 360 Eng. (H0061258)   |
|      | 4266 263    | 1   |      | B3       | 318 - 360 Eng. w/o Max. Cooling (H0061258)                                      |
|      | 4266 280    | 1   |      | B3       | 318 - 360 Eng. w/Max. Cooling (H0061258)  |
|      | 4266 292    | 1   |      | D        | 318 Eng. (H0061258)   |
|      | 4266 292    | 1   |      | D        | 360 Eng. up to 12-17-84 (H0061258)  |
|      | 4266 819    | 1   |      | D        | after 12-17-84 (H0061258)   |
| 4    | 2448 763    | 2   |      |          | CLAMP   |
| 5    | 6032 277    | 2   |      |          | CLAMP   |
| 6    | 6031 413    | 2   |      |          | SCREW, Cylinder Water Outlet Connector  |
| 7    | 4100 490    | 1   |      |          | CONNECTOR, Cylinder Water Outlet  |
| 8    | 4131 240    | 1   |      |          | THERMOSTAT  |
| 9    | 4173 461    | 1   |      |          | GASKET, Cylinder Water Outlet Connector   |
| 10   |             |     |      |          | HOSE, Outlet  |
|      | 4115 585    | 1   |      | B        | 318 - 360 Eng. up to 3-3-84 (H0060903)  |
|      | 4088 746    | 1   |      | B        | after 3-3-84 (H0060880)   |
|      | 3780 605    | 1   |      | D        | 318 - 360 Eng. (H0060049)   |
| 11   | 1686 198    | 1   |      |          | DRAINCOCK   |
| 12   |             |     |      |          | SHROUD, Fan   |
|      | 4088 035    | 1   |      | B3       | stamped 4088035 - w/Max. Cooling 1984   |
|      | 4088 737    | 1   |      | B3       | stamped 4088737 - w/o Max. Cooling 1984   |
|      | 4088 737    | 1   |      | B2       | stamped 4088737 - 360 Eng. 1984   |
|      | 4088 737    | 1   |      | B1,2     | stamped 4088737 - 318 Eng. 1984-85  |
|      | 4088 035    | 1   |      | B3       | stamped 4088035 - 318 Eng. w/Max. Cooling 1985                                  |
|      | 4088 737    | 1   |      | B3       | stamped 4088737 - 318 Eng. w/o Max. Cooling 1985                                |
|      | 4088 035    | 1   |      | B        | stamped 4088035 - 360 Eng. w/Max. Cooling 1985                                  |
|      | 4088 073    | 1   |      | B        | stamped 4088737 - 360 Eng. w/o Max. Cooling 1985                                |
|      | 3733 339    | 1   |      | D2,3,6,7 | stamped 3733339 - 318 Eng. w/Max. Cooling and/or Aux. Oil Cooler 1984           |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

RADIATOR AND RELATED PARTS 318 - 360 ENGINE  
Figure 7-400

4307 400




| ITEM | PART NUMBER | QTY | BODY      | MODEL | DESCRIPTION   |
|------|-------------|-----|-----------|-------|---|
|      | 4089 573    | 1   | exc. D1,4 |       | stamped 4089573 - 318 Eng. w/o Air Cond. w/o Max. Cooling 1984-85 |
|      | 4089 574    | 1   | D1,4,5,8  |       | stamped 4089574 - w/Air Cond. and/or Max. Cooling 1984-85         |
|      | 4089 574    | 1   | D2,3,6,7  |       | stamped 4089574 - w/Air Cond. w/o Max. Cooling 1984-85            |
|      | 4089 573    | 1   | D         |       | stamped 4089573 - 360 Eng. w/o Air Cond. w/o Max. Cooling 1984-85 |
|      | 3733 339    | 1   | D2,3,6,7  |       | stamped 3733339 - w/Max. Cooling 1985                             |
| 13   | 0220 800    | 4   |           |       | SCREW 1984  |
|      | 0181 088    | 4   |           |       | 1985  |
| 14   |             |     |           |       | FAN   |
|      | 4140 063    | 1   |           |       | w/o Air Cond. w/o Max. Cooling                                    |
|      | 4266 059    | 1   |           |       | w/Air Cond. and/or Max. Cooling                                   |
| 15   | 0181 086    | 6   |           |       | SCREW   |
| 16   |             |     |           |       | DRIVE, Fan  |
|      | 4167 771    | 1   |           |       | w/o Air Cond. w/o Max. Cooling                                    |
|      | 4095 704    | 1   |           |       | w/Air Cond. w/o Max. Cooling 1984                                 |
|      | 4095 704    | 1   |           |       | w/Air Cond. 1985  |
|      | 4095 703    | 1   |           |       | w/Max. Cooling w/Air Cond.  |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

COOLANT RESERVE TANKS  
Figure 7-500

4307 500



B MODELS



D MODELS


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4026 148    | AR  |      |       | HOSE, Rad. Core to Coolant Reserve Tank (serv.in 50 ft. roll) |
| 2    | 4140 108    | 1   |      | B     | CAP, Coolant Reserve Tank                                     |
| 3    | 2448 761    | 1   |      | B     | CLAMP   |
| 4    | 4167 788    | 1   |      | B     | TANK, Coolant Reserve   |
| 5    | 6030 441    | 9   |      |       | RETAINER  |
| 6    | 4266 769    | 1   |      | D     | BAFFLE, Radiator  |
| 7    | 4266 441    | 1   |      | D     | CAP, Coolant Reserve Tank                                     |
| 8    | 4140 751    | 1   |      | D     | TANK, Coolant Reserve   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRANSMISSION OIL COOLER AND LINES 225 ENGINE  
Figure 7-600

4307 600



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | COOLER, Trans. Oil                                  |
|      | 4140 382       | 1   |      |       | 12" from outlet to outlet                           |
|      | 4140 383       | 1   |      |       | 13" from outlet to outlet                           |
| 2    | 0118 749       | AR  |      |       | ADAPTER, Trans. Oil Cooler Tube                     |
| 3    | 1941 667       | 1   |      |       | NUT   |
| 4    | 1843 253       | AR  |      |       | TUBE, Trans. Oil Cooler 5/16 (serv. in 25 ft. roll) |
| 5    | 6031 855       | 1   |      |       | NUT   |
| 6    | 4026 139       | AR  |      |       | HOSE, Trans. Oil Cooler Tube (serv. in 50 ft. roll) |
| 7    | 4266 304       | 1   |      |       | CLIP, Trans. Oil Cooler Tube to Eng. Lt. Frt. Brkt. |
| 8    |                |     |      |       | BRACKET, Trans. Oil Cooler Tube to Eng. Lt. Frt.    |
|      | 4266 064       | 1   |      |       | up to 11-19-84                                      |
|      | 4266 440       | 1   |      |       | after 11-19-84                                      |
| 9    | 6032 282       | AR  |      |       | CLAMP, Trans. Oil Cooler Hose to Radiator           |
| 10   | 0118 614       | 2   |      |       | NUT   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



TRANS. OIL COOLER & AUX. OIL COOLER & LINES 318 - 360 ENGINE  
Figure 7-700

4307 700



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION   |
|------|-------------|-----|------|----------|---|
| 1    | 4167 478    | 1   |      | B        | COOLER, Trans. Oil Auxiliary                        |
| 2    | 4140 590    | 1   |      | D        |   |
| 3    | 6032 282    | AR  |      |          | CLAMP   |
|      | 0181 063    | 2   |      |          | SCREW w/WASHER                                      |
|      | 0181 065    | 2   |      |          | Rt. Side  |
|      | 0219 462    | 2   |      |          | Lt. Side  |
| 4    | 4266 304    | 1   |      |          | NUT & WASHER  |
| 5    | 1843 253    | AR  |      |          | CLIP, Trans. Oil Cooler Tube to Eng. Lt. Frt. Brkt. |
| 6    | 4026 139    | AR  |      |          | TUBE 5/16 (serv. in 25 ft. roll)                    |
| 7    | 0118 749    | AR  |      |          | HOSE (serv. in 50 ft. roll)                         |
| 8    | 1941 667    | AR  |      |          | ADAPTER, Trans. Oil Cooler Tube                     |
| 9    | 3698 668    | 1   |      |          | NUT   |
| 10   |             |     |      |          | BRACKET, Tube Mtg.                                  |
| 11   | 4140 381    | 1   |      |          | COOLER, Trans. Oil                                  |
|      | 4140 382    | 1   |      |          | 14 3/8" from outlet to outlet                       |
|      | 4140 383    | 1   |      |          | 12" from outlet to outlet                           |
|      |             |     |      |          | 13" from outlet to outlet                           |
| 12   | 4140 414    | 1   |      |          | BRACKET, Tube Mtg. - Rt.                            |
|      | 4266 438    | 1   |      |          | up to 11-19-84                                      |
|      | 0181 126    | 1   |      |          | after 11-19-84                                      |
| 13   |             |     |      |          | BOLT  |
| 14   | 4140 415    | 1   |      |          | BRACKET, Tube Mtg. - Lt.                            |
|      | 4266 439    | 1   |      |          | up to 11-19-84                                      |
|      | 4266 871    | 1   |      | B        | after 11-19-84                                      |
|      |             |     |      |          | 360 Eng. w/(S/C - NAD) - Federal                    |
| 15   | 4266 304    | 1   |      |          | CLIP  |
| 16   | 6032 034    | 1   |      | B        | TEE, Trans. Oil Cooler Temp. Sensor                 |
|      | 6032 034    | 1   |      |          | w/Electronic Monitor                                |
|      |             |     |      |          | w/Snowplow  |
| 17   | 4162 816    | 1   |      | D        | SWITCH, Trans. Oil Temp. Sensor w/Snowplow          |
| 18   | 4140 871    | 1   |      | D1,4,5,8 | TUBE, Trans. Rad. Oil Cooler to Aux. Oil Cooler     |
|      | 4140 867    | 1   |      | D2,3,6,7 |   |
| 19   | 4140 872    | 1   |      | D1,4,5,8 | TUBE, Aux. Oil Cooler to Trans.                     |
|      | 4140 868    | 1   |      | D2,3,6,7 |   |
| 20   | 4266 065    | 1   |      | D        | CLAMP   |
| 21   | 4140 580    | 2   |      | D        | BRACKET, Aux. Oil Cooler Tube                       |
| 22   |             | 2   |      | D        | BOLT (not serviced)                                 |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.


CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4307 800A





CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**

DRIVE BELTS 318 - 360 ENGINE  
Figure 7-825

4307 825



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | BELT, Alternator Drive   |
|      | 4027 303    | 1   |      |       | w/o Air Conditioning   |
|      | 4027 312    | 2   |      |       | w/60 Amp. Alt. 47.76" O.S. Lgh. (B0013481)                     |
|      | 4387 247    | 2   |      |       | w/114 Amp. Alt. 58.12" O.S. Lgh. 1984 (B0013581)               |
|      |             |     |      |       | w/114 Amp. Alt. 57.00" O.S. Lgh. 1985 (B0013571)               |
|      | 4241 309    | 2   |      |       | w/Air Conditioning   |
|      | 4027 312    | 2   |      |       | w/60 Amp. Alt. 57.00" O.S. Lgh. (B0013571)                     |
|      | 4387 217    | 2   |      |       | w/114 Amp. Alt. 58.12" O.S. Lgh. 1984 (B0013581)               |
|      |             |     |      |       | w/114 Amp. Alt. 59.62" O.S. Lgh. 1985 (B0015606)               |
| 2    | 5214 136    | 1   |      |       | BELT, Fan. & Idler w/114 Amp. Alt. 37.50" O.S. Lgh. (B0013375) |
| 3    | 4027 303    | 1   |      |       | BELT, Air Pump & Fan Drive 47.76" O.S. Lgh. (B0013481)         |
| 4    | 4027 321    | 1   |      |       | BELT, Fan & Power Steering Drive 44.75" O.S. Lgh. (B0013444)   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DRIVE BELTS 360 ENGINE OVER 8500 LBS. GVW  
Figure 7-850

4307 850






| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | BELT, Alternator Drive   |
|      | 4027 303    | 1   |      |       | w/60 Amp. Alt. w/o Air Cond. 47.76" O.S. Lgh. - Single (B0013481)    |
|      | 4241 309    | 1   |      |       | Dual w/60 Amp. Alt. w/Air Cond. 57.00" O.S. Lgh. - Dual (B0013571)   |
|      | 4387 217    | 1   |      |       | w/114 Amp. Alt. w/Air Cond. 59.62" O.S. Lgh. - Dual (B0015606)       |
| 2    | 4387 247    | 1   |      |       | w/114 Amp. Alt. w/o Air Cond. 57.00" O.S. Lgh. - Dual (B0013571)     |
|      | 4343 771    | 1   |      |       | BELT, Fan & Air Pump Drive w/o Air Cond. 53.10" O.S. Lgh. (B0013531) |
|      | 4343 769    | 1   |      |       | w/Air Cond. 52.73" O.S. Lgh. (B0013526)                              |
| 3    | 4343 566    | 1   |      |       | BELT, Power Steering Drive w/o Air Cond. 45.25" O.S. Lgh. (B0013454) |
|      | 4027 321    | 1   |      |       | w/Air Cond. 44.75" O.S. Lgh. (B0013444)                              |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

DRIVE PULLEYS 225 ENGINE  
Figure 7-900

4307 900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 2202 666    | 1   |      |       | PULLEY, Fan - Single Groove                    |
| 2    | 0181 086    | 4   |      |       | SCREW  |
| 3    | 4095 536    | 1   |      |       | PULLEY, Power Steering Drive                   |
| 4    |             | 1   |      |       | DAMPER, Vibration (refer to grp. 9)            |
| 5    | 3685 687    | 1   |      |       | PULLEY, Drive - Auto. Trans.                   |
| 6    | 6022 250    | 3   |      |       | SCREW  |
| 7    | 6032 409    | 1   |      |       | BOLT, Shoulder                                 |
| 8    | 5214 065    | 2   |      |       | SHIELD, Idler Pulley                           |
| 9    | 3830 196    | 1   |      |       | PULLEY, Idler                                  |
| 10   | 6032 407    | 1   |      |       | SPACER, Idler Pulley                           |
| 11   | 6025 020    | 1   |      |       | NUT  |
| 12   |             | 1   |      |       | BRACKET, Air Pump Mtg. (refer to grp. 25)      |
| 13   | 6024 473    | 1   |      |       | SCREW  |
| 14   | 0271 502    | 1   |      |       | NUT  |
| 15   | 4089 603    | 1   |      |       | BRACKET, Idler Pulley w/Air Cond. w/o Air Pump |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |




WATER PUMP AND RELATED PARTS  
Figure 7-1100

4307 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | PUMP, Water                              |
|      | 4131 243    | 1   |      |       | 225 Eng.                                 |
|      | 3837 641    | 1   |      |       | 318 - 360 Eng.                           |
| 2    | 3671 525    | 1   |      |       | HUB, Fan Pulley                          |
| 3    |             |     |      |       | SCREW, Water Pump                        |
|      | 0180 124    | 3   |      |       | 3/8 - 16 x 1 1/4 225 Eng.                |
|      |             | 1   |      |       | 3/8 - 16 x 1 1/8 225 Eng. (not serv.)    |
|      | 6027 869    | 1   |      |       | 3/8 - 1 5/8 225 Eng.                     |
|      |             | 1   |      |       | 3/8 - 1 5/8 225 Eng. (not serv.)         |
|      | 6027 880    | 1   |      |       | 3/8 - 16 x 2 - 318 & 360 Eng.            |
|      | 9420 892    | 2   |      |       | 3/8 - 16 x 2 3/4 - 318 & 360 Eng.        |
|      | 9421 897    | 1   |      |       | 3/8 - 16 x 5 - 318 & 360 Eng. 1984       |
|      | 6031 761    | 2   |      |       | 1985                                     |
|      | 6028 166    | 3   |      |       | 3/8 - 16 x 5 1/4 - 316 & 360 Eng.        |
| 4    |             |     |      |       | NIPPLE, Water Pump By-Pass               |
|      | 4105 725    | 1   |      |       | 225 Eng.                                 |
|      | 2402 903    | 1   |      |       | 318 - 360 Eng.                           |
| 5    |             |     |      |       | HOSE, Water Pump By-Pass                 |
|      | 1315 466    | AR  |      |       | 225 Eng. (serv. in 50 ft. roll)          |
|      | 4095 227    | 1   |      |       | 318 - 360 Eng.                           |
| 6    |             |     |      |       | CLAMP, Water Pump By-Pass Hose           |
|      | 0153 640    | 2   |      |       | 225 Eng.                                 |
|      | 3683 824    | 2   |      |       | 318 - 360 Eng.                           |
| 7    | 1947 523    | 1   |      |       | GASKET, Water Pump Inter. Plate 225 Eng. |
| 8    |             |     |      |       | GASKET, Water Pump Body                  |
|      | 1947 521    | 1   |      |       | 225 Eng.                                 |
|      | 2129 013    | 1   |      |       | 318 - 360 Eng.                           |



|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

| ILLUSTRATION TITLE                                     | GROUP-FIG. NO. |
|--|----------------|
| <b>SWITCHES--RELAYS--SOLENOIDS--SENSORS</b>            |                |
| SWITCHES--RELAYS--SOLENOIDS--SENSORS .....             | Fig. 8-100     |
| <b>BATTERY TRAYS</b>                                   |                |
| BATTERY TRAY B-D MODELS 1984 .....                     | Fig. 8-200     |
| BATTERY TRAY B-MODEL 1985 .....                        | Fig. 8-300     |
| BATTERY TRAY D-MODEL 1985 .....                        | Fig. 8-400     |
| <b>DISTRIBUTORS</b>                                    |                |
| DISTRIBUTOR 6-CYL. ENGINE .....                        | Fig. 8-500     |
| DISTRIBUTOR 8-CYL. ENGINE .....                        | Fig. 8-600     |
| STARTER 6-8 CYLINDER ENGINE .....                      | Fig. 8-700     |
| ALTERNATOR COMPLETE .....                              | Fig. 8-800     |
| ALTERNATOR 60-AMP. ....                                | Fig. 8-900     |
| ALTERNATOR 114-AMP. ....                               | Fig. 8-1100    |
| ALTERNATOR MTG.(EXC.114 AMP.) B-MODELS .....           | Fig. 8-1200    |
| ALTERNATOR MTG.-114 AMP. 225 ENGINE B-MODELS .....     | Fig. 8-1300    |
| ALTERNATOR MTG.-EXC.114 AMP. D MODELS .....            | Fig. 8-1400    |
| ALTERNATOR MTG.-114 AMP. 318-360 ENG. B-D MODELS ..... | Fig. 8-1500    |
| <b>LAMPS</b>   |                |
| LAMPS & WIRING (FRT.END) D MODELS .....                | Fig. 8-1600    |
| LAMPS & WIRING (REAR END) D MODELS .....               | Fig. 8-1700    |
| LAMPS & WIRING (FRT.END) B-MODELS .....                | Fig. 8-1800    |
| LAMPS & WIRING (REAR END) B-MODELS .....               | Fig. 8-1900    |
| WIRING (FRT.END) B-MODELS .....                        | Fig. 8-2000    |
| WIRING--STEERING COLUMN B-MODELS W/O TILT WHEEL .....  | Fig. 8-2100    |
| <b>HORNS</b>   |                |
| HORN & BRACKET B-D MODELS .....                        | Fig. 8-2200    |
| LAMPS & WIRING-CARGO--DOME--COURTESY D MODELS .....    | Fig. 8-2300    |
| LAMPS & WIRING-DOME-COURTESY-READING B-MODEL .....     | Fig. 8-2400    |
| LAMP-CLEARANCE D MODELS .....                          | Fig. 8-2500    |
| <b>CABLE-ROLL STOCK</b>                                |                |
| CABLE-ROLL STOCK ALL MODELS .....                      | Fig. 8-2600    |
| <b>WIRING--ENGINE</b>                                  |                |
| WIRING--ENGINE D MODELS 6-CYL. ENG. ....               | Fig. 8-2700    |
| WIRING--ENGINE D MODELS 8-CYL. ENG. ....               | Fig. 8-2800    |
| WIRING--ENGINE B-MODELS 6-CYL. ....                    | Fig. 8-2900    |
| WIRING--ENGINE B-MODELS 8-CYLINDER ENG. ....           | Fig. 8-3000    |


ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



| GROUP 8 - ELECTRICAL                                   |                |
|--|----------------|
| ILLUSTRATION TITLE                                     | GROUP-FIG. NO. |
| <b>WIRING--ENGINE (Continued)</b>                      |                |
| WIRING--ENGINE B-MODELS 8-CYLINDER ENG. ....           | Fig. 8-3000    |
| EMISSION WIRING ....                                   | Fig. 8-3050    |
| WIRING--BATTERY B-MODELS ....                          | Fig. 8-3100    |
| WIRING--STEERING COLUMN (W/O TILT WHEEL) D MODELS .... | Fig. 8-3200    |
| WIRING--STEERING COLUMN (W/TILT WHEEL) B-D MODELS .... | Fig. 8-3300    |
| WIRING--BATTERY & STARTER D MODELS ....                | Fig. 8-3400    |
| WIRING--TRANSFER CASE & WARNING LAMP D MODELS ....     | Fig. 8-3600    |
| <b>WIRING--BODY &amp; ACCESSORY</b>                    |                |
| WIRING--BODY & ACCESSORY B-MODELS ....                 | Fig. 8-4300    |
| WIRING--BODY & ACCESSORY D-MODELS ....                 | Fig. 8-4400    |
| WIRING--DOOR B-MODELS ....                             | Fig. 8-4425    |
| WIRING--DOOR D-MODELS ....                             | Fig. 8-4450    |
| WIRING--EMISSIONS ....                                 | Fig. 8-4475    |
| <b>TERMINALS--WIRING</b>                               |                |
| TERMINALS--WIRING ....                                 | Fig. 8-4500    |
| TERMINALS--WIRING ....                                 | Fig. 8-4600    |
| <b>INSULATORS--WIRING</b>                              |                |
| INSULATORS--WIRING ....                                | Fig. 8-4800    |
| INSULATORS--WIRING ....                                | Fig. 8-4900    |
| INSULATORS--WIRING ....                                | Fig. 8-5000    |
| PLUGS & CONNECTORS ....                                | Fig. 8-5100    |
| SOCKETS--BULB ....                                     | Fig. 8-5300    |

SWITCHES--RELAYS--SOLENOIDS--SENSORS  
Figure 8-100

4308 100A



| ITEM                | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                   |
|---------------------|-------------|-----|------|-------|-------------------------------|
| 1 RELAYS            |             |     |      |       |                               |
|                     | 4145 370    |     |      |       | Start Run                     |
|                     | 4111 971    |     | B,D  |       | Starter                       |
|                     | 4221 670    |     | B,D  |       | Horn                          |
|                     | 2932 834    |     | D    |       | w/Brkt. Pwr.Window            |
|                     | 3879 522    |     | D    |       | Head Lamp Switch              |
|                     | 4221 691    |     | B,D  |       | Elec. Door Locks              |
|                     | 4057 984    |     | B    |       | w/Brkt.,Heated Rear Window    |
|                     | 3879 522    |     | B,D  |       | Head Lamp                     |
|                     | 4216 520    |     | D    |       | Snow Plow                     |
|                     | 4360 010    |     | D    |       | Idle Stop Solenoid            |
|                     | 4339 451    |     | B    |       | Idle Stop Solenoid, 1985      |
|                     | 4216 908    |     |      |       | 1984                          |
| 2 SOLENOIDS ***     |             |     |      |       |                               |
|                     |             |     | D,B  |       | SOLENOID PACKAGE, STARTER     |
|                     | 3861 748-9  |     |      |       | Door Lock                     |
|                     | 3861 749    |     | B    |       | Single Rear Door              |
| 3 SENSORS           |             |     |      |       |                               |
|                     | 4241 155    |     | B    |       | Oil Level                     |
|                     | 4145 348    |     | D    |       | Eng. Temp. 225 Eng.           |
|                     | 4145 716    |     | D    |       | Eng. Temp. 318 Eng.           |
|                     | 4091 471    |     | D    |       | Eng. Temp. 318 Eng.           |
|                     | 5226 374    |     | B,D  |       | Coolant Level                 |
|                     | 4312 186    |     | B,D  |       | Distance, In-Line             |
|                     | 4339 418    |     | B    |       | Windshield Washer Fluid       |
| 4 SENDING UNITS *** |             |     |      |       |                               |
|                     | 4075 003    |     | B    |       | Oil Temp.                     |
|                     | 4051 140    |     | D,B  |       | Temp. w/Gauge                 |
|                     | 3488 609    |     | D,B  |       | Oil Gauge                     |
| 5 SWITCHES          |             |     |      |       |                               |
|                     | 4216 818    |     | B,D  |       | Turn Signal, w/o Tilt         |
|                     | 3747 192    |     | B,D  |       | Ignition w/Wiring             |
|                     | 3488 432    |     |      |       | Ignition Key Buzzer, w/Tilt   |
|                     | 4169 630    |     |      |       | Ignition Key Buzzer, w/o Tilt |
|                     | 4216 533    |     | D    |       | Cargo Lamp                    |
|                     | 1881 938    |     | B,D  |       | Foot Dimmer                   |
|                     | 2947 924    |     | B    |       | Glove Box                     |
|                     | 3746 524    |     | B,D  |       | Engine Temp. w/Light          |
|                     | 4205 921    |     | B,D  |       | Oil Pressure Light            |
|                     | 4111 482    |     | B,D  |       | Charge Temp.                  |
|                     | 4186 352    |     | B,D  |       | Oil Press. & Elec. Choke      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (TRUCK) 4X4

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SWITCHES--RELAYS--SOLENOIDS--SENSORS  
Figure 8-100

4308 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
|      | 4145 348    |     |      | B     | Temp. 225 Eng.                              |
|      | 2889 298    |     |      | B     | Oil Press. 318 Eng. 1984                    |
|      | 4169 629    |     |      | B-D   | Oil Press. 318 Eng. 1985                    |
|      | 5209 922    |     |      | D     | Lift Gate Ajar                              |
|      | 4216 848    |     |      | B,D   | Turn Sig. w/Tilt                            |
|      | 2926 275    |     |      | B,D   | Stop Lamp,w/o Speed Control                 |
|      | 4221 438    |     |      | B,D   | Stop Lamp, w/Speed Control                  |
|      | 4221 463    |     |      | B,D   | Park Brake Warning Lamp                     |
|      | 4169 556    |     |      | D     | w/Brkt. Clutch Pedal, w/Speed Control       |
|      | 4169 558    |     |      | B     | w/Brkt. Clutch Pedal, w/Speed Control       |
|      | 4210 979    |     |      | D     | Transfer Case Warning Lamp, w/205           |
|      | 4168 000    |     |      | D     | Transfer Case Warning Lamp, w/208           |
|      | 4057 750    |     |      |       | Trans. Neutral Start & B/Up Lamp            |
|      | 3730 639    |     |      | B     | Sliding Cargo Door                          |
|      | 4221 548    |     |      | B     | Sliding Cargo Door                          |
|      | 4221 548    |     |      | B     | Hinged Cargo Door                           |
|      | 4221 254    |     |      | B     | Front Door                                  |
|      | 2258 404    |     |      | B     | Back-Up Lamp--Man. Trans., (Gasket 1302807) |
|      | 4221 587    |     |      | D     | Back-Up Lamp--Man.Trans.                    |
|      | 3746 958    |     |      | B     | Rear Window Defroster                       |
|      | 2661 746    |     |      | B,D   | Front Door Locks                            |
|      | 4221 398    |     |      | B     | Headlamp                                    |
|      | 4221 225    |     |      | D     | Headlamp 1984                               |
|      | 4221 398    |     |      | D     | Headlamp 1985                               |
|      | 3747 333    |     |      | D     | W/Wiper,Intermittent 1984                   |
|      | 4360 007    |     |      | D     | W/Wiper,Intermittent 1985                   |
|      | 4162 001    |     |      | D     | W/Wiper,2-Speed 1984                        |
|      | 4360 006    |     |      | D     | W/Wiper,2-Speed 1985                        |
|      | 4131 380    |     |      | B,D   | W/Lift, Single                              |
|      | 4131 378    |     |      | B,D   | W/Lift, Double                              |
|      | 4169 633    |     |      |       | Front Whl. Drive Ind. Lamp                  |
|      | 4169 634    |     |      |       | Hub Lock Up Indicator                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BATTERY TRAY B-D MODELS 1984  
Figure 8-200

4308 200A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                   |
|------|-------------|-----|------|-------|-------------------------------|
| 1    | 0152 360    | 2   |      | D     | NUT, w/Washer, Bolt Hold Down |
| 2    | 3491 736    | 2   |      | D     | STRAP, Battery Hold Down      |
| 3    | 6029 652    | 2   |      | D     | BOLT, Battery Hold Down       |
| 4    | 0152 454    | 2   |      | D     | U-NUT                         |
| 5    | 4211 597    | 1   |      | D     | TRAY, Battery                 |
| 6    | 0152 360    | 2   | B    |       | NUT                           |
| 7    | 3491 736    | 2   | B    |       | STRAP, Battery Hold Down      |
| 8    | 6031 969    | 2   | B    |       | BOLT, Battery Hold Down       |
| 9    | 4212 952    | 1   | B    |       | TRAY, Battery                 |
| 10   | 4212 953    | 1   | B    |       | SUPPORT, Battery Tray         |
| 11   | 4335 558    | 1   | B    |       | SHIELD, Battery Water         |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

BATTERY TRAY B-MODEL 1985  
Figure 8-300

4308 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 4212 953    | 1   |      |       | SUPPORT, Side Front Whl.House Inner Panel Tray |
| 2    | 4212 952    | 1   |      |       | TRAY, Battery                                  |
| 3    |             | 1   |      |       | BRACKET, Batt. Tray to Dash Pnl. (Not Serv.)   |
| 4    | 6031 096    | 4   |      |       | NUT, w/Washer                                  |
| 5    | 0120 392    | 4   |      |       | WASHER   |
| 6    | 3491 736    | 1   |      |       | STRAP, Battery Hold Down                       |
| 7    | 4335 558    | 1   |      |       | SHIELD, Battery Water                          |
| 8    | 6032 925    | 2   |      |       | BOLT   |
| 9    |             | 2   |      |       | NUT, Push On (Not Serv.)                       |
| 10   |             | 1   |      |       | TUBE, Battery Drain (Not Serv.)                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BATTERY TRAY D-MODEL 1985  
Figure 8-400

4308 400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
| 1    | 0152 360    | 2   |      |       | NUT   |
| 2    |             | 2   |      |       | WASHER, (Not Serv.)                               |
| 3    | 4351 010    | 1   |      |       | BRACKET, Front Fender to Battery Hold Down        |
| 4    | 3491 736    | 1   |      |       | STRAP, Battery Hold Down                          |
| 5    | 3636 612    | 1   |      |       | BRACE, Frt.Fender Hsg. Side Support to Batt. Tray |
| 6    | 6025 325    | 2   |      |       | SCREW   |
| 7    |             | 3   |      |       | U-NUT, (Not Serv.)                                |
| 8    | 6032 818    | 2   |      |       | BOLT, Battery Hold Down                           |
| 9    |             | 1   |      |       | U-NUT, (Not Serv.)                                |
| 10   | 4211 597    | 1   |      |       | TRAY, Battery                                     |
| 11   | 0181 086    | 1   |      |       | SCREW, w/Washer                                   |
| 12   | 0152 352    | 1   |      |       | NUT, w/Washer                                     |
| 13   | 0181 063    | 3   |      |       | SCREW   |
| 14   |             | 2   |      |       | WASHER, (Not Serv.)                               |
| 15   |             | 1   |      |       | NUT   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

## DISTRIBUTOR 6-CYL. ENGINE

Figure 8-500

4308 500A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|

NOTE: In order to specify correct Chrysler Built Distributor Assemblies for 1984-85 Model trucks, it will be necessary to obtain identification (Production No.) from the IDENTIFICATION TAG LOCATED

ON THE DISTRIBUTOR HOUSING. it will be necessary to obtain identification (Production No.) from the IDENTIFICATION TAG LOCATED

NOTE: Light Duty Cycle Eng. usage for Vehicles of 6000 lb. and under Gross Vehicle Weight. Heavy Duty Cycle Eng. usage for Vehicles of 6100 and over Gross Vehicle Weight.

NOTE: Distributor Complete Assemblies are not for Service. y Cycle Eng. usage for Vehicles of 6100 and over Gross Vehicle Weight.

NOTE: Distributor Partial Assemblies (less cap and rotor) are for service. y Cycle Eng. usage for Vehicles of 6100 and over Gross Vehicle Weight.

|      |          |    |                        |  |  |
|------|----------|----|------------------------|--|--|
| 1-20 | 3755 057 | 1  | D<br>B2-3<br>D,1,2,5,6 |  | Heavy Duty Cycle Eng., ! Prod. No. 3755056 |
|      | 4145 752 | 1  | B,D1-2,W1              |  | Prod.No. 4145751 (Dual Plate)              |
|      | 4145 613 | 1  | B,D Exc.4,8            |  | Prod.No.                                   |
|      | 4091 491 | 1  |                        |  | Prod.No. 4091490                           |
| 1    |          | 1  |                        |  | HOUSING, Distributor, (Serv. in Assy.)     |
| 2    | 9417 599 | 1  |                        |  | PIN  |
| 3    | 2875 028 | 1  |                        |  | SEAL, Distributor                          |
| 4    | 3874 408 | 1  |                        |  | SPACER, Distributor                        |
| 5    | 9414 521 | 1  |                        |  | PIN  |
| 6    | 3656 866 | 1  |                        |  | PICK-UP and PLATE, Dist.                   |
|      | 4145 239 | 1  |                        |  | Dual Plate                                 |
|      | 4091 489 | 1  |                        |  | Plate w/Dist. 4091490                      |
| 7    | 4111 630 | 1  |                        |  | CAP, Distributor                           |
| 8    | 1838 508 | 2  |                        |  | SPRING, Distributor                        |
| 9    | 3656 862 | 1  |                        |  | RELUCTOR, Distributor                      |
| 10   |          |    |                        |  | SHAFT and GOVERNOR, (Serv. in Assy.)       |
| 11   | 3874 401 | 1  |                        |  | ROTOR, Distributor                         |
| 12   | 6026 763 | 1  |                        |  | SCREW                                      |
| 13   |          |    |                        |  | CONTROL, Distributor Vacuum                |
|      | 3755 061 | 1  |                        |  | w/3755056                                  |
| 14   | 2084 653 | 1  |                        |  | GEAR and PIN PACKAGE, Distributor          |
| 15   | 4091 804 | 1  |                        |  | ARM, Distributor w/3874876                 |
| 16   | 0180 018 | 1  |                        |  | SCREW and WASHER                           |
| 17   | 2095 630 | 1  |                        |  | RETAINER, Distributor Oil, .920 I.D.       |
| 18   | 2095 740 | 1  |                        |  | GASKET, Distributor Mtg., 1.068" I.D.      |
| 19   | 3744 936 | AR |                        |  | HOSE, Distributor Vacuum                   |
| 20   | 4105 394 | 1  |                        |  | CLAMP, Distributor                         |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DISTRIBUTOR 8-CYL. ENGINE  
Figure 8-600

4308 600A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1-17 | 4111 955    |     |      |       | DISTRIBUTOR, Prod. #4111950-955               |
|      | 4145 754    |     |      |       | 318, 4145753                                  |
|      | 4145 605    |     |      |       | 360-4 Prod. #4145604                          |
|      | 3755 202    |     |      |       | 318, 3755201                                  |
|      | 4091 142    |     |      |       | 2-BBL. Prod. #4049140                         |
|      | 4111 502    |     |      |       | Prod. #4111501                                |
| 1    | 4111 640    |     |      |       | CAP, Dist.                                    |
|      | 4289 875    |     |      |       | w/4091142                                     |
| 2    | 3874 401    |     |      |       | ROTOR, Dist.                                  |
| 3    | 3656 017    |     |      |       | RELUCTOR, Dist                                |
| 4    | 6026 763    |     |      |       | SCREW   |
| 5    | 9417 599    |     |      |       | PIN   |
| 6    | 9414 521    |     |      |       | PIN   |
| 7    | 2875 028    |     |      |       | SEAL, Dist.                                   |
| 8    |             |     |      |       | HOUSING, w/Bearing, (Serv. in Assy.)          |
| 9    |             |     |      |       | COLLAR and PIN PACKAGE (Serviced w/Dist.) *** |
| 10   | 3755 474    |     |      |       | CONTROL, Vac.                                 |
| 11   | 1838 508    |     |      |       | SPRING, Dist. Cap                             |
| 12   |             |     |      |       | SHAFT and GOVERNOR, (Serv. in Assy.)          |
| 13   | 3656 738    |     |      |       | PICK-UP and PLATE                             |
|      | 4145 210    |     |      |       | Dual Plate                                    |
|      | 4091 147    |     |      |       | Single, w/4091142                             |
| 14   | 1879 607    |     |      |       | RING, Dist.                                   |
| 15   | 4343 950    |     |      |       | CLAMP, Mtg.                                   |
| 16   | 2875 923    |     |      |       | O-RING, Hsg.                                  |
| 17   | 2642 988    |     |      |       | SPACER, Dist. Reluctor Sleeve                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



STARTER 6-8 CYLINDER ENGINE  
Figure 8-700

4308 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    | 4145 360    |     |      |       | STARTER                             |
|      | 4145 359    |     |      |       | Starter, Stpd. 4111855              |
| 2    | 4111 971    |     |      |       | RELAY, Starter                      |
| 3    | 4145 360    |     |      |       | STARTER                             |
| 4    | 0272 235    |     |      |       | NUT                                 |
| 5    |             |     |      |       | WASHER, (Not Serv.)                 |
| 6    | 6023 899    |     |      |       | SCREW, w/Washer                     |
| 7    |             |     |      |       | BRACKET, Oil Cooler Tube            |
| 8    | 2095 875    |     |      |       | STUD, Mtg.                          |
| 8A   | 2892 915    |     |      |       | SEAL, Auto. Trans. 225 Eng.         |
|      | 2892 914    |     |      |       | Man. Trans. 225 Eng.                |
| 9    | 6023 092    |     |      |       | SCREW, w/Washer                     |
| 10   | 6025 001    |     |      |       | NUT and WASHER                      |
| 11   | 4140 724    |     |      |       | SHIELD, Starter                     |
| 12   | 2095 133    |     |      |       | PIN, Shifting Fork Pivot            |
| 13   | 3755 261    |     |      |       | HOUSING and BEARING, Gear           |
| 14   | 4057 940    |     |      |       | CORE and SHIFTING FORK PACKAGE      |
| 15   | 3874 817    |     |      |       | BEARING, Pinion Housing             |
|      | 3874 818    |     |      |       | Gear Housing                        |
| 16   | 2932 814    |     |      |       | CONTACT and SPRING PACKAGE          |
| 17   | 3837 337    |     |      |       | SOLENOID PACKAGE                    |
| 18   | 3579 193    |     |      |       | STUD PACKAGE                        |
| 19   | 6022 006    |     |      |       | RING, Pinion Shaft Ret.             |
| 20   | 2275 558    |     |      |       | THRUST WASHER and RING PACKAGE      |
| 21   | 4145 978    |     |      |       | CLUTCH ASSEMBLY                     |
| 22   |             |     |      |       | COVER, Gear Housing                 |
| 23   |             |     |      |       | ACTUATOR, Starter Clutch, Not Serv. |
| 24   | 2095 130    |     |      |       | RING, Clutch Actuator Ret.          |
| 25   | 2095 117    |     |      |       | SNAP RING, Pinion Shaft Gear Ret.   |
| 26   | 4106 092    |     |      |       | GEAR and SNAP RING PACKAGE          |
| 27   | 3755 256    |     |      |       | WASHER, Pinion Shaft Gear           |
| 28   | 4091 914    |     |      |       | SHAFT, Pinion                       |
| 29   | 0153 468    |     |      |       | SCREW, w/Washer                     |
| 30   | 2084 666    |     |      |       | SPRING PACKAGE                      |
| 31   | 3874 345    |     |      |       | BRUSH HOLDER                        |
| 32   | 6030 160    |     |      |       | SCREW                               |
| 33   | 4111 959    |     |      |       | FRAME and FIELD                     |
| 34   | 3837 334    |     |      |       | ARMATURE                            |
| 35   | 3837 340    |     |      |       | THRUST WASHER PACKAGE               |
| 36   | 3755 231    |     |      |       | SCREW                               |
| 37   | 2095 076    |     |      |       | HEAD, End                           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 8-700**

4308 700

[illegible]

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

~~DO = SI CRT CLIENT (4X4)~~  
~~B - VANG AND WAGONS~~

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.


(83) = 165" W.B.

(55) = 100 W.D.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 8-800**

4308 800A



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|----------------|-----|------|-------|------------------------------------|
| 1    | 4176 004       |     |      |       | ALTERNATOR, PROD. #4111226-60 Amp. |
|      | 4091 565       |     |      |       | PROD. #4091565-60 Amp.             |
|      | 4091 460       |     |      |       | PROD. #4091460-114 Amp.            |
|      | 4289 689       |     |      |       | PROD. #4289689-60 Amp.             |
| 2    | 4111 768       |     |      |       | PULLEY, w/4176004                  |
|      | 4106 094       |     |      |       | w/4091565                          |
|      | 4094 028       |     |      |       | w/4091460                          |
|      | 2095 430       |     |      |       | w/4289689                          |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

(66) = 100 W.D.

~~B - WANG AND WANGONG HUA~~

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

ALTERNATOR 60-AMP.  
 Figure 8-900


4308 900

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                      |
|------|-------------|-----|------|-------|----------------------------------|
| 1-18 | 4176 004    |     |      |       | ALTERNATOR, Prod.# 4111226       |
|      | 4091 565    |     |      |       | Prod. # 4091565                  |
|      | 4289 689    |     |      |       | Prod. # 4289689                  |
|      | 4176 007    |     |      |       |                                  |
| 1    | 4111 768    |     |      |       | PULLEY, w/4176004                |
|      | 4106 094    |     |      |       | w/4091565                        |
|      | 2095 430    |     |      |       | w/4289689                        |
| 2    | 3656 470    |     |      |       | SCREW, Frame w/4176004           |
|      | 4091 505    |     |      |       | w/4091565 & 4289689              |
| 3    | 4091 534    |     |      |       | SHIELD, Drive End                |
| 4    | 3656 444    |     |      |       | BEARING, w/4176004 & 4289689     |
|      | 2098 478    |     |      |       | w/4091565                        |
| 5    | 2095 012    |     |      |       | PLATE                            |
| 6    | 4240 414    |     |      |       | ROTOR, w/4176004 & 4091565       |
|      | 4240 413    |     |      |       | w/4289689                        |
| 7    | 3744 889    |     |      |       | RETAINER                         |
| 8    | 4091 517    |     |      |       | STATOR, w/4176004 & 4091565      |
|      | 4091 515    |     |      |       | w/4289689                        |
| 9    | 3438 709    |     |      |       | TERMINAL                         |
| 10   | 3755 184    |     |      |       | BEARING, Rec. End Shield         |
| 11   | 4094 027    |     |      |       | BRUSH and WASHER PACKAGE         |
| 12   | 4091 667    |     |      |       | HOLDER, Brush                    |
| 13   | 3620 794    |     |      |       | TERMINAL PACKAGE                 |
| 14   | 3620 793    |     |      |       | CAPACITOR STUD INSULATOR PACKAGE |
| 15   | 5213 706    |     |      |       | SHIELD, w/4176004 & 4289689      |
|      | 4091 516    |     |      |       | SHIELD, Rec. End. w/4091516      |
| 16   | 3438 729    |     |      |       | INSULATOR, Term. Stud            |
| 17   | 3755 114    |     |      |       | HEAT SINK, Alt. Neg.             |
|      | 4240 488    |     |      |       | Alt. Pos.                        |
| 18   | 2095 052    |     |      |       | INSERT, Alt. Rec. End.           |

|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             |                              |                            |                  |                  |                  |
| TRUCK LINE               | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| D9 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

ALTERNATOR 114-AMP.  
 Figure 8-1100

4308 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | FAN and PULLEY  |
|      | 4094 028    | 1   |      |       | 2.75" D.G., w/4091460                                 |
| 2    |             |     |      |       | SLEEVE, Alternator (Serv. in Drive End Shield)        |
| 3    | 4094 012    | 1   |      |       | ISOLATOR PACKAGE, Alternator                          |
| 4    | 9428 120    | 3   |      |       | SCREW   |
| 5    | 3874 995    | 1   |      |       | SHIELD, Alternator Drive End                          |
| 6    | 3755 951    | 1   |      |       | BEARING, Drive End Shield                             |
| 7    | 3755 737    | 1   |      |       | RETAINER, Alternator Drive End Shield Bearing         |
| 8    |             |     |      |       | FERRULE, Alternator (Serv. in Drive End Shield)       |
| 9    |             |     |      |       | SPACER, Alternator (Serv. in Rotor Package)           |
| 10   | 3838 080    | 1   |      |       | SLIP RING and RETAINER PACKAGE, Alternator Rotor      |
| 11   |             | 1   |      |       | TERMINAL, Alternator Stator (Serv. in Item 12)        |
| 12   | 3879 401    | 1   |      |       | STATOR, Alternator                                    |
| 13   | 4026 048    | 1   |      |       | ROTOR, w/o Spacer, Alternator                         |
|      | 4026 048    | 1   |      |       | ROTOR and SPACER PACKAGE, Alternator                  |
| 14   |             |     |      |       | SLEEVE, Alternator (Serv. in Rectifier End Shield)    |
| 15   | 4091 466    | 1   |      |       | SHIELD, Alternator Rectifier End                      |
| 16   | 3755 625    | 1   |      |       | INSULATOR, Alternator                                 |
| 17   | 3874 074    | 1   |      |       | BEARING, Alternator Rectifier End Shield              |
| 18   | 4026 303    | 1   |      |       | HEAT SINK PACKAGE, Alternator Positive                |
|      | 3755 627    | 1   |      |       | HEAT SINK PACKAGE, Alternator Negative                |
| 19   |             |     |      |       | CAPACITOR, Alternator (Serv. in 3838078 Pkg.)         |
| 20   |             |     |      |       | INSULATOR, Alternator (Serv. in 4026303 Pkg.)         |
| 21   |             |     |      |       | SCREW, (Not Serv.)                                    |
| 22   |             |     |      |       | NUT, (Not Serv.)                                      |
| 23   | 3838 078    |     |      |       | STUD  |
| 24   |             |     |      |       | INSULATOR, Alternator (Serv. in 3838078 Pkg.)         |
| 25   |             |     |      |       | SPACER, Alternator (Serv. in 3838078 Pkg.)            |
| 26   | 3755 773    | 1   |      |       | HOLDER, Alternator Brush                              |
| 27   | 3838 079    | 1   |      |       | BRUSH and INSULATOR PACKAGE, Alternator               |
| 28   | 6030 547    | 4   |      |       | SCREW, Alternator Frame, 10-24-1-5/8                  |
| 29   |             |     |      |       | WASHER, (Not Serv.)                                   |
| 30   | 6031 029    | 1   |      |       | NUT and WASHER  |
| 31   | 6023 201    | 1   |      |       | NUT and WASHER  |
| 32   |             |     |      |       | INSULATOR, Alternator (Serv. in Rectifier End Shield) |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.



SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

ALTERNATOR MTG.(EXC.114 AMP.) B-MODELS  
 Figure 8-1200

4308 1200A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       |   |
| 2    | 6022 250    | 1   |      |       | SCREW, 3/8-16 x 3/4                       |
| 3    | 4086 200    | 1   |      |       | REINFORCEMENT, Adj. Strap                 |
| 4    | 4089 073    | 1   |      |       | BRACKET, ALT. Mtg.                        |
| 5    | 9416 171    | 1   |      |       | SCREW, 3/8-16 x 1-1/4                     |
| 6    | 0433 116    | 1   |      |       | BOLT, 3/8-16 x 4-1/4                      |
| 7    |             | 1   |      |       | ALTERNATOR, (See Illus. 800)              |
| 8    |             | 1   |      |       | WASHER, (Not Serv.)                       |
| 9    | 0152 344    | 1   |      |       | NUT, 3/8-16                               |
| 10   | 4173 196    | 1   |      |       | STRAP, Adjusting                          |
| 11   | 0181 088    | 1   |      |       | SCREW, 5/16-18 x 1                        |
| 12   | 6022 250    | AR  |      |       | SCREW, 3/8-16 x 3/4                       |
| 13   | 9423 789    | 1   |      |       | SCREW, 3/8-16 x 5-1/2                     |
| 14   |             | AR  |      |       | WASHER, (Not Serv.)                       |
| 15   |             | 1   |      |       | SPACER, 5/8 x1-1/4 (Not Serv.)            |
| 16   | 6029 507    | 1   |      |       | SPACER, 5/8x 2-5/32                       |
| 17   | 2951 834    | 1   |      |       | BRACKET                                   |
| 18   | 6028 166    | 2   |      |       | SCREW, 3/8-16 x 5-1/4                     |
| 19   | 3512 498    | 1   |      |       | STRAP, Alt. Adj.                          |
| 20   |             | 1   |      |       | SCREW, 5/16-18 x 1 (Not Serv.)            |
| 21   |             | 1   |      |       | SCREW, w/Power Strg. (Not Serv.)          |
| 22   | 6028 166    | 2   |      |       | SCREW, 3/8-16 x 5-1/4, w/Power Strg.      |
| 23   | 4095 271    | 1   |      |       | BRACKET, Alt. Adj.                        |
| 24   | 4104 388    | 1   |      |       | BRACKET, A/Compr.& Alt. Mtg., Rear        |
| 25   | 6029 381    | 1   |      |       | SPACER, 5/8x 2-3/8                        |
| 26   | 4273 059    | 1   |      |       | BRACKET, A/Comp. and Altr. Mtg., Front    |
| 27   | 6031 813    | 1   |      |       | SCREW                                     |
| 28   | 0433 119    | 1   |      |       | BOLT, 3/8-16 x 4-1/2                      |
| 29   | 0180 122    | 1   |      |       | SCREW, 3/8-16 x 7/8                       |
| 30   |             | 1   |      |       | BRACKET, Idler Pulley (See Pulley Illus.) |
| 31   | 9411 859    | 1   |      |       | SCREW, 3/8-16 x 3/8, w/Power Strg.        |
| 32   | 4113 900    | 1   |      |       | SPLASH SHIELD, Altr. Rt.                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ALTERNATOR MTG.-114 AMP. 225 ENGINE B-MODELS  
 Figure 8-1300

4308 1300A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 4112 994    | 1   |      |       | BRACKET, Altr. and Ign. Coil Mtg.       |
| 2    | 0181 112    | 1   |      |       | SCREW, (3/8- 16 x 1)                    |
| 3    | 6030 310    | 2   |      |       | NUT, (3/8- 24)                          |
| 4    |             | 2   |      |       | STUD, (3/8- 24 x 1-3/4) (Serv. on Eng.) |
| 5    |             | 1   |      |       | ALTERNATOR, (See Illus. 800)            |
| 6    | 0118 615    | 1   |      |       | NUT, (3/8- 16)                          |
| 7    |             | 1   |      |       | WASHER, (Not Serv.)                     |
| 8    |             | 1   |      |       | BOLT, (3/8- 16 x 5) (Not Serv.)         |
| 9    | 6022 250    | 1   |      |       | SCREW, (3/8- 16 x 3/4)                  |
| 10   |             | 1   |      |       | SCREW, (3/8- 16 x 7/8) (Not Serv.)      |
| 11   | 4112 995    | 1   |      |       | STRAP, Altr. Adj.                       |
| 12   | 4004 001    | 1   |      |       | RETAINER                                |
| 13   | 4113 900    | 1   |      |       | SPLASH SHIELD, Altr. Rt                 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ALTERNATOR MTG.-EXC.114 AMP. D MODELS  
 Figure 8-1400

4308-1400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4071 984    | 1   |      |       | SUPPORT, Alt. and Coil Mtg.               |
|      | 4273 058    | 1   |      |       | BRACKET, Alt. Mtg.                        |
| 2    | 9416 171    | 2   |      |       | SCREW                                     |
| 3    |             | 1   |      |       | STUD, 3/8-16 (Not Serv.)                  |
| 4    |             | AR  |      |       | WASHER, (Not Serv.)                       |
| 5    | 0433 116    | 1   |      |       | BOLT                                      |
| 6    |             | 1   |      |       | ALTERNATOR, (See Illus. 800)              |
| 7    |             | 1   |      |       | WASHER, Plain (Not Serv.)                 |
| 8    | 0152 344    | 1   |      |       | NUT                                       |
| 9    | 6022 250    | 1   |      |       | SCREW, 3/8-16 x 3/4                       |
| 10   | 4173 196    | 1   |      |       | STRAP, Adj.                               |
| 11   | 0181 086    | 1   |      |       | BOLT, 5/16-18 x 3/4                       |
| 12   | 9423 789    | 1   |      |       | SCREW, 3/16-16 x 5-1/2                    |
| 13   |             | 1   |      |       | WASHER, Coned (Not Serv.)                 |
| 14   |             | 1   |      |       | SPACER, (Not Serv.)                       |
| 15   | 6029 507    | 1   |      |       | SPACER                                    |
| 16   | 2951 834    | 1   |      |       | BRACKET, Mtg., Exc. Sno-Fiter             |
|      | 4213 224    | 1   |      |       | Sno-Fiter, w/Pwr. Strg.                   |
| 17   | 6028 166    | 2   |      |       | SCREW, 3/8-16 x 5/1/4                     |
| 18   | 3512 498    | 1   |      |       | STRAP, Adj., 318-360 Eng.                 |
| 19   | 9422 791    | 1   |      |       | SCREW, w/o Air Cond.                      |
|      | 9423 789    | 1   |      |       | w/Air Cond.                               |
| 20   | 6029 381    | 1   |      |       | SPACER                                    |
| 21   | 0181 112    | 1   |      |       | SCREW, 3/8-16 x 3/4                       |
| 22   | 4095 271    | 1   |      |       | BRACKET, Altr. Adj.                       |
| 23   | 4071 733    | 1   |      |       | BRACKET, Altr. and Compr. Mtg., Rear      |
| 24   | 4273 059    | 1   |      |       | BRACKET, Altr. and Compr. Mtg., Front     |
| 25   | 9421 897    | 1   |      |       | SCREW                                     |
| 26   | 0433 119    | 1   |      |       | BOLT, 3/8-16 x 4-1/2                      |
| 27   |             | 1   |      |       | BRACKET, Idler Pulley (See Pulley Illus.) |
| 28   | 9411 859    | 1   |      |       | SCREW, 3/8-16 x 5-3/8                     |
| 29   |             | 1   |      |       | SCREW, (Not Serv.)                        |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



ALTERNATOR MTG.-114 AMP. 318-360 ENG. B-D MODELS  
Figure 8-1500

4308 1500A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | ALTERNATOR,(114 Amp.) (See Illus. 800)  |
| 2    | 4037 609    | 1   |      |       | BRACKET, Altr. Mtg.                     |
| 3    |             | 1   |      |       | SCREW, (3/8- 16 x 1-7/8) (Not Serv.)    |
| 4    |             | 1   |      |       | WASHER, (Not Serv.)                     |
| 5    | 0118 615    | 2   |      |       | NUT, (3/8- 16)                          |
| 6    |             | 1   |      |       | BOLT, (3/8- 16 x 4-3/4) (Not Serv.)     |
| 7    |             | 4   |      |       | WASHER, (Not Serv.)                     |
| 8    | 9416 171    | 1   |      |       | SCREW, (3/8- 16 x 1)                    |
| 9    | 4071 734    | 1   |      |       | BRACKET, Altr. Idler (w/o A/Cond.)      |
|      | 4273 059    | 1   |      |       | (w/A/Cond.)                             |
| 10   | 6030 520    | 1   |      |       | SPACER, Altr. Mtg.                      |
| 11   | 4104 388    | 1   |      |       | BRACKET, Altr. Mtg., Rear               |
| 12   | 0118 615    | 1   |      |       | NUT, (3/8- 16)                          |
| 13   | 6031 813    | 1   |      |       | SCREW, (3/8- 16 x 5)                    |
| 14   | 9418 259    | 1   |      |       | SCREW,(3/8 - 16 x 5-3/4) (w/o A/Cond.)  |
|      | 9421 897    | 1   |      |       | (3/8 - 16 x 5) (w/A/Cond.)              |
| 15   |             | 1   |      |       | SPACER, (Not Serv.)                     |
| 16   | 6028 166    | 2   |      |       | SCREW, (3/8-16 x 5-1/4)                 |
| 17   |             | 1   |      |       | SCREW, (3/8- 16 x 5-3/4) (Not Serv.)    |
| 18   | 9411 859    | 1   |      |       | SCREW, (3/8- 16 x 5-3/8)                |
| 19   |             | 2   |      |       | WASHER, (Not Serv.)                     |
| 20   |             | 1   |      |       | BRACKET, Fan Idler Pulley (See Group 7) |
| 21   | 9420 892    | 1   |      |       | BOLT, (3/8- 16 x 2-3/4)                 |
| 22   | 4037 614    | 1   |      |       | SHIELD, Altr. Heat                      |
| 23   | 6023 092    | 2   |      |       | SCREW, (1/4- 20 x 1/2)                  |
| 24   | 4004 001    | 1   |      |       | RETAINER                                |
| 25   | 4113 900    | 1   | B    |       | SPLASH SHIELD, Altr. Rt.                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LAMPS & WIRING (FRT.END) D MODELS  
Figure 8-1600

4308 1600A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 4249 572-3  |     |      |       | BEZEL, H/Lp.Assy. Park & Turn Signal (ARGENT) |
|      | 4168 728-9  |     |      |       | PAINTED                                       |
| 2    | 5201 204    |     |      |       | RETAINER, H/Lamp Bulb                         |
| 3    | 0153 199    |     |      |       | BULB, H/Lamp                                  |
|      | 0153 590    |     |      |       | HALOGEN                                       |
| 4    | 5201 202    | 1   |      |       | SEAT, Headlamp                                |
| 5    | 3587 436    |     |      |       | LAMP, Side Marker                             |
| 6    | 9421 330    |     |      |       | BULB, Side Marker                             |
| 7    |             |     |      |       | LENS and GASKET PACKAGE, (Serv. in Item 5)    |
| 8    | 6031 336    |     |      |       | SCREW   |
| 9    | 4145 370    |     |      |       | RELAY, Dual Pick-Up (Start Run Relay)         |
| 10   | 6029 471    |     |      |       | NUT, Side Marker Lamp                         |
| 11   | 6016 040    |     |      |       | CLIP, Frt. End Wiring                         |
| 12   | 4362 102    | 1   |      |       | WIRING, Frt. End, w/60 Amp. 1985 225 Eng.     |
|      | 4362 106    | 1   |      |       | 1985, 225 Eng. Canada                         |
| 13   | 3868 789    | 1   |      |       | SPRING  |
| 14   | 4111 990    | 1   |      |       | REGULATOR, Voltage                            |
| 15   | 9438 848    | 1   |      |       | BULB  |
| 16   | 4111 971    | 1   |      |       | RELAY, Starter                                |
| 17   | 3843 432    | 1   |      |       | SOCKET, Park & Turn Signal Lamp               |
| 18   | 4270 581    | AR  |      |       | SCREW   |
| 19   | 4400 588    | AR  |      |       | SOCKET, Park, Turn Signal                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LAMPS & WIRING (REAR END) D MODELS  
Figure 8-1700

4308 1700B



| ITEM | PART NUMBER                            | QTY | BODY | MODEL | DESCRIPTION  |
|------|--|-----|------|-------|--|
| 1    | 6031 160                               | 8   |      |       | J-NUT  |
| 2    | 4169 004-5<br>4169 006-7<br>4163 150-1 |     |      |       | LAMP, Tail,Stop,Turn Signal,Side Marker<br>Adven.S.E. & Trailduster 1984<br>1985 |
| 3    | 4163 015                               |     |      |       | WIRING, Tail,Stop Turn Signal,Side Marker  |
| 4    | 9417 866                               |     |      |       | BULB, Back-Up Lamp   |
| 5    | 9438 848                               |     |      |       | BULB, Stop & Turn Signal   |
| 6    | 3635 219                               |     |      |       | BRACKET, Tail Lamp Mounting  |
| 7    | 3895 020                               |     |      |       | LAMP, Tail w/Bumper, w/Cab & Chassis   |
|      | 3895 020                               |     |      |       | w/o Bumper, Right, w/Cab & Chassis   |
|      | 3895 021                               |     |      |       | w/o Bumper, Left, w/Cab & Chassis  |
|      | 4114 561                               |     |      |       | w/o Bumper, Left, w/Utiline  |
|      | 4114 562                               |     |      |       | w/ or w/o Bumper, Rt., w/Utiline   |
|      | 4114 563                               |     |      |       | w/ Bumper, Left, w/Utiline   |
| 8    |  |     |      |       | BOLT, (Not Serv.)  |
| 9    |  |     |      |       | NUT, (Not Serv.)   |
| 10   | 6030 820                               |     |      |       | NUT  |
| 11   | 3738 921                               |     |      |       | BRACKET, License Plate   |
| 12   | 4163 003                               |     |      |       | SOCKET and CABLE   |
| 13   | 4163 004                               |     |      |       | WIRING, Tail Lamp Extension  |
| 14   |  |     |      |       | WIRING, Chassis  |
| 15   | 3843 432<br>4055 001                   |     |      |       | SOCKET, Tail,Stop,Turn Signal Lamp<br>Back Up Lamp                               |
| 16   |  | 2   |      |       | SCREW, (Not Serv.)   |
| 17   | 3489 408                               | 1   |      |       | LAMP, Bumper Mtd. Exc. Step Type   |
| 18   |  | 1   |      |       | WIRING, Ext. Step Type Bumper (Not Serv.)  |
| 19   | 3895 967                               | 2   |      |       | LAMP, Step Type Bumper   |
| 19A  | 3895 966                               |     |      |       | LENS, License Lamp   |
| 20   |  | 4   |      |       | SCREW, (Not Serv.)   |
| 21   |  | 2   |      |       | CLIP, (Not Serv.)  |
| 22   | 3489 165                               | 1   |      |       | BRACKET, Sill Mtd. Lamp  |
| 23   | 6027 958                               | 2   |      |       | NUT  |
| 24   |  | 2   |      |       | SCREW, (Not Serv.)   |
| 25   |  | 2   |      |       | SCREW, (Not Serv.)   |
| 26   | 3895 965                               | 1   |      |       | LAMP, Sill Mtd.  |
| 26A  | 3895 964                               | 1   |      |       | LENS   |
| 27   |  | 2   |      |       | SCREW, (Not Serv.)   |
| 28   |  | 1   |      |       | WIRING   |
| 29   | 0142 450                               | 1   |      |       | BULB   |
| 30   | 3489 169                               | 1   |      |       | BRACKET and SOCKET   |
| 31   | 3620 734                               | 1   |      |       | LENS and GASKET PACKAGE  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LAMPS & WIRING (REAR END) D MODELS  
Figure 8-1700

4308 1700B




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 31A  | 2913 408    | AR  |      |       | GASKET, Lens (Exc. Lamp 3489408)                         |
| 32   | 3730 808    | 7   |      |       | SOCKET, w/Wiring (Socket Only 3513686)                   |
| 33   | 2958 203    | 7   |      |       | SPACER   |
| 34   | 9421 330    | 7   |      |       | BULB   |
| 35   | 3489 894    | 7   |      |       | HOUSING, w/Lens, Up to 10-1-84                           |
|      | 4357 510    |     |      |       | Aft. 10-1-84   |
| 36   |             |     |      |       | SCREW, (Not Serv.)                                       |
| 37   | 4162 982    |     |      |       | WIRING, Clearance, Identification & Side Marker Lp. Ext. |
| 38   |             |     |      |       | WIRING, Body, (See Body Wiring Illus.)                   |
| 39   | 3730 809    |     |      |       | WIRING, Tailgate, Clearance & I.D. Lamp                  |
| 40   |             |     |      |       | SCREW, (Not Serv.)                                       |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = DRIVING AND WORKING (W.B.)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

LAMPS & WIRING (FRT.END) B-MODELS  
Figure 8-1800

4308 1800



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|-------|-------------|-----|------|-------|---|
| 1     | 4085 606-7  | 1   |      |       | HOUSING, w/Lens, Park., T/Sig. and Side Marker - Rect. Headlamp |
|       | 4085 604-5  | 1   |      |       | Round Lamps   |
| 2     |             | 4   |      |       | SCREW, (10- 16 x 1) (Not Serv.)                                 |
| 3     | 6013 082    | 4   |      |       | U-NUT,Side Marker Lamp Mtg.                                     |
| 4     |             | 4   |      |       | SCREW, (8- 18 x 1) (Not Serv.)                                  |
| 5     | 1199 301    | 4   |      |       | J-NUT, Side Marker Lamp Mtg.                                    |
| 6     | 3513 686    | 2   |      |       | SOCKET, Park., T/Sig. and Side Marker Lp.                       |
| 6A    | 3764 863    | 2   |      |       | SOCKET, Park & T/Sig. (Spring/Insul./Contact 2983169)           |
| 7     | 9417 867    | 2   |      |       | BULB, Park & T/Sig.   |
| 8     | 9421 330    | 2   |      |       | BULB, #194  |
| 9     | 4055 007    | 2   |      |       | INSULATOR, H/Lp. Ext. Wire. to Frt. End Wire. (Term. 3843386)   |
| 10    | 4055 007    | 2   |      |       | INSULATOR, (Term. 3843386)                                      |
| 11    |             | 1   |      |       | WIRING, Frt. End (Not Serv.)                                    |
| 12    | 4080 446    | 2   |      |       | ADAPTER, Rect. H/Lp. Support RT.& LT.                           |
| 13    |             | 1   |      |       | GRILLE, Rad. (See Group 7)                                      |
| 14    | 3868 985    | 4   |      |       | SCREW, NUT, H/Lp. Bulb Mtg. Seat Adj.                           |
| 15    | 4026 405    |     |      |       | SEAT, Round H/Lp. (Serv. in Item 30)                            |
| 16    | 2445 845    |     |      |       | SPRING  |
| 17    | 6032 456    |     |      |       | SCREW   |
| 18    | 3691 760    |     |      |       | RING, w/Lugs  |
| 19    |             |     |      |       | SCREW, (Not Serv.)  |
| 20    | 0152 700    |     |      |       | BULB, Rt. Way Shift   |
| 21    | 0153 200    | 2   |      |       | BULB, Riteway Shift, Rect. H/Lamp, (Hi-Beam)                    |
|       | 0153 440    | 2   |      |       | HALOGEN (Hi-Beam)   |
| 22    | 0153 201    | 2   |      |       | BULB, Riteway, Rect. H/Lamp, Hi-Lo Beam                         |
| 23    | 4016 088    | 4   |      |       | RETAINER, Rect. H/Lp. Bulb.                                     |
| 24    | 6032 456    | 16  |      |       | SCREW, (8- 18 x 1/2)  |
| 25    | 5201 386    | 4   |      |       | SPRING, Rect. H/Lp. Bulb Seat Adj.                              |
| 26    |             | 4   |      |       | SCREW, (8- 32 x 3/4) (Not Serv.)                                |
| 27    | 3868 985    | 8   |      |       | SCREW, w/NUT  |
| 28    | 3868 926    | 2   |      |       | SEAT, Rect. H/Lp. Bulb Mtg. (Hi-Lo Beam)                        |
| 29    | 3868 928    | 1   |      |       | (Hi-Beam)   |
| 30    | 4114 778    |     |      |       | HEADLAMP, Rt.Way Shift (Use Part 4026405 & 3691760)             |
| 31-33 | 4186 045    | 2   |      |       | CONNECTOR and TERMINAL PACKAGE                                  |
| 34    | 4055 008    | 2   |      |       | INSULATOR, Park., T/Sig. and Marker Lp. Wiring (Term. 3843601)  |
| 35    | 4087 592-3  | 1   |      |       | DOOR, Rad. Grille Rectangular H/Lamp                            |
| 36    |             | 8   |      |       | SCREW, (Not Serv.)  |
| 37    | 4085 679    | 2   |      |       | WIRING, Frt. End H/Lp Ext. - Dual H/Lps. 1984-85                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
B = BODIES AND WAGONS (W.B.)  
AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

LAMPS & WIRING (REAR END) B-MODELS  
Figure 8-1900

430W 1900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4293 907    | 2   |      |       | HOUSING, w/WIRING  |
| 1A   | 4057 972-3  | 1   |      |       | LENS, w/GASKET and SHIELD                                      |
| 2    | 4081 352-3  | 1   |      |       | BEZEL, Tail Lamp 1984  |
|      | 4260 442-3  | 1   |      |       | 1985   |
| 3    | 6031 160    | 12  |      |       | J-NUT  |
| 4    | 4163 110    | 2   |      |       | LAMP, Side Marker (Red)  |
| 5    |             | 4   |      |       | SCREW, (10- 16 x 7/8) (Not Serv.)                              |
| 6    |             | 2   |      |       | SCREW, (10- 16 x 1/2) (Not Serv.)                              |
| 7    | 2958 597    | 1   |      |       | GROMMET, w/TERMINAL, License Lamp Wiring                       |
| 8    |             | 1   |      |       | TERMINAL, (Serv. in Item 7)                                    |
| 9    |             | 1   |      |       | WIRING, Body Rear (See Dome Lamp and Wiring, Body Rear Illus.) |
| 10   |             | 6   |      |       | CLIP, (Not Serv.)  |
| 11   | 6029 818    | 8   |      |       | SCREW, (10- 16 x 1.18)   |
| 12   |             | 2   |      |       | GASKET, (Not Serv.)  |
| 13   | 3843 795    | 2   |      |       | INSULATOR, (Term. 2983409)                                     |
| 14   |             | 2   |      |       | TERMINAL, Side Marker Lamp Ground (Not Serv.)                  |
| 15   | 3513 346    | 2   |      |       | INSULATOR, (Term. 2983409)                                     |
|      | 2926 370    | 2   |      |       | SOCKET, T/Stop and Turn Signal Lamp Section                    |
|      | 2983 167    | 2   |      |       | SPRING, INSULATOR and CONTACT PKG. (For 2926370 Socket)        |
|      | 2584 972    | 2   |      |       | For 3780745 Socket   |
|      | 9417 867    | 2   |      |       | BULB, T/Stop and Turn Sig. Lamp Section                        |
| 16   | 4034 179    | 2   |      |       | GASKET, Tail Lamp Bezel to Body                                |
|      |             | 2   |      |       | GASKET, Tail Lamp Lens to Lamp Hsg. (Serv. in Assy.)           |
|      | 9421 330    | 2   |      |       | BULB, Side Marker Lamp   |
|      | 4163 003    | 2   |      |       | SOCKET, Rear Side Marker Lamp                                  |
| 17   | 4162 422    | 1   |      |       | HOUSING, License Lamp  |
| 18   | 4162 423    | 1   |      |       | LENS, License Lamp   |
| 19   | 3513 686    | 1   |      |       | SOCKET, w/Plate 1984   |
|      | 4162 425    | 1   |      |       | 1985   |
| 20   | 6025 002    |     |      |       | NUT  |
| 21   | 4162 424    |     |      |       | SEAL   |
| 22   |             | 2   |      |       | SCREW, (Not Serv.)   |
| 23   | 2958 597    | 2   |      |       | GROMMET, w/Terminal  |
| 24   | 9425 542    | 1   |      |       | BULB   |
|      | 2449 518    | 1   |      |       | GASKET, Lens   |
|      | 2256 966    | 1   |      |       | CONTACT, Socket Cable  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## WIRING (FRT.END) B-MODELS

4,108 2000



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | WIRING, Frt. End  |
|      | 4162 837       | 1   |      |       | w/ or w/o 114 Amp.Alt.318-360 Eng. 1984 (Black Alternator<br>Wire Must Be Added) E.C.U. |
|      | 4362 095       | 1   | B    |       | 1985, E.C.U.  |
|      | 4362 094       |     |      |       | 60-Amp. Alt., E.C.U., 1985  |
|      | 4162 895       | 1   |      |       | w/ or w/o 114 Amp.Alt. 225-318-360 Eng., E.S.A., 1984                                   |
|      | 4362 096       | 1   |      |       | 1985  |
|      | 4085 679       | 1   |      |       | Extension, Front End  |
| 2    | 4111 971       | 1   |      |       | RELAY, Starter  |
| 3    | 4106 140       | 1   |      |       | RESISTOR, Ballast   |
| 4    | 4111 850       | 1   |      |       | CONTROL UNIT, Ignition  |
| 5    | 4111 990       | 1   |      |       | REGULATOR, Voltage  |
| 6    | 0219 462       | 1   |      |       | NUT, (1/4- 20)  |
| 7    |                | 7   |      |       | SCREW, (1/4- 20 x 5/8) (Not Serv.)  |
| 8    |                | 2   |      |       | SCREW, Washer Hd. (10 - 16 x 1/2) (Not Serv.)   |
| 9    | 6031 336       | 1   |      |       | SCREW, (8- 18 x 1-3/4)  |
| 10   | 4085 679       | 1   |      |       | WIRING  |
| 11   |                | 1   |      |       | SCREW, (10- 24 x 1-1/4) (Not Serv.)   |
| 12   |                | 1   |      |       | VALVE, Metering (See Group 5)   |
| 13   |                | 1   |      |       | WASHER, (Not Serv.)   |
| 14   |                | 1   |      |       | CLIP, (Not Serv.)   |
| 15   | 5211 541       | 1   |      |       | COVER, Diagnostic Connector   |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--STEERING COLUMN B-MODELS W/O TILT WHEEL  
Figure 8-2100

4308 2100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             | 1   |      |       | PAD, Horn (See Group 19 )            |
| 2    | 3747 086    | 1   |      |       | RING, w/CABLE, Horn Contact          |
| 3    | 6024 629    | 1   |      |       | SCREW                                |
| 4    | 4216 818    | 1   |      |       | SWITCH, w/WIRING, Turn Sig.          |
| 5    | 2947 963    | 1   |      |       | LEVER, Turn Sig., w/o Speed Control  |
|      | 4216 578    | 1   |      |       | w/Speed Control                      |
| 6    |             | 3   |      |       | SCREW, (10-24 x 7/8)(Not Serv.)      |
| 7    | 3747 192    | 1   |      |       | SWITCH, Ignition, w/WIRING           |
| 8    |             | 1   |      |       | COLUMN, (See Group 19)               |
| 9    |             | 1   |      |       | PLUG, (Not Serv.)                    |
| 10   | 6023 088    | 1   |      |       | SCREW, (8- 32 x 1/2)                 |
| 11   |             | 1   |      |       | PLATE, (See Group 19)                |
| 12   |             | 1   |      |       | SCREW, (8- 32 x 1/2)(See Group 19)   |
| 13   |             | 1   |      |       | WHEEL, Strg. (See Group 19)          |
| 14   | 4085 047    | 1   |      |       | TROUGH, Wiring (Low Line)            |
| 15   | 6015 925    | 3   |      |       | RETAINER, Wiring Trough              |
| 16   | 2983 406    | 1   |      |       | INSULATOR, (Term. 2983409 & 2983410) |
| 17   | 4055 023    | 1   |      |       | INSULATOR, (Term. 3843601)           |
| 18   | 2983 404    | 1   |      |       | INSULATOR, (Term. 2983410)           |
| 19   |             | 1   |      |       | CYLINDER and KEY, (See Group 23)     |
| 20   | 4034 476    | 1   |      |       | BRACKET, use w/Auto. Trans.          |
| 21   | 0152 442    | 1   |      |       | NUT                                  |
| 22   | 4019 251    | 1   |      |       | SWITCH, w/INSERT, Horn               |
| 24   |             | 1   |      |       | See Group 19                         |
| 25   | 6015 925    | 3   |      |       | RETAINER                             |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGON AND WAGONS (W.B.)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



HORN & BRACKET B-D MODELS  
Figure 8-2200

430R-2200









| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | WIRING, w/Dual Horns, (Not Serv.)                        |
| 2    | 2808 868    | 1   |      |       | HORN, w/BRACKET, Lo-Note, w/o Noise Control Restrictions |
| 3    | 2808 869    | 1   |      |       | HORN, w/BRACKET, Hi-Note, w/o Noise Control Restrictions |
| 4    | 0181 088    | AR  |      |       | SCREW, 5/16 - 18 x 1                                     |
| 5    |             | AR  |      |       | CLIP, (Not Serv.)  |
| 6    |             | 1   |      |       | WIRING, Frt. End (See Illus. 2000)                       |
| 7    | 3747 298    | 1   |      | B-D   | RELAY, Horn, Exc. Tuff Strg. Wheel (Mtg. Screw 181065)   |
| 8    | 4085 236    | 1   |      | D     | WIRING, Horn Relay                                       |
| 9    | 0181 065    | 1   |      | D     | SCREW  |
| 10   | 6030 820    | 1   |      | D     | NUT  |
| 11   | 2808 868    | 1   |      | B     | HORN, w/Brkt. Low Note                                   |
| 12   | 2808 869    | 1   |      | B     | w/Brkt.Hi-Note   |
| 13   |             | AR  |      | B     | CLIP, (Not Serv.)  |
| 14   |             | 1   |      | B     | WIRING, (See Illus. 2000)                                |
| 15   |             | 2   |      | B     | SCREW, 5/16 18x1 (Not Serv.)                             |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

LAMPS & WIRING-CARGO--DOME--COURTESY D MODELS  
Figure 8-2300

4J08 2J00




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4216 533    | 1   |      | All   | SWITCH, Cargo Lamp   |
| 1    | 3489 707    | 1   |      | All   | LENS, Cargo Lamp   |
| 2    | 3489 709    | 1   |      | All   | HOUSING, Cargo Lamp  |
| 3    | 3489 727    | 2   |      | All   | SOCKET, w/WIRING,Cargo Lamp  |
| 4    | 2983 679    | 2   |      | All   | SOCKET, w/o Wiring Cargo Lamp  |
| 5    | 0151 577    | 2   |      | All   | BULB, Cargo Lamp   |
| 6    | 6029 266    | 2   |      | All   | SCREW, 10 - 16 x 1-3/4   |
| 7    |             | 2   |      | All   | WASHER, (Not Serv.)  |
| 8    |             | 1   |      | All   | WIRING, Cargo Lp. Ind. Light (Not Serv.)   |
| 9    |             | 1   |      | All   | WIRING, Cargo Lp. (Not Serviced)   |
| 10   | 2958 429    | 1   |      | All   | BRACKET, Dome Lamp Mtg.  |
| 11   |             | 4   |      | All   | SCREW, 8 - 18 x 3/8 (Not Serviced)   |
| 12   | 3489 513    | 1   |      | All   | LENS, Dome Lamp  |
| 13   | 0151 578    | 1   |      | All   | BULB, Dome Lamp  |
| 14   |             | 1   |      | All   | WIRING, Dome Lp. Ext. (Not Serviced)   |
| 15   | 4221 117    | 2   |      | All   | SWITCH   |
| 16   | 1704 875    | 1   |      | All   | SOCKET   |
| 17   |             | AR  |      | All   | (See Insulator, Terminal or Connector Illus.)                                      |
| 18   | 3593 282    | 1   |      | All   | BRACKET, Dome Lamp, Club Cab, w/Headliner  |
| 19   | 9431 808    | 1   |      | All   | BULB, Dome Lamp, Club Cab, w/Headliner   |
| 20   | 3593 728    | 1   |      | All   | LAMP, Dome, Club Cab, w/H/Liner - (Consists of 3488935-Bezel and 1 - 3488936 Lens) |
|      | 0274 004    | 1   |      | All   | BULB, Cargo Lamp Indicator Light   |
|      | 2584 972    | 1   |      | All   | SPRING, Insulator and Contact Pkg.   |
|      | 4293 024    | 1   |      | All   | LAMP, Pkg.,Cargo (Consists of WIRING, SWITCH, LENS, HOUSING, SOCKET w/WIRING)      |
|      | 4161 368    | 2   |      | All   | BRACKET, Courtesy Lamp Mtg.  |
| 21   | 3591 801    | AR  |      |       | LAMP, Rear Courtesy (Lens 3488665)   |
| 22   | 3591 126    |     |      |       | BRACKET  |
| 23   | 6032 456    |     |      |       | SCREW  |
|      | 5209 922    |     |      |       | SWITCH, Liftgate Ajar  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WIRING AND WIRING (WIRING)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

LAMPS & WIRING-DOME-COURTESY-READING B-MODEL  
Figure 8-2400

4308 2400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4163 112    | 1   |      |       | WIRING, Body, Rear, Exc. Extended Body               |
| 2    |             | AR  |      |       | CLIP, (Not Serv.)                                    |
| 3    | 3593 541    | 2   |      |       | BEZEL, Dome Lamp Frt. & Rear                         |
| 4    | 3488 936    | 2   |      |       | LENS, Dome Lamp, Front & Rear                        |
| 5    |             | 4   |      |       | SCREW, 8 - 18 x 3/8 (Not Serv.)                      |
| 6    | 9431 808    | AR  |      |       | BULB   |
| 7    | 2822 565    | 4   |      |       | TERMINAL, Bulb Mtg.                                  |
| 8    | 3488 957    | 2   |      |       | INSULATOR  |
| 9    |             | 4   |      |       | CLIP, (Not Serv.)                                    |
| 10   | 6032 456    | 3   |      |       | SCREW, (8-8 x 1/2)                                   |
| 11   | 4085 589    | 1   |      |       | COVER, Rear Body Wiring to Flr. (used w/o Carpeting) |
| 12   | 4114 749    | 1   |      |       | WIRING, Cab to Body Rear Wiring Extension            |
| 13   |             | 4   |      |       | CLIP,(Not Serviced)                                  |
| 14   |             | 1   |      |       | BRACKET,(Serviced in Roof Bow)                       |
| 15   | 4114 130    | 1   |      |       | WIRING, Extension                                    |
| 16   | 4114 131    | 2   |      |       | BRACKET, Lamp Extension                              |
| 17   | 4114 129    | 2   |      |       | LAMP,Dome Reading 1984                               |
|      | L758 CM6    |     |      |       | LAMP, Dome--Red                                      |
|      | L758 CB5    |     |      |       | Blue   |
|      | L758 CL3    |     |      |       | Beige  |
|      | L758 DT3    |     |      |       | Tan, Royal "S.E."                                    |
| 18   |             | 6   |      |       | CLIP,(Not Serviced)                                  |
| 19   |             | 4   |      |       | SCREW,(10- 16 X 1/2) (Not Serviced)                  |
|      |             | 4   |      |       | SCREW,(8-18 X 1/2) (Not Serviced)                    |
| 20   | 4267 295    | 1   |      |       | LENS, Dome Lamp                                      |
|      | 4267 294    | AR  |      |       | HOLDER, Bulb   |
| 21   | 4034 223    | 1   |      |       | HOUSING, w/Wiring                                    |
| 22   | 4034 226    | 1   |      |       | LENS, Lamp   |
| 23   |             | 2   |      |       | SCREW, Not Serv.                                     |
| 24   | 3513 350    | 1   |      |       | INSULATOR  |
| 25   |             | 2   |      |       | WIRING, Door Light & Speaker (Not Serv.)             |
| 26   | 3591 126    | 2   |      |       | BRACKET, Painted                                     |
|      | 3591 126    | 2   |      |       | BRACKET, Unpainted                                   |
| 27   | 6032 456    | 4   |      |       | SCREW  |
| 28   | 3591 801    | 2   |      |       | LAMP   |
| 29   | 3488 995    | 2   |      |       | LENS, Frt. Door Courtesy Lamp                        |
| 30   | 3591 596    | 2   |      |       | TERMINAL, Bulb Mtg.                                  |
| 31   | 9431 808    | 2   |      |       | BULB   |
| 32   |             | 2   |      |       | HOUSING, Serv.in Lamp                                |
| 33   | 3513 350    | 2   |      |       | INSULATOR  |
|      | 2983 409    | 4   |      |       | TERMINAL   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LAMPS & WIRING-DOME-COURTESY-READING B-MODEL  
Figure 8-2400

4308 2400



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                  |
|------|----------------|-----|------|-------|------------------------------|
| 34   | 3513 349       | 2   |      |       | INSULATOR                    |
|      | 2983 410       | 4   |      |       | TERMINAL                     |
| 35   | 3730 639       | AR  |      |       | SWITCH, w/Sliding Cargo Door |
|      | 2822 592       | AR  |      |       | w/Sliding Cargo Door         |
|      | 2822 592       | AR  |      |       | w/Hinged Cargo Door          |
|      | 2822 592       | AR  |      |       | w/Front Door, Rt.            |
|      |                | AR  |      |       | SCREW, (Not Serv.)           |
| 37   | 2958 815       | AR  |      |       | BRACKET                      |
| 38   | 2517 675       | AR  |      |       | PLUG                         |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

LAMP-CLEARANCE D MODELS  
Figure 8-2500

4308 2500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    | 3738 011    | 5   |      |       | LENS, Amber                                |
| 2    |             | 10  |      |       | SCREW,(Not Serviced)                       |
| 3    | 3738 017    | AR  |      |       | HOUSING, Clearance and Identification Lamp |
| 4    | 3738 019    | 5   |      |       | GASKET                                     |
| 5    | 3738 020    | 5   |      |       | SOCKET, w/WIRING                           |
| 6    | 9421 330    | 5   |      |       | BULB                                       |
|      | 2584 972    | AR  |      |       | SPRING,INSULATOR & CONTACT PKG,Cargo Lamp  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = WAGON WAGON (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**Figure 8-2600**

A diagram of a cell. It features a large outer oval representing the cell membrane. Inside this is a smaller oval representing the nucleus. Within the nucleus are two smaller circles representing nucleoli. A line points from a small circle labeled '1' to the nuclear envelope.

A diagram of a cell with three internal organelles labeled 1, 2, and 3. The cell is represented by a large oval boundary. Inside, there are three smaller oval structures. Structure 1 is a small circle on the left. Structure 2 is a larger oval at the top right. Structure 3 is a larger oval at the bottom right. A line connects the label 1 to its corresponding structure.

A diagram of a cell. It consists of a large outer circle representing the cell membrane. Inside this circle is a smaller circle representing the nucleus. Within the nucleus is a small, dense, circular structure representing the nucleolus. A line connects the nucleolus to a small circle containing the number '1'.


[illegible]

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

WIRING--ENGINE D MODELS 6-CYL. ENG.  
Figure 8-2700

3308 2700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
| 1    | 4162 900    | 1   |      |       | WIRING, Engine 1984                      |
|      | 4162 909    | 1   |      |       | BUX.                                     |
|      | 4163 074    | 1   |      |       | Calif. Lt. Cyc. 1984                     |
|      | 4362 026    | 1   |      |       | 1985, ESA                                |
|      | 4163 264    | 1   |      |       | 1985, Calif.                             |
|      | 4163 263    |     |      |       | 1985, Canada (ESA)                       |
|      | 4111 850    | 1   |      |       | CONTROL, Ign.                            |
| 2    | 4051 140    | 1   |      |       | SENDING UNIT, Temp. w/Gauge              |
|      | 3746 524    | 1   |      |       | SWITCH, Eng. Temp. w/Light               |
| 3    | 4145 348    | 1   |      |       | SENSOR, Eng. Temp, 98 Degree             |
| 4    | 4176 009    | 1   |      |       | COIL, Ignition                           |
|      | 4111 986    | 1   |      |       | BRACKET, Coil Mtg.                       |
| 5    | 3747 432    | 1   |      |       | ADAPTER, w/Gauge                         |
|      | 2661 429    | 1   |      |       | BUX.                                     |
| 6    | 3488 609    | 1   |      |       | SENDING UNIT, Oil Gauge                  |
| 7    | 4111 986    | 1   |      |       | BRACKET, Ign. Coil                       |
| 8    | 4205 921    | 1   |      |       | SWITCH, Oil Pressure Lamp                |
| 9    | 4111 482    | 1   |      |       | SWITCH, Charge Temp.                     |
| 10   |             | 1   |      |       | DISTRIBUTOR, (Illus.100)                 |
| 11   | 4145 928    | AR  |      |       | CABLE, Spark Plug, #1 & 6                |
|      | 4145 929    | AR  |      |       | #2 & 5                                   |
|      | 4145 927    | AR  |      |       | #3 & 4                                   |
| 12   | 5213 368    | AR  |      |       | CABLE, Coil Secondary                    |
|      | 4339 406    | AR  |      |       | CABLE SET, Spark Plug                    |
| 13   | 4289 155    | AR  |      |       | SPARK PLUG, #RBL-16Y, 560PR              |
|      | 3874 312    | AR  |      |       | RBL-11Y, 556PR                           |
|      | 4176 027    | AR  |      |       | SPARK PLUG PACKAGE, 6-4091678            |
| 14   | 2095 766    | AR  |      |       | NIPPLE, Secondary Cable, Dist. End       |
| 15   | 5213 355    | AR  |      |       | NIPPLE, Secondary Cable, Coil End        |
| 16   |             |     |      |       | ELECTRONIC SPARK ADVANCE                 |
|      | 4289 613    |     |      |       | w/Miser, 1984-85                         |
|      | 4289 308    |     |      |       | A/Trans. w/o Calif. w/Air Pump 1984      |
|      | 4289 330    |     |      |       | Man. Trans., w/Aspirator, 1984           |
|      | 4289 304    |     |      |       | Man. Trans., Exc. Calif. w/Air Pump 1984 |
|      | 4289 617    |     |      |       | Man. Trans., Calif. 1985                 |
|      | 4289 615    |     |      |       | Auto.Trans., Calif. 1985                 |
|      | 4289 601    |     |      |       | Auto.Trans., 1985                        |
|      | 4289 603    |     |      |       | Man. Trans., 1985                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--ENGINE D MODELS 8-CYL. ENG.  
Figure 8-2800

430N 2800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4162 222    | 1   |      |       | WIRING, Eng. 318,360 Eng. 60 Amp. ECU, 1984 (Calif. & Fed.) |
|      | 4162 225    | 1   |      |       | 318,360 Eng. 114 Amp., ECU, 1984                            |
|      | 4240 298    | 1   |      |       | 360 Eng.,60-114 Amp. 1984, E.C.U.                           |
|      | 4163 127    | 1   |      |       | 318 Eng.- 60 Amp. 1984                                      |
|      | 4163 296    | 1   |      |       | 360 Eng. 60 Amp. Calif, ECU, 1985 (Single Pick-Up)          |
|      | 4163 297    | 1   |      |       | 360 Eng. 114 Amp. Calif. ECU, 1985                          |
|      | 4163 265    | 1   |      |       | 318 Eng.- 60 Amp. ESA, 1985                                 |
|      | 4163 266    | 1   |      |       | 318 Eng.-114 Amp. ESA, Calif. 1985 (Single Pick-Up)         |
|      | 4163 128    | 1   |      |       | 318 Eng.-114 Amp. Calif. w/E.S.A., 1984                     |
|      | 4163 270    |     |      |       | 318, 60 Amp., ECU, 1984-85, Man. Trans., Single Pick-Up     |
|      | 4163 271    |     |      |       | 318, 114 Amp., ECU, 1984-85, Man. Trans., Exc. Canada       |
|      | 4163 294    |     |      |       | 318-360, 60 Amp. Auto.Trans. Canada, ECU, 1984-85           |
|      | 4163 295    |     |      |       | 318-360, 114 Amp. Auto. Trans. Canada, ECU, 1984-85         |
|      | 4163 272    | 1   |      |       | 360 Eng., 60 Amp., ECU, 1985                                |
|      | 4163 273    | 1   |      |       | 360 Eng., 114 Amp., ECU, 1985                               |
|      |             |     |      |       | WIRING, HEADLAMP & DASH                                     |
|      | 4362 098    |     |      |       | 60 Amp.,w/E.C.U.,318 Eng. 1985, Auto. Trans.                |
|      | 4362 101    |     |      |       | 114 Amp. w/E.C.U.,318 Eng. 1985, Man. Trans.                |
|      | 4362 102    |     |      |       | 60 Amp., w/E.S.A., 318 Eng. 1985                            |
|      | 4362 103    |     |      |       | 114 Amp.w/E.S.A., 318 Eng. 1985                             |
|      | 4362 207    |     |      |       | 60 Amp.w/E.C.U., 360 Eng. 1985, Man. Trans.                 |
|      | 4362 208    |     |      |       | 114 Amp.w/E.C.U., 360 Eng. Man. 1985                        |
|      | 4362 105    |     |      |       | 114 Amp.w/E.C.U., 318 Eng. 1985,Auto.Trans.Canada           |
|      | 4362 104    |     |      |       | 114 Amp. E.C.U., 318 Eng. 1985, Auto. Trans. Canada         |
|      | 4163 050    |     |      |       | 60 Amp.w/E.S.A., 225-318 Eng. 1984                          |
|      | 4163 049    |     |      |       | 114 Amp., w/o Calif. 1984                                   |
|      | 4163 048    |     |      |       | 60 Amp., w/o E.S.A.,318 Eng. 1984                           |
|      | 4163 073    |     |      |       | 114 Amp.,w/Calif., 318 Eng. 1984                            |
| -    | 4111 850    | 1   |      |       | CONTROL, Ignition   |
| 3    | 4051 140    | 1   |      |       | SENDING UNIT, Temp.w/Gauge                                  |
|      | 3746 524    | 1   |      |       | SWITCH, Eng. Temp. w/Light                                  |
|      | 4145 716    | 1   |      |       | SENSOR, Eng. Temp.  |
| 4    | 4176 009    | 1   |      |       | COIL, Ignition  |
| 5    | 4091 086    | 1   |      |       | BRACKET, Coil Ign.  |
| 6    |             | 1   |      |       | DISTRIBUTOR, (Illus.200)                                    |
| 7    | 4186 352    | 1   |      |       | SWITCH, Low Oil Pressure                                    |
| 8    | 4169 582    | 1   |      |       | ADAPTOR, w/Gauge  |
| 9    | 3488 609    | 1   |      |       | SENDING UNIT, w/Gauge                                       |
| 10   | 4091 471    | 1   |      |       | SENSOR, Eng. Temp.  |
| 11   | 4163 140    | 1   |      |       | WIRING, A/C & Heater 1984                                   |
|      | 4163 308    | 1   |      |       | 1985  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



WIRING--ENGINE D MODELS 8-CYL. ENG.  
Figure 8-2800

430N 2800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
|      | 4106 140    | 1   |      |       | RESISTOR, Ballast                   |
| 12   | 4145 925    | AR  |      |       | CABLE, Spark Plug #1-2-3-4          |
|      | 4145 923    | AR  |      |       | #6                                  |
|      | 4145 924    | AR  |      |       | #5-7-8                              |
| 13   | 5213 369    | AR  |      |       | CABLE, Coil Secondary               |
|      | 4339 401    | AR  |      |       | CABLE SET, Spark Plug               |
| 14   | 4106 129    | AR  |      |       | SPARK PLUG, 318 Eng. RN-11Y, 64PR   |
|      | 5213 693    | AR  |      |       | RN-12YC                             |
| 15   | 2642 919    | AR  |      |       | GASKET, Spark Plug                  |
| 16   |             |     |      |       | ELECTRONIC SPARK ADVANCE            |
|      | 4289 077    |     |      |       | A/Trans., Calif. 1984               |
|      | 4289 075    |     |      |       | Man. Trans. w/Calif. 1984           |
|      | 4289 310    |     |      |       | All Trans. 1984                     |
|      | 4289 637    |     |      |       | Auto. Trans. w/ or w/o Calif., 1985 |
|      | 4289 845    |     |      |       | Man. Trans. Calif. 1985             |
|      | 4289 642    |     |      |       | BRACKET, E.S.A. Mounting            |
|      | 4111 138    |     |      |       | GASKET, E.S.A.                      |
|      | 4289 003    |     |      |       | SHIELD, E.S.A.                      |
| 17   | 1841 499    |     |      |       | SEPERATOR, Spark Plug Cable         |
| 18   | 2875 604    |     |      |       | SEPERATOR, Spark Plug Cable         |
| 19   | 2875 605    |     |      |       | SEPERATOR, Spark Plug Cable         |
| 20   | 3755 972    |     |      |       | SEPERATOR, Spark Plug Cable         |
|      | 4111 482    |     |      |       | SWITCH, Charge Temp.                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--ENGINE B-MODELS 6-CYL.  
Figure 8-2900

4308 2900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    | 4162 969    |     |      |       | WIRING, ENG. w/60 Amp. Alt. 1984       |
|      | 4162 971    |     |      |       | WIRING, ENG. w/114 Amp. Alt. 1984      |
|      | 4163 079    |     |      |       | w/60 Amp. Alt. Calif. 1984             |
|      | 4163 080    |     |      |       | w/114 Amp.Alt. Calif. 1984             |
|      | 4163 312    |     |      |       | w/114 Amp. Alt. 1985                   |
|      | 4163 274    |     |      |       | w/114 Amp. Alt. 1985 (Calif.)          |
|      | 4163 311    |     |      |       | w/60 Amp.Alt. 1985                     |
|      | 4163 310    |     |      |       | w/60 Amp.Alt. 1985 (Calif.)            |
|      | 4163 136    |     |      |       | WIRING, w/Oil Pressure Light           |
|      | 3730 782    |     |      |       | WIRING, Alt. Ground                    |
| 2    | 4111 482    |     |      |       | SWITCH, Charge Temp.                   |
| 3    | 3746 524    |     |      |       | SENDING UNIT, Water Temp. w/Light      |
|      | 4051 140    |     |      |       | w/Gauge                                |
| 4    | 4145 348    |     |      |       | SWITCH, 98 Degree Temp Sensor (1-Term) |
| 5    | 3488 609    |     |      |       | SENDING UNIT, Oil Press Gauge          |
| 6    | 4205 921    |     |      |       | SWITCH, Oil Press. Light               |
| 7    | 3747 432    |     |      |       | ADAPTOR, w/Gauge                       |
| 8    |             |     |      |       | WIRING, B/Up Lamp Switch (Not Serv.)   |
| 9    |             |     |      |       | STRAP, (Not Serv.)                     |
| 10   | 4176 009    |     |      |       | COIL, Ignition                         |
| 11   |             |     |      |       | DISTRIBUTOR, See Illus. 500            |
| 12   | 4111 986    |     |      |       | BRACKET, Ignition Coil                 |
| -    | 4111 990    |     |      |       | REGULATOR, Voltage                     |
| 14   | 4169 582    |     |      |       | ADAPTOR, Oil Press.                    |
| 15   | 4145 928    | AR  |      |       | CABLE, Spark Plug, #1-6                |
|      | 4145 929    | AR  |      |       | #2-5                                   |
|      | 4145 927    | AR  |      |       | #3-4                                   |
| 16   | 5213 368    | AR  |      |       | CABLE, Coil Secondary                  |
|      | 4339 406    | AR  |      |       | CABLE SET, Spark Plug                  |
| 17   | 4289 155    | AR  |      |       | SPARK PLUG, #RBL-16Y                   |
|      | 3874 312    | AR  |      |       | #RBL-11Y                               |
| 18   | 2095 766    | AR  |      |       | NIPPLE, Coil Wire, Dist. End           |
|      | 5213 355    | AR  |      |       | NIPPLE, Coil Wire, Coil End            |
| 19   |             |     |      |       | ELECTRONIC SPARK ADVANCE               |
|      | 4289 352    |     |      |       | w/Auto. Trans. w/o Calif. 1984         |
|      | 4289 356    |     |      |       | w/A833 Trans. w/Calif. 1984            |
|      | 4289 357    |     |      |       | w/Auto.Trans. w/Calif. 1984            |
|      | 4289 359    |     |      |       | w/A833 Trans. w/Aspirator, 1984        |
|      | 4289 360    |     |      |       | w/Auto.Trans. w/Aspirator, 1984        |
|      | 4289 617    |     |      |       | w/Man. Trans. Calif., 1985             |
|      | 4289 615    |     |      |       | w/Auto.Trans. Calif., 1985             |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

### Figure 8-2900

4308 2900

[illegible]

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

~~B. WANG AND W. GONG / 1742~~

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--ENGINE B-MODELS 8-CYLINDER ENG.  
Figure 8-3000

4308 3000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4240 297    |     |      |       | WIRING, ENG. 318-360 Eng. Dual Pick-Up Dist. 60 & 100 Amp.<br>Alt. ECU<br>4186 386 w/Single Pick-Up Dist. 60-100 Amp. Alt. ECU 1984-85<br>4163 129 318 Eng. w/53 Amp. Alt. 1984 ESA (Calif.)<br>4163 275 1985, w/ or w/o Calif. ESA (Single Pick-Up) |
|      | 4163 130    |     |      |       | 318 Eng. w/114 Amp Alt.  |
|      | 4163 327    |     |      |       | 1985, w/ESA  |
| 2    |             |     |      |       | WIRING, Neutral Start, B/Up Lamp Switch  |
| 3    | 4051 140    |     |      |       | SENDING UNIT, Water Temp. Gauge<br>3746 524 Optional w/4051140, w/Light  |
| 4    |             |     |      |       | WIRING, Front End  |
| 5    | 2889 298    |     |      |       | SWITCH, Oil Press. or 3488617 1984   |
|      | 4169 629    |     |      |       | 1985   |
| 6    | 3488 609    |     |      |       | SENDING UNIT, Oil Pressure Gauge   |
| 7    |             |     |      |       | CAPACITOR, w/Radio (Not Serv.)   |
| 8    | 4111 990    |     |      |       | REGULATOR, Voltage   |
| 9    | 4111 850    |     |      |       | CONTROL UNIT, Elec.  |
| 10   |             |     |      |       | RESISTOR, Ballast  |
| 11   | 4176 009    |     |      |       | COIL, Ignition   |
|      | 4091 086    |     |      |       | BRACKET, Coil Mtg.   |
| 12   |             |     |      |       | DISTRIBUTOR, (See Illus.600)   |
| 13   | 4145 370    |     |      |       | RELAY, Dual Pick Up (Switching)  |
| 14   | 4091 086    |     |      |       | BRACKET, Ign. Coil   |
| -    | 4111 541    |     |      |       | RELAY, Starter   |
|      | 4169 582    |     |      |       | ADAPTER, Oil Gauge   |
| 16   | 4145 925    | AR  |      |       | CABLE, Spark Plug, #1-2-3-4  |
|      | 4145 923    | AR  |      |       | #6   |
|      | 4145 924    | AR  |      |       | #5-7-8   |
| 17   | 5213 368    | AR  |      |       | CABLE, Coil Secondary  |
|      | 4339 401    | AR  |      |       | CABLE SET, Spark Plug  |
| 18   | 4106 129    | AR  |      |       | SPARK PLUG, RN-11Y   |
|      | 5213 693    | AR  |      |       | RN-12YC  |
| 19   |             |     |      |       | ELECTRONIC SPARK ADVANCE   |
|      | 4289 351    |     |      |       | w/A833 Trans., w/o Calif. w/Air Pump 1984  |
|      | 4289 330    |     |      |       | w/o Calif. 1984  |
|      | 4289 086    |     |      |       | w/ Calif. 1984   |
|      | 4289 094    |     |      |       | w/ Calif., w/Man. Trans. 1984  |
|      | 4289 364    |     |      |       | w/ High Alt. 1984  |
|      | 4289 637    |     |      |       | High Alt. 1985   |
|      | 4289 845    |     |      |       | Man. Trans. Calif. 1985  |
|      | 4289 977    |     |      |       | Auto. Trans. Calif. 1985   |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--ENGINE B-MODELS 8-CYLINDER ENG.  
Figure 8-3000

4308 3000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                 |
|------|-------------|-----|------|-------|-----------------------------|
|      | 4111 138    |     |      |       | GASKET, E.S.A.              |
|      | 4289 003    |     |      |       | SHIELD, E.S.A.              |
| 20   | 1841 499    |     |      |       | SEPERATOR, Spark Plug Cable |
| 21   | 2875 604    |     |      |       | SEPERATOR, Spark Plug Cable |
| 22   | 2875 605    |     |      |       | SEPERATOR, Spark Plug Cable |
| 23   | 3755 972    |     |      |       | SEPERATOR, Spark Plug Cable |

|  |   |  |   |                                    |   |
|--|---|--|---|------------------------------------|---|
| MODEL CODES:<br>TRUCK LINE<br>D123 = CONVENTIONAL<br>TRUCK (4X2)<br>D4 = SPORT UTILITY (4X2)<br>D5,6,7 = CONVENTIONAL<br>(TRUCK) 4X4<br>D8 = SPORT UTILITY (4X4) | BODY STYLE & WHEELBASE VANS:<br>(11) = 109" W.B.<br>(12) = 127" W.B.<br>(13) = 127X" W.B. | WAGONS:<br>(51) = 109" W.B.<br>(52) = 127" W.B.<br>(53) = 127X" W.B. | CONVENTIONAL:<br>(61) = 115" W.B.<br>(62) = 131" W.B.<br>(63) = 135" W.B.<br>(64) = 159" W.B. | SPORT UTILITY:<br>(71) = 106" W.B. | CREW CAB:<br>(82) = 149" W.B.<br>(83) = 165" W.B. |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required   |   |  |   |                                    |   |

EMISSION WIRING  
Figure 8-3050

4308 3050



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | WIRING, Emission (Spd. Sw.)                                  |
|      | 4162 979    | 1   |      | B     | 360 Eng. w/(S/C - NAE, NAD) 1984                             |
|      | 4362 035    | 1   |      | B     | 360 Eng. w/(S/C - NAE) 1985                                  |
|      | 4362 035    | 1   |      | B     | 360 Eng. w/(S/C - NAD) - Canada 1985                         |
| 2    |             |     |      |       | WIRING, Emission (Elec. Ch.)                                 |
|      | 4216 854    | 1   |      |       | 318 Eng. w/(S/C - NAC) - Auto. Trans. - Canada 1984          |
|      | 4216 854    | 1   |      | B     | 318 Eng. w/(S/C - NAC) - Auto. Trans. - Canada 1985          |
|      | 4163 298    | 1   |      | D     | 318 Eng. w/(S/C - NAC) - Auto. Trans. - Canada 1985          |
|      | 4216 854    | 1   |      | B3    | 360 Eng. w/(S/C - NAD) - Federal 1985                        |
|      | 4163 298    | 1   |      | D     | 360 Eng. w/(S/C - NAD) - Federal 1985                        |
| 3    |             |     |      |       | WIRING, Emission (Spd. Sw.) 360 Eng. w/(S/C - NAE, NAD) 1984 |
| 4    |             |     |      |       | WIRING, Emission - AS/EGR                                    |
|      | 4163 098    | 1   |      | B     | 318 - 360 Eng. w/(S/C - NAC) 1984                            |
|      | 4163 098    | 1   |      | B     | 318 Eng. w/(S/C - NAC) - Man. Trans. - Canada 1984           |
|      | 4163 098    | 1   |      | B     | 360 Eng. w/(S/C - NAF) 1984                                  |
|      | 4362 015    | 1   |      | B     | 318 Eng. w/(S/C - NAC) - 1985                                |
|      | 4362 015    | 1   |      | B     | 318 Eng. w/(S/C - NAC) - Man. Trans. - Canada 1985           |
|      | 4163 267    | 1   |      | B     | 360 Eng. w/(S/C - NAC, NAF) 1985                             |
| 5    |             |     |      |       | WIRING, Emission - AS/EGR                                    |
|      | 4163 131    | 1   |      | D     | 318 - 360 Eng. w/(S/C - NAC) - 1984                          |
|      | 4163 131    | 1   |      | D     | 318 Eng. w/(S/C - NAC) - Man. Trans. - Canada 1984           |
|      | 4163 131    | 1   |      | D     | 360 Eng. w/(S/C - NAF) 1984                                  |
| 6    |             |     |      |       | WIRING, Emission (Spd. Sw.)                                  |
|      | 4362 129    | 1   |      | B     | 318 Eng. w/(S/C - NBB)                                       |
|      | 4362 130    | 1   |      | D     | 318 Eng. w/(S/C - NBB)                                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 8-3100**

4308 3100



|    |          |    |                                      |
|----|----------|----|--------------------------------------|
| 1  |          | AR | BATTERY,(See "MOPAR Battery Catalog) |
| 2  |          | 1  | WIRING, Front End (See Illus. 2000)  |
| 3  | 1622 535 | AR | BOLT                                 |
| 4  | 1622 536 | AR | NUT                                  |
| 5  | 4163 071 | 1  | CABLE, Single Battery (Negative)     |
| 6  | 4085 716 | 1  | CABLE, Single Battery (Positive)     |
| 7  | 4114 657 | 1  | CABLE, Starter to Starter Relay      |
| 8  | 4114 658 | 1  | CABLE, Battery to Starter Relay      |
| 9  |          | 1  | WASHER,(Not Serviced)                |
| 10 |          | 1  | BOLT,(7/16 - 24 x 1) (Not Serviced)  |
| 11 |          | 1  | BOLT,(3/8 - 16 x 5/8) (Not Serviced) |
| 12 | 4111 971 | 1  | RELAY, Engine Starter                |
| 13 |          | 1  | BOLT,(Not Serviced)                  |
| 14 | 0118 614 | 1  | NUT,(5/16 - 18)                      |
| 15 | 0120 622 | 1  | NUT,(3/8 - 32)                       |
| 16 |          | 1  | WASHER,(Not Serviced)                |
| 17 | 0138 530 | 1  | WASHER                               |
| 18 |          | 1  | WASHER,(Not Serviced)                |
| 19 | 4114 729 | 1  | TERMINAL                             |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

~~B - VARIOUS AND UNKNOWN~~

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

(11) = 100 - 11.25

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.


(66) = 100 W.D.

~~DO = SHORT STREET (4X4)~~  
~~D = VARIOUS TRUCKS (1X2)~~

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--STEERING COLUMN (W/O TILT WHEEL) D MODELS  
Figure 8-3200

4308 J200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | PAD,(See Illus. 1800 A)                                |
| 2    |             |     |      |       | RING, Horn Contact,(Serv.in Assy.)                     |
| 3    | 6024 629    | 1   |      |       | SCREW,(8 - 32 x 1-5/8)                                 |
| 4    | 4216 818    | 1   |      |       | SWITCH, w/WIRING, Turn Signal                          |
| 5    | 2947 963    | 1   |      |       | LEVER, Turn Signal, w/o Speed Control                  |
|      | 4216 538    | 1   |      |       | w/Speed Control  |
| 6    |             | 3   |      |       | SCREW,(10 - 24 x 7/8) (Not Serviced)                   |
| 7    | 3747 192    | 1   |      |       | SWITCH, Ignition, w/WIRING,w/Access.Switch             |
| 8    |             |     |      |       | Note: Items 8 Thru 13 See Group 19                     |
| 9    | P609 JX9    | 1   |      |       | PLUG, Ign. Switch Lamp Opening                         |
| 10   |             | 1   |      |       | WHEEL, Steering (See Group 19)                         |
| 11   | 2258 704    | 1   |      |       | CAM, Turn Signal Cancelling, w/Tuff Strg. Wheel        |
| 12   | 3488 981    | 1   |      |       | CONTACT, Horn, w/Tuff Strg. Wheel                      |
| 13   | 3747 362    | 1   |      |       | SWITCH, Horn, w/Tuff and 3 Spoke Strg. Wheel           |
|      | 4221 016    |     |      |       | 4 Spoke Sport Wheel                                    |
| 14   |             | 3   |      |       | SCREW,(6 - 32 x 1/4) (Not Serv.)                       |
| 15   | 4055 023    | 1   |      |       | INSULATOR, Ign. Switch Wiring                          |
|      | 3843 601    | 7   |      |       | TERMINAL   |
| 16   | 2983 404    | 1   |      |       | INSULATOR, Turn Signal Switch Wiring                   |
|      | 2983 410    | 8   |      |       | TERMINAL   |
| 17   | 2983 406    | 1   |      |       | INSULATOR, Speed Control Turn Sig. Switch Lever Wiring |
|      | 2983 410    | 2   |      |       | TERMINAL   |
|      | 2983 409    | 2   |      |       | TERMINAL   |
| 18   | 4293 102    | 1   |      |       | SWITCH, w/Knob Hazard Warning                          |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



WIRING--STEERING COLUMN (W/TILT WHEEL) B-D MODELS  
Figure 8-3300

4308 3300










| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | PAD, (See Group 19)                                       |
| 2    |             | 1   |      |       | WHEEL,(See Group 19)                                      |
| 3    | 4085 368    | 1   |      |       | WIRING, Horn Ring to Horn Switch                          |
| 4    | 3747 135    | 1   |      |       | LEVER, Turn Signal, w/o Speed Control                     |
|      | 4216 539    | 1   |      |       | w/WIRING, use w/Speed Control                             |
| 5    | 6030 855    | 1   |      |       | SCREW,(8 - 18 x 3/4)                                      |
| 6    | 4163 068    | 1   | D    |       | WIRING, Tilt Steering Column Jumper                       |
|      | 4163 218    |     | B    |       |   |
| 7    | 4055 023    | 1   |      |       | INSULATOR   |
|      | 3843 601    | 7   |      |       | TERMINAL  |
| 8    | 2983 404    | 1   |      |       | INSULATOR   |
|      | 2983 410    | 8   |      |       | TERMINAL  |
| 9    | 4055 312    | 1   |      |       | INSULATOR   |
|      | 4055 311    | 1   |      |       | INSULATOR   |
|      | 3588 819    | 6   |      |       | TERMINAL  |
|      | 2809 039    | AR  |      |       | TERMINAL and INSULATOR PACKAGE                            |
| 10   | 4055 304    | 1   |      |       | INSULATOR   |
|      |             | 9   |      |       | TERMINAL  |
| 11   | 2983 406    | 1   |      |       | INSULATOR, Turn Sig. Sw. Lever Speed Control Wiring       |
|      | 2983 410    | 2   |      |       | TERMINAL, Turn Sig. Sw. Lever Speed Control Wiring        |
|      | 2983 409    | 2   |      |       | TERMINAL, Turn Sig. Sw. Lever Speed Control Wiring        |
| 12   | 3861 793    | 1   |      |       | CYLINDER PACKAGE  |
| 13   | 4034 476    | 1   |      | B     | BRACKET, Auto. Trans. Indicator Mtg.                      |
| 14   | 0152 442    | 1   |      | B     | NUT, (8-32)   |
|      | 4216 848    | 1   |      | B-D   | SWITCH, Turn Signal w/Tilt                                |
|      | 4213 401    | 1   |      | D     | SWITCH, Ignition (Not Shown) w/Tilt (Jumper Wire 4163068) |
|      | 3747 529    | 1   |      | B     | SWITCH, Ignition (Not Shown) w/Tilt                       |
|      | 4293 919    | 1   |      | B     | LAMP, Ign. & Starter Sw. (Not Shown)                      |
|      | 4188 484    | 1   |      |       | CAM, w/Horn Contact RING, Tilt Strg. Turn Sig. Cancelling |
|      | 4188 491    | 1   |      |       | KNOB KIT, Hazard Warning                                  |
|      | 4163 218    |     |      | B     | WIRING, Tilt Column Jumper                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

# WIRING--BATTERY & STARTER D MODELS Figure 8-3400

4308 3400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4111 971    | 1   |      |       | RELAY, Starter   |
| 2    |             | 1   |      |       | SCREW,(1/4 - 20 x 5/8) (Not Serviced)                      |
| 3    | 4085 145    | 1   |      |       | CABLE, Starter Relay to Starter, w/225 Eng. and 10" Clutch |
|      | 4162 579    | 1   |      |       | w/225 Eng., w/11" Clutch                                   |
|      | 4162 579    | 1   |      |       | 318-360 Eng.   |
| 4    |             | 1   |      |       | SCREW,(1/4 - 20) (Not Serviced)                            |
| 5    |             | 1   |      |       | WIRING, Frt. End (See Illus. 1200)                         |
| 6    | 4163 002    | 1   |      |       | CABLE, Battery (Positive)                                  |
| 7    |             | 1   |      |       | WASHER, Lock (Not Serviced)                                |
| 8    | 0219 462    | 1   |      |       | NUT,(1/4 - 20)   |
| 9    | 3730 587    | 1   |      |       | INSULATOR  |
| 10   |             | 1   |      |       | BATTERY,(Refer to - MOPAR BATTERIES - Catalog)             |
| 11   | 1622 535    | 1   |      |       | BOLT,(5/16 - 18 x 1-3/8)                                   |
|      | 1622 536    | 1   |      |       | NUT,(5/16 - 18)  |
| 12   | 1622 535    | 2   |      |       | BOLT,(5/16 - 18 x 1-3/8)                                   |
|      | 1622 536    | 2   |      |       | NUT,(5/16 - 18)  |
| 13   |             | 1   |      |       | WIRING, Chassis (See Illus. 3300)                          |
| 14   | 4163 071    | 1   |      |       | CABLE, Battery (Negative), w/225 Eng.                      |
|      | 4163 069    | 1   |      |       | w/318, 360, Eng.   |
| 15   |             | 1   |      |       | CLIP,(Not Serviced)  |
| 16   |             | 1   |      |       | WASHER, Lock (Not Serviced)                                |
| 17   | 0181 112    | 1   |      |       | BOLT,(3/8 - 16)  |
| 18   |             | 1   |      |       | BOLT,(3/8 - 16 x 5/8) (Not Serviced)                       |
| 19   |             | 1   |      |       | WASHER, Lock (Not Serviced)                                |
| 20   |             | 1   |      |       | WASHER, Lock (Not Serviced)                                |
| 21   |             | 1   |      |       | SCREW,(7/16 - 14 x 1) (Not Serviced)                       |
| 22   | 0120 622    | 1   |      |       | NUT,(8 - 32)   |
| 23   | 0138 530    | 1   |      |       | WASHER, Lock   |
| 24   | 0118 614    | 1   |      |       | NUT,(5/16 - 18)  |
| 25   |             | 1   |      |       | WASHER, Coned (Not Serviced)                               |
| 26   | 1302 783    | 2   |      |       | CLIP, Wiring   |
| 27   |             | 1   |      |       | SCREW,(3/8 - 16) (Not Serviced)                            |
| 28   |             | 1   |      |       | NUT,(7/16 - 14) (Not Serviced)                             |
| 29   |             | 2   |      |       | RETAINER,(See Group 13)                                    |
| 30   |             | 1   |      |       | STRAP,(See Group 13)                                       |
| 31   |             | 2   |      |       | NUT,(See Group 13)   |
| 32   |             | 1   |      |       | CLIP,(Not Serviced)  |
| 33   |             | 1   |      |       | WIRE, Relay Ground (Not Serviced)                          |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--TRANSFER CASE & WARNING LAMP D MODELS  
Figure 8-3600

4308 J000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | WIRING, Transfer Case Diff. Lock Indicator Light (Not Serviced) |
| 2    | 9415 969    | 1   |      |       | BULB  |
| 3    |             | 1   |      |       | WIRING, Cab (See Body or Cab Wiring Illus.)                     |
| 4    |             | 1   |      |       | PANEL, Instrument (See Gr. 23B)                                 |
| 5    | 4124 757    | 1   |      |       | INSULATOR   |
| 6    | 4034 151    | 1   |      |       | WIRING, Transfer Case Diff. Lock Switch                         |
| 7    | 3895 690    | 1   |      |       | CLIP  |
| 8    | 4210 979    | 1   |      |       | SWITCH,w/205  |
|      | 4168 000    | 1   |      |       | w/208   |
| 9    |             | 1   |      |       | WIRING, Chassis (See Chassis Wiring Illus.)                     |
| 10   |             | 1   |      |       | NUT,(5/16 - 18) (Not Serviced)                                  |
| 11   |             | 1   |      |       | BOLT,(5/16 - 18) (Not Serviced)                                 |
| 12   | 3746 516    | 1   |      |       | SOCKET, Transfer Case Warning Light                             |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--BODY & ACCESSORY B-MODELS  
Figure 8-4300

4308 4300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | WIRING HARNESS   |
|      | 4085 679    |     |      |       | Front End Extension                                    |
|      | 4163 136    |     |      |       | Oil Pressure Light                                     |
|      | 4163 253    |     |      |       | A/C, 6-8 Cyl.  |
|      | 4163 314    |     |      |       | Speed Control  |
|      | 4163 315    |     |      |       | Windshield Washer                                      |
|      | 3730 782    |     |      |       | Alternator Ground                                      |
|      | 4362 131    |     |      |       | Inst.Panel (White)                                     |
|      | 4362 132    |     |      |       | Inst.Panel (Yellow)                                    |
|      | 4163 291    |     |      |       | Stereo (4 Speakers)                                    |
|      | 4163 289    |     |      |       | Speed Control  |
|      | 4162 685    |     |      |       | E.M.R. Lamp  |
|      | 4362 118    |     |      |       | Elec. Window Lift & Door Speaker                       |
|      | 4163 218    |     |      |       | Tilt Column Jumper                                     |
|      | 4163 112    |     |      |       | Body Rear-109" & 127" W.B.                             |
|      | 4163 113    |     |      |       | Body Rear- 127" Ext.W.B.                               |
|      | 4163 217    |     |      |       | Dome & Reading Lamp Extension                          |
|      | 4162 494    |     |      |       | Elec. Wdo.Lift-Courtesy Lamp-Door Lock-Speaker Rt.1984 |
|      | 4162 495    |     |      |       | Lt. 1984   |
|      | 4362 009    |     |      |       | Lt. 1985   |
|      | 4362 010    |     |      |       | Rt. 1985   |
|      | 4162 496    |     |      |       | Elec. Wdo. Lift Courtesy Lamp & Speaker Rt.            |
|      | 4162 497    |     |      |       | Elec. Wdo. Lift Courtesy Lamp & Speaker Lt.            |
|      | 4362 008    | 2   |      |       | Elec. Door Lock,Courtesy Lamp & Speaker 1985           |
|      | 4162 493    | 2   |      |       | Elec. Door Lock,Courtesy Lamp & Speaker 1984           |
|      | 4114 140    |     |      |       | Elec. Door Locks                                       |
|      | 4163 249    |     |      |       | Heated Rear Window (Feed)                              |
|      | 4163 248    |     |      |       | Heated Rear Window (Ground)                            |
|      | 4163 011    |     |      |       | Speaker, Dual Rear                                     |
|      |             |     |      |       | Starter Relay Ground 4162908 Not Serv.                 |
|      |             |     |      |       | A/C Blower Motor 4114616 Not Serv.                     |
|      |             |     |      |       | Heater Blower Mtr. 4114183 Not Serv.                   |
|      |             |     |      |       | Back-Up Lamp & Neutral Start 4114239 Not Serv.         |
|      |             |     |      |       | Back-Up Lamp Switch to Eng. Wire 2958615 Not Serv.     |
|      |             |     |      |       | Speed Control, w/Man. Trans. 4163088 Not Serv.         |
|      |             |     |      |       | Fuel Tank, 77" Long 4034141 Not Serv.                  |
|      |             |     |      |       | Fuel Tank, 59" Long 4034140 Not Serv.                  |
|      |             |     |      |       | Fuel Tank Ground 4034855 Not Serv.                     |
|      |             |     |      |       | Courtesy Lamp 4034229 Not Serv.                        |
|      |             |     |      |       | Seat Belt Buzzer, 4162964 Not Serv.                    |
|      |             |     |      |       | Aux. Heater 109" W.B. 4085395 Not Serv.                |


|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             |                              |                            |                  |                  |                  |
| TRUCK LINE               | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

| MODEL CODES:                      | BODY STYLE & WHEELBASE VANS:         | WAGONS:                              | CONVENTIONAL:                        | SPORT UTILITY:   | CREW CAB:        |
|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------|------------------|
| TRUCK LINE                        |                                      |                                      |                                      |                  |                  |
| D123 = CONVENTIONAL TRUCK (4X2)   | (11) = 109" W.B.<br>(12) = 127" W.B. | (51) = 109" W.B.<br>(52) = 127" W.B. | (61) = 115" W.B.<br>(62) = 131" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)          | (13) = 127X" W.B.                    | (53) = 127X" W.B.                    | (63) = 135" W.B.                     |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL (TRUCK) 4X4 |                                      |                                      | (64) = 159" W.B.                     |                  |                  |
| D8 = SPORT UTILITY (4X4)          |                                      |                                      |                                      |                  |                  |

« RETURN TO GROUP INDEX »

WIRING--BODY & ACCESSORY D-MODELS  
Figure 8-4400

4308 4400A



| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION   |
|------|-------------|-----|----------|-------|---|
| 1    |             |     |          |       | WIRING HARNESS                                      |
|      | 4163 137    |     |          |       | Oil Pressure Light                                  |
|      | 4163 308    |     |          |       | Air Cond. (Under Hood)                              |
|      | 4163 282    |     |          |       | Speed Control                                       |
|      | 4163 147    |     |          |       | E.M.R Lamp  |
|      | 4163 090    |     | D4,8     |       | Speaker   |
|      | 4163 091    |     | Exc.D4.8 |       | Speaker   |
|      | 4163 068    |     |          |       | Tilt Column Jumper                                  |
|      | 4163 003    |     |          |       | Tail,Stop,Turn Sig. & Back-Up Lamp                  |
|      | 4163 004    |     |          |       | Tail Lamp Extension                                 |
|      | 4162 476    |     |          |       | Wdo.Lift, Door Lock & Speaker Rt.                   |
|      | 4162 477    |     |          |       | Lt.   |
|      | 4162 478    |     |          |       | Wdo.Lift & Speakers Rt.                             |
|      | 4162 479    |     |          |       | Lt.   |
|      | 4162 480    |     |          |       | Door Locks & Speaker Rt.                            |
|      | 4162 481    |     |          |       | Lt.   |
|      | 4163 067    |     |          |       | Chassis, 106" W.B.                                  |
|      | 4163 066    |     |          |       | Chassis, Exc. 106" W.B.                             |
|      | 4085 383    |     |          |       | Neutral Start & Back-Up Lamp Switch, Auto. Trans.   |
|      | 4162 921    |     |          |       | Neutral Start & Back-Up Lamp Switch, Man. Trans.    |
|      | 4163 126    |     |          |       | Liftgate Ajar                                       |
|      | 4162 982    |     |          |       | Clearance & I.D. Lamp Ext.                          |
|      | 3730 809    |     |          |       | Tail Gate Clearance & I.D.                          |
|      | 4163 015    |     |          |       | Tail Lamp, Back-Up & Side Marker                    |
|      | 4163 284    |     |          |       | Snow Fiter (Inst. Panel)                            |
|      | 4163 246    |     |          |       | Speaker, Rear (Dual)                                |
|      | 4163 291    |     |          |       | Ultimate Sound, 4-Speakers                          |
|      | 4362 002    |     |          |       | Distance Sensor Jumper                              |
|      |             |     |          |       | Elec. Choke Jumper 4362093 Not Serv.                |
|      |             |     |          |       | Radio Spkr. Jumper, E.T.R.w/Clock 4162765 Not Serv. |
|      |             |     |          |       | Speed Control, w/Man. Trans. 4163088 Not Serv.      |
|      |             |     |          |       | Cargo Lamp, Conv. Cab. 3635735 Not Serv.            |
|      |             |     |          |       | Cargo Lamp, Crew. Cab. 4163025 Not Serv.            |
|      |             |     |          |       | Dome Lamp Ext. 4163392 Not Serv.                    |
|      |             |     |          |       | Clearance & I.D. 3489850 Not Serv.                  |
|      |             |     |          |       | Lift Gate Ajar 4162833 Not Serv.                    |
|      |             |     |          |       | Lift Gate Ajar 4163017 Not Serv.                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WIRING--DOOR B-MODELS  
Figure 8-4425

4308 4425



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | WIRING   |
|      | 4162 494-5  |     |      |       | Window Lift,Courtesy Lamp,Door Lock,Speaker 1984 |
|      | 4362 009    |     |      |       | 1985 Lt.   |
|      | 4362 010    |     |      |       | 1985 Rt.   |
|      | 4162 496-7  |     |      |       | Window Lift,Courtesy Lamp,Speaker                |
|      | 4162 493    | 2   |      |       | Door Lock,Courtesy Lamp,Speaker, 1984            |
|      | 4362 008    | 2   |      |       | 1985   |
|      | 4114 140    |     |      |       | Door Lock  |
| 2    | 4163 249    |     |      |       | WIRING, Heated Rear Window (Feed)                |
| 3    | 4163 248    |     |      |       | WIRING, Heated Rear Window (Ground)              |
| 4    | 4362 012    | 2   |      |       | TERMINAL   |
| 5    |             |     |      |       | GROMMET, (Serv. in Wiring)                       |
| 6    | 6031 562    | 2   |      |       | GROMMET  |
| 7    | 4085 375    | 2   |      |       | TERMINAL   |
| 8    | 6031 490    | 1   |      |       | GROMMET  |
| 9    | 4362 012    | 2   |      |       | TERMINAL   |
| 10   | 6025 050    | AR  |      |       | WASHER   |
| 11   |             |     |      |       | WIRE, (Not Serv.)                                |
| 12   |             |     |      |       | WIRE, (Not Serv.)                                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

### WIRING--DOOR D-MODELS

4308 4450



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                     |
|------|----------------|-----|------|----------|---|
| 1    |                |     |      |          | WIRING  |
|      | 4162 476-7     |     |      |          | Window Lift,Door Lock,Speaker                   |
|      | 4162 478-9     |     |      |          | Window Lift,Speaker                             |
|      | 4162 480-1     |     |      |          | Door Lock,Speaker                               |
|      | 4163 090       |     |      | D4-8     | Speaker   |
|      | 4163 091       |     |      | Exc.D4-8 | Speaker   |
|      | 4163 011       |     |      |          | Speaker, Rear (Dual)                            |
|      | 4163 246       |     |      |          | Speaker, Rear (Dual)                            |
|      | 4163 291       |     |      |          | Ultimate Sound, (4-Speakers)                    |
|      |                |     |      |          | Speaker Jumper,E.T.R. Clock (4162765 Not Serv.) |
|      | 4163 126       |     |      |          | Liftgate Ajar                                   |
|      |                |     |      |          | Liftgate Ajar,(4162833 Not Serv.)               |
|      |                |     |      |          | Liftgate Ajar,(4163017 Not Serv.)               |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required



4308-4475




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**

TERMINALS--WIRING  
Figure 8-4500

4308 4500A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION             |
|------|-------------|-----|------|-------|-------------------------|
| 1    | 2291 838    | AR  |      |       | TERMINAL                |
| 2    | 3895 622    | AR  |      |       | TERMINAL,(Not Shown)    |
| 3    | 4304 729    | AR  |      |       | TERMINAL                |
| 4    | 2258 118    | AR  |      |       | TERMINAL                |
| 5    | 3591 596    | AR  |      |       | TERMINAL                |
| 6    | 3843 576    | AR  |      |       | TERMINAL                |
| 7    | 0665 151    | AR  |      |       | PLUG                    |
| 8    | 2889 434    | AR  |      |       | TERMINAL                |
| 9    | 2926 722    | AR  |      |       | TERMINAL                |
| 10   | 2239 810    | AR  |      |       | TERMINAL                |
| 11   | 2235 552    | AR  |      |       | TERMINAL                |
| 12   | 3588 743    | AR  |      |       | CONNECTOR               |
| 13   | 4304 729    | AR  |      |       | TERMINAL,(Hairpin Type) |
| 14   | 3764 607    | AR  |      |       | TERMINAL                |
| 15   | 2257 444    | AR  |      |       | TERMINAL                |
| 16   | 1790 322    | AR  |      |       | TERMINAL                |
| 17   | 4034 450    | AR  |      |       | TERMINAL                |
| 18   | 0903 895    | AR  |      |       | TERMINAL                |
| 19   | 2580 061    | AR  |      |       | TERMINAL                |
| 20   | 3513 586    | AR  |      |       | TERMINAL                |
| 21   | 2230 985    | AR  |      |       | TERMINAL                |
| 22   | 2291 588    | AR  |      |       | TERMINAL                |
| 23   | 1704 562    | AR  |      |       | TERMINAL                |
| 24   | 2234 108    | AR  |      |       | TERMINAL                |
| 25   | 3513 692    | AR  |      |       | TERMINAL                |
| 26   | 2926 383    | AR  |      |       | TERMINAL,(Not Shown)    |
| 27   | 2926 722    | AR  |      |       | TERMINAL                |
| 28   | 2197 947    | AR  |      |       | TERMINAL                |
| 29   | 2889 435    | AR  |      |       | TERMINAL                |
| 30   | 1842 009    | AR  |      |       | TERMINAL                |
| 31   | 2427 736    | AR  |      |       | TERMINAL                |
| 32   | 3438 709    | AR  |      |       | TERMINAL                |
| 33   | 2983 409    | AR  |      |       | TERMINAL                |
| 34   | 2257 443    | AR  |      |       | INSULATOR               |
| 35   | 2889 434    | AR  |      |       | TERMINAL                |
| 36   | 2197 945    | AR  |      |       | TERMINAL                |
| 37   | 2983 410    | AR  |      |       | TERMINAL                |
| 38   | 1704 562    | AR  |      |       | TERMINAL                |
| 39   | 2824 949    | AR  |      |       | TERMINAL                |
| 40   | 2496 532    | AR  |      |       | TERMINAL                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
BOWLING AND WAGONS (W.B.)  
AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

TERMINALS--WIRING  
Figure 8-4500

4308 4600 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
| 1    | 2258 591    | AR  |      |       | TERMINAL    |
| 2    | 4209 348    | AR  |      |       | TERMINAL    |
| 3    | 2822 565    | AR  |      |       | TERMINAL    |
| 4    | 3513 482    | AR  |      |       | TERMINAL    |
| 5    | 3513 637    | AR  |      |       | TERMINAL    |
| 6    | 2983 410    | AR  |      |       | TERMINAL    |
| 9    | 2926 722    | AR  |      |       | TERMINAL    |
| 7    | 3513 543    | AR  |      |       | TERMINAL    |
| 8    | 3513 544    | AR  |      |       | TERMINAL    |
| 9    | 3588 819    | AR  |      |       | TERMINAL    |
| 10   | 3764 556    | AR  |      |       | TERMINAL    |
| 11   | 3843 386    | AR  |      |       | TERMINAL    |
| 12   | 3843 601    | AR  |      |       | TERMINAL    |
| 13   | 0200 019    | AR  |      |       | TERMINAL    |
| 14   | 2585 030    | AR  |      |       | TERMINAL    |
| 15   | 2809 037    | AR  |      |       | TERMINAL    |
| 16   | 2298 882    | AR  |      |       | TERMINAL    |
| 17   | 2809 036    | AR  |      |       | TERMINAL    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSULATORS--WIRING  
Figure 8-4800

4308 4800 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
| 1    | 2983 401    | AR  |      |       | INSULATOR   |
| 2    | 2983 403    | AR  |      |       | INSULATOR   |
| 3    | 2497 701    | AR  |      |       | INSULATOR   |
| 4    | 2507 159    | AR  |      |       | INSULATOR   |
| 5    | 2258 754    | AR  |      |       | INSULATOR   |
| 6    | 2291 663    | AR  |      |       | INSULATOR   |
| 7    | 2926 255    | AR  |      |       | INSULATOR   |
| 8    | 2926 254    | AR  |      |       | INSULATOR   |
| 9    | 2926 258    | AR  |      |       | INSULATOR   |
| 10   | 2926 257    | AR  |      |       | INSULATOR   |
| 11   | 2926 256    | AR  |      |       | INSULATOR   |
| 12   | 3489 169    | AR  |      |       | INSULATOR   |
| 13   | 2983 406    | AR  |      |       | INSULATOR   |
| 14   | 2958 279    | AR  |      |       | INSULATOR   |
| 15   | 2857 761    | AR  |      |       | INSULATOR   |
| 16   | 2258 102    | AR  |      |       | INSULATOR   |
| 17   | 3635 477    | AR  |      |       | INSULATOR   |
| 18   | 3489 170    | AR  |      |       | INSULATOR   |
| 19   | 3588 446    | AR  |      |       | INSULATOR   |
| 20   | 3588 518    | AR  |      |       | CONNECTOR   |
| 21   | 3438 729    | AR  |      |       | INSULATOR   |
| 22   | 2983 404    | AR  |      |       | INSULATOR   |
| 23   | 2983 402    | AR  |      |       | INSULATOR   |
| 24   | 2926 255    | AR  |      |       | INSULATOR   |
| 25   | 2510 448    | AR  |      |       | INSULATOR   |
| 26   | 2076 448    | AR  |      |       | INSULATOR   |
| 27   | 2958 280    | AR  |      |       | INSULATOR   |
| 28   | 3764 925    | AR  |      |       | INSULATOR   |
| 29   | 2239 957    | AR  |      |       | INSULATOR   |
| 30   | 3513 696    | AR  |      |       | INSULATOR   |
| 31   | 3588 525    | AR  |      |       | INSULATOR   |
| 32   | 3843 795    | AR  |      |       | INSULATOR   |
| 33   | 3513 349    | AR  |      |       | INSULATOR   |
| 34   | 3588 399    | AR  |      |       | INSULATOR   |
| 35   | 3588 781    | AR  |      |       | INSULATOR   |
| 36   | 3843 896    | AR  |      |       | INSULATOR   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSULATORS--WIRING  
Figure 8-4800

4308 4900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
| 1    | 3588 399    | AR  |      |       | INSULATOR   |
| 2    | 3588 780    | AR  |      |       | INSULATOR   |
| 3    | 3764 263    | AR  |      |       | INSULATOR   |
| 4    | 3764 944    | AR  |      |       | INSULATOR   |
| 5    | 3764 945    | AR  |      |       | INSULATOR   |
| 6    | 3843 413    | AR  |      |       | INSULATOR   |
| 7    | 4274 267    | AR  |      |       | INSULATOR   |
| 8    | 3843 795    | AR  |      |       | INSULATOR   |
| 9    | 3513 347    | AR  |      |       | INSULATOR   |
| 10   | 3513 755    | AR  |      |       | INSULATOR   |
| 11   | 3588 945    | AR  |      |       | INSULATOR   |
| 12   | 3513 550    | AR  |      |       | INSULATOR   |
| 13   | 3843 283    | AR  |      |       | INSULATOR   |
| 14   | 4055 014    | AR  |      |       | INSULATOR   |
| 15   | 4055 015    | AR  |      |       | INSULATOR   |
| 16   | 4055 022    | AR  |      |       | INSULATOR   |
| 17   | 4055 023    | AR  |      |       | INSULATOR   |
| 18   | 4055 024    | AR  |      |       | INSULATOR   |
| 19   | 4055 025    | AR  |      |       | INSULATOR   |
| 20   | 4055 148    | AR  |      |       | INSULATOR   |
| 21   | 4055 249    | AR  |      |       | INSULATOR   |
| 22   | 4055 311    | AR  |      |       | INSULATOR   |
| 23   | 4055 312    | AR  |      |       | INSULATOR   |
| 24   | 4055 395    | AR  |      |       | INSULATOR   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSULATORS--WIRING  
Figure 8-4800

4308 5000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION           |
|------|-------------|-----|------|-------|-----------------------|
| 1    | 2983 408    | AR  |      |       | INSULATOR             |
| 2    | 3513 345    | AR  |      |       | INSULATOR             |
| 3    | 3513 346    | AR  |      |       | INSULATOR             |
| 4    | 3513 348    | AR  |      |       | INSULATOR             |
| 5    | 3588 516    | AR  |      |       | INSULATOR             |
| 6    | 3764 325    | AR  |      |       | INSULATOR             |
| 7    | 3488 957    | AR  |      |       | INSULATOR,(Not Shown) |
| 8    | 3588 946    | AR  |      |       | INSULATOR,(Not Shown) |
| 9    | 3764 572    | AR  |      |       | INSULATOR             |
| 10   | 3764 943    | AR  |      |       | INSULATOR             |
| 11   | 3843 141    | AR  |      |       | INSULATOR,(Not Shown) |
| 12   | 1704 562    | AR  |      |       | INSULATOR,(Not Shown) |
| 13   | 3764 856    | AR  |      |       | INSULATOR             |
| 14   | 4085 598    | AR  |      |       | INSULATOR,(Not Shown) |
| 15   | 4055 384    | AR  |      |       | INSULATOR             |
| 16   | 4034 449    | AR  |      |       | INSULATOR,(Not Shown) |
| 17   | 2584 972    | AR  |      |       | INSULATOR,(Not Shown) |
| 18   | 4055 002    | AR  |      |       | INSULATOR             |
| 19   | 4055 007    | AR  |      |       | INSULATOR             |
| 20   | 4055 008    | AR  |      |       | INSULATOR             |
| 21   | 4209 695    | AR  |      |       | INSULATOR             |
| 22   | 2889 650    | AR  |      |       | INSULATOR             |
| 23   | 2231 018    | AR  |      |       | INSULATOR,(Not Shown) |
| 24   | 3489 170    | AR  |      |       | INSULATOR,(Not Shown) |
| 25   | 3635 477    | AR  |      |       | INSULATOR,(Not Shown) |
| 26   | 3843 754    | AR  |      |       | INSULATOR,(Female)    |
| 27   | 3843 282    | AR  |      |       | INSULATOR             |
| 28   | 3764 946    | AR  |      |       | INSULATOR             |
| 29   | 3764 949    | AR  |      |       | INSULATOR             |
| 30   | 3764 857    | AR  |      |       | INSULATOR             |
| 31   | 4274 936    | AR  |      |       | INSULATOR             |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLUGS & CONNECTORS  
Figure 8-5100

4306 5100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                 |
|------|-------------|-----|------|-------|-----------------------------|
| 1A   | 1793 764    | AR  |      |       | PLUG and WIRE               |
| 1B   | 1793 763    | AR  |      |       | PLUG and WIRE               |
| 2A   | 2231 119    | AR  |      |       | PLUG and WIRE               |
| 2B   | 3588 743    | AR  |      |       | CONNECTOR                   |
| 3A   | 1793 761    | AR  |      |       | PLUG and WIRE               |
| 3B   | 1793 762    | AR  |      |       | PLUG and WIRE               |
| 4A   | 1793 765    | AR  |      |       | PLUG and WIRE               |
| 4B   | 1793 766    | AR  |      |       | PLUG and WIRE               |
| 5    | 1937 211    | AR  |      |       | PLUG and WIRE               |
| 6    | 1937 213    | AR  |      |       | PLUG and WIRE, 2580114 MOLD |
| 7    | 1937 218    | AR  |      |       | PLUG and WIRE               |
| 8    | 1737 225    | AR  |      |       | PLUG and WIRE               |
| 9    | 1819 724    | AR  |      |       | PLUG and WIRE               |
| 10   | 2233 021    | AR  |      |       | PLUG and WIRE               |
| 11   | 3588 421    | AR  |      |       | CONNECTOR                   |
| 12   | 2983 727    | AR  |      |       | PLUG                        |
| 13   | 2580 064    | AR  |      |       | PLUG                        |
| 14   | 2580 065    | AR  |      |       | PLUG                        |
| 15   | 2926 502    | AR  |      |       | SOCKET, Repair (8" Wire)    |
| 16   | 2507 032    | AR  |      |       | MOLD                        |
| 17   | 3843 430    | AR  |      |       | MOLD                        |
| 18   | 2926 502    | AR  |      |       | PLUG                        |
| 19   | 0639 853    | AR  |      |       | CLIP                        |
| 20   | 4026 095    | AR  |      |       | WIRE                        |
| 21   | 3843 399    | AR  |      |       | CONNECTOR                   |
| 22   | 3843 397    | AR  |      |       | CONNECTOR                   |
| 23   | 3588 743    | AR  |      |       | CONNECTOR                   |
| 24   | 3843 428    | AR  |      |       | CONNECTOR                   |
| 25   | 3843 398    | AR  |      |       | CONNECTOR                   |
| 26   | 2518 537    | AR  |      |       | CONNECTOR                   |
| 27   | 2510 538    | AR  |      |       | CONNECTOR                   |
| 28   | 2257 443    | AR  |      |       | INSULATOR                   |
| 29   | 2257 444    | AR  |      |       | INSULATOR                   |
| 30   | 3843 428    | AR  |      |       | CONNECTOR                   |
| 31   | 4055 401    | AR  |      |       | MOLD                        |
| 32   | 3588 342    | AR  |      |       | RETAINER                    |
| 33   | 4055 406    | AR  |      |       | MOLD                        |
| 34   | 3635 021    | AR  |      |       | PLUG                        |
| 35   | 1793 792    | AR  |      |       | MOLD                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
B = WAGON AND WAGON (W.B.)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SOCKETS--BULB  
Figure 8-5300

4,308 5,300 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION     |
|------|-------------|-----|------|-------|-----------------|
| 1    | 2983 279    | AR  |      |       | SOCKET and BOOT |
| 2    | 2926 370    | AR  |      |       | SOCKET          |
| 3    | 3764 504    | AR  |      |       | SOCKET          |
| 4    | 2822 196    | AR  |      |       | SOCKET          |
| 5    | 3588 866    | AR  |      |       | SOCKET          |
| 6    | 3764 563    | AR  |      |       | SOCKET          |
| 7    | 3513 686    | AR  |      |       | SOCKET          |
| 8    | 1704 875    | AR  |      |       | SOCKET          |
| 9    | 2496 279    | AR  |      |       | SOCKET          |
| 10   | 3746 729    | AR  |      |       | SOCKET          |
| 11   | 2983 580    | AR  |      |       | SOCKET          |
| 12   | 2983 581    | AR  |      |       | SOCKET          |
| 13   | 3744 750    | AR  |      |       | SOCKET          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



GROUP 8A - ELECTRICAL - INSTRUMENT PANEL AND CONSOLES

ILLUSTRATION TITLEGROUP-FIG. NO.

B BODY

|   |             |
|---|-------------|
| INSTRUMENT PANEL PANEL AND BEZELS B 1,2,3           | Fig. 8A-100 |
| INSTRUMENT PANEL WIRING B 1,2,3                     | Fig. 8A-200 |
| INSTRUMENT PANEL CLUSTER B 1,2,3                    | Fig. 8A-300 |
| INSTRUMENT PANEL GLOVEBOX B 1,2,3                   | Fig. 8A-400 |
| INSTRUMENT PANEL CIGAR LIGHTER AND SWITCHES B 1,2,3 | Fig. 8A-500 |
| INSTRUMENT PANEL RADIO AND ANTENNA B 1,2,3          | Fig. 8A-600 |


D BODY

|   |              |
|---|--------------|
| INSTRUMENT PANEL PANEL AND GLOVEBOX D 1,2,3,4,5,6,7,8             | Fig. 8A-700  |
| INSTRUMENT PANEL WIRING D 1,2,3,4,5,6,7,8                         | Fig. 8A-800  |
| INSTRUMENT PANEL ASH RECEIVER AND CIGAR LIGHTER D 1,2,3,4,5,6,7,8 | Fig. 8A-900  |
| INSTRUMENT PANEL CLUSTER AND SWITCHES D 1,2,3,4,5,6,7,8           | Fig. 8A-1000 |
| INSTRUMENT PANEL RADIO AND ANTENNA D 1,2,3,4,5,6,7,8              | Fig. 8A-1100 |
| CONSOLE D 4,8   | Fig. 8A-1200 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

INSTRUMENT PANEL PANEL AND BEZELS B 1,2,3  
Figure 8A-100

43R2 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | PANEL, Instrument                           |
|      | 4217 034    | 1   |      |       | w/o Air                                     |
|      | 4217 035    | 1   |      |       | w/Air                                       |
| 2    |             |     |      |       | HOOD and BEZEL, Instrument Panel            |
|      | L667 CX9    | 1   |      |       | w/o Radio, Black, 1984                      |
|      | L668 CX9    | 1   |      |       | w/Radio, Black, 1984                        |
|      | L820 DX9    | 1   |      |       | w/Radio, Black, 1985                        |
|      | L821 DX9    | 1   |      |       | w/o Radio, Black, 1985                      |
|      | L667 CC7    | 1   |      |       | w/o Radio, Blue, 1984                       |
|      | L668 CC7    | 1   |      |       | w/Radio, Blue, 1984                         |
|      | L820 DC7    | 1   |      |       | w/Radio, Blue, 1985                         |
|      | L821 DC7    | 1   |      |       | w/o Radio, Blue, 1985                       |
|      | L667 CT8    | 1   |      |       | w/o Radio, Brown, 1984                      |
|      | L668 CT8    | 1   |      |       | w/Radio, Brown, 1984                        |
|      | L820 DT5    | 1   |      |       | w/Radio, Brown, 1985                        |
|      | L821 DT5    | 1   |      |       | w/o Radio, Brown, 1985                      |
|      | L667 CM6    | 1   |      |       | w/o Radio, Red, 1984                        |
|      | L668 CM6    | 1   |      |       | w/Radio, Red, 1984                          |
|      | L820 DM6    | 1   |      |       | w/Radio, Red, 1985                          |
|      | L821 DM6    | 1   |      |       | w/o Radio, Red, 1985                        |
| 3    |             |     |      |       | PLATE, Instrument Panel Trim                |
|      | 4085 657    | 1   |      |       | w/o Air, 1984                               |
|      | 4218 098    | 1   |      |       | w/o Air, 1985                               |
|      | 4085 659    | 1   |      |       | w/Air, 1984                                 |
|      | 4218 099    | 1   |      |       | w/Air, 1985                                 |
|      | 9420 865    | 1   |      |       | NUT, Instrument Panel Face Plate Mtg.       |
| 4    |             |     |      |       | PANEL, Trim Lower Left                      |
|      | L659 BT8    | 1   |      |       | 1984  |
|      | L659 DT5    | 1   |      |       | 1985  |
| 5    |             |     |      |       | PANEL, Trim Lower Right                     |
|      | L656 DT5    | 1   |      |       | w/o Air                                     |
|      | L658 DT5    | 1   |      |       | w/Air,1984                                  |
|      | L658 DT5    | 1   |      |       | w/Air,1985                                  |
| 6    |             |     |      |       | Insert, Switch Bezel                        |
|      | 4114 368    | 1   |      |       | w/o Deluxe Wipers, 1984                     |
|      | 4169 627    | 1   |      |       | w/o Deluxe Wipers, 1985                     |
|      | 4114 369    | 1   |      |       | w/Deluxe Wipers, 1984                       |
|      | 4169 628    | 1   |      |       | w/Deluxe Wipers, 1985                       |
| 7    | 6030 925    | AR  |      |       | CLIP, Hood Bezel To Instrument Panel        |
| 8    | 4085 900    | 1   |      |       | BRACE, Instrmnt Pnl. Left to Eng. Hse.      |
| 9    |             | 1   |      |       | BRACE, Instr.Pnl.Lwr.Rt. To Htr. Duct (DNS) |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 8A-100**




| MODEL CODES:                      |                                      |                                      |                                      |                  |                  |
|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------|------------------|
| TRUCK LINE                        | BODY STYLE & WHEELBASE VANS:         | WAGONS:                              | CONVENTIONAL:                        | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL TRUCK (4X2)   | (11) = 109" W.B.<br>(12) = 127" W.B. | (51) = 109" W.B.<br>(52) = 127" W.B. | (61) = 115" W.B.<br>(62) = 131" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)          | (13) = 127X" W.B.                    | (53) = 127X" W.B.                    | (63) = 135" W.B.                     |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL (TRUCK) 4X4 |                                      |                                      | (64) = 159" W.B.                     |                  |                  |
| D8 = SPORT UTILITY (4X4)          |                                      |                                      |                                      |                  |                  |

**OPTIONAL EQUIPMENT**

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL WIRING B 1,2,3  
Figure 8A-200

4382 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4163 091    | 1   |      |       | WIRING, Instrument Panel, 1984                      |
|      | 4362 131    | 1   |      |       | 1985, White   |
|      | 4362 132    | 1   |      |       | 1985, Yellow  |
|      | 4362 126    | 1   |      |       | Van Conversion                                      |
|      | 4162 598    | 1   |      |       | Heated Rear Window                                  |
|      | 4162 490    | 1   |      |       | Door Locks  |
|      | 4162 492    | 1   |      |       | Door Locks and Electric Windows                     |
|      | 4163 289    | 1   |      |       | Speed Control                                       |
|      | 4162 685    | 1   |      |       | E.M.R Lamp  |
| 2    |             | 1   |      |       | WIRING, Heater (DNS)                                |
| 3    | 9415 969    | 1   |      |       | BULB, H/Lamp Switch Title Lamp #158                 |
| 4    | 1881 938    | 1   |      |       | SWITCH, Foot Dimmer                                 |
| 5    |             | 2   |      |       | SCREW (DNS)   |
| 6    | 3837 161    | 1   |      |       | FLASHER, Turn Signal, 2 Lamp                        |
| 7    | 2932 877    | 1   |      |       | FLASHER, Turn Signal and Hazard Warning, 2.6 Lamp   |
| 8    | 2947 896    | AR  |      |       | CLIP, Flasher Mtg.                                  |
| 9    |             | 2   |      |       | SCREW (DNS)   |
| 10   | 4350 123    | 1   |      |       | COVER, Fuse Block                                   |
| 11   | 3513 696    | 1   |      |       | INSULATOR, Dimmer Switch                            |
| 12   | 4124 757    | 1   |      |       | INSULATOR, Turn Signal Flasher                      |
| 13   |             | 1   |      |       | TERMINAL, Ignition Feed (DNS)                       |
| 14   |             | 1   |      |       | TERMINAL, Radio Lamp (DNS)                          |
| 15   | 3764 946    | 1   |      |       | INSULATOR, Radio Feed                               |
| 16   | 3730 649    | 1   |      |       | INSULATOR, Printed Circuit Board                    |
| 17   | 3746 516    | 1   |      |       | SOCKET, Windshield Wiper Title Lamp                 |
| 18   |             | 1   |      |       | TERMINAL, Ignition Accessory (DNS)                  |
| 19   | 2947 924    | 1   |      |       | SWITCH, Glove Box Lamp                              |
| 20   | 2983 408    | 1   |      |       | INSULATOR, Intermittent Wiper Switch                |
| 21   | 3746 518    | 1   |      |       | SOCKET, H/Lamp Switch Lamp                          |
| 22   |             | 1   |      |       | INSULATOR, H/Lamp Switch (DNS)                      |
| 23   | 3513 345    | 1   |      |       | INSULATOR, Clock Lamp                               |
| 24   |             | 1   |      |       | TERMINAL (DNS)                                      |
| 25   | 4055 022    | 1   |      |       | INSULATOR, Ignition Switch                          |
| 26   | 2983 403    | 1   |      |       | INSULATOR, Turn Signal Switch                       |
| 27   | 3513 346    | 1   |      |       | INSULATOR, Dome Lamp Ground                         |
| 28   | 4055 406    | 1   |      |       | CONNECTOR   |
| 29   | 0665 151    | 1   |      |       | TERMINAL, Hand Brake Warning Lamp Switch            |
| 30   |             | 1   |      |       | CONNECTOR and TERMINAL PKG., Rear Body Wiring (DNS) |
| 31   | 3513 348    | 1   |      |       | INSULATOR, Rear Body Wiring                         |
| 32   | 2257 444    | 1   |      |       | TERMINAL, Trailer to Wiring Relay                   |
| 33   | 2298 882    | 1   |      |       | TERMINAL and INSULATOR PKG., Stop Lamp Switch       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL WIRING B 1,2,3  
Figure 8A-200

4382 200




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|-------------|-----|------|-------|---|
| 34   | 3764 944    | 1   |      |       | INSULATOR, Horn Relay                               |
| 35   | 4055 384    | 1   |      |       | INSULATOR, Wiper and Washer Switch                  |
| 36   | 4304 596    | 1   |      |       | INSULATOR, Printed Circuit Board                    |
| 37   | 3764 944    | 1   |      |       | INSULATOR, Heater Control Lamp                      |
| 38   |             | 1   |      |       | INSULATOR, Battery Feed (DNS)                       |
| 39   |             | 1   |      |       | INSULATOR, Heater Blower Switch (DNS)               |
| 40   |             | 1   |      |       | INSULATOR (on Heater Duct DNS)                      |
| 41   | 2298 882    | 1   |      |       | INSULATOR and TERMINAL PKG., Hazard Warning Flasher |
| 42   | 4362 014    | 1   |      |       | BLOCK, Fuse   |
| NOTE: The Following items are not Illustrated y Cycle Eng. usage for Vehicles of 6100 and over Gross Vehicle Weight. |             |     |      |       |   |
|  | 4114 749    | 1   |      |       | WIRING, Cab to Body Extension                       |
|  | 4034 484    | 1   |      |       | BRACKET, Wiper, Washer Switch and Lamp Mtg.         |
|  | 4048 038    | 1   |      |       | DIFFUSER, Wiper and Washer Switch Lamp              |
|  | 3764 637    | 1   |      |       | BAR, Buss w/Terminal (3 Way)                        |
|  | 3764 668    | 1   |      |       | BAR, Buss w/Terminal (2 Way)                        |
|  |             |     |      |       | FUSE  |
|  | 9426 337    | AR  |      |       | 5 Amp.  |
|  | 0106 653    | AR  |      |       | 20 Amp.   |
|  | 9426 332    | AR  |      |       | 25 Amp.   |
|  | 9426 331    | AR  |      |       | 30 Amp.   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**INSTRUMENT PANEL CLUSTER B 1,2,3**  
**Figure 8A-300**

4382 370



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4075 188    | 1   |      |       | COVER w/LENS, Speedometer, Fuel, Temp. Gauge, w/o Trip |
|      | 4075 273    | 1   |      |       | LENS, w/Hole   |
|      | 4075 272    | 1   |      |       | LENS, w/o Hole   |
| 2    |             |     |      |       | SPEEDOMETER  |
|      | 4075 334    | 1   |      |       | Std. Mile, w/Trip, w/Oil Gauge, 1984                   |
|      | 4075 335    | 1   |      |       | Std. Mile, w/E.M.R., w/Oil Lite, 1984-85               |
|      | 4075 336    | 1   |      |       | Std. Mile, w/E.M.R., w/Trip, w/Oil Gauge, 1984-85      |
|      | 4075 333    | 1   |      |       | Std. Mile/Kilo, w/o Oil Lite, w/o E.M.R., 1984         |
|      | 4051 315    | 1   |      |       | GROMMET, Speedometer Housing                           |
|      | 4051 195    | 1   |      |       | KNOB, Trip Reset                                       |
| 3    | 4075 238    | 1   |      |       | GAUGE, Fuel  |
|      | 4363 020    | 1   |      |       | LAMP, Fuel Pacer Indicator                             |
|      | 6032 456    | 2   |      |       | SCREW, Fuel Pacer Indicator Lamp Mtg.                  |
| 4    |             | 8   |      |       | NUT (DNS)  |
| 5    | 4075 039    | 1   |      |       | HOUSING, Instrument                                    |
| 6    | 4075 240    | 1   |      |       | AMMETER  |
| 7    | 2258 413    | 1   |      |       | LIMITER, Voltage                                       |
| 8    | 4075 237    | 1   |      |       | INDICATOR, Gear Shift                                  |
|      | 4075 050    | 1   |      |       | Cover, Shift Hole                                      |
| 10   |             | 2   |      |       | SCREW (DNS)  |
| 11   | 4075 105    | 1   |      |       | BOARD, Printed Circuit, w/Capacitor and Clip           |
| 12   | 3593 310    | 1   |      |       | RETAINER, Speedometer Cable                            |
| 13   | 3744 750    | 8   |      |       | SOCKET, Printed Circuit Board Lights                   |
| 14   | 9415 969    | 8   |      |       | BULB, Printed Circuit Board Lights                     |
| 15   | 4075 106    | 1   |      |       | BOARD, Printed Circuit                                 |
| 16   | 4075 242    | 1   |      |       | LENS, Oil Lite   |
|      | 4075 409    | 1   |      |       | CHIMNEY, Warning Lamp Low Oil                          |
|      | 4075 241    | 1   |      |       | GAUGE, Oil Pressure                                    |
|      | 6032 100    | AR  |      |       | SCREW, Oil Gauge Mtg.                                  |
| 17   | 4075 058    | 3   |      |       | TUBE, High Beam and Turn Signal                        |
|      | 4051 904    | 1   |      |       | TUBE, High Beam  |
| 18   | 4075 059    | 1   |      |       | TUBE, Brake Signal                                     |
| 19   | 4075 239    | 1   |      |       | GAUGE, Temperature                                     |
| 20   | 4075 243    | 1   |      |       | MASK, Fuel and Temp. Gauge                             |
| 21   |             |     |      |       | MASK, Amp. and Oil Indicator                           |
|      | 4075 244    | 1   |      |       | 1984   |
|      | 4075 410    | 1   |      |       | 1985   |
| 22   | 4075 044    | 1   |      |       | COVER w/LENS, Amp. and Oil                             |
| 23   | 3591 814    | 7   |      |       | CLIP, Instrument Cover to Housing                      |
| 24   | 4216 704    | 1   |      |       | DECAL, Unleaded Fuel                                   |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL GLOVEBOX B 1,2,3  
Figure 8A-400

4382 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                  |
|------|-------------|-----|------|-------|------------------------------|
| 1    |             |     |      |       | DOOR, Glove Box              |
|      | L674 BT8    | 1   |      |       | 1984                         |
|      | L674 DT5    | 1   |      |       | 1985                         |
| 2    | 4216 899    | 2   |      |       | HINGE, Glove Box Door        |
| 3    | 4085 566    | 1   |      |       | CATCH, Door                  |
| 4    | 4034 262    | 1   |      |       | BOX, Glove                   |
|      | 4350 120    | 1   |      |       | w/Lens                       |
|      | 2822 583    | 1   |      |       | LENS, Glove Box              |
| 5    |             | 4   |      |       | SCREW (DNS)                  |
| 6    |             | 2   |      |       | SCREW (DNS)                  |
| 7    | 4216 907    | 1   |      |       | LATCH, Glove Box             |
| 8    |             | 1   |      |       | CYLINDER w/KEY, Refer to 23D |
| 9    | 3590 551    | 2   |      |       | BUMPER                       |
| 10   | 2947 924    | 1   |      |       | LAMP w/SWITCH                |
| 11   | 0152 244    | 1   |      |       | BULB                         |
| 12   |             |     |      |       | NAMEPLATE, Instrument Panel  |
|      | 4216 562    | 1   |      |       | "Custom"                     |
|      | 4216 564    | 1   |      |       | "Royal"                      |
|      | 4216 565    | 1   |      |       | "Royal S.E."                 |
|      | 9420 865    | AR  |      |       | NUT, Nameplate Att.          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL CIGAR LIGHTER AND SWITCHES B 1,2,3  
Figure 8A-500

4382 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | BRACKET, Refer to Group 24                                     |
| 2    | 6032 456    | 3   |      |       | SCREW  |
| 3    | 4114 252    | 1   |      |       | SHELL and CLAMP  |
| 4    | 3004 190    | 1   |      |       | ELEMENT, C/Lighter   |
|      | 4034 764    | 1   |      |       | KNOB w/BEZEL, C/Lighter  |
|      | 0131 282    | 1   |      |       | BULB, C/Lighter Lamp   |
| 5    |             | 1   |      |       | CONTROL, Refer to Group 24                                     |
| 6    |             | 2   |      |       | SCREW, Refer to Group 24                                       |
| 7    |             | 1   |      |       | BEZEL, Refer to Grp. 24  |
| 8    | 4085 892    | 1   |      |       | RETAINER, Switch   |
| 9    |             | 2   |      |       | SCREW, Refer to Group 24                                       |
| 10   |             | 1   |      |       | SWITCH, Refer to Group 24                                      |
| 11   |             | 1   |      |       | WIRING, Cab (Refer to Group 8)                                 |
| 12   | 3746 629    | 1   |      |       | BEZEL  |
| 13   | 4221 398    | 1   |      |       | SWITCH, Headlamp   |
|      | 4048 038    | 1   |      |       | DIFFUSER, Headlamp Switch Identification                       |
| 14   | 9415 969    | 1   |      |       | BULB   |
| 15   | 4034 758    | 1   |      |       | BEZEL, Headlamp Switch   |
| 16   |             | 1   |      |       | LENS, Headlamp Switch Identification (Serv. in Hood and Bezel) |
| 17   | 4085 592    | 1   |      |       | KNOB and SHAFT   |
| 18   |             | 1   |      |       | SCREW (DNS)  |
| 19   |             | 1   |      |       | PLUG, C/Lighter (DNS)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



INSTRUMENT PANEL RADIO AND ANTENNA B 1,2,3  
Figure 8A-600

4182 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             | 1   |      |       | RADIO, E.T.R w/Clock                 |
|      | 4311 103    | 1   |      |       | Ultimate Sound (Black Face) 1985     |
|      | 4311 102    | 1   |      |       | Ultimate Sound (Bright Face) 1985    |
|      | 4311 002    | 1   |      |       | AM (Black Face) 1984                 |
|      | 4311 001    | 1   |      |       | AM (Bright Face) 1985                |
|      | 4311 025    | 1   |      |       | AM FM MX Standard (Black Face) 1984  |
|      | 4311 828    | 1   |      |       | AM FM MX Standard (Black Face) 1985  |
|      | 4311 827    | 1   |      |       | AM FM MX Standard (Bright Face) 1985 |
|      | 4311 365    | 1   |      |       | AM FM MX Cassette (Black Face) 1984  |
|      | 4311 687    | 1   |      |       | AM FM MX Cassette (Black Face) 1985  |
|      | 4311 686    | 1   |      |       | AM FM MX Cassette (Bright Face) 1985 |
| 2    |             |     |      |       | SPEAKER, Instrument Panel            |
|      | 4162 794    | 1   |      |       | Monaural System                      |
|      | 4216 822    | 4   |      |       | Stereo System                        |
|      | 4293 932    | 1   |      |       | Clarion #S30 Cry, 1984               |
|      | 4222 923    | 1   |      |       | Clarion #S31 Cry, 1985               |
| 3    | 4114 428    | 1   |      |       | PLATE w/GASKET                       |
| 4    |             | 2   |      |       | SCREW (DNS)                          |
| 5    | 4311 334    | 2   |      |       | KNOB, Primary                        |
|      |             |     |      |       | 1985                                 |
|      | 4311 554    | 2   |      |       | w/4311102 Radio                      |
|      | 4311 555    | 2   |      |       | w/4311103 Radio                      |
|      | 4311 337    | 1   |      |       | Bass, 1984                           |
|      |             |     |      |       | 1985                                 |
|      | 4311 327    | AR  |      |       | w/4311686,4311827 Radios             |
|      | 4311 337    | AR  |      |       | w/4311687,4311828 Radios             |
| 6    | 4311 341    | AR  |      |       | KNOB, Secondary, 1984                |
|      |             |     |      |       | 1985                                 |
|      | 4311 557    | 2   |      |       | w/4311102 Radio                      |
|      | 4311 558    | 2   |      |       | w/4311103 Radio                      |
|      | 4311 329    | AR  |      |       | w/4311686,4311827,4311835 Radios     |
|      | 4311 341    | AR  |      |       | w/4311687,4311828,4311836 Radios     |
|      | 4311 339    | 1   |      |       | Treble, 1984                         |
|      |             |     |      |       | 1985                                 |
|      | 4311 328    | AR  |      |       | w/4311686,4311827 Radios             |
|      | 4311 339    | AR  |      |       | w/4311687,4311828 Radios             |
| 7    | 6025 001    | 4   |      |       | NUT w/WASHER                         |
| 8    | 6023 201    | 2   |      |       | NUT w/WASHER                         |
| 9    |             | 4   |      |       | SCREW (DNS)                          |
| 10   | 6030 204    | 2   |      |       | RETAINER w/STUD                      |
| 11   | 6030 820    | 1   |      |       | NUT w/WASHER                         |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL RADIO AND ANTENNA B 1,2,3  
Figure 8A-600

4182 600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|-------------|-----|------|-------|------------------------------------|
| 12   | 4216 903    | 1   |      |       | BRACKET, Radio Mtg.                |
| 13   |             | 2   |      |       | NUT (DNS)                          |
| 14   | 6032 456    | 1   |      |       | SCREW                              |
| 15   | 4085 869    | 1   |      |       | BODY w/CABLE                       |
| 16   | 4114 374    | 1   |      |       | BASE, Antenna                      |
| 17   | 4114 375    | 1   |      |       | SPACER, Antenna                    |
| 18   | 4222 797    | 1   |      |       | MAST, Radio Antenna                |
| 19   | 3501 287    | 1   |      |       | NUT, Antenna                       |
| 20   |             | 1   |      |       | CLIP (DNS)                         |
| 21   | 4216 822    | 2   |      |       | SPEAKER, Door and Rear Compartment |
|      | 4293 930    | 2   |      |       | Clarion #360 Cry, 1984             |
|      |             |     |      |       | WIRING, Door Speaker               |
|      | 4162 493    | 1   |      |       | 1984                               |
|      | 4362 008    | 1   |      |       | 1985                               |
|      | 4163 011    | 1   |      |       | WIRING, Rear Speaker               |
|      | 4085 450    | 4   |      |       | SHIELD, Stereo Radio Speaker       |
| 22   | D496 BL3    | AR  |      |       | GRILLE, Speaker                    |
|      | 9420 278    | AR  |      |       | NUT, Speaker Grille Mtg.           |
| 23   | 4216 823    | AR  |      |       | BRACKET, Rear Speaker Mtg.         |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

INSTRUMENT PANEL AND GLOVEBOX D 1,2,3,4,5,6,7,8  
Figure 8A-700

4382 700




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | PANEL, Instrument                             |
|      | L663 BC7    | 1   |      |       | Blue  |
|      | L663 BT8    | 1   |      |       | Brown, 1984                                   |
|      | L663 DT5    | 1   |      |       | Brown, 1985                                   |
|      | L663 BM6    | 1   |      |       | Red   |
|      | L663 CS8    | 1   |      |       | Charcoal                                      |
|      | 4162 796    | 1   |      |       | EXTENSION, Instrument Panel Brace             |
|      | 4216 507    | 1   |      |       | EXTENSION, Instrument Panel Inner Brace       |
|      | 4162 795    | 1   |      |       | BRACE, Instrument Panel                       |
|      |             |     |      |       | REINFORCEMENT, Instrument Panel Lower         |
|      | 4216 666    | 2   |      |       | Right and Center                              |
|      | 4216 667    | 1   |      |       | Lower Left                                    |
|      | 4216 556    | 1   |      |       | SUPPORT, Heater and A/C Control Mtg.          |
| 2    | 4162 839    | 2   |      |       | TRIM, Instrument Panel Edge to Body           |
| 3    |             |     |      |       | TRIM, Instrument Panel Edge                   |
|      | 4216 594    | 2   |      |       | 1984  |
|      | 4216 595    | 2   |      |       | 1985  |
| 4    | L662 CS8    | 1   |      |       | COVER, Instrument Panel Steering Column Lower |
| 5    | 4162 115    | 1   |      |       | COVER, Instrument Panel Steering Column Upper |
| 6    |             |     |      |       | CATCH, Glove Box Lock                         |
|      | 4162 072    | 1   |      |       | 1984  |
|      | 4216 937    | 1   |      |       | 1985  |
| 7    | 3590 551    | 2   |      |       | BUMPER  |
| 8    | 4216 907    | 1   |      |       | LATCH, Glove Box                              |
| 9    | 4162 059    | 1   |      |       | BIN, Glove Box Door                           |
| 10   | L671 CS8    | 1   |      |       | DOOR, Glove Box                               |
| 11   | 0152 244    | 1   |      |       | BULB, Glove Box                               |
| 12   | 3747 079    | 1   |      |       | LAMP, Glove Box                               |
| 13   |             |     |      |       | NAME PLATE, Instrument Panel                  |
|      | 4216 562    | 1   |      |       | "Custom"                                      |
|      | 4216 564    | 1   |      |       | "Royal"                                       |
|      | 4216 565    | 1   |      |       | "Royal S.E."                                  |
| 14   |             |     |      |       | CYLINDER w/KEY, Refer to Group 23D            |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

INSTRUMENT PANEL WIRING D 1,2,3,4,5,6,7,8  
Figure 8A-800

4382 800 A




| ITEM | PART NUMBER | QTY | BODY | MODEL      | DESCRIPTION  |
|------|-------------|-----|------|------------|--|
| 1    |             |     |      |            | WIRING, Instrument Panel                           |
|      | 4163 086    | 1   |      |            | 1984   |
|      | 4362 178    | 1   |      |            | Up to 1-21-85                                      |
|      | 4362 269    | 1   |      |            | After 1-21-85                                      |
|      | 4162 984    | 1   |      |            | Air Conditioning and Heater, 1984                  |
|      | 4163 280    | 1   |      |            | 1985   |
|      | 4162 993    | 1   |      |            | Deluxe Heater (Bi-Level) 1984                      |
|      | 4163 281    | 1   |      |            | 1985   |
|      | 4162 996    | 1   |      |            | Heater Control Blower Switch, 1984                 |
|      | 4163 279    | 1   |      |            | 1985   |
|      | 4163 284    | 1   |      | Exc. D 5,8 | Snow Fiter   |
|      | 4162 988    | 1   |      | D 5,8      | Snow Fiter   |
|      | 4162 482    | 1   |      |            | Door Locks   |
|      | 4114 733    | 1   |      |            | BRACKET, Door Lock Wiring                          |
| 2    |             | 1   |      |            | WIRING, Heater Control Blower Switch (DNS)         |
| 3    | 4162 124    | 1   |      |            | BLOCK, Fuse  |
| 4    | 0274 020    | 2   |      |            | BULB   |
| 5    |             | 2   |      |            | DIFFUSER (DNS)                                     |
| 6    |             | 2   |      |            | WASHER (DNS)                                       |
| 7    | 0120 614    | 2   |      |            | NUT  |
| 8    |             | 1   |      |            | SCREW (DNS)  |
| 9    | 2958 775    | 1   |      |            | CONNECTOR  |
| 10   | 2258 102    | 1   |      |            | INSULATOR, H/Lamp Switch                           |
|      | 2983 409    | 8   |      |            | TERMINAL, Ignition Switch                          |
| 11   | 4055 022    | 1   |      |            | INSULATOR, Ignition Switch                         |
|      | 3843 386    | 7   |      |            | TERMINAL   |
| 12   | 2983 403    | 1   |      |            | INSULATOR  |
| 13   | 3513 696    | 1   |      |            | INSULATOR, Dimmer Switch                           |
|      | 4124 757    | 1   |      |            | TERMINAL and INSULATOR PACKAGE                     |
|      | 3837 161    | AR  |      |            | FLASHER, Turn Signal and Emergency Warning, 2 Lamp |
|      | 2932 877    | AR  |      |            | 2.6 Lamp   |
|      | 3746 516    | 1   |      |            | SOCKET, Seat Belt Warning Indicator Lamp           |
|      |             |     |      |            | FUSE, Glass Type                                   |
|      | 9426 868    | AR  |      |            | 5 Amp.   |
|      | 0106 653    | AR  |      |            | 20 Amp. SFE  |
|      | 9426 331    | AR  |      |            | 30 Amp. AGC  |
|      |             |     |      |            | FUSE, Blade Type                                   |
|      | 6101 131    | AR  |      |            | 3 Amp.   |
|      | 6101 133    | AR  |      |            | 5 Amp.   |
|      | 6101 135    | AR  |      |            | 10 Amp.  |
|      | 6101 136    | AR  |      |            | 15 Amp.  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

INSTRUMENT PANEL WIRING D 1,2,3,4,5,6,7,8  
Figure 8A-800

4382 800 A


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                      |
|------|-------------|-----|------|-------|----------------------------------|
|      | 6101 137    | AR  |      |       | 20 Amp.                          |
|      | 6101 138    | AR  |      |       | 25 Amp.                          |
|      | 6101 139    | AR  |      |       | 30 Amp.                          |
|      | 1540 427    | AR  |      |       | CIRCUIT BREAKER                  |
|      | 1881 938    | 1   |      |       | SWITCH, Foot Dimmer              |
|      | 2932 834    | 1   |      |       | RELAY w/BRACKET, Electric Window |
|      | 4049 059    | 1   |      |       | BUZZER                           |



|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

INSTRUMENT PANEL ASH RECEIVER AND CIGAR LIGHTER D 1,2,3,4,5,6,7,8  
Figure 8A-900

4352 000





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|-------------|-----|------|-------|------------------------------------|
| 1    | 4114 252    | 1   |      |       | SHELL W/CLAMP, C/Lighter           |
| 2    | 4162 655    | 1   |      |       | COVER w/SPRING, Ash Rec.           |
|      | 3590 551    | 1   |      |       | BUMPER, Instrument Panel Ash. Rec. |
| 3    | 3747 165    | 1   |      |       | KNOB, C/Lighter                    |
| 4    | 3004 190    | 1   |      |       | ELEMENT, C/Lighter                 |
| 5    | 4162 629    | 1   |      |       | RECEPTACLE, Ash Rec.               |
| 6    | 4162 642    | 1   |      |       | LAMP, Ash Receiver                 |
|      | 9415 969    | 1   |      |       | BULB, Lamp                         |
| 7    | L672 CS8    | 1   |      |       | FACE PLATE, Ash Rec.               |
|      | 4212 410    | 1   |      |       | BRACKET, Side Inner Panel Ash Rec. |
|      | 4162 628    | 1   |      |       | HOUSING                            |
|      | 3746 516    | 1   |      |       | SOCKET, Ash Rec. Lamp              |
|      | 3746 629    | 1   |      |       | BEZEL, C/Lighter                   |
|      | 4048 038    | 1   |      |       | DIFFUSER, Ash Rec. Lamp            |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 8 = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

INSTRUMENT PANEL CLUSTER AND SWITCHES D 1,2,3,4,5,6,7,8  
Figure 8A-1000

4382 10x0





| ITEM | PART NUMBER | QTY      | BODY | MODEL     | DESCRIPTION                                |
|------|-------------|----------|------|-----------|--|
| 1    |             |          |      |           | FACEPLATE, Instrument Panel                |
|      |             |          |      |           | Black                                      |
|      | 4216 881    | 1        |      |           | w/o A/C                                    |
|      | 4216 882    | 1        |      |           | w/A/C                                      |
|      |             |          |      |           | Woodgrain                                  |
|      | 4216 880    | 1        |      |           | w/A/C                                      |
|      | 4216 879    | 1        |      |           | w/o A/C                                    |
|      | 2           | 4162 388 | 1    |           | COVER, Four Wheel Drive Indicator          |
|      | 3           | 4216 704 | 1    |           | DECAL, Unleaded Fuel                       |
| 4    |             |          |      |           | SWITCH, Headlamp                           |
|      | 4221 248    | 1        |      |           | 1984                                       |
|      | 4221 398    | 1        |      |           | 1985                                       |
|      | 3879 522    | 1        |      |           | RELAY, Headlamp Switch                     |
| 5    | 4034 470    | AR       |      |           | NUT, Headlamp Switch Mtg.                  |
| 6    |             |          |      |           | SWITCH, Windshield Wiper                   |
|      | 3747 333    | 1        |      |           | Intermittent, 1984                         |
|      | 4360 007    | 1        |      |           | Intermittent, 1985                         |
|      | 4162 001    | 1        |      |           | Two Speed, 1984                            |
|      | 4360 006    | 1        |      |           | Two Speed, 1985                            |
| 7    |             |          |      |           | HOUSING, Windshield Wiper                  |
|      | 4162 515    | 1        |      |           | Two Speed                                  |
|      | 4162 516    | 1        |      |           | Intermitent                                |
| 8    | 4162 761    | 1        |      |           | KNOB w/STEM, Headlamp Switch               |
| 9    | 3747 244    | 1        |      |           | KNOB, Headlamp Switch                      |
| 10   | 4162 426    | 1        |      |           | PLATE, w/o Cargo Lamp                      |
|      | 4162 427    | 1        |      |           | w/ Cargo Lamp                              |
|      | 4216 853    | 1        |      |           | LAMP, Map                                  |
|      | 3746 017    | 1        |      |           | LENS, Map Lite                             |
| 11   | 4162 037    | 1        |      |           | BRACKET, Map Lamp                          |
|      |             |          |      |           | SPEEDOMETER                                |
|      | 4075 318    | 1        |      |           | Std. Mile, w/o Oil Lite, w/o E.M.R.        |
|      | 4075 324    | 1        |      |           | Std. Mile, w/Trip, w/Oil Gauge, w/o E.M.R. |
|      | 4075 329    | 1        |      |           | Std. Mile, w/E.M.R., w/Oil Lite            |
|      | 4075 332    | 1        |      |           | Std. Mile, w/E.M.R., w/Trip, w/Oli Gauge   |
|      | 4051 195    | 1        |      |           | KNOB, Trip Reset                           |
| 15   |             |          |      |           | INDICATOR, Four Wheel Drive                |
|      | 4162 859    | 1        |      | D-7       | w/4500lb. Front Axle                       |
|      | 4216 702    | 1        |      | D-5,6,7,8 | w/3500lb. Front Axle, 1984                 |
|      | 4217 048    | 1        |      | D-5,6,7,8 | w/3500lb. Front Axle, 1985                 |
| 16   | 4216 533    | 1        |      |           | SWITCH, Cargo Lamp                         |
| 17   | 4075 144    | 1        |      |           | GAUGE, Fuel                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D101 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D102 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D103 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D104 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D105 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D106 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D107 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D108 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D109 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D110 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D111 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D112 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D113 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D114 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D115 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D116 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D117 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D118 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D119 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D120 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D121 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D122 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D123 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D124 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D125 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D126 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D127 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D128 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D129 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D130 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D131 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D132 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D133 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D134 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D135 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D136 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D137 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D138 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D139 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D140 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D141 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D142 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D143 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D144 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D145 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D146 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D147 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D148 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D149 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D150 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D151 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D152 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D153 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D154 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D155 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D156 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D157 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D158 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D159 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D160 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D161 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D162 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D163 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D164 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D165 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D166 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D167 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D168 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D169 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D170 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D171 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D172 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D173 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D174 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D175 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D176 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D177 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL CLUSTER AND SWITCHES D 1,2,3,4,5,6,7,8  
Figure 8A-1000

4382 10x0



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
|      | 4363 020    | 1   |      |       | LAMP, Fuel Pacer Indicator            |
|      | 6032 456    | 2   |      |       | SCREW, Fuel Pacer Indicator Lamp Mtg. |
| 18   | 4075 146    | 1   |      |       | GAUGE, Temp.                          |
| 19   | 4075 147    | 1   |      |       | GAUGE, Amp.                           |
| 20   | 4075 145    | 1   |      |       | GAUGE, Oil Pressure                   |
| 21   | 4075 150    | 1   |      |       | MASK and SIGNAL                       |
|      | 4075 406    | 1   |      |       | MASK and SIGNAL, E.M.R.               |
|      | 4075 401    | 1   |      | D 4,8 | MASK and SIGNAL, Gate Open            |
|      | 4075 158    | 1   |      |       | MODULE, E.M.R.                        |
|      | 4034 891    | 1   |      |       | SHIELD, E.M.R.                        |
|      | 4047 459    | 1   |      | D 3,7 | BRACKET, E.M.R. Mtg.                  |
|      | 4075 149    | 1   |      |       | CIRCUIT BOARD                         |
| 22   |             |     |      |       | HOUSING                               |
|      | 4075 154    | 1   |      |       | Up to 12-14-84                        |
|      | 4075 444    | 1   |      |       | After 12-14-84                        |
| 23   |             |     |      |       | LENS, Instrument Cluster              |
|      | 4075 152    | 1   |      |       | w/o Trip                              |
|      | 4075 153    | 1   |      |       | w/Trip                                |
|      | 4075 156    | 1   |      |       | LENS, Oil Signal                      |
|      | 4075 157    | 1   |      |       | LENS, Temp. Signal                    |
| 25   | 6031 940    | AR  |      |       | CLIP, Face Plate Mtg.                 |
|      | 2258 413    | 1   |      |       | LIMITER, Voltage                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



INSTRUMENT PANEL RADIO AND ANTENNA D 1,2,3,4,5,6,7,8  
Figure 8A-1100

4382 1100



| ITEM | PART NUMBER           | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-----------------------|-----|------|-------|--|
| 1    | RADIO, E.T.R. w/Clock |     |      |       |  |
|      | 4311 103              | 1   |      |       | Ultimate Sound (Black Face) 1985       |
|      | 4311 102              | 1   |      |       | Ultimate Sound (Bright Face) 1985      |
|      | 4311 002              | 1   |      |       | AM (Black Face) 1984                   |
|      | 4311 001              | 1   |      |       | AM (Bright Face) 1985                  |
|      | 4311 025              | 1   |      |       | AM FM MX Standard (Black Face) 1984    |
|      | 4311 828              | 1   |      |       | AM FM MX Standard (Black Face) 1985    |
|      | 4311 827              | 1   |      |       | AM FM MX Standard (Bright Face) 1985   |
|      | 4311 365              | 1   |      |       | AM FM MX w/Cassette (Black Face) 1984  |
|      | 4311 687              | 1   |      |       | AM FM MX w/Cassette (Black Face) 1985  |
| 2    | 4311 686              | 1   |      |       | AM FM MX w/Cassette (Bright Face) 1985 |
|      | 4311 341              | AR  |      |       | KNOB, Secondary, 1984                  |
|      |                       |     |      |       | 1985                                   |
|      | 4311 557              | 2   |      |       | w/4311102 Radio                        |
|      | 4311 558              | 2   |      |       | w/4311103 Radio                        |
|      | 4311 329              | AR  |      |       | w/4311686,4311827,4311835 Radios       |
|      | 4311 341              | AR  |      |       | w/4311687,4311828,4311836 Radios       |
|      | 4311 339              | 1   |      |       | Treble, 1984                           |
|      |                       |     |      |       | 1985                                   |
|      | 4311 328              | AR  |      |       | w/4311686,4311827 Radios               |
| 3    | 4311 339              | AR  |      |       | w/4311687,4311828 Radios               |
|      | 4311 334              | 2   |      |       | KNOB, Primary, 1984                    |
|      |                       |     |      |       | 1985                                   |
|      | 4311 554              | 2   |      |       | w/4311102 Radio                        |
|      | 4311 555              | 2   |      |       | w/4311103 Radio                        |
|      | 4311 325              | AR  |      |       | w/4311686,4311827,4311835 Radios       |
|      | 4311 334              | AR  |      |       | w/4311687,4311828,4311836 Radios       |
|      | 4311 337              | 1   |      |       | Bass, 1984                             |
|      |                       |     |      |       | 1985                                   |
|      | 4311 327              | AR  |      |       | w/4311686,4311827 Radios               |
| 4    | 4311 337              | AR  |      |       | w/4311687,4311828 Radios               |
|      | 4216 891              | 1   |      |       | BRACKET, Radio Mtg.                    |
| 5    |                       | 1   |      |       | SCREW (DNS)                            |
| 6    | 0181 063              | 1   |      |       | SCREW                                  |
| 7    | L661 CS8              | 1   |      |       | GRILLE, Instrument Panel Speaker       |
| 8    | 3501 277              | 1   |      |       | SPEAKER, Instrument Panel              |
|      | 4293 932              | 1   |      |       | Clarion #S30 Cry, 1984                 |
|      | 4085 450              | 2   |      |       | SHIELD, Door Speaker                   |
|      |                       |     |      |       | WIRING                                 |
|      | 4163 090              | 1   |      |       | Instrument Panel, w/Two Speakers       |
|      | 4163 095              | 1   |      |       | Instrument Panel, w/Four Speakers      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INSTRUMENT PANEL RADIO AND ANTENNA D 1,2,3,4,5,6,7,8  
Figure 8A-1100

4382 1100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 9    |             | AR  |      |       | SCREW, Radio and Speaker Mtg. (DNS)        |
| 10   |             | 2   |      |       | U/NUT, Instrument Panel Speaker Mtg. (DNS) |
| 11   | 4222 728    | 1   |      |       | NUT, Antenna Mounting Cap                  |
|      | 4222 723    | 1   |      |       | LOCKWASHER, Antenna Mtg.                   |
| 12   | 4222 729    | 1   |      |       | MAST, Radio Antenna                        |
| 13   | 4222 725    | 1   |      |       | ADAPTOR and GASKET                         |
| 14   | 4222 721    | 1   |      |       | BODY and CABLE                             |
|      | 4222 731    | 1   |      |       | PLUG, Antenna Hole                         |
| 15   | 4220 482    | 1   |      |       | PLATE, Radio Opening w/o Radio             |
| 16   |             | 2   |      |       | GRILLE, Door Speaker                       |
|      | D496 BL3    | 2   |      |       | 1984                                       |
|      | L723 CL3    | 2   |      |       | 1985                                       |
|      | 9420 278    | AR  |      |       | NUT, Grille Mtg.                           |
| 17   | 4216 822    | 2   |      |       | SPEAKER, Door                              |
|      | 4293 930    | 2   |      |       | Clarion #360 Cry, 1984                     |
|      | 4350 103    | 2   |      |       | SPEAKER, Cab Rear, 1985                    |
|      |             |     |      |       | GRILLE, Cab Rear Speaker, 1985             |
|      | 4216 931    | 1   |      |       | Left                                       |
|      | 4216 932    | 1   |      |       | Right                                      |
|      | 0152 442    | 4   |      |       | LOCKNUT, Cab Rear Speaker, 1985            |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CONSOLE D 4,8  
Figure 8A-1200

4382 1200-A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    |             |     |      |       | CONSOLE                               |
|      | L525 BB5    | 1   |      |       | Blue, Up to 6-3-85                    |
|      | L540 DB5    | 1   |      |       | Blue, After 6-3-85                    |
|      | L525 BM6    | 1   |      |       | Red, Up to 6-3-85                     |
|      | L540 DM6    | 1   |      |       | Red, After 6-3-85                     |
|      | L525 BL3    | 1   |      |       | Beige                                 |
|      | L525 DT3    | 1   |      |       | Tan, Up to 6-3-85                     |
|      | L540 DT3    | 1   |      |       | Tan, After 6-3-85                     |
| 2    | 4118 745    | 1   |      |       | CABLE, Console Cover                  |
| 3    | 4215 104    | 1   |      |       | REINFORCEMENT, Console to Cable Cover |
| 4    |             | AR  |      |       | SCREW (DNS)                           |
| 5    |             | AR  |      |       | NUT (DNS)                             |
| 6    |             |     |      |       | COVER, Console                        |
|      | L524 BB5    | 1   |      |       | Blue, Up to 6-3-85                    |
|      | L538 DB5    | 1   |      |       | Blue, After 6-3-85                    |
|      | L524 BM6    | 1   |      |       | Red, Up to 6-3-85                     |
|      | L538 DM6    | 1   |      |       | Red, After 6-3-85                     |
|      | L524 BL3    | 1   |      |       | Beige                                 |
|      | L524 DT3    | 1   |      |       | Tan, Up to 6-3-85                     |
|      | L538 DT3    | 1   |      |       | Tan, After 6-3-85                     |
| 7    |             | AR  |      |       | SCREW (DNS)                           |
| 8    |             | AR  |      |       | SCREW (DNS)                           |
| 9    |             | 1   |      |       | CYLINDER w/KEY, Refer to 23D          |
| 10   | 4118 746    | 1   |      |       | HINGE                                 |
| 11   | 4118 747    | 1   |      |       | CATCH                                 |
| 12   |             | 2   |      |       | SCREW (DNS)                           |
| 13   | 4118 748    | 2   |      |       | BUMPER                                |
| 14   | 4356 168    | 1   |      |       | CATCH                                 |
| 15   | 4356 170    | 1   |      |       | PLATE, Catch                          |
| 16   | 4364 490    | 1   |      |       | STRIKER PACKAGE, Console Lid          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GROUP 9B - ENGINE, 6 CYLINDER

ILLUSTRATION TITLE GROUP-FIG. NO.


3.7 L ENGINE

|   |             |
|---|-------------|
| EXTERNAL ENGINE 6 CYLINDER .....                              | Fig. 9B-100 |
| CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 6 CYLINDER .....  | Fig. 9B-200 |
| CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 6 CYLINDER ..... | Fig. 9B-300 |
| INTAKE and EXHAUST MANIFOLD 6 CYLINDER .....                  | Fig. 9B-400 |
| OIL PUMP 6 CYLINDER .....                                     | Fig. 9B-600 |
| OIL PAN and RELATED PARTS 6 CYLINDER .....                    | Fig. 9B-700 |
| MOUNTINGS, ENGINE 6 CYLINDER B1,2,3 .....                     | Fig. 9B-800 |
| MOUNTINGS, ENGINE 6 CYLINDER D .....                          | Fig. 9B-900 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

EXTERNAL ENGINE 6 CYLINDER  
Figure 9B-100

4356 100



| ITEM       | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------------|-------------|-----|------|-------|---|
| GASKET SET |             |     |      |       |   |
|            | 4267 187    | 1   |      |       | Upper<br>Consists of:<br>GASKET, Cyl. Head<br>GASKET, Cyl. Head Cover<br>GASKET, Exh. Pipe Flange<br>GASKET, Exh. Valve Stem Oil<br>SEAL, Intake Valve Guide<br>GASKET, Cyl. Water Outlet Elbow   |
|            | 4106 048    | 1   |      |       | Lower<br>Consists of:<br>GASKET, Chain Case Cover<br>GASKET, Water Pump Body<br>GASKET, Water Pump Intermediate Plate<br>GASKET, Oil Pump Body<br>GASKET, Oil Pressure Relief Valve Cap<br>GASKET, Fuel Pump Flange<br>GASKET, Exh. Pipe Flange<br>SEAL, Chain Case Cover Oil |
| 1          | 6031 688    | 8   |      |       | SCREW w/WASHER, Cyl. Head Cover   |
| 2          | 4095 780    | 1   |      |       | COVER, Cylinder Head  |
| 3          | 1947 687    | 14  |      |       | BOLT, Cyl. Head 7/16 x 4 3/8  |
| 4          | 1859 127    | 1   |      |       | PLUG, Cyl. Head Pipe (3/8")   |
| 5          | 2121 524    | 1   |      |       | ELBOW, Cyl. Head Water Outlet   |
| 6          | 0180 124    | 2   |      |       | BOLT, Water Outlet Elbow  |
| 7          | 1947 671    | 1   |      |       | GASKET, Water Outlet Elbow  |
| 8          | 5203 340    | 2   |      |       | PLUG, Cyl. Head Cup   |
| 9          | 0141 195    | 2   |      |       | DOWEL, Cyl. Block to Cyl. Head  |
| 10         | 4100 777    | 1   |      |       | INDICATOR, Timing   |
| 11         | 4105 203    | 1   |      |       | SHIELD, Vibration Damper Dust w/Man. Trans.   |
| 12         |             |     |      |       | DAMPER, Vibration   |
|            | 4173 184    | 1   |      |       | 10" Clutch 2-groove   |
|            | 4095 220    | 1   |      |       | 11" Clutch 3-groove   |
|            | 4095 527    | 1   |      |       | Auto. Trans.1-groove.   |
| 13         | 4100 670    | 1   |      |       | COVER, Chain Case w/Timing Indicator  |
| 14         | 0181 086    | 6   |      |       | SCREW, Chain Case Cover   |
|            | 6024 246    | 1   |      |       | 5/16 x 3/4  |
| 15         | 1947 554    | 1   |      |       | GASKET, Chain Case Cover  |
| 16         | 0141 195    | 2   |      |       | DOWEL, Cyl. Block to Chain Case Cover   |
| 17         | 6028 668    | 1   |      |       | PLUG, Cyl. Block Oil Line   |
| 18         | 5203 342    | 5   |      |       | PLUG, Cyl. Block Core Hole  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXTERNAL ENGINE 6 CYLINDER  
Figure 9B-100

4355 100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 19   | 1122 532    | 2   |      |       | DOWEL, Cyl. Block to Clutch Hsg. or Torque Conv. STD.         |
|      | 1736 347    | 2   |      |       | .007 Over Center  |
|      | 1736 348    | 2   |      |       | .014 Over Center  |
|      | 1736 353    | 2   |      |       | .021 Over Center  |
| 20   | 4227 917    | 1   |      |       | ENGINE, Short Std. Compression                                |
| 21   | 4201 200    | 1   |      |       | GASKET, Cylinder Head   |
| 22   | 4173 385    | 1   |      |       | HEAD, Cylinder  |
| 23   | 4095 784    | 1   |      |       | GASKET, Cylinder Head Cover RTV                               |
|      | 4318 025    | 1   |      |       |   |
| 24   | 6030 536    | 6   |      |       | BOLT, Flywheel  |
| 25   |             |     |      |       | FLYWHEEL  |
| 26   | 2863 402    | 1   | B,D  |       | w/Ring Gear 10" Clutch  |
|      | 4295 216    | 1   | D    |       | w/Ring Gear 11" Clutch  |
|      | 2121 196    | 1   | B,D  |       | GEAR, Flywheel Ring w/10" Clutch                              |
|      | 4295 218    | 1   | D    |       | w/11" Clutch  |
| 27   |             |     |      |       | GEAR, Torque Converter w/A727 Trans.                          |
|      | 3515 203    | 1   |      |       | w/A904, A999 Trans.   |
|      | 2121 196    | 1   |      |       |   |
|      |             |     |      |       | CONVERTER, Torque   |
| 28   | 4293 051    | 1   |      |       | w/A904 Trans. - Lock Up (High Stall)                          |
|      | 4293 065    | 1   |      |       | w/A727 Trans. - Lock Up (High Stall) w/Catalyst except Calif. |
|      | 4293 062    | 1   |      |       | w/A727 Trans. - Non Lock Up (Low Stall)                       |
|      | 4293 071    | 1   |      |       | w/A727 Trans. - w/Calif.                                      |
| 29   | 3515 137    | 1   |      |       | SEAL, Torque Converter Hub (w/A727 Trans.)                    |
|      | 4269 057    | 1   |      |       | (w/A904 Trans.)   |
| 30   | 1949 765    | 4   |      |       | SCREW, Drive Plate to Torque Converter                        |
| 31   | 4058 428    | 1   |      |       | PLATE, Torque Converter Drive                                 |
| 32   | 1949 424    | 6   |      |       | SCREW, Drive Plate to Crankshaft                              |
| 33   |             |     |      |       | PLUG, Torque Converter Drain (not serviced)                   |
| 34   | 2808 673    | 8   |      |       | SPRING, Torque Converter Overrunning Clutch                   |
| 35   | 6027 513    | 1   |      |       | O RING, Engine Heater   |
| 36   | 3755 677    | 1   |      |       | HEATER, Engine Block  |
| 37   | 3614 282    | 1   |      |       | CORD, Engine Heater   |
|      | 0181 086    | 3   |      |       | SCREW, Vibration Damper Dust Shield                           |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 6 CYLINDER  
Figure 9B-200

4356 200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 0053 298    | 1   |      |       | BUSHING, Crankshaft Manual Transmission Pilot |
| 2    |             |     |      |       | BEARING, Crankshaft                           |
|      |             |     |      |       | # 1, 2, 4                                     |
|      | 4049 242    | 3   |      |       | STD.  |
|      | 4049 243    | 3   |      |       | .001 u/s                                      |
|      | 4049 244    | 3   |      |       | .002 u/s                                      |
|      | 4049 245    | 3   |      |       | .003 u/s                                      |
|      | 4049 246    | 3   |      |       | .010 u/s                                      |
|      | 4049 247    | 3   |      |       | .011 u/s                                      |
|      | 4049 248    | 3   |      |       | .012 u/s                                      |
|      |             |     |      |       | # 3   |
|      | 4049 249    | 3   |      |       | STD.  |
|      | 4049 250    | 3   |      |       | .001 u/s                                      |
|      | 4049 251    | 3   |      |       | .002 u/s                                      |
|      | 4049 252    | 3   |      |       | .003 u/s                                      |
|      | 4049 253    | 3   |      |       | .010 u/s                                      |
|      | 4049 254    | 3   |      |       | .011 u/s                                      |
|      | 4049 255    | 3   |      |       | .012 u/s                                      |
| 3    | 4273 343    | 12  |      |       | BOLT, Connector Rod Bearing Cap               |
| 4    |             |     |      |       | RING SET, Piston                              |
|      |             |     |      |       | 1 Piston                                      |
|      | 4131 214    | 6   |      |       | STD. to .009 o/s (w/o Tin Plated Rings)       |
|      | 4131 215    | 6   |      |       | .020 to .029 o/s                              |
|      | 4131 205    | 6   |      |       | STD. to .009 o/s (w/Tin Plated Rings)         |
|      | 4131 206    | 6   |      |       | .020 to .029 o/s                              |
| 5    |             |     |      |       | PISTON w/PIN, ENGINE                          |
|      | 2084 384    | 6   |      |       | STD.  |
|      | 2084 385    | 6   |      |       | .005 o/s                                      |
|      | 2084 386    | 6   |      |       | .020 o/s                                      |
|      |             |     |      |       | LOW COMPRESSION                               |
|      | 2084 388    | 6   |      |       | Std.  |
|      | 2084 390    | 6   |      |       | .020 o/s                                      |
| 6    | 4041 994    | 6   |      |       | ROD, Connecting                               |
| 7    |             |     |      |       | CRANKSHAFT                                    |
|      | 4100 646    | 1   |      |       | 10" Clutch and Auto. Trans.                   |
|      | 3751 036    | 1   |      |       | 11" Clutch                                    |
| 8    | 3751 037    | 1   |      |       | PLUG, Crankshaft                              |
| 9    | 2128 912    | 1   |      |       | SPROCKET, Crankshaft                          |
| 10   | 1855 561    | 1   |      |       | WASHER, Crankshaft Screw                      |
| 11   | 6025 547    | 1   |      |       | SCREW, Crankshaft                             |
| 12   | 3830 108    | 1   |      |       | SEAL, Chain Case Cover Oil                    |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 6 CYLINDER  
Figure 9B-200

4356 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 13   | 6029 411    | 1   |      |       | KEY, Crankshaft Sprocket              |
| 14   |             |     |      |       | BEARING, Connecting Rod               |
|      | 4049 256    | 6   |      |       | STD.                                  |
|      | 4049 257    | 6   |      |       | .001 u/s                              |
|      | 4049 258    | 6   |      |       | .002 u/s                              |
|      | 4049 259    | 6   |      |       | .003 u/s                              |
|      | 4049 260    | 6   |      |       | .010 u/s                              |
|      | 4049 261    | 6   |      |       | .012 u/s                              |
| 15   | 6032 296    | 12  |      |       | NUT, Conn. Rod Brg. Cap Bolt          |
| 16   |             |     |      |       | CAP, Crankshaft Bearing               |
|      | 4027 425    | 1   |      |       | # 1                                   |
|      | 4027 426    | 1   |      |       | # 2                                   |
|      | 4027 427    | 1   |      |       | # 3                                   |
|      | 4027 428    | 1   |      |       | # 4                                   |
| 17   | 1618 695    | 8   |      |       | SCREW, Crankshaft Bearing Cap         |
| 18   | 9418 004    | 2   |      |       | SCREW, Crankshaft Bearing Seal        |
| 19   | 1947 557    | 1   |      |       | RETAINER, Crankshaft Bearing Oil Seal |
| 20   | 4293 787    | 1   |      |       | OIL SEAL, Crankshaft Rear Bearing     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 6 CYLINDER  
Figure 9B-300

4356 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1-8  |             |     |      |       | Serviced in Item 9                              |
| 1    |             |     |      |       | BODY, Tappet                                    |
| 2    |             |     |      |       | SPRING, Plunger                                 |
| 3    |             |     |      |       | RETAINER  |
| 4    |             |     |      |       | SPRING, Check Valve                             |
| 5    |             |     |      |       | BALL, Check                                     |
| 6    |             |     |      |       | PLUNGER   |
| 7    |             |     |      |       | CAP, Plunger                                    |
| 8    |             |     |      |       | CLIP, Plunger Retainer Spring                   |
| 9    |             |     |      |       | TAPPET, Valve                                   |
|      | 4106 028    | 12  |      |       | Std.  |
|      | 4106 029    | 12  |      |       | .001 o/s  |
|      | 4106 030    | 12  |      |       | .008 o/s  |
|      | 4106 031    | 12  |      |       | .030 o/s  |
|      | 4186 155    | 12  |      |       | Std. w/Low Compression                          |
|      | 4186 156    | 12  |      |       | .001 o/s w/Low Compression                      |
|      | 4186 157    | 12  |      |       | .008 o/s w/Low Compression                      |
|      | 4186 158    | 12  |      |       | .030 o/s w/Low Compression                      |
| 10   | 0186 632    | 6   |      |       | SCREW, Rocker Shaft Retainer 3/8 x 1 3/4        |
| 11   | 2120 694    | 6   |      |       | SPACER, Valve Rocker                            |
| 12   | 3870 322    | 1   |      |       | SCREW, Rocker Shaft Retainer 5/16 x 2 1/4       |
| 13   | 1324 268    | 2   |      |       | PLUG, Valve Rocker Shaft                        |
| 14   |             |     |      |       | RETAINER, Rocker Shaft                          |
|      | 1947 616    | 6   |      |       | End & Intermediate                              |
|      | 1947 617    | 1   |      |       | Center  |
| 15   | 4173 909    | 12  |      |       | ROCKER, Valve                                   |
| 16   | 4100 397    | 1   |      |       | SHAFT, Rocker                                   |
| 17   | 4105 275    | 1   |      |       | CAMSHAFT  |
| 18   | 0141 195    | 1   |      |       | DOWEL, Camshaft Sprocket                        |
| 19   |             | 1   |      |       | WASHER, Sprocket Retaining Screw (not serviced) |
| 20   | 9418 275    | 1   |      |       | SCREW, Sprocket Retainer                        |
| 21   | 3514 866    | 1   |      |       | CHAIN, Timing                                   |
| 22   | 2806 945    | 1   |      |       | SPROCKET, Camshaft                              |
| 23   |             |     |      |       | BEARING, Camshaft                               |
|      | 4100 754    | 1   |      |       | # 1   |
|      | 4100 755    | 1   |      |       | # 2   |
|      | 4100 756    | 1   |      |       | # 3   |
|      | 2121 727    | 1   |      |       | # 4   |
| 24   | 2402 905    | 1   |      |       | PLUG, Camshaft Rear Bearing                     |
| 25   | 1614 666    | 12  |      |       | LOCK, Exhaust Valve Spring                      |
| 26   | 2402 045    | 12  |      |       | RETAINER, Valve Spring                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 6 CYLINDER  
Figure 9B-300


4356 300A

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                    |
|------|-------------|-----|------|-------|--------------------------------|
| 27   | 1859 144    | 12  |      |       | SPACER, Valve Spring           |
| 28   | 1739 534    | 12  |      |       | SPRING, Intake & Exhaust Valve |
| 29   | 4071 006    | 6   |      |       | SHIELD, Exhaust Valve Stem Oil |
| 30   |             |     |      |       | VALVE, Exhaust                 |
|      | 4105 979    | 6   |      |       | STD.                           |
|      | 4105 980    | 6   |      |       | .005 o/s                       |
|      | 4105 981    | 6   |      |       | .015 o/s                       |
|      | 4105 982    | 6   |      |       | .030 o/s                       |
| 31   |             |     |      |       | VALVE, Intake                  |
|      | 1947 623    | 6   |      |       | STD.                           |
|      | 2121 578    | 6   |      |       | .005 o/s                       |
|      | 2121 579    | 6   |      |       | .015 o/s                       |
|      | 2121 580    | 6   |      |       | .030 o/s                       |
| 32   | 4095 543    | 6   |      |       | SEAL, Intake Valve Stem Oil    |
| 33   | 0381 875    | 12  |      |       | LOCK, Intake Valve Spring      |
| 34   | 4173 482    | 12  |      |       | ROD, Valve Push                |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = SPORT UTILITY (4X4)</del>                                      |  |                              |                   |                  |                  |                  |
| <del>D10 = SPORT UTILITY (4X4)</del>                                     |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

INTAKE and EXHAUST MANIFOLD 6 CYLINDER  
Figure 9B-400

4356 400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
| 1Pkg | 4186 180    | 1   |      |       | GASKET, Intake and Exhaust Manifold               |
| 2Pkg | 4186 175    | 1   |      |       | VALVE, Heat Control                               |
| 1    |             |     |      |       | STUD  |
|      | 6031 867    | 1   |      |       | Intake Manifold                                   |
|      | 6031 867    | 2   |      |       | Exhaust Manifold                                  |
|      | 6031 867    | 10  |      |       | Intake & Exhaust Manifold                         |
|      | 6024 380    | 2   |      |       | Exhaust Manifold Outlet                           |
| 2    |             |     |      |       | WASHER  |
|      | 2121 223    | 1   |      |       | Intake Manifold Stud                              |
|      | 3751 637    | 2   |      |       | Exhaust Manifold Stud                             |
|      | 3751 636    | 10  |      |       | Intake & Exhaust Manifold Stud                    |
| 3    |             |     |      |       | NUT   |
|      | 0115 729    | 1   |      |       | Intake Manifold Stud                              |
|      | 6030 210    | 2   |      |       | Exhaust Manifold Stud                             |
|      | 0115 729    | 10  |      |       | Intake & Exhaust Manifold Stud                    |
| 4    |             |     |      |       | MANIFOLD, Intake                                  |
|      | 4104 579    | 1   |      |       | 1 Bbl.  |
|      | 4273 132    | 1   |      |       | 2 Bbl.  |
| 5    | 0152 568    | 1   |      |       | STUD, Intake to Exhaust Manifold                  |
| 6    | 0118 614    | 1   |      |       | NUT w/WASHER, Intake to Exhaust Manifold Stud *** |
| 7    |             |     |      |       | CONNECTOR, (Refer to group 25)                    |
| 8    | 6031 330    | 2   |      |       | BOLT, Intake to Exhaust Manifold                  |
| 9    | 1639 597    | 1   |      |       | PIN, Heat Control Valve Shaft spring              |
| 10   | 3462 514    | 1   |      |       | SPRING, Heat Control Valve Shaft                  |
| 11   | 6025 020    | 1   |      |       | NUT, Intake to Exhaust Manifold Bolt              |
| 12   |             | 1   |      |       | PIN, Heat Control Valve Stop (Not Serviced)       |
| 13   | 2946 107    | 1   |      |       | STOP, Heat Control Valve                          |
| 14   | 4267 233    | 1   |      |       | MANIFOLD, Exhaust                                 |
|      | 6500 362    | 1   |      |       | PLUG, Exhaust Manifold                            |
|      | 6022 250    | 1   |      |       | SC&WA, Intake Manifold Anti-Leak (Not Shown)      |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

OIL PUMP 6 CYLINDER  
Figure 9B-600

4358 R00



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 2806 671    | 1   |      |       | COVER, Oil Filter (Cartridge Type)                    |
| 2    |             | 1   |      |       | SPRING (not serviced)                                 |
| 3    | 2532 754    | 1   |      |       | GASKET, Oil Filter Cover                              |
| 4    | 2532 752    | 1   |      |       | CARTRIDGE, Oil Filter (Cartridge Type)                |
| 5    |             | 1   |      |       | FILTER, Cartridge Type (not serviced)                 |
| 6    | 2532 753    | 1   |      |       | GASKET, Oil Filter Body (Cartridge Type)              |
| 7    | 3549 957    | 1   |      |       | FILTER, Oil (Sealed Type)                             |
| 8    | 3577 848    | 1   |      |       | VALVE w/PIPE, Oil Filter Stand                        |
| 9    | 2120 017    | 1   |      |       | GASKET, Oil Filter Stand Pipe                         |
| 10   | 4186 182    | 1   |      |       | PUMP, Oil   |
| 11   | 1947 225    | 1   |      |       | GEAR, Oil Pump Drive                                  |
| 12   | 4095 863    | 1   |      |       | GASKET, Oil Pump Body                                 |
| 13   | 3671 584    | 1   |      |       | STRAINER, Oil Pump Suction                            |
| 14   | 0618 621    | 1   |      |       | CAP, Oil Pressure Relief Valve                        |
| 15   | 0618 622    | 1   |      |       | GASKET, Oil Pressure Relief Valve Cap                 |
| 16   | 1737 742    | 1   |      |       | SPRING, Oil Pressure Relief Valve                     |
| 17   | 2120 764    | 1   |      |       | PLUNGER, Oil Pressure Relief Valve                    |
| 18   | 4186 183    | 1   |      |       | SHAFT & ROTOR PKG.                                    |
|      | 3837 648    | 1   |      |       | ROTOR, Oil Pump - Outer                               |
| 19   | 2268 921    | 1   |      |       | GASKET, Oil Pump Cover                                |
| 20   |             | 1   |      |       | COVER, (serviced in Item 10)                          |
| 21   |             | 5   |      |       | SCREW, Oil Pump Mounting, 5/16"x 1.50" (Not Serviced) |
| 22   | 9416 160    | 3   |      |       | WASHER, Oil Pump Screw                                |
| 23   | 0180 020    | 5   |      |       | SCREW, Oil Pump Cover                                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.



CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

OIL PAN and RELATED PARTS 6 CYLINDER  
Figure 9B-700

4326 700

| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                     |
|------|-------------|-----|------|--------|---|
| 1    | 2960 622    | 1   |      | B1,2,3 | CAP, Oil Filler Tube                            |
| 2    | 5214 871    | 1   |      | B1,2,3 | TUBE, Oil Filler - Upper                        |
| 3    | 5214 874    | 1   |      | B1,2,3 | HOSE, Oil Filler Tube                           |
| 4    | 5214 878    | 2   |      | B1,2,3 | CLAMP, Oil Filler Tube Hose                     |
| 5    | 5214 873    | 1   |      | B1,2,3 | TUBE, Oil Filler - Lower                        |
| 6    | 5214 876    | 1   |      | B1,2,3 | GASKET, Oil Filler Tube                         |
| 7    | 3497 030    | 1   |      |        | INDICATOR, Oil Level                            |
| 8    | 4117 672    | 1   |      |        | TUBE, Oil Level Indicator (up to 9/24/84)       |
|      | 4343 622    | 1   |      |        | (after 9/24/84)                                 |
| 9    | 4049 287    | 1   |      |        | GASKET SET, Oil Pan                             |
| 10   | 3462 328    | 1   |      |        | PAN, Oil  |
| 11   | 3769 935    | 1   |      |        | GASKET, Drain Plug                              |
| 12   | 4271 941    | 1   |      |        | PLUG, Drain                                     |
| 13   | 2946 079    | 1   |      |        | GROMMET, Crankcase Vent Air Cleaner             |
| 14   | 4273 322    | 1   |      |        | AIR CLEANER, Crankcase Vent                     |
| 15   | 4026 146    | 1   |      |        | HOSE, Crankcase Air Cleaner to Eng. Air Cleaner |
| 16   | 4026 136    | 1   |      |        | HOSE, Crankcase Vent Valve to Carb.             |
| 17   | 3671 076    | 1   |      |        | VALVE, Crankcase Vent (PCV)                     |
| 18   | 3751 510    | 1   |      |        | GROMMET, Crankcase Vent Valve (PCV)             |
| 19   | 2946 051    | 1   |      |        | CAP, Cylinder Head Cover Oil Filler             |
| 20   | 6031 413    | 18  |      |        | SCREW, Oil Pan (5/16"X 9/16")                   |
|      | 0181 088    | 5   |      |        | SCREW (5/16"x 13/16")                           |
|      | 6031 814    | 1   |      |        | STUD  |
|      | 0181 063    | 1   |      |        | SC&WA, Oil Level Indic. Mtg. (Not Shown)        |



MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOUNTINGS, ENGINE 6 CYLINDER B1,2,3  
Figure 9B-800

4356 800





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    | 3496 599    | 1   |      |       | BRACKET, Eng. Front Sup. - Left            |
| 2    | 6025 022    | 2   |      |       | NUT  |
| 3    | 2128 774    | 2   |      |       | WASHER                                     |
| 4    | 0152 348    | 2   |      |       | NUT, Lock                                  |
| 5    | 4116 442    | 2   |      |       | INSULATOR, Eng. Front Support              |
| 6    | 3897 270    | 1   |      |       | BRACKET, Eng. Front Sup. - Right           |
| 7    | 4032 295    | 1   |      |       | INSULATOR, Eng. Rear Support               |
| 8    | 2955 694    | 1   |      |       | SUPPORT, Eng. Rear                         |
| 9    | 9416 171    | 6   |      |       | SCREW, 3/8 - 16 x 1.25                     |
| 10   | 6028 237    | 1   |      |       | BOLT, 1/2 - 13 x 5.12                      |
| 11   | 6029 770    | 2   |      |       | SCREW, 7/16 - 14 x 1.25                    |
| 12   | 3410 700    | 2   |      |       | SPACER, Eng. Rear Sup. Insul. Brkt. Screw  |
| 13   | 6025 677    | 4   |      |       | SCREW,w/Washer, Eng. Front Support Bracket |



|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

MOUNTINGS, ENGINE 6 CYLINDER D  
Figure 9B-900

4356 900



| ITEM | PART NUMBER | QTY | BODY | MODEL      | DESCRIPTION                                  |
|------|-------------|-----|------|------------|--|
| 1    | 3496 599    | 1   |      | D1,2,3,4,5 | BRACKET, Eng. Front Sup. - Left              |
| 2    | 4116 442    | 2   |      | D1,2,3,4   | INSULATOR, Eng. Front Support                |
|      | 4088 033    | 2   |      | D5         |  |
| 3    | 2128 774    | 2   |      |            | WASHER                                       |
| 4    | 0152 348    | 2   |      |            | NUT, Lock                                    |
| 5    | 3641 868    | 1   |      | D1,2,3,4   | BRACKET, Eng. Front Sup. - Right             |
|      | 3897 270    | 1   |      | D5         |  |
| 6    | 0271 885    | 2   |      | D5         | BOLT, 5/8 - 11 x 3.25                        |
| 7    |             | 1   |      | D5         | WASHER, Flat (not serviced)                  |
| 8    |             | 2   |      | D5         | SPACER (not serviced)                        |
| 9    | 3820 921    | 2   |      | D5         | INSULATOR, Eng. Rear Support Trans. - Upper  |
| 10   | 4213 374    | 1   |      | D5         | PLATE, Rear Support Trans. Insul. Mtg.       |
| 11   | 4106 710    | 2   |      | D5         | INSULATOR, Eng. Rear Support Trans. - Lower  |
| 12   | 3821 225    | 1   |      | D7         | ADAPTER, Frame Eng. Rear Support Crossmember |
| 13   | 0152 352    | 2   |      | D5         | NUT, Lock                                    |
| 14   | 6024 027    | 6   |      | D5         | BOLT, 7/16 - 14 x 1.25                       |
| 15   |             | 6   |      | D5         | NUT, 7/16 - 14 (not serviced)                |
| 16   | 3410 700    | 1   |      | D1,2,3,4   | SPACER, Eng. Rear Support Insul. Brkt. Screw |
| 17   | 3491 835    | 1   |      | D1,2,3,4   | INSULATOR, Eng. Rear Support                 |
| 18   | 6029 770    | 2   |      | D1,2,3,4   | SCREW  |
| 19   | 6028 237    | 1   |      | D1,2,3,4   | BOLT, 1/2 - 13 x 5.12                        |
| 20   | 6029 735    | 4   |      |            | SCREW (7/16-14 x 1.25")                      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

GROUP 9C - ENGINE, 8 CYLINDER


| ILLUSTRATION TITLE  | GROUP-FIG. NO. |
|---|----------------|
| ENGINE ASSEMBLIES .....                                       | Fig. 9C-100    |
| EXTERNAL ENGINE 8 CYLINDER .....                              | Fig. 9C-200    |
| INTAKE and EXHAUST MANIFOLD 8 CYLINDER .....                  | Fig. 9C-300    |
| CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 8 CYLINDER .....  | Fig. 9C-400    |
| CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 8 CYLINDER ..... | Fig. 9C-500    |
| TIMING INDICATOR 8 CYLINDER .....                             | Fig. 9C-600    |
| OIL PUMP & OIL FILTER 8 CYLINDER .....                        | Fig. 9C-800    |
| OIL PAN & RELATED PARTS 8 CYLINDER .....                      | Fig. 9C-900    |
| MOUNTINGS, ENGINE 8 CYLINDER B1.2,3 .....                     | Fig. 9C-1000   |
| MOUNTINGS, ENGINE 8 CYLINDER D .....                          | Fig. 9C-1100   |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



ENGINE ASSEMBLIES  
Figure 9C-100

4309 100




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|---|-------------|-----|------|-------|--|
| ENGINE ASSEMBLY AS SHIPPED: More complete than an E.L.A., Contains Int. Manifold, Exh. Manifold, Dis tributor, Flywheel or Torque Converter, Water Pump Housing and Water Pump, Spark Plugs & Secondary W |             |     |      |       |  |
| iring. tributor, Flywheel or Torque Converter, Water Pump Housing and Water Pump, Spark Plugs & Secondary W   |             |     |      |       |  |
| ENGINE LESS ACCESSORIES: Contains Short Engine Assy., Cyl. Head, Camshaft and Lifters, Timing Chain and Cover.  |             |     |      |       |  |
| SHORT ENGINE ASSY.: Cyl. Block w/Pistons, Rings and Connecting Rods, Crankshaft & Camshaft Bearings. and Cover.   |             |     |      |       |  |
| FITTED CASE: Cyl. Block w/Pistons, Rings & Connecting Rods. Crankshaft Not Included. and Cover.   |             |     |      |       |  |
| 1   | 4105 987    |     |      |       | ENGINE, Short (1984) Y4105987 N4201304 N N |
| 1   | 4201 304    |     |      |       | ENGINE, Short (1984) N4105987 Y4201304 N N |
|   | 4323 619    |     |      |       | (1985) Y4323619 N4201304 N N               |
|   | 4201 304    |     |      |       | (1985) N4323619 Y4201304 N N               |
|   | 4105 988    |     |      |       | Low Compression !(1984) Y4105988 N N N     |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK (4X2)  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   | (64) = 159" W.B. |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EXTERNAL ENGINE 8 CYLINDER  
Figure 9C-200

4309 200 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4049 264    | 1   |      |       | GASKET SET, Engine - Upper Y4049264 N N N<br>Consists of: N N N N<br>GASKET, Cyl. Head N N N N<br>GASKET, Cyl. Head Cover N N N N<br>GASKET, Exhaust Pipe Flange N N N N  |
|      | 4049 265    | 1   |      |       | SHIELD, Valve Stem Oil N N N N<br>SHIELD, Valve Stem Oil N N N N<br>SEAL, Valve Guide - Intake N N N N<br>GASKET SET, Engine - Upper N Y4049265 N N<br>Consists of: N N N N<br>GASKET, Cyl. Head N N N N<br>GASKET, Cyl. Head Cover N N N N<br>GASKET, Cyl. Head Cover Oil Filler Pipe N N N N                |
|      | 3837 644    | 1   |      |       | GASKET, Exhaust Pipe Flange N N N N<br>SHIELD, Valve Stem Oil - Exhaust N N N N<br>SEAL, Valve Guide - Intake N N N N<br>GASKET SET, Engine - Lower Y3837644 Y3837644 N N<br>Consists of: N N N N<br>GASKET, Chain Case Cover N N N N<br>GASKET, Cyl. Water Outlet N N N N<br>GASKET, Water Pump Body N N N N |
|      |             | 2   |      |       | GASKET, Fuel Pump Flange N N N N<br>GASKET, Ignition Distributor N N N N<br>SEAL, Chain Case Cover Oil N N N N<br>O-RING, Ignition Distributor Housing N N N N  |
| 1    |             |     |      |       | 3462386 - GASKET, Oil Pan End N N N N<br>COVER, Cylinder Head N N N N<br>Right Y4071035 Y4071035 N N<br>Left Y4006302 Y4006302 N N  |
|      | 4071 035    | 1   |      |       |   |
|      | 4006 302    | 1   |      |       |   |
|      | 6031 688    | 10  |      |       | SCREW, Cylinder Head Cover Y6031688 Y6031688 N N  |
| 2    | 4273 129    | 2   |      |       | GASKET, Cylinder Head Cover Y4273129 Y4273129 N N   |
| 3    | 4100 490    | 1   |      |       | CONNECTOR, Cyl. Water Outlet Y4100490 Y4100490 N N  |
| 4    | 4173 461    | 1   |      |       | GASKET, Cyl. Water Outlet Connector Y4173461 Y4173461 N N   |
| 5    |             |     |      |       | HEAD, Cylinder N N N N  |
|      | 4100 405    | 2   |      |       | 318 Eng. (1984) Y4100405 N N N  |
|      | 4323 423    | 2   |      |       | 318 Eng. (1985) Y4323423 N N N  |
|      | 4227 948    | 2   |      |       | 360 Eng. 2 Bbl., 4 Bbl. (1984) N Y4227948 N N   |
|      | 4227 948    | 2   |      |       | 360 Eng. 4 Bbl. w/Catalyst, w/High Altitude (1985) N Y4227948 N N   |
|      | 4343 850    | 2   |      |       | 360 Eng. 4 Bbl. w/o Catalyst (Canada) (1985) N Y4343850 N N   |
|      | 4100 409    | 2   |      |       | 360 Eng. 4 Bbl. w/Calif. (1984) N Y4100409 N N  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# EXTERNAL ENGINE 8 CYLINDER

## Figure 9C-200

4309 200 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4343 805    | 2   |      |       | 360 Eng. 4 Bbl. w/Calif. (1985) N Y4343805 N N                    |
|      | 6031 045    | 10  |      |       | BOLT, Cylinder Head N N N N                                       |
|      | 6031 101    | 8   |      |       | 1/2 x 1-7/8" Y6031045 Y6031045 N N                                |
|      | 2463 260    | 2   |      |       | 1/2 x 3-5/8" Y6031101 Y6031101 N N                                |
|      |             |     |      |       | 1/2 x 4-5/8" Y2463260 Y2463260 N N                                |
| 6    | 0141 215    | 4   |      |       | DOWEL, Cyl. Block to Cyl. Head Y0141215 Y0141215 N N              |
| 7    | 4186 348    | 2   |      |       | GASKET, Cyl. Head Y4186348 N4131141 N N                           |
| 7    | 4131 141    | 2   |      |       | GASKET, Cyl. Head N4186348 Y4131141 N N                           |
| 8    | 2129 012    | 1   |      |       | GASKET, Chain Case Cover Y2129012 Y2129012 N N                    |
| 9    | 3769 964    | 1   |      |       | COVER, Chain Case Y3769964 Y3769964 N N                           |
|      | 0181 112    | 3   |      |       | SCREW, Chain Case Cover (3/8 x 1) Y0181112 Y0181112 N N           |
|      | 9420 892    | 1   |      |       | 3/8 x 2-3/4 Y9420892 Y9420892 N N                                 |
| 10   |             |     |      |       | DAMPER, Crank Vibration N N N N                                   |
|      | 4173 443    | 1   |      |       | 318 Eng. Y4173443 N N N   |
|      | 4173 445    | 1   |      |       | 360 Eng. w/Man. Trans. N Y4173445 N N                             |
|      | 4173 447    | 1   |      |       | 360 Eng. w/Auto. Trans. N Y4173447 N N                            |
| 11   | 3830 109    | 1   |      |       | SEAL, Chain Case Cover Oil Y3830109 Y3830109 N N                  |
| 12   |             |     |      |       | PLUG, Cyl. Block Core Hole N N N N                                |
|      | 5203 342    | 9   |      |       | 1.635 Y5203342 Y5203342 N N                                       |
|      | 5203 341    | 1   |      |       | 1.2585 Y5203341 Y5203341 N N                                      |
|      | 5203 344    | AR  |      |       | 1.695 Y5203344 Y5203344 N N                                       |
| 13   | 3462 871    | 1   |      |       | PLUG, Cyl. Block Oil Line Y3462871 Y3462871 N N                   |
|      | 3751 818    | 2   |      |       | PLUG, Cyl. Block Oil Hole Y3751818 Y3751818 N N                   |
| 14   |             |     |      |       | DOWEL, Cyl. Block to Clutch Hsg. or Torque Converter Hsg. N N N N |
|      | 1122 532    | 2   |      |       | Std. Y1122532 Y1122532 N N  |
|      | 1736 347    | 2   |      |       | .007 Over Center Y1736347 Y1736347 N N                            |
|      | 1736 348    | 2   |      |       | .014 Over Center Y1736348 Y1736348 N N                            |
|      | 1736 353    | 2   |      |       | .021 Over Center Y1736353 Y1736353 N N                            |
| 15   | 5203 341    | 4   |      |       | PLUG, Cyl. Head Core Hole 1.2605 Y5203341 Y5203341 N N            |
| 16   | 3640 339    | 1   |      |       | PLUG, Cyl. Head Cover Y3640339 Y3640339 N N                       |
| 17   |             |     |      |       | FLYWHEEL w/RING GEAR N N N N                                      |
|      | 2264 597    | 1   |      |       | 10 1/2" Clutch Y2264597 N N N                                     |
|      | 2843 211    | 1   |      |       | 11" Clutch Y2843211 N3515497 N N                                  |
|      | 3515 497    | 1   |      |       | 11" Clutch N2843211 Y3515497 N N                                  |
|      | 6030 536    | 6   |      |       | SCREW, Flywheel Y6030536 Y6030536 N N                             |
| 18   |             |     |      |       | GEAR, Flywheel Ring N N N N                                       |
|      | 1941 648    | 1   |      |       | 10 1/2" Clutch Y1941648 N N N                                     |
|      | 2843 214    | 1   |      |       | 11" Clutch Y2843214 Y2843214 N N                                  |
|      |             |     |      |       | RING, Torque Converter Starter N N N N                            |
|      | 3515 203    | 1   |      |       | w/A727 Trans. Y3515203 Y3515203 N N                               |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXTERNAL ENGINE 8 CYLINDER  
Figure 9C-200

4309 200 A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 2121 196    | 1   |      |       | w/A904, A999 Trans. Y2121196 N N N                                       |
| 19   |             |     |      |       | CONVERTER, Torque N N N N  |
|      | 4293 052    | 1   |      |       | w/A999 Trans. - Lock Up (Low Stall) Y4293052 N N N                       |
|      | 4293 062    | 1   |      |       | w/A727 Trans. - Non-Lock Up (Low Stall) Y4293062 N4293055 N N            |
|      | 4293 055    | 1   |      |       | w/A727 Trans. - Non-Lock Up (Low Stall) N4293062 Y4293055 N N            |
|      | 4106 576    | 1   |      |       | w/A727 Trans. - Non-Lock Up (High Stall) N0 Y4106576 N N                 |
| 20   |             |     |      |       | SEAL, Torque Converter Impeller Hub N N N N                              |
|      | 3515 137    | 1   |      |       | w/A727 Trans. Y3515137 Y3515137 N N                                      |
|      | 4269 057    | 1   |      |       | w/A904 Trans. Y4269057 Y4269057 N N                                      |
| 21   | 1949 424    | 6   |      |       | SCREW, Drive Plate to Crank Y1949424 Y1949424 N N                        |
| 22   | 4058 429    | 1   |      |       | PLATE, Torque Converter Drive Y4058429 Y4058429 N N                      |
| 23   | 1949 765    | 4   |      |       | SCREW, Torque Converter Drive Plate Y1949765 Y1949765 N N                |
| 24   | 6030 035    | 1   |      |       | PLUG, Drain Y6030035 Y6030035 N N  |
| 25   | 2808 673    | 8   |      |       | SPRING, Torque Converter Overrunning Clutch Roller Y2808673 Y2808673 N N |
| 26   | 6027 513    | AR  |      |       | SEAL, Engine Heater Y6027513 Y6027513 N N                                |
| 27   | 3755 677    | AR  |      |       | HEATER, Engine Block Y3755677 Y3755677 N N                               |
| 28   | 5206 359    | 1   |      |       | CORD, Engine Block Heater Y5206359 Y5206359 N N                          |
| 29   |             | AR  |      |       | CLIP, Heater Cord to Oil Pan (Not Serviced) N0 N0 N N                    |
| 30   | 6031 688    | 10  |      |       | SCREW, Cyl. Head Cover Y6031688 Y6031688 N N                             |
| 31   | 6031 413    | 2   |      |       | SCREW, Cyl. Water Outlet Connector Y6031413 Y6031413 N N                 |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = TRUCK LINE WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

INTAKE and EXHAUST MANIFOLD 8 CYLINDER  
Figure 9C-300

4309 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | GASKET PKG., Intake Manifold N N N N                                    |
|      | 3837 605    | 1   |      |       | 2 Bbl. Y3837605 N0 N N  |
|      | 3514 187    | 1   |      |       | 4 Bbl. Y3514187 Y3514187 N N  |
| 2    | 0454 467    | 12  |      |       | BOLT, Intake Manifold 3/8 x 1 5/8 Y0454467 Y0454467 N N                 |
| 3    |             |     |      |       | JET, Intake Man. Floor N N N N  |
|      | 4041 067    | 1   |      |       | w/4 Side Openings Y4041067 Y4041067 N N                                 |
|      | 3830 987    | 1   |      |       | w/Top Opening Y3830987 Y3830987 N N                                     |
| 4    |             |     |      |       | MANIFOLD, Intake N N N N  |
|      | 4201 135    | 1   |      |       | 2 Bbl. Y4201135 N0 N N  |
|      | 4179 457    | 1   |      |       | 4 Bbl. (1984) N0 Y4179457 N N   |
|      | 4323 354    | 1   |      |       | 4 Bbl. (1985) Y4323354 Y4323354 N N                                     |
| 5    | 4006 583    | 2   |      |       | DOWEL, Intake Man. Gasket Y4006583 Y4006583 N N                         |
| 6    | 1859 127    | 1   |      |       | PLUG, Intake Man. Vac. Hole Y1859127 Y1859127 N N                       |
| 7    | 3698 458    | 1   |      |       | SHIELD, Intake Man. Heat Y3698458 Y3698458 N N                          |
| 8    | 2121 223    | 4   |      |       | WASHER, Exhaust Man. End Y2121223 Y2121223 N N                          |
| 9    | 0115 729    | 4   |      |       | NUT, Exhaust Manifold Y0115729 Y0115729 N N                             |
| 10   |             |     |      |       | STUD, Exhaust Manifold N N N N  |
|      | 6030 622    | 1   |      |       | Right & Left Y6030622 Y6030622 N N                                      |
|      | 6025 991    | 4   |      |       | End Y6025991 Y6025991 N N   |
|      | 6031 857    | 4   |      |       | SCREW, Exhaust Manifold Y6031857 Y6031857 N N                           |
|      | 0181 097    | 1   |      |       | Long Y0181097 Y0181097 N N  |
| 11   | 2951 626    | 1   |      |       | SPRING, Exh. Man. Heat Control Valve Shaft Y2951626 Y2951626 N N        |
| 12   | 2951 627    | 1   |      |       | PIN, Heat Control Valve Damper Y2951627 Y2951627 N N                    |
| 13   | 3683 947    | 1   |      |       | CONTROL, Heat Pkg. Y3683947 Y3683947 N N                                |
| 14   | 2946 083    | 1   |      |       | STOP, Heat Control Valve Y2946083 Y2946083 N N                          |
| 15   | 9409 667    | 1   |      |       | PIN, Heat Control Valve Stop Y9409667 Y9409667 N N                      |
| 16   |             |     |      |       | MANIFOLD, Exhaust N N N N   |
|      | 4267 232    | 1   |      |       | 318 Eng. 2 Bbl. - Rt. w/Catalyst and Aspirator Y4267232 N N N           |
|      |             | 1   |      |       | 318 Eng. 2 Bbl. w/High Altitude, w/Calif.- Rt. N3879721 N0 N N          |
|      |             | 1   |      |       | 318 Eng. 2 Bbl., 4 Bbl., w/o Catalyst, w/Air Pump Rt. N3879721 N0 N N   |
|      | 4041 261    | 1   |      |       | 318 Eng. 2 Bbl. w/Catalyst, w/Air Pump - Rt. Y4041261 N N N             |
|      |             | 1   |      |       | 360 Eng. 4Bbl. w/Catalyst, w/High Altitude - Rt. N0 N4041261 N N        |
|      | 4267 232    | 1   |      |       | 2 Bbl., w/Low Compression - Rt. (1984) N4267232 Y4267232 N N            |
|      | 3879 721    | 1   |      |       | 360 Eng. 4 Bbl. w/o Catalyst, w/Air Pump, w/Calif. - Rt. N Y3879721 N N |
|      | 4227 650    | 1   |      |       | 318 Eng. 2 Bbl., w/Catalyst and Aspirator - Lt. Y4227650 N N N          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

INTAKE and EXHAUST MANIFOLD 8 CYLINDER  
Figure 9C-300

4309 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4227 650    | 1   |      |       | 318, 360 Eng. 2 Bbl. w/Low Compression - Lt. (1984)<br>Y4227650 Y4227650 N N |
|      | 3879 720    | 1   |      |       | 318 Eng. 2 Bbl. w/Catalyst, w/Air Pump - Lt. Y3879720 N N N                  |
|      | 3879 720    | 1   |      |       | 318 Eng. 2 Bbl., 4 Bbl. w/o Catalyst w/Air Pump - Lt. Y3879720<br>N N N      |
|      | 4227 885    | 1   |      |       | 318 Eng. 2 Bbl. w/Calif., w/High Altitude - Lt. Y4227885 N N N               |
|      | 3879 720    | 1   |      |       | 360 Eng. 4 Bbl. - Lt., w/Catalyst, w/High Altitude N Y3879720 N<br>N         |
|      | 3879 720    | 1   |      |       | 360 Eng. 4 Bbl., w/o Catalyst, w/Air Pump, w/Calif. - Lt. N<br>Y3879720 N N  |
| 17   | 6031 179    | 1   |      |       | NUT, Exhaust Man. End Y6031179 Y6031179 N N                                  |
| 18   | 0118 615    | 3   |      |       | NUT, Lock 3/8 x 16 Y0118615 N N N  |
| 19   | 4041 278    | 1   |      |       | GASKET, Power Heat Valve Y4041278 Y4041278 N N                               |
| 20   | 4173 933    | 1   |      |       | VALVE, Power Heat Y4173933 Y4173933 N N                                      |
| 21   | 4179 478    | 1   |      |       | ACTUATOR, Power Heat Valve Y4179478 Y4179478 N N                             |
| 22   | 0181 127    | 1   |      |       | BOLT, 3/8 - 16 x 2.25 Y0181127 Y0181127 N N                                  |
| 23   | 6031 210    | 1   |      |       | STUD, 3/8 - 16 x 3.75 Y6031210 Y6031210 N N                                  |
| 24   | 4041 530    | 1   |      |       | TUBE, Power Heat Valve Y4041530 Y4041530 N N                                 |
| 25   | 4105 167    | AR  |      |       | HOSE, Power Heat Valve Tube (Roll Stock) Y4105167 Y4105167<br>N N            |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 8 CYLINDER  
Figure 9C-400

4309 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | PIN, Piston N N N N                    |
|      | 2658 878    | 8   |      |       | Std. Y2658878 Y2658878 N N             |
|      | 2658 879    | 8   |      |       | .003 o/s Y2658879 Y2658879 N N         |
|      | 2658 880    | 8   |      |       | .008 o/s Y2658880 Y2658880 N N         |
| 2    |             |     |      |       | PISTON w/PIN N N N N                   |
|      | 3685 751    | 8   |      |       | Std. (1984) Y3685751 N0 N N            |
|      | 3685 753    | 8   |      |       | .020 O/S (1984) Y3685753 N0 N N        |
|      | 4342 772    | 8   |      |       | Std. (1985) Y4342772 N0 N N            |
|      | 4342 773    | 8   |      |       | .020 o/s (1985) Y4342773 N0 N N        |
|      | 4026 451    | 8   |      |       | Std. N0 Y4026451 N N                   |
|      | 4026 453    | 8   |      |       | .020 o/s N0 Y4026453 N N               |
|      |             |     |      |       | Low Compression N N N N                |
|      | 2808 650    | 8   |      |       | Std. Y2808650 N4026472 N N             |
|      | 4026 472    | 8   |      |       | Std. N2808650 Y4026472 N N             |
| 3    |             |     |      |       | RING SET, Piston N N N N               |
|      |             |     |      |       | 1 Piston N N N N                       |
|      | 3780 007    | 8   |      |       | Std. to .009 o/s Y3780007 N3780016 N N |
|      | 3780 016    | 8   |      |       | Std. to .009 o/s N3780007 Y3780016 N N |
|      | 3780 008    | 8   |      |       | .020 to .029 o/s Y3780008 N3780017 N N |
|      | 3780 017    | 8   |      |       | .020 to .029 o/s N3780008 Y3780017 N N |
|      | 3780 009    | 8   |      |       | .040 to .049 o/s Y3780009 N3780018 N N |
|      | 3780 018    | 8   |      |       | .040 to .049 o/s N3780009 Y3780018 N N |
|      |             |     |      |       | Set (All Pistons) N N N N              |
|      | 2808 553    | 1   |      |       | Std. to .009 o/s Y2808553 N3579044 N N |
|      | 3579 044    | 1   |      |       | Std. to .009 o/s N2808553 Y3579044 N N |
|      | 2808 554    | 1   |      |       | .020 to .029 o/s Y2808554 N3579045 N N |
|      | 3579 045    | 1   |      |       | .020 to .029 o/s N2808554 Y3579045 N N |
|      | 2808 555    | 1   |      |       | .040 to .049 o/s Y2808555 N3579046 N N |
|      | 3579 046    | 1   |      |       | .040 to .049 o/s N2808555 Y3579046 N N |
| 4    | 3751 015    | 8   |      |       | ROD, Connecting Y3751015 Y3751015 N N  |
|      |             |     |      |       | BEARING, Connecting Rod N N N N        |
| 5    | 4186 118    | 8   |      |       | Std. Y4186118 N2421305 N N             |
|      | 2421 305    | 8   |      |       | Std. N4186118 Y2421305 N N             |
|      | 4186 119    | 8   |      |       | .001 u/s Y4186119 N2421306 N N         |
|      | 2421 306    | 8   |      |       | .001 u/s N4186119 Y2421306 N N         |
|      | 4186 120    | 8   |      |       | .002 u/s Y4186120 N2421307 N N         |
|      | 2421 307    | 8   |      |       | .002 u/s N4186120 Y2421307 N N         |
|      | 4186 121    | 8   |      |       | .003 u/s Y4186121 N2421308 N N         |
|      | 2421 308    | 8   |      |       | .003 u/s N4186121 Y2421308 N N         |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 8 CYLINDER  
Figure 9C-400

4309 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
|      | 4186 122    | 8   |      |       | .010 u/s Y4186122 N2421309 N N                 |
|      | 2421 309    | 8   |      |       | .010 u/s N4186122 Y2421309 N N                 |
|      | 4186 123    | 8   |      |       | .012 u/s Y4186123 N2421310 N N                 |
|      | 2421 310    | 8   |      |       | .012 u/s N4186123 Y2421310 N N                 |
| 6    | 4273 344    | 16  |      |       | BOLT, Conn. Rod Brg. Cap Y4273344 Y4273344 N N |
| 7    |             |     |      |       | BEARING, Crankshaft N N N N                    |
|      |             |     |      |       | # 1,2,4 N N N N                                |
|      | 4186 194    | 3   |      |       | Std. Y4186194 N4026487 N N                     |
|      | 4026 487    | 3   |      |       | Std. N4186194 Y4026487 N N                     |
|      | 2084 006    | 3   |      |       | .001 u/s Y2084006 N4026488 N N                 |
|      | 4026 488    | 3   |      |       | .001 u/s N2084006 Y4026488 N N                 |
|      | 2084 007    | 3   |      |       | .002 u/s Y2084007 N4026489 N N                 |
|      | 4026 489    | 3   |      |       | .002 u/s N2084007 Y4026489 N N                 |
|      | 2275 387    | 3   |      |       | .003 u/s Y2275387 N4026490 N N                 |
|      | 4026 490    | 3   |      |       | .003 u/s N2275387 Y4026490 N N                 |
|      | 2084 008    | 3   |      |       | .010 u/s Y2084008 N4026491 N N                 |
|      | 4026 491    | 3   |      |       | .010 u/s N2084008 Y4026491 N N                 |
|      | 2275 338    | 3   |      |       | .012 u/s Y2275338 N4026492 N N                 |
|      | 4026 492    | 3   |      |       | .012 u/s N2275338 Y4026492 N N                 |
|      |             |     |      |       | # 3 N N N N                                    |
|      | 3780 075    | 1   |      |       | Std. Y3780075 N3780094 N N                     |
|      | 3780 094    | 1   |      |       | Std. N3780075 Y3780094 N N                     |
|      | 3780 076    | 1   |      |       | .001 u/s Y3780076 N3780095 N N                 |
|      | 3780 095    | 1   |      |       | .001 u/s N3780076 Y3780095 N N                 |
|      | 3780 077    | 1   |      |       | .002 u/s Y3780077 N3780096 N N                 |
|      | 3780 096    | 1   |      |       | .002 u/s N3780077 Y3780096 N N                 |
|      | 3780 078    | 1   |      |       | .003 u/s Y3780078 N3780097 N N                 |
|      | 3780 097    | 1   |      |       | .003 u/s N3780078 Y3780097 N N                 |
|      | 3780 079    | 1   |      |       | .010 u/s Y3780079 N3780098 N N                 |
|      | 3780 098    | 1   |      |       | .010 u/s N3780079 Y3780098 N N                 |
|      | 3780 080    | 1   |      |       | .012 u/s Y3780080 N3780099 N N                 |
|      | 3780 099    | 1   |      |       | .012 u/s N3780080 Y3780099 N N                 |
|      |             |     |      |       | # 5 N N N N                                    |
|      | 3514 151    | 1   |      |       | Std. Y3514151 N3780100 N N                     |
|      | 3780 100    | 1   |      |       | Std. N3514151 Y3780100 N N                     |
|      | 3514 152    | 1   |      |       | .001 u/s Y3514152 N3780101 N N                 |
|      | 3780 101    | 1   |      |       | .001 u/s N3514152 Y3780101 N N                 |
|      | 3514 153    | 1   |      |       | .002 u/s Y3514153 N3780102 N N                 |
|      | 3780 102    | 1   |      |       | .002 u/s N3514153 Y3780102 N N                 |
|      | 3514 154    | 1   |      |       | .003 u/s Y3514154 N3780103 N N                 |
|      | 3780 103    | 1   |      |       | .003 u/s N3514154 Y3780103 N N                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CRANKSHAFT, PISTONS, RINGS, CONNECTING RODS 8 CYLINDER  
Figure 9C-400

4309 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 3514 155    | 1   |      |       | .010 u/s Y3514155 N3780104 N N                                |
|      | 3780 104    | 1   |      |       | .010 u/s N3514155 Y3780104 N N                                |
|      | 3514 156    | 1   |      |       | .012 u/s Y3514156 N3780105 N N                                |
|      | 3780 105    | 1   |      |       | .012 u/s N3514156 Y3780105 N N                                |
| 8    | 3751 831    | 1   |      |       | CRANKSHAFT Y3751831 N3751602 N N                              |
| 8    | 3751 602    | 1   |      |       | CRANKSHAFT N3751831 Y3751602 N N                              |
| 9    | 2463 385    | 1   |      |       | SPROCKET, Crankshaft Y2463385 Y2463385 N N                    |
|      | 1637 657    | 1   |      |       | w/Double Roller Timing Chain Y1637657 Y1637657 N N            |
| 10   | 6029 411    | 1   |      |       | KEY, Crankshaft Sprocket Y6029411 Y6029411 N N                |
| 11   | 1855 561    | 1   |      |       | WASHER, Crankshaft Screw Y1855561 Y1855561 N N                |
| 12   | 1821 414    | 1   |      |       | SCREW, Crankshaft Y1821414 Y1821414 N N                       |
| 13   |             |     |      |       | CAP, Crankshaft Bearing N N N N                               |
|      | 2863 854    | 3   |      |       | # 1,2,4 Y2863854 N3614232 N N                                 |
|      | 3614 232    | 3   |      |       | # 1,2,4 N2863854 Y3614232 N N                                 |
|      | 2463 582    | 1   |      |       | # 3 Y2463582 N3614233 N N                                     |
|      | 3614 233    | 1   |      |       | # 3 N2463582 Y3614233 N N                                     |
|      | 4173 189    | 1   |      |       | # 5 Y4173189 N3614234 N N                                     |
|      | 3614 234    | 1   |      |       | # 5 N4173189 Y3614234 N N                                     |
| 14   | 6032 296    | 16  |      |       | NUT, Conn. Rod Brg. Cap Bolt Y6032296 Y6032296 N N            |
| 15   | 1618 695    | 10  |      |       | SCREW, Crankshaft Bearing Cap Y1618695 N6027264 N N           |
| 15   | 6027 264    | 10  |      |       | SCREW, Crankshaft Bearing Cap N1618695 Y6027264 N N           |
| 16   | 4240 044    | 1   |      |       | OIL SEAL PACKAGE, Crankshaft Rear Bearing Y4240044 N0 N N     |
|      | 3549 395    | 2   |      |       | OIL SEAL, Crankshaft Rear Bearing N0 Y3549395 N N             |
| 17   | 0053 298    | 1   |      |       | BUSHING, Crankshaft Manual Trans. Pilot Y0053298 Y0053298 N N |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 8 CYLINDER  
Figure 9C-500

4309 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | ROCKER, Valve N N N N   |
|      | 3418 425    | 8   |      |       | Right Y3418425 Y3418425 N N                                   |
|      | 3418 424    | 8   |      |       | Left Y3418424 Y3418424 N N                                    |
| 2    | 1324 268    | 4   |      |       | PLUG, Valve Rocker Shaft Y1324268 Y1324268 N N                |
| 3    | 2532 149    | 2   |      |       | SHAFT, Valve Rocker Y2532149 Y2532149 N N                     |
| 4    | 0181 096    | 10  |      |       | SCREW, Valve Rocker Shaft Retainer Y0181096 Y0181096 N N      |
| 5    |             |     |      |       | RETAINER, Valve Rocker Shaft N N N N                          |
|      | 2463 322    | 6   |      |       | Ends & Center Y2463322 Y2463322 N N                           |
|      | 2463 323    | 4   |      |       | Intermediate Y2463323 Y2463323 N N                            |
| 6    |             |     |      |       | LOCK, Intake & Exhaust Valve Spring Retainer N0 N0 N N        |
|      | 0381 875    | 16  |      |       | Intake Valve Shaft (w/Two Grooves) Y381875 Y381875 N N        |
|      | 0381 875    | 16  |      |       | Exhaust Valve (w/Two Grooves) Y381875 Y381875 N N             |
|      | 1614 666    | 16  |      |       | Exhaust Valve (w/Four Grooves) Y1614666 Y1614666 N N          |
| 7    | 2402 045    | AR  |      |       | RETAINER, Intake & Exhaust Valve Spring Y2402045 Y2402045 N N |
|      | 3751 659    | 8   |      |       | ROTATOR, Exhaust Valve Spring Y3751659 Y3751659 N N           |
| 8    | 1859 144    | 16  |      |       | SPACER, Valve Spring Y1859144 Y1859144 N N                    |
| 9    | 1739 534    | AR  |      |       | SPRING, Intake & Exhaust Valve Y1739534 Y1739534 N N          |
|      | 3751 091    | 8   |      |       | Exhaust Valve w/Rotators Y3751091 Y3751091 N N                |
|      | 4100 687    | 8   |      |       | SPRING, Valve & Damper (Exhaust) Y4100687 Y4100687 N N        |
| 10   | 4095 543    | 8   |      |       | SEAL, Valve Guide - Intake Y4095543 Y4095543 N N              |
| 11   | 4071 006    | 8   |      |       | SHIELD, Exhaust Valve Stem Oil Y4071006 Y4071006 N N          |
| 12   |             |     |      |       | VALVE, Intake N N N N   |
|      |             |     |      |       | 318 Eng. N N N N  |
|      | 2465 335    | 8   |      |       | Std. Y2465335 N N N N   |
|      | 2465 336    | 8   |      |       | .005 o/s Y2465336 N N N N                                     |
|      | 2465 337    | 8   |      |       | .015 o/s Y2465337 N N N N                                     |
|      | 2465 338    | 8   |      |       | .030 o/s Y2465338 N N N N                                     |
|      |             |     |      |       | 360 Eng. N N N N  |
|      | 3683 801    | 8   |      |       | Std. N Y3683801 N N   |
|      | 3683 802    | 8   |      |       | .005 o/s N Y3683802 N N                                       |
|      | 3683 803    | 8   |      |       | .015 o/s N Y3683803 N N                                       |
|      | 3683 804    | 8   |      |       | .030 o/s N Y3683804 N N                                       |
| 13   |             |     |      |       | VALVE, Exhaust N N N N  |
|      |             |     |      |       | 318 Eng. N N N N  |
|      | 4100 367    | 8   |      |       | Std. w/Two Groove Retainer Lock Y4100367 N N N                |
|      | 4100 368    | 8   |      |       | .005 o/s Y4100368 N N N                                       |
|      | 4100 369    | 8   |      |       | .015 o/s Y4100369 N N N                                       |
|      | 4100 370    | 8   |      |       | .030 o/s Y4100370 N N N                                       |
|      | 4100 387    | 8   |      |       | Std. w/Four Groove Retainer Lock Y4100387 N N N               |
|      | 4100 388    | 8   |      |       | .005 o/s Y4100388 N N N                                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CAMSHAFT, VALVES, ROCKER SHAFT, TIMING CHAIN 8 CYLINDER  
Figure 9C-500

4309 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4100 389    | 8   |      |       | .015 o/s Y4100389 N N N                                   |
|      | 4100 390    | 8   |      |       | .030 o/s Y4100390 N N N                                   |
|      | 4100 382    | 8   |      |       | 360 Eng. N N N N  |
|      | 4100 383    | 8   |      |       | Std. N Y4100382 N N                                       |
|      | 4100 384    | 8   |      |       | .005 o/s N Y4100383 N N                                   |
|      | 4100 385    | 8   |      |       | .015 o/s N Y4100384 N N                                   |
| 14   | 4095 291    | 16  |      |       | .030 o/s N Y4100385 N N                                   |
| 15   |             |     |      |       | ROD, Valve Push Y4095291 Y4095291 N N                     |
|      | 4049 338    | 16  |      |       | TAPPET, Valve N N N N                                     |
|      | 4049 339    | 16  |      |       | Std. Y4049338 Y4049338 N N                                |
|      | 4049 340    | 16  |      |       | .001 o/s Y4049339 Y4049339 N N                            |
|      | 4049 341    | 16  |      |       | .008 o/s Y4049340 Y4049340 N N                            |
| 16   | 4227 879    | 1   |      |       | .030 o/s Y4049341 Y4049341 N N                            |
| 16   | 5214 658    | 1   |      |       | CAMSHAFT Y4227879 N5214658 N N                            |
| 17   | 0106 751    | 1   |      |       | CAMSHAFT N4227879 Y5214658 N N                            |
| 18   | 3671 649    | 1   |      |       | KEY, Camshaft Sprocket Y0106751 Y0106751 N N              |
| 19   | 1821 722    | 1   |      |       | TAB, Timing Chain Oil Y3671649 Y3671649 N N               |
| 20   |             |     |      |       | PLUG, Camshaft Rear Bearing Y1821722 Y1821722 N N         |
|      | 3830 603    | 1   |      |       | BEARING, Camshaft N N N N                                 |
|      | 4179 776    | 1   |      |       | # 1 Y3830603 Y3830603 N N                                 |
|      | 4179 777    | 1   |      |       | # 2 Y4179776 Y4179776 N N                                 |
|      | 4179 778    | 1   |      |       | # 3 Y4179777 Y4179777 N N                                 |
|      | 1632 526    | 1   |      |       | # 4 Y4179778 Y4179778 N N                                 |
| 21   | 1618 670    | 1   |      |       | # 5 Y1632526 Y1632526 N N                                 |
| 22   | 0191 674    | 3   |      |       | PLATE, Camshaft Sprocket Thrust Y1618670 Y1618670 N N     |
| 23   | 2843 610    | 1   |      |       | SCREW, Camshaft Sprocket Thrust Plate Y0191674 Y0191674 N |
|      | 2899 556    | 1   |      |       | N   |
| 24   | 3514 182    | 1   |      |       | SPROCKET, Camshaft Y2843610 Y2843610 N N                  |
|      | 1327 319    | 1   |      |       | w/Double Roller Timing Chain Y2899556 Y2899556 N N        |
| 25   | 1618 732    | 1   |      |       | CHAIN, Timing Y3514182 Y3514182 N N                       |
| 26   | 6029 735    | 1   |      |       | w/Double Roller Timing Chain Y1327319 Y1327319 N N        |
| 27   | 2843 661    | 1   |      |       | WASHER, Sprocket Retainer Screw Y1618732 Y1618732 N N     |
|      |             |     |      |       | SCREW, Camshaft Sprocket Retainer Y6029735 Y6029735 N N   |
|      |             |     |      |       | ECCENTRIC, Camshaft Y2843661 Y2843661 N N                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

### TIMING INDICATOR 8 CYLINDER

#### Figure 9C-600



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|----------------|-----|------|-------|--|
| 1    | 4095 625       | 1   |      |       | INDICATOR, Timing                          |
| 2    | 4112 979       | 1   |      |       | SPACER, Long (Trans. Oil Line Bracket)     |
| 3    | 6029 713       | 1   |      |       | SCREW                                      |
| 4    |                |     |      |       | BRACKET, Eng. Timing Magnetic Probe Holder |
|      | 4089 726       | 1   |      |       | 318 Eng. - Red I.D.                        |
|      | 4089 727       | 1   |      |       | 360 Eng. - Green I.D.                      |
| 5    |                | 1   |      |       | STRAP, Air Pump Adjust (Ref.)              |
| 6    | 6022 190       | 1   |      |       | WASHER                                     |
| 7    | 9427 342       | 1   |      |       | SCREW                                      |
| 8    | 4266 439       | 2   |      |       | BRACKET, Trans. Oil Line, Left             |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

OIL PUMP & OIL FILTER 8 CYLINDER  
Figure 9C-800

4309 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4071 043    | 1   |      |       | COVER, Oil Pump   |
| 2    | 2268 921    | 1   |      |       | GASKET, Oil Pump Cover                                  |
| 3    |             |     |      |       | DRIVE SHAFT & ROTOR PKG., Oil Pump                      |
|      | 3837 648    | 1   |      |       | 318 Eng.  |
|      | 4049 307    | 1   |      |       | 360 Eng.  |
| 4    | 3462 337    | 1   |      |       | STRAINER, Oil Pump Suction Pipe                         |
| 5    | 2806 270    | 1   |      |       | PUMP, Oil   |
| 6    | 2863 584    | 1   |      |       | BUSHING, Oil Pump & Distributor Drive Shaft             |
| 7    | 4095 260    | 1   |      |       | SHAFT, Oil Pump & Distributor Drive                     |
| 8    | 2843 208    | 1   |      |       | PLUNGER, Oil Pressure Relief Valve                      |
| 9    | 2402 473    | 1   |      |       | SPRING, Oil Pressure Relief Valve                       |
| 10   | 2806 273    | 1   |      |       | CAP, Oil Pressure Relief Valve Plunger                  |
| 11   | 3549 957    | 1   |      |       | FILTER, Oil   |
| 12   | 3671 602    | 1   |      |       | ADAPTER, Oil Filter to Cylinder Block                   |
| 13   | 2402 103    | 1   |      |       | PLATE, Oil Filter Adapter                               |
| 14   | 3671 314    | 1   |      |       | GASKET, Oil Filter Adapter Plate                        |
| 15   |             | 2   |      |       | SCREW, Oil Pump Attaching (3/8 X 1-3/8") (Not Serviced) |
| 16   |             | 5   |      |       | SCREW, Oil Pump Cover (Not Serviced)                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

OIL PAN & RELATED PARTS 8 CYLINDER  
Figure 9C-900

4309 900 13



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
| 1    | 2960 622    | 1   |      |        | CAP, Oil Filler Pipe  |
| 2    | 4210 080    | 1   |      | B1,2,3 | TUBE, Oil Filler (Except 360 Heavy Duty Eng. w/S/C-NAD)                             |
|      | 4343 846    | 1   |      | B1,2,3 | Upper, (w/360 Heavy Duty Eng. w/S/C-NAD w/o Catalyst) (1985)                        |
|      | 4105 769    | 1   |      | B1,2,3 | Lower, (w/360 Heavy Duty Eng. w/S/C-NAD w/o Catalyst) (1985)                        |
|      | 4173 223    | 1   |      | D      | w/Gasket  |
| 3    | 2946 079    | 1   |      | B1,2,3 | GROMMET, Oil Filler Tube  |
| 4    | 4112 292    | 1   |      | B1,2,3 | CLAMP, Oil Filler Tube to Rod   |
| 5    | 2946 079    | 1   |      |        | GROMMET, Crankcase Vent Air Cleaner   |
| 6    | 4273 322    | 1   |      |        | AIR CLEANER, Crankcase Vent   |
| 7    | 4026 136    | 1   |      |        | HOSE, Crankcase Vent Valve to Carb.   |
| 8    | 3671 076    | 1   |      |        | VALVE, Crankcase Vent (PCV)   |
| 9    | 3751 510    | 1   |      |        | GROMMET, Crankcase Vent Valve (PCV)   |
| 10   | 2946 051    | 1   |      |        | CAP, Cylinder Head Cover Oil Filler   |
| 11   | 4173 375    | 1   |      | B1,2,3 | TUBE, Oil Level Indicator   |
|      | 3496 959    | 1   |      | D      |   |
| 12   | 4173 377    | 1   |      | B1,2,3 | INDICATOR, Oil Level  |
|      | 3496 960    | 1   |      | D      |   |
| 13   |             |     |      |        | GASKET SET, Oil Pan   |
|      | 4240 153    | 1   |      |        | 318 Eng.  |
|      | 4240 156    | 1   |      |        | 360 Eng.  |
| 14   |             |     |      |        | PAN, Oil  |
|      | 3462 334    | 1   |      |        | 318 Eng.  |
|      | 3577 803    | 1   |      |        | 360 Eng.  |
| 15   | 3769 935    | 1   |      |        | GASKET, Drain Plug  |
| 16   | 4271 941    | 1   |      |        | PLUG, Drain   |
| 17   | 5214 876    | 1   |      | D      | GASKET, Oil Filler Tube   |
| 18   | 3830 209    | 1   |      |        | HOSE, Crankcase Vent Air Cleaner To Carburetor Air Cleaner                          |
|      |             |     |      |        | (w/4 Bbl. Engine)   |
|      | 2951 378    | 1   |      |        | (w/2 Bbl. Engine)   |
| 19   | 6025 926    | 1   |      |        | SCREW, Oil Pan (5/16 x 1")  |
| 20   | 6032 114    | 1   |      | B1,2,3 | SCREW, Oil Filler Tube Bracket (w/360 Heavy Duty Eng. w/S/C-NAD) (1985)             |
| 21   | #5214 874   | 1   |      | B1,2,3 | HOSE, Eng. Oil Filler Tube (w/360 Heavy Duty Eng. w/S/C-NAD w/o Catalyst) (1985)    |
| 22   | #2448 763   | 2   |      | B1,2,3 | CLAMP, Eng. Oil Filler Tube (w/360 Heavy Duty Eng. w/S/C-NAD w/o Catalyst) (1985)   |
| 23   | #5214 876   | 1   |      | B1,2,3 | GASKET, Oil Filler Tube Lower (w/360 Heavy Duty Eng. w/S/C-NAD w/o Catalyst) (1985) |
| 24   | 6022 250    | 1   |      | B1,2,3 | SCREW, Oil Level Indicator Tube   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOUNTINGS, ENGINE 8 CYLINDER B1.2,3  
Figure 9C-1000

4309 1000





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 3897 272    | 1   |      |       | BRACKET, Eng. Front Sup. - Right          |
| 2    | 4088 033    | 1   |      |       | INSULATOR, Eng. Front Support             |
| 3    | 6030 713    | 2   |      |       | BOLT, 7/16 - 14 x 1.62                    |
| 4    |             |     |      |       | BRACKET, Eng. Front Sup. - Left           |
|      | 4112 853    | 1   |      |       | 318 Eng.                                  |
|      | 3497 409    | 1   |      |       | 360 Eng.                                  |
| 5    | 4032 295    | 1   |      |       | INSULATOR, Eng. Rear Support              |
| 6    | 2955 694    | 1   |      |       | SUPPORT, Eng. Rear                        |
| 7    | 9416 171    | 6   |      |       | SCREW, 3/8 - 16 x 1.25                    |
| 8    | 6028 237    | 1   |      |       | BOLT, 1/2 - 13 x 5.12                     |
| 9    | 0152 348    | 1   |      |       | NUT, Lock                                 |
| 10   | 6029 770    | 2   |      |       | SCREW, 7/16 - 14 x 1.25                   |
| 11   | 3410 700    | 2   |      |       | SPACER, Eng. Rear Sup. Insul. Brkt. Screw |
| 12   | 0870 469    | 4   |      |       | BOLT (7/16-14 X 1 7/8")                   |
| 13   | 6030 829    | 6   |      |       | NUT                                       |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

MOUNTINGS, ENGINE 8 CYLINDER D  
Figure 9C-1100

4309 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
| 1    | 3894 712    | 1   |      | D1,2,3,4 | BRACKET, Eng. Front Sup. - Right                                       |
|      | 3897 272    | 1   |      | D5,6,7,8 |  |
| 2    | 6030 713    | 2   |      |          | BOLT, 7/16 - 14 x 1.62   |
| 3    | 4088 033    | 2   |      |          | INSULATOR, Eng. Front Support  |
| 4    |             |     |      |          | BRACKET, Eng. Front Sup. - Left  |
|      | 4112 853    | 1   |      |          | 318 Eng.   |
|      | 3497 409    | 1   |      |          | 360 Eng.   |
| 5    | 0271 885    | 2   |      | D5,6,7,8 | BOLT, 5/8 - 11 x 3.25  |
| 6    | 3820 921    | 2   |      | D5,6,7,8 | INSULATOR, Eng. Rear Sup. Trans. - Upper                               |
| 7    | 4213 374    | 1   |      | D5,6,7,8 | PLATE, Eng. Rear Sup. Trans. Insul. Mtg.                               |
| 8    | 4089 127    | 1   |      | D5,6,7,8 | INSULATOR, Eng. Rear Sup. Trans. - Lower                               |
| 9    | 3821 225    | 1   |      | D7       | ADAPTER, Frame Eng. Rear Sup. Crossmember w/7" Rail w/133" & 149" W.B. |
| 10   | 3491 835    | 1   |      | D1,2,3,4 | INSULATOR, Eng. Rear Support   |
| 11   | 3410 700    | 1   |      | D1,2,3,4 | SPACER, Eng. Rear Sup. Insul. Brkt. Screw                              |
| 12   | 6029 770    | 2   |      | D1,2,3,4 | SCREW  |
| 13   | 6028 237    | 1   |      | D1,2,3,4 | BOLT, 1/2 - 13 x 5.12  |
| 14   | 0870 469    | 4   |      |          | BOLT, 7/16-14 x 1 7/8"   |
| 15   |             | 6   |      |          | NUT, (Not Serviced)  |
| 16   | 6028 776    | 4   |      | D5,6,7,8 | WASHER, Eng. Rear Support  |
| 17   | 0152 352    | 2   |      | D5,6,7,8 | NUT, Eng. Rear Support   |

da & Export. and Cover.  
xhaust System. Unleaded Fuel is required. and Cover.  
Eng. over 8500 lbs. GVW. and Cover.  
he State of California. and Cover.  
000 feet elevation. and Cover.

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |




GROUP 11 - EXHAUST

| ILLUSTRATION TITLE                                 | GROUP-FIG. NO. |
|--|----------------|
| EXHAUST SYSTEM 225 ENGINE B1,2 .....               | Fig. 11-100    |
| EXHAUST SYSTEM 318 - 360 ENGINE B1,2,3 .....       | Fig. 11-200    |
| EXHAUST SYSTEM 225 ENGINE D1,2,5 .....             | Fig. 11-300    |
| EXHAUST SYSTEM 318 - 360 ENGINE D1,2,3,5,6,7 ..... | Fig. 11-400    |
| EXHAUST SYSTEM 318 - 360 ENGINE D4,8 .....         | Fig. 11-500    |
| HEAT SHIELDS - UPPER - EXHAUST B MODEL .....       | Fig. 11-600    |
| HEAT SHIELDS - LOWER - EXHAUST B MODEL .....       | Fig. 11-700    |
| HEAT SHIELDS - EXHAUST D MODEL .....               | Fig. 11-800    |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

EXHAUST SYSTEM 225 ENGINE B1,2  
 Figure 11-100

4311 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 2465 391    | 2   |      |       | GASKET, Exhaust Pipe Flange                               |
| 2    | 0152 346    | 2   |      |       | NUT   |
| 3    |             |     |      |       | PIPE, Exhaust w/Mini Ox                                   |
|      | 4218 186    | 1   |      |       | w/(S/C - NAE)   |
|      | 4218 185    | 1   |      |       | w/(S/C - NAA, NCA)  |
|      |             |     |      |       | PIPE, Exhaust   |
|      | 4218 124    | 1   |      |       | w/(S/C - NAA) - Canada                                    |
| 4    |             |     |      |       | CONVERTER, Catalytic w/Pipes - Rear                       |
|      | 4218 131    | 1   |      |       | w/(S/C - NAE)   |
|      | 4218 144    | 1   |      |       | w/(S/C - NAA, NCA) 1984                                   |
|      | 4218 179    | 1   |      |       | 1985  |
|      | 4218 179    | 1   |      |       | w/(S/C - NAA, NCB) - Man. Trans. - Canada                 |
|      | 4218 012    | 1   |      |       | w/(S/C - NAA, NCB) - Auto. Trans. - Canada                |
| 5    | 4112 523    | 1   |      |       | MUFFLER   |
| 6    |             |     |      |       | PIPE, Tail  |
|      | 4117 446    | 1   |      |       | w/109" W.B.   |
|      | 4117 447    | 1   |      |       | w/127" W.B.   |
| 7    |             |     |      |       | BRACE, Exhaust Pipe                                       |
|      | 4210 718    | 1   |      |       | w/(S/C - NCA, NAA, NAE) - Man. Trans.                     |
|      | 4210 717    | 1   |      |       | w/(S/C - NCA, NAA, NAE) - Auto. Trans.                    |
| 8    | 6024 023    | 2   |      |       | SCREW   |
| 9    | 6030 607    | AR  |      |       | NUT   |
| 10   | 0120 393    | AR  |      |       | WASHER 1984   |
| 11   | 1843 008    | AR  |      |       | SADDLE  |
| 12   | 4167 426    | 1   |      |       | SUPPORT, Tail Pipe Rear                                   |
| 13   | 2585 698    | 1   |      |       | CLAMP 2.25  |
| 14   | 4004 445    | AR  |      |       | CLAMP 2.25  |
| 15   | 0181 086    | AR  |      |       | SCREW   |
| 16   | 0118 614    | 2   |      |       | NUT   |
| 17   | 4004 525    | 1   |      |       | CLAMP 2.25  |
| 18   | 4218 126    | 1   |      |       | SUPPORT, Muffler & Tail Pipe                              |
| 19   | 4032 957    | 1   |      |       | BRACKET, Muffler and Tail Pipe to Body Hanger w/127" W.B. |
| 20   | 4004 959    | 1   |      |       | CLAMP 2.00  |
| 21   | 4112 644    | 1   |      |       | SUPPORT, Muffler and Exhaust Pipe                         |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
 TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
 (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.

SPORT UTILITY:  
 (71) = 106" W.B.


CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# EXHAUST SYSTEM 318 - 360 ENGINE B1,2,3

Figure 11-200

4311-200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 0181 127    | 4   |      |       | BOLT   |
| 2    | 4004 001    | 4   |      |       | RETAINER   |
| 3    | 0118 615    | 4   |      |       | NUT  |
| 4    |             |     |      |       | PIPE, Exhaust                                      |
|      | 4117 403    | 1   |      |       | 318 Eng. w/(S/C - NAA, NAE, NAF)                   |
|      | 4117 403    | 1   |      |       | 318 Eng. w/(S/C - NAC) - Auto. Trans. - Canada     |
|      | 4117 403    | 1   |      |       | 360 Eng. w/(S/C - NAE)                             |
|      | 4117 406    | 1   |      |       | w/(S/C - NAD) - Canada & Export                    |
|      | 4218 246    | 1   | B3   |       | 360 Eng. w/(S/C - NAD)                             |
| 5    |             |     |      |       | PIPE, Exhaust w/Mini Ox                            |
|      | 4218 147    | 1   |      |       | 318 Eng. w/(S/C - NAC) 1984                        |
|      | 4218 147    | 1   |      |       | 318 Eng. w/(S/C - NAC) - Man. Trans. - Canada 1984 |
|      | 4218 118    | 1   |      |       | 360 Eng. w/(S/C - NAF, NAC) 1984                   |
|      | 4218 147    | 1   |      |       | 318 - 360 Eng. w/(S/C - NAC, NCA) 1985             |
| 6    |             |     |      |       | CONVERTER, Catalytic w/Pipes - Rear                |
|      | 4218 090    | 1   |      |       | 318 Eng. w/(S/C - NAE, NAF)                        |
|      | 4218 014    | 1   |      |       | 318 Eng. w/(S/C - NAC, NCB) - Auto. Trans. 1984    |
|      | 4218 014    | 1   |      |       | 318 Eng. w/(S/C - NAC, NCB) 1985                   |
|      | 4218 051    | 1   |      |       | 318 Eng. w/(S/C - NAA - NAC) 1984                  |
|      | 4218 051    | 1   |      |       | 318 Eng. w/(S/C - NAC) - Man. Trans. - Canada 1984 |
|      | 4218 051    | 1   |      |       | 318 Eng. w/(S/C - NAA, NAC, NCA) 1985              |
|      | 4218 051    | 1   |      |       | 360 Eng. w/(S/C - NAE) 1984                        |
|      | 4218 119    | 1   |      |       | 360 Eng. w/(S/C - NAF, NAC) 1984                   |
|      | 4218 051    | 1   |      |       | 360 Eng. w/(S/C - NAE, NAC, NAF) 1985              |
| 7    | 4112 525    | 1   |      |       | MUFFLER  |
|      | 4218 250    | 1   | B3   |       | 360 Eng. w/(S/C - NAD)                             |
| 8    |             |     |      |       | PIPE, Tail   |
|      | 4117 450    | 1   |      |       | w/Ext. Sound Control w/109" W.B.                   |
|      | 4117 451    | 1   |      |       | w/Ext. Sound Control w/127" W.B.                   |
|      | 4117 446    | 1   |      |       | w/o Ext. Sound Control w/109" W.B.                 |
|      | 4117 447    | 1   |      |       | w/o Ext. Sound Control w/127" W.B.                 |
| 9    | 4117 684    | 1   |      |       | PIPE, Exhaust Extension w/Ext. Sound Control       |
| 10   | 0152 342    | 2   |      |       | NUT  |
| 11   | 4218 085    | 1   |      |       | BRACE, Exhaust Pipe                                |
| 12   | 1843 008    | 1   |      |       | SADDLE   |
| 13   | 0120 393    | 2   |      |       | WASHER   |
| 14   | 0181 086    | AR  |      |       | BOLT   |
| 15   | 0118 614    | 2   |      |       | NUT  |
| 16   | 4004 525    | 1   |      |       | CLAMP 2.25   |
| 17   | 4218 126    | 1   |      |       | SUPPORT, Muffler and Tail Pipe                     |
|      | 4218 257    | 1   | B3   |       | 360 Eng. w/(S/C - NAD)                             |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXHAUST SYSTEM 318 - 360 ENGINE B1,2,3  
Figure 11-200

4311 200




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 18   | 4032 957       | 1   |      |       | BRACKET, Muffler and Tail Pipe to Body Hanger w/127" W.B. |
| 19   | 4167 426       | 1   |      |       | SUPPORT, Tail Pipe Rear                                   |
| 20   | 2585 698       | 1   |      |       | CLAMP 2.25  |
| 21   | 4004 445       | AR  |      |       | CLAMP 2.50  |
| 22   | 4112 644       | 1   |      |       | SUPPORT, Muffler and Exhaust Pipe                         |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = DRIVING WHEELS (4X2)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EXHAUST SYSTEM 225 ENGINE D1,2,5  
Figure 11-300

4311 300 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 6024 380    | 2   |      |       | STUD                                      |
| 2    | 2465 391    | 2   |      |       | GASKET, Exhaust Pipe Flange               |
| 3    | 0152 346    | 2   |      |       | NUT                                       |
| 4    |             |     |      |       | PIPE, Exhaust w/Mini Ox                   |
|      | 4218 108    | 1   |      | D1,2  | w/(S/C - NAA, NCA)                        |
|      | 4218 132    | 1   |      |       | w/(S/C - NAE)                             |
|      | 4218 117    | 1   |      | D5    | w/(S/C - NAA, NCA)                        |
|      | 4117 407    | 1   |      |       | PIPE, Exhaust                             |
|      | 4117 407    | 1   |      | D1,2  | w/(S/C - NAA) - Canada                    |
|      | 4117 408    | 1   |      | D5    | w/(S/C - NAA) - Man. Trans. - Canada 1984 |
|      | 4218 184    | 1   |      | D5    | 1985                                      |
| 5    | 4004 445    | AR  |      |       | CLAMP 2.50                                |
| 6    |             |     |      |       | CONVERTER, Catalytic w/Pipes - Rear       |
|      | 4218 133    | 1   |      |       | w/(S/C - NAE)                             |
|      | 4218 145    | 1   |      | D1,2  | w/(S/C - NAA, NCA) 1984                   |
|      | 4218 180    | 1   |      | D1,2  | 1985                                      |
|      | 4218 180    | 1   |      | D1,2  | w/(S/C - NCB) - Man. Trans.               |
|      | 4218 013    | 1   |      |       | w/(S/C - NCB) - Auto. Trans.              |
|      | 4218 181    | 1   |      | D5    | w/(S/C - NAA, NCA)                        |
|      | 4218 181    | 1   |      | D5    | w/(S/C - NAA, NCB)                        |
| 7    |             |     |      |       | PIPE, Exhaust - Rear                      |
|      | 4117 429    | 1   |      | D1,2  | w/(S/C - NAD) - Canada & Export 1984      |
|      | 4117 436    | 1   |      | D5    | w/(S/C - NAA)                             |
| 8    | 4112 523    | 1   |      |       | MUFFLER                                   |
| 9    |             |     |      |       | PIPE, Tail                                |
|      | 4117 455    | 1   |      |       | w/115" W.B.                               |
|      | 4117 456    | 1   |      |       | w/131" W.B.                               |
|      | 4164 138    | 1   |      |       | w/131" & 135" W.B. w/o Box Conv. Cab 1984 |
|      | 4164 138    | 1   |      |       | w/131" W.B. w/o Box Conv. Cab 1985        |
| 10   | 1843 008    | AR  |      |       | SADDLE                                    |
| 11   | 4112 158    | 1   |      |       | BRACKET, Exhaust Pipe                     |
| 12   | 0120 393    | 2   |      |       | WASHER 1984                               |
| 13   | 6030 607    | 2   |      |       | NUT                                       |
| 14   | 0181 088    | 1   |      |       | BOLT                                      |
| 15   | 0181 112    | 1   |      |       | BOLT                                      |
| 16   | 6025 020    | 1   |      |       | NUT                                       |
| 17   | 0118 614    | 1   |      |       | NUT                                       |
| 18   | 4218 032    | 2   |      |       | SUPPORT, Muffler - Front & Rear           |
| 19   | 4004 525    | 1   |      |       | CLAMP 2.25                                |
| 20   | 4213 334    | 1   |      |       | BRACKET, Muffler Rear Support             |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXHAUST SYSTEM 225 ENGINE D1,2,5  
 Figure 11-300

4311 300 B




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 21   | 2240 312    | 1   |      |       | CLAMP  |
| 22   | 4218 262    | 1   |      |       | SUPPORT, Tail Pipe Rear                          |
| 23   | 4004 959    | AR  |      |       | CLAMP 2.00                                       |
| 24   | 4115 424    | 1   |      |       | SUPPORT, Muffler Front w/115" W.B. w/(S/C - NDA) |
| 25   |             |     |      |       | BRACKET, Muffler Front Support to Frame          |
| 26   | 4112 635    | 1   |      | D1    | w/(S/C - NDA) w/115" W.B.                        |
|      | 4112 636    | 1   |      | D5    | w/(S/C - NDA) w/115" W.B.                        |
|      |             |     |      |       | SUPPORT, Exhaust Pipe                            |
|      | 4210 759    | 1   |      |       | w/(S/C - NAE) - Man. Trans.                      |
|      | 4210 759    | 1   |      | D1,2  | w/(S/C - NAA, NCA) - Man. Trans.                 |
|      | 4210 759    | 1   |      |       | w/(S/C - NAA, NCA)                               |
| 27   | 4218 141    | 1   |      |       | w/(S/C - NAA) - Man. Trans. - Canada 1984        |
|      | 4218 141    | 1   |      | D1,2  | w/(S/C - NAA) - Man. Trans. - Canada 1985        |
|      | 4218 141    | 1   |      |       | w/(S/C - NAD) - Canada & Export 1984             |
|      | 4210 760    | 1   |      |       | w/(S/C - NAA, NCA, NAE) - Auto. Trans.           |
|      | 4210 737    | 1   |      |       | w/(S/C - NAA) - Auto. Trans. - Canada            |
|      | 9425 118    | 1   |      |       | SCREW  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = VAN AND WAGONS (N/A)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EXHAUST SYSTEM 318 - 360 ENGINE D1,2,3,5,6,7  
Figure 11-400

4311 400A



| ITEM | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION   |
|------|-------------|-----|--------|-------|---|
| 1    | 0181 127    | 4   |        |       | BOLT  |
| 2    | 4004 001    | 4   |        |       | RETAINER  |
| 3    | 0118 615    | 4   |        |       | NUT   |
| 4    | 4117 410    | 1   | D1,2,3 |       | PIPE, Exhaust   |
|      | 4218 183    | 1   | D5,6,7 |       |   |
|      | 4218 247    | 1   | D3     |       | 360 Eng. w/(S/C - NAD)  |
|      |             |     |        |       | PIPE, Exhaust w/Mini Ox   |
|      | 4218 148    | 1   | D1,2   |       | 318 Eng. w/(S/C - NAC, NCA)   |
|      | 4218 182    | 1   | D5,6   |       | 318 Eng. w/(S/C - NAC)  |
|      | 4218 120    | 1   | D1,2   |       | 360 Eng. w/(S/C - NAC, NAF) 1984  |
|      | 4218 148    | 1   | D1,2   |       | 1985  |
|      | 4218 122    | 1   | D5,6   |       | 360 Eng. w/(S/C - NAC, NAF) 1984  |
|      | 4218 182    | 1   | D5,6   |       | 1985  |
| 5    | 4004 445    | AR  |        |       | CLAMP 2.50  |
| 6    |             |     |        |       | CONVERTER, Catalytic w/Pipes - Rear   |
|      | 4218 016    | 1   | D1     |       | 318 Eng. w/(S/C - NCB)  |
|      | 4218 091    | 1   | D1,2   |       | 318 Eng. w/(S/C - NAE, NAF)   |
|      | 4218 049    | 1   | D1,2   |       | 318 Eng. w/(S/C - NAC, NCA)   |
|      | 4218 093    | 1   | D5     |       | 318 Eng. w/(S/C - NAE)  |
|      | 4218 093    | 1   | D5,6   |       | 318 Eng. w/(S/C - NAF)  |
|      | 4218 050    | 1   | D5,6   |       | 318 Eng. w/(S/C - NAC)  |
|      | 4218 121    | 1   | D1,2   |       | 360 Eng. w/(S/C - NAC, NAF) 1984  |
|      | 4218 049    | 1   | D1,2   |       | 1985  |
|      | 4218 049    | 1   | D3     |       | 360 Eng. w/(S/C - NAE) w/115", 131", 135" & 159" W.B.                                 |
|      | 4218 052    | 1   | D3     |       | 360 Eng. w/(S/C - NAE) w/149" & 165" W.B.   |
|      | 4218 125    | 1   | D5,6   |       | 360 Eng. w/(S/C - NAC, NAF) 1984  |
|      | 4218 050    | 1   | D5,6   |       | 1985  |
|      | 4218 050    | 1   | D7     |       | 360 Eng. w/(S/C - NAE) w/131" & 135" W.B.   |
|      | 4218 069    | 1   | D7     |       | 360 Eng. w/(S/C - NAE) w/149" W.B.  |
| 7    |             |     |        |       | PIPE, Exhaust Extension   |
|      |             |     |        |       | Front   |
|      | 4117 434    | 1   | D5,6,7 |       | w/(S/C - NAD) - Canada & Export   |
|      | 4218 252    | 1   | D7     |       | 360 Eng. w/(S/C - NAD) w/149" W.B.  |
|      | 4117 435    | 1   | D3     |       | w/(S/C - NAD) - Canada & Export - w/149" & 165" W.B.                                  |
|      | 4218 251    | 1   | D3     |       | 360 Eng. w/(S/C - NAD) w/149" & 165" W.B.   |
|      | 4218 249    | 1   | D7     |       | 360 Eng. w/(S/C - NAD) w/131" & 135" W.B.   |
|      | 4117 437    | 1   | D7     |       | w/(S/C - NAD) - Canada & Export - w/149" W.B.   |
|      |             |     |        |       | Rear  |
|      | 4164 139    | 1   | D3     |       | 318 - 360 Eng. w/(S/C - NAD) - Canada & Export - w/149", 157", 165", 175" & 198" W.B. |
|      | 4218 254    | 1   | D3     |       | 360 Eng. w/(S/C - NAD) w/149" & 165" W.B.   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXHAUST SYSTEM 318 - 360 ENGINE D1,2,3,5,6,7  
Figure 11-400

4311 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
|      | 4164 139    | 1   |      | D3     | 360 Eng. w/(S/C - NAE) w/149", 157", 165", 175" & 197" W.B.                     |
|      | 4117 435    | 1   |      | D7     | w/(S/C NAD) - Canada & Export - w/149" W.B.                                     |
|      | 4218 251    | 1   |      | D7     | 360 Eng. w/(S/C - NAD) w/149" W.B.  |
|      | 4117 438    | 1   |      | D5,6,7 | 318 - 360 Eng. w/(S/C - NAD) - Canada & Export - w/115", 131", 135" & 159" W.B. |
|      | 4218 253    | 1   |      | D7     | 360 Eng. w/(S/C - NAD) w/131" & 135" W.B.                                       |
|      | 4117 433    | 1   |      | D1,2,3 | PIPE, Exhaust Ext. w/(S/C - NAD) - Canada & Export                              |
|      | 4218 248    | 1   |      | D3     | 360 Eng. w/(S/C - NAD)  |
| 8    | 4112 525    | 1   |      |        | MUFFLER   |
| 9    | 4218 250    | 1   |      | D3,7   | 360 Eng. w/(S/C - NAD)  |
|      |             |     |      |        | PIPE, Tail  |
|      |             |     |      |        | Long  |
|      | 4117 460    | 1   |      |        | w/115" & 149" W.B.  |
|      | 4117 461    | 1   |      |        | w/131" W.B. - Utiline - Conv. Cab or Sweptline Box - Conv. Cab                  |
|      | 4117 461    | 1   |      | D3     | 360 Eng. w/Ext. Sound Control w/135" & 159" W.B.                                |
|      | 4117 461    | 1   |      | D7     | 360 Eng. w/o Box Conv. Cab - w/Ext. Sound Control w/131" W.B.                   |
|      | 4117 461    | 1   |      |        | w/165" W.B.   |
|      |             |     |      |        | Short   |
|      | 4164 138    | 1   |      |        | 318 Eng. w/o Box. Conv. Cab w/131", 135" & 159" W.B.                            |
|      | 4164 138    | 1   |      | D3     | 360 Eng. w/o Box Conv. Cab w/o Ext. Sound Control w/131", 135" & 159" W.B.      |
|      |             |     |      |        | EXTENSION, Muffler to Tail Pipe   |
|      | 4164 171    | 1   |      |        | 360 Eng. w/Ext. Sound Control w/135" W.B.                                       |
|      | 4164 172    | 1   |      |        | 360 Eng. w/Ext. Sound Control w/159" W.B.                                       |
| 10   |             |     |      |        | EXTENSION, Tail Pipe  |
|      | 4164 134    | 1   |      |        | 318 Eng.  |
|      | 4164 136    | 1   |      |        | 360 Eng.  |
| 11   | 1843 008    | 1   |      |        | SADDLE  |
| 12   |             |     |      |        | BRACE, Exhaust Pipe   |
|      | 4032 413    | 1   |      |        | w/Man. Trans.   |
|      | 3898 273    | 1   |      |        | w/Auto. Trans.  |
| 13   | 0120 393    | 2   |      |        | WASHER 1984   |
| 14   | 6030 607    | 2   |      |        | NUT   |
| 15   | 6022 245    | 1   |      |        | SCREW   |
| 16   | 0181 088    | 1   |      |        | BOLT  |
| 17   | 0181 112    | 1   |      |        | BOLT  |
| 18   | 6025 020    | 1   |      |        | NUT   |
| 19   | 0118 614    | 1   |      |        | NUT   |
| 20   | 4218 032    | 1   |      |        | SUPPORT, Muffler - Front & Rear   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



EXHAUST SYSTEM 318 - 360 ENGINE D1,2,3,5,6,7  
Figure 11-400

4311 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4218 255    | 1   |      | D3,7  | 360 Eng. w/(S/C - NAD)   |
| 21   | 4004 525    | AR  |      |       | CLAMP 2.25   |
| 22   | 4213 334    | 1   |      |       | BRACKET, Muffler Support to Frame                                    |
| 23   | 3466 652    | 1   |      |       | CLAMP, Tail Pipe Support<br>318 Eng. 2.50                            |
|      | 4004 237    | 1   |      |       | 360 Eng. 3.00  |
| 24   | 4218 262    | 1   |      |       | SUPPORT, Tail Pipe Rear  |
| 25   | 4112 635    | 1   |      | D1    | BRACKET, Muffler Front Support to Frame<br>w/(S/C - NDA) w/115" W.B. |
|      | 4112 635    | 1   |      | D3    | w/(S/C - NDA) w/159" W.B.  |
|      | 4112 635    | 1   |      | D3    | w/159" W.B.  |
|      | 4112 636    | 1   |      | D5    | w/(S/C - NDA) w/115" W.B.  |
|      | 4112 636    | 1   |      | D7    | w/149" W.B.  |
| 26   | 4115 424    | 1   |      |       | SUPPORT, Muffler Front   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXHAUST SYSTEM 318 - 360 ENGINE D4,8  
Figure 11-500

4311 500 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 0181 127    | AR  |      |       | SCREW  |
| 2    | 4004 001    | 4   |      |       | RETAINER   |
| 3    | 0118 615    | AR  |      |       | NUT  |
| 4    | 4117 410    | 1   |      | D4    | PIPE, Exhaust  |
|      | 4218 183    | 1   |      | D8    |  |
| 5    |             |     |      |       | PIPE, Exhaust w/Mini Ox                                    |
|      | 4218 148    | 1   |      | D4    | 318 Eng. w/(S/C - NAC, NCA)                                |
|      | 4218 182    | 1   |      | D8    | 318 Eng. w/(S/C - NAC)                                     |
|      | 4218 120    | 1   |      | D4    | 360 Eng. 1984  |
|      | 4218 148    | 1   |      | D4    | 360 Eng. w/(S/C - NAC, NAF) 1985                           |
|      | 4218 122    | 1   |      | D8    | 360 Eng. w/(S/C - NAC, NAF) 1984                           |
|      | 4218 182    | 1   |      | D8    | 1985   |
| 6    | 4004 445    | 3   |      |       | CLAMP 2.50   |
| 7    |             |     |      |       | CONVERTER, Catalytic w/Pipes - Rear                        |
|      | 4218 080    | 1   |      | D4    | 318 Eng. w/(S/C - NAC, NCA)                                |
|      | 4218 015    | 1   |      | D4    | 318 Eng. w/(S/C - NCB)                                     |
|      | 4218 142    | 1   |      | D4    | 318 Eng. w/(S/C - NAE, NAF)                                |
|      | 4218 150    | 1   |      | D4    | 360 Eng. 1984  |
|      | 4218 080    | 1   |      | D4    | 1985   |
|      | 4218 092    | 1   |      | D8    | 318 Eng. w/(S/C - NAE, NAF)                                |
|      | 4218 074    | 1   |      | D8    | 318 Eng. w/(S/C - NAC)                                     |
|      | 4218 123    | 1   |      | D8    | 360 Eng. w/(S/C - NAC, NAF) 1984                           |
|      | 4218 074    | 1   |      | D8    | 1985   |
| 8    | 4117 434    | 1   |      | D8    | PIPE, Exhaust Ext. - Front w/(S/C - NAD) - Canada & Export |
| 9    |             |     |      |       | MUFFLER  |
|      | 4112 525    | 1   |      | D4    | 318 Eng.   |
|      | 4112 525    | 1   |      | D8    | w/(S/C - NDB)  |
|      | 4218 021    | 1   |      | D8    | w/(S/C - NDA)  |
| 10   | 4117 460    | 1   |      |       | PIPE, Tail   |
| 11   |             |     |      |       | PIPE, Tail Extension                                       |
|      | 4164 134    | 1   |      |       | 318 Eng.   |
|      | 4164 136    | 1   |      |       | 360 Eng.   |
| 12   | 1843 008    | 1   |      |       | SADDLE   |
| 13   | 3898 273    | 1   |      | D4    | BRACE, Exhaust Pipe  |
| 14   | 0120 393    | 2   |      |       | WASHER 1984  |
| 15   | 6030 607    | 2   |      |       | NUT  |
| 16   | 0181 088    | AR  |      |       | SCREW  |
| 17   |             |     |      |       | CLAMP, Tail Pipe Support                                   |
|      | 3466 652    | 1   |      |       | 318 Eng. 2.50  |
|      | 4004 237    | 1   |      |       | 360 Eng. 3.00  |
| 18   | 4218 262    | 1   |      |       | SUPPORT, Tail Pipe Rear                                    |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXHAUST SYSTEM 318 - 360 ENGINE D4,8  
Figure 11-500

4311 500 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 19   | 4213 334    | 1   |      |       | BRACKET, Muffler Rear Support to Frame |
| 20   | 6025 020    | 4   |      |       | NUT                                    |
| 21   | 0181 112    | 4   |      |       | BOLT                                   |
| 22   | 0118 614    | 1   |      |       | NUT                                    |
| 23   | 4218 032    | 1   |      |       | SUPPORT, Muffler Rear                  |
| 24   | 4004 525    | 1   |      |       | CLAMP 2.25                             |
| 25   | 4213 093    | 1   |      |       | SUPPORT, Saddle                        |
| 26   | 4218 075    | 1   |      | D4    | SUPPORT, Muffler Front w/Cat. Conv.    |
|      | 4213 091    | 1   |      | D8    |  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

HEAT SHIELDS - UPPER - EXHAUST B MODEL  
Figure 11-600

4311 600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4087 607    | 1   |      |       | PANEL, Underbody Eng. Hsg. Heat Shield 318 - 360 Eng. - Lt. |
|      | 6022 202    | 2   |      |       | SCREW   |
|      | 0188 003    | 2   |      |       | PLUG, Underbody Eng. Hsg. Heat Shield Hole 225 Eng. - Lt.   |
| 2    | 4150 451    | 1   |      |       | SUPPORT, Muffler Heat Shield                                |
| 3    | 3893 717    | 1   |      |       | SUPPORT, Catalytic Heat Shield                              |
| 4    | 4266 157    | 1   |      |       | SHIELD, Catalytic Heat - Upper                              |
| 5    | 4218 024    | 1   |      |       | SHIELD, Muffler Heat  |
| 6    | 4215 734    | 1   |      |       | BRACKET, Underbody Tail Pipe Heat Shield Mtg.               |
| 7    | 4117 783    | 1   |      |       | SHIELD, Tail Pipe Heat                                      |



|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

HEAT SHIELDS - LOWER - EXHAUST B MODEL  
Figure 11-700

4311 700 B



318-360 ENGINE









| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 4088 798    | 1   |      |       | SHIELD, Heat - Mini Ox                        |
| 2    | 0181 063    | AR  |      |       | SCREW   |
| 3    | 4004 445    | 1   |      |       | CLAMP 2.50                                    |
| 4    | 9420 867    | 2   |      |       | NUT   |
| 5    | 6028 921    | 1   |      |       | SCREW   |
| 6    | 4140 720    | 1   |      |       | SHIELD, Front Exhaust Pipe Starter Motor Heat |
| 7    | 4266 158    | 1   |      |       | SHIELD, Fuel Tank Heat 36 Gal. Tank           |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <del>D9 = SPORT UTILITY (4X4)</del>                                      |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

HEAT SHIELDS - EXHAUST D MODEL  
Figure 11-800

4311 800 D



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                   |
|------|-------------|-----|------|----------|---|
| 1    | 4117 464    | 1   |      | D1,2,3,4 | SHIELD, Catalytic Heat - Upper                |
|      | 4164 778    | 1   |      | D5,6,7   |   |
| 2    | 0153 294    | 1   |      | D5,6,7,8 | U-NUT   |
| 3    | 4088 798    | 1   |      |          | SHIELD, Heat - Mini Ox                        |
| 4    | 1843 008    | 1   |      |          | SADDLE  |
| 5    | 0120 393    | 2   |      |          | WASHER 1984                                   |
| 6    | 6030 607    | 2   |      |          | NUT   |
| 7    | 0181 063    | 2   |      |          | SCREW   |
| 8    |             |     |      |          | U-BOLT  |
|      | 4004 050    | 1   |      | D5       | 225 Eng. Front                                |
|      | 4004 049    | 1   |      | D5       | 225 Eng. Rear                                 |
|      | 4150 155    | 2   |      | D5,6,7,8 | 318 - 360 Eng.                                |
| 9    |             |     |      |          | SHIELD, Catalytic Heat - Lower                |
|      | 4004 384    | 1   |      | D5       | 225 Eng.                                      |
|      | 4150 151    | 1   |      | D5,6,7,8 | 318 - 360 Eng.                                |
| 10   | 6025 004    | 4   |      |          | NUT   |
| 11   | 9420 867    | 2   |      |          | NUT   |
| 12   | 6028 921    | 1   |      |          | SCREW   |
| 13   | 4140 720    | 1   |      |          | SHIELD, Front Exhaust Pipe Starter Motor Heat |
| 14   | 3898 353    | 1   |      |          | SHIELD, Fuel Tank Heat 36 Gal. Tank           |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |


ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

GROUP 13 - FRAME & BUMPERS

| ILLUSTRATION TITLE   | GROUP-FIG. NO. |
|--|----------------|
| FRAME  |                |
| FRAME B MODEL .....  | Fig. 13-100    |
| FRAME D4 - D8 .....  | Fig. 13-200    |
| FRAME D, Exc. D-4,D-8 .....                                | Fig. 13-300    |
| BODY HOLD DOWN   |                |
| BODY HOLD DOWN AND FRONT END MOUNTING D1-3 & 5-7 .....     | Fig. 13-325    |
| BODY HOLD DOWN D4 & 8 .....                                | Fig. 13-350    |
| BUMPERS  |                |
| BUMPER FRONT - W/GUARDS & NERF STRIPS B MODEL .....        | Fig. 13-400    |
| BUMPER FRONT - W/& W/O GUARDS W/O NERF B MODEL .....       | Fig. 13-500    |
| BUMPER REAR - W/GUARDS & NERF STRIPS B MODEL .....         | Fig. 13-600    |
| BUMPER REAR - W/& W/O GUARDS W/O NERF STRIP B MODEL .....  | Fig. 13-700    |
| BUMPER FRONT - W/& W/O GUARDS W/O NERF STRIP D MODEL ..... | Fig. 13-800    |
| BUMPER REAR - W/O NERF STRIP D MODEL .....                 | Fig. 13-900    |
| SNOW PLOW EQUIPMENT  |                |
| PLOW, SNOW AND ATTACHING SERVICE PARTS D-5,6,8 .....       | Fig. 13-1300   |
| CONTROLS, ELECTRIC TOUCH SNOW PLOW D-5,6,8 .....           | Fig. 13-1400   |
| DRIVE UNIT, ELECTRO TOUCH SNOW PLOW D-5,6,8 .....          | Fig. 13-1500   |

FRAME B MODEL  
Figure 13-100

4313 1000




| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
| 1    | 4160 027    | 1   |      |        | CROSSMEMBER, U/ Body Trans. Mtg.                                    |
| 2    | 4033 814    | AR  |      |        | CROSSMEMBER, U/Body Flr. Supt.                                      |
| 3    | 4161 804    | 1   |      |        | CROSSMEMBER, U/ Body Rr. Sprg. Frt. Mtg.                            |
| 4    | 4166 764    | 1   |      |        | CROSSMEMBER, U/Body Fuel Tank Mtg.                                  |
| 5    | 3739 730    | 1   |      |        | CROSSMEMBER, U/Body Fuel Tank mtg. Rr.                              |
| 6    | 4351 114    | 1   |      |        | Panel, U/Body Rear Sill inner.                                      |
| 7    | 4167 561    | 1   |      |        | BRACKET, Rear Axle Brake Hose                                       |
| 8    | 4117 564    | 1   |      |        | BRACKET, Parking Brake Cable Clip Guide                             |
| 9    |             | 2   |      |        | REINFORCEMENT, U/Body Rear Sill Inner Fuel Tank Mtg. (Not Serviced) |
| 10   | 2956 060    | 2   |      |        | REINFORCEMENT, U/Body Trans. Mtg.                                   |
| 11   | 4032 956    | 1   |      |        | BRACKET, U/Body C/Member Tail Pipe                                  |
| 12   |             | 2   |      |        | REINFORCEMENT, U/Body Fuel Tank Mtg. (Not Serviced)                 |
| 13   | 4033 989    | 2   |      |        | BRACKET, U/Body Fuel Tank Mtg. Rear                                 |
| 14   |             | 1   |      |        | REINFORCEMENT, U/Body Long. Rail Rear Hold Down (Not Serviced)      |
| 15   | 4342 456-7  | 1   |      | B1-2   | RAIL, W/109" W.B.   |
|      | 4342 454-5  | 1   |      | B1-2-3 | W/127" W.B.   |
|      | 4342 452-3  | 1   |      | B2-3   | W/127" Extended W.B.  |
|      | 4262 014-5  | 1   |      |        | RAIL, U/Body Long.  |
|      | 4278 554    | 2   |      |        | TIE-PLATE, Floor Pan Rail (Not Ill.)                                |
| 16   | 3824 639    | 2   |      |        | Plate, U/Body Trans, Mtg.   |
| 17   | 3729 363    | 2   |      |        | REINFORCEMENT, U/Body Rail to Side Panel Bracket                    |
| 18   | 3899 694-5  | 1   |      |        | SUPPORT, U/Body Rear Spring Front Mtg. Bracket .                    |
| 19   | 4351 044    | 2   |      |        | SLEEVE, U/Body Rear Shock Mtg.                                      |
| 20   | 4033 805    | 2   |      |        | REINFORCEMENT, U/Body Rail Rear Axle Bumper                         |
| 21   | 3493 606    | 1   |      |        | BRACKET, U/Body Rail Tail Pipe, Lt.                                 |
| 22   | 4038 464    | 1   |      |        | SUPPORT, U/Body Rear Spring Mtg. Bracket, Rt.                       |
|      | 3829 389    | 1   |      |        | Lt.   |
| 23   |             | 2   |      |        | PLATE, U/Body Rear Spring Mtg. Bracket (Serviced on Rail)           |
| 24   | 4113 517    | 1   |      |        | REINFORCEMENT, Grille Lower Support Center                          |
| 25   | 4112 918-9  | 1   |      |        | REINFORCEMENT, Ends   |
| 26   | 4052 806-7  | 1   |      | B-1-2  | EXTENSION, U/Body Long. Rail Front                                  |
|      | 4052 806-7  | 1   |      | B-3    |   |
| 27   | 4262 123    | 1   |      |        | REINFORCEMENT, U/Body Front Panel                                   |
| 28   | 4322 253    | 1   |      |        | CROSSMEMBER, Front Suspension and Engine Support                    |
| 29   | 6030 846    | 8   |      |        | SCREW, w/Washer   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



# FRAME D4 - D8 Figure 13-200

4313 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4164 216    | 1   |      | D4    | FRAME Comp., w/106" W.B.  |
|      | 4322 666    | 1   |      | D8    | w/106" W.B.   |
| 2    | 3736 601    | 1   |      | D8    | CROSSMEMBER, Eng. Rr. Supt.                                     |
| 3    | 3822 892    | 1   |      | D4    | CROSSMEMBER, Eng. Rr. Supt.                                     |
| 4    | 4086 978    | 1   |      | D4    | CROSSMEMBER, Eng. Frt. Susp.                                    |
|      | 3491 139    | 1   |      | D4-8  | BRACKET, Frm. Frt. Susp. Lwr. Cntrl Arm                         |
| 5    | 4322 667    | 1   |      | D8    | CROSSMEMBER, Eng. Frt Supt.                                     |
| 6    | 4039 718    | 1   |      | D4    | CROSSMEMBER, Frm. Frt.  |
|      | 4039 714    | 1   |      | D8    |   |
| 7    | 3732 191    | 2   |      | D8    | BRACKET, Frt. Body Mtg. w/Brace Reinf.                          |
| 8    | 3492 200    | 2   |      | D4-8  | BRACKET, Cab Hold Down Rear                                     |
|      | 3823 099    | 2   |      | D8    | BRACKET, Front End Body Mounting (Not Ill.)                     |
| 9    | 4164 315    | 2   |      | D4-8  | BRACKET, Rear Sprg. Frt.  |
| 10   | 3827 142-3  | 1   |      | D4-D8 | BRACKET, Body Hold Down Frt.                                    |
| 11   | 3822 725    | 2   |      | D4-D8 | BRACKET, Body Hold Down Rear                                    |
| 12   | 3496 088    | 2   |      | D4-D8 | BRACKET, Rear Sprg. Rear  |
| 13   | 3497 469    | 2   |      | D8    | BRACKET, Frt. Sprg. Rear  |
|      | 2953 700    | 4   |      | D8    | BUSHING, Frm. Frt. Sprg. Rear Brkt.                             |
| 14   | 3736 986-7  | 1   |      | D8    | BRACKET, Frt. Sprg.   |
| 15   | 3823 355    | 2   |      | D8    | BRACE, Eng. Rear Supt. (Up to 4/11/84)                          |
|      | 4322 659    | 2   |      | D8    | (After 4/11/84)   |
| 16   | 3822 893    | 2   |      | D4    | BRACE   |
| 17   | 3822 890-1  | 1   |      | D4    | BRACKET, Eng. Frt. Supt.  |
|      | 2231 677    | AR  |      | D4-D8 | GROMMET, Frm. C/mbr.  |
|      | 0271 885    | 2   |      | D8    | BOLT, (5/8 - 11 x 3.25) (Not Ill.)                              |
|      | 3820 921    | 2   |      | D8    | INSULATOR, upper (Not Ill.)                                     |
| 24   | 3821 225    | 1   |      | D8    | ADAPTER   |
| 29   | 4086 982-3  | 1   |      | D4    | BRACKET   |
|      | 4213 497    | 1   |      | D4,D8 | CROSSMEMBER, Rear Sprg. Frt. Brkt. (Not Ill.)                   |
|      | 3823 093    | 1   |      | D4,D8 | CROSSMEMBER, Frame Rear Shock Absorber (Not Ill.)               |
|      | 3736 629    | 1   |      | D4,D8 | CROSSMEMBER, Frame Fuel Tank Support, Rear (Not Illus.)         |
|      | 4115 493    | 2   |      | D4-D8 | BRACE, Rear Sprg. Frt. Bracket (Not Shown)                      |
|      | 4164 348    | 8   |      | D4    | SPACER, Engine Rear Support Crossmember to Frame (Not Ill.)     |
|      | 6024 473    | 8   |      | D4    | BOLT, w/Washer Frame Engine Rear Support Crossmember (Not Ill.) |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D = VAN AND WAGON (4X2)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FRAME D, Exc. D-4,D-8  
Figure 13-300

4313 300 C



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                      |
|------|-------------|-----|------|--------|--|
| 1    | 4052 761    | 1   |      | D1     | FRAME, 115" W.B.                                 |
|      | 4052 767    | 1   |      | D1-2   | 131" W.B.  |
|      | 4052 762    | 1   |      | D2,3   | 131" W.B. w/3300# Frt.Axle-1984                  |
|      | 4052 762    | 1   |      | D2,3   | Up To 12/17/84-1985                              |
|      | 4404 051    | 1   |      | D2,3   | After 12/17/84-1985                              |
|      |             |     |      |        | 131" W.B. w/ 4000 # Frt. Axle                    |
|      | 4322 053    | 1   |      | D3     | Up to 5/24/84                                    |
|      | 4322 706    | 1   |      | D3     | From 5/24/84 To 12/17/84                         |
|      | 4404 052    | 1   |      | D3     | After 12/17/84                                   |
|      |             |     |      |        | 135" W.B.  |
|      | 4322 707    | 1   |      | D3     | Up To 12/17/84                                   |
|      | 4404 054    | 1   |      | D3     | After 12/17/84                                   |
|      | 4052 764    | 1   |      | D3     | 149" W.B.  |
|      |             |     |      |        | 159" W.B. w/Frame Reinf.                         |
|      | 4322 708    | 1   |      | D3     | Up To 12/17/84                                   |
|      | 4404 056    | 1   |      | D3     | After 12/17/84                                   |
|      |             |     |      |        | 165" W.B.  |
|      | 4322 709    | 1   |      | D3     | Up To 12/17/84                                   |
|      | 4404 055    | 1   |      | D3     | After 12/17/84                                   |
|      |             |     |      |        | 115" W.B.  |
|      | 4322 662    | 1   |      | D5     | Up To 4/8/85                                     |
|      | 4322 758    | 1   |      | D5     | After 4/8/85                                     |
|      | 4322 663    | 1   |      | D5-6-7 | 131" W.B.  |
|      |             |     |      |        | 135" W.B.  |
|      | 4322 664    | 1   |      | D7     | Up To 4/8/85                                     |
|      | 4322 759    | 1   |      | D7     | After 4/8/85                                     |
|      | 4322 665    | 1   |      | D7     | 149" W.B.  |
|      |             |     |      |        | ADAPTER, Body Mounting, Front (Not Illus.)       |
|      | 4149 550    | 2   |      | D2-3-7 | 131" W.B.  |
|      | 4149 549    | 2   |      | D3-7   | 135" W.B.  |
|      | 4149 853    | 2   |      | D3     | 159" W.B.  |
|      |             |     |      |        | ADAPTER, Body Mounting, Rear (Not Illus.)        |
|      | 4149 551    | 2   |      | D2-3-7 | 131" W.B.  |
|      | 4149 848    | 2   |      | D3-7   | 135" W.B. & 159" W.B.                            |
|      | 6031 993    | AR  |      | D2-3-7 | BOLT, w/Washer Adapter Mounting (Not Illus.)     |
|      | 6025 022    | AR  |      | D2-3-7 | NUT, w/Washer Adapter Mounting Bolt (Not Illus.) |
| 2    | 4039 705    | 1   |      | D1     | CROSSMEMBER, Frm. Frt. 149 W.B.                  |
|      | 4039 705    | 1   |      | D2-3   | All W.B.   |
|      | 4039 718    | 1   |      | D1     | Except 149" W.B.                                 |
|      | 4039 714    | 1   |      | D-567  | All  |
| 3    |             |     |      |        | CROSSMEMBER, Frt. Susp. and Eng. Supt.           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4313 300 C




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

« »

FRAME D, Exc. D-4,D-8  
Figure 13-300

4313 300 C



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION   |
|------|-------------|-----|------|-----------|---|
| 17   | 3496 087    | 2   |      | D1        | BRACKET, Rear Sprg. Rear Std. Cab                                 |
|      | 3496 088    | 2   |      | D         | w/3300 # Frt. Axle  |
|      | 3496 089    | 2   |      | D-3-7     | w/4000 # Frt. Axle  |
|      | 3496 088    | 2   |      | D2        | 131"-149", W.B. w/o Hvy. Dty.                                     |
|      | 3496 088    | 2   |      | D1        | 149", W.B.  |
|      | 3496 088    | 2   |      | D7        | w/131"-149" W.B.  |
|      | 3496 088    | 2   |      | D-5-6     | All W.B.  |
|      | 3496 089    | 2   |      | D2        | 149,131,165 W.B. w/4000 lb. Frt.Axle                              |
|      | 3496 089    | 2   |      | D-1237    | All W.B.  |
| 18   | 3497 469    | 2   |      | D-567     | BRACKET, Frt. Sprg. Rear  |
|      | 2953 700    | 4   |      | D-567     | BUSHING, Frm. Sprg. Rr. Brkt.                                     |
| 19   | 3732 191    | 2   |      | D-567     | BRACKET, w/Brace Body Hold Down, Frt.                             |
| 20   | 3736 986-7  | 2   |      | D-567     | BRACKET, Frt. Spring  |
| 21   | 3822 890-1  | 2   |      | D         | BRACKET, Eng. Frt. Support  |
|      | 3637 897    | 2   |      | D-1234    | BRACKET, Frt. Susp./Mem. Jounce Bumper (Not Ill.)                 |
| 22   | 3491 226    | 2   |      | D2        | BRACKET, Frm. Frt. Susp. Lower Control Arm Mtg. w/Hvy. Dty. Susp. |
|      | 3491 226    | 2   |      | D2        | 165" W.B.   |
|      | 3491 226    | 2   |      | D2-3      | All W.B.  |
|      | 3491 139    | 2   |      | D1        | All W.B.  |
|      | 3491 139    | 2   |      | D2        | 131, 149, W.B.  |
| 23   | 4115 494    | 2   |      | EXC.D-4-8 | BRACE, C/Mbr. Prop Shaft Ctr. Bearing                             |
|      | 2231 677    | AR  |      | EXC.D-4-8 | GROMMET, Frm. C/Mbr. (Not Shown)                                  |
| 24   | 0271 885    | 2   |      | D-567     | BOLT, (5/8-11 x 3.25)   |
| 25   |             | 4   |      | D-567     | WASHER, Flat (Not Serviced)                                       |
| 26   |             | 2   |      | D-567     | SPACER, (Not Serviced)  |
| 27   | 3820 921    | 2   |      | D-567     | INSULATOR, Upper  |
| 28   | 4213 374    | 1   |      | D-567     | PLATE   |
| 29   | 4106 710    | 2   |      | D-567     | INSULATOR, Lower  |
| 30   | 3821 225    | 1   |      | D7        | ADAPTER, Frame Engine Rear Support Crossmember w/135, 149 W.B.    |
| 31   | 0152 352    | 4   |      | D-567     | NUT, Lock (5/8-11)  |
| 32   | 6024 027    | 6   |      | D-567     | BOLT, (7/16-14 x 1.25)  |
| 33   |             | 6   |      | D-567     | NUT, (7/16-14) (Not Serviced)                                     |
| 34   | 6028 776    | 2   |      | D-567     | WASHER, Coned   |
| 35   | 4086 982-3  | 1   |      | D         | BRACKET, Upper Control Arm, Shock Abs. Mtg.                       |
|      | 4213 497    | 1   |      | EXC.D-4-8 | CROSSMEMBER, Frame Prop Shaft Ctr. Bearing(Not Ill.)              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BODY HOLD DOWN AND FRONT END MOUNTING D1-3 & 5-7  
Figure 13-325

4313 325




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|-------------|-----|------|-------|--|
| 1   | 6029 643    | 2   |      |       | BOLT, 1/2 - 20 x 4.50  |
| 2   | 6030 883    | 2   |      |       | PLUG, Access. Hole   |
| 3   |             |     |      |       | WASHER, (DNS)  |
| 4   |             | 4   |      |       | SPACER, (DNS)  |
| 5   | 4113 614    | 2   |      |       | INSULATOR  |
| 6   | 4166 994    | 4   |      |       | INSULATOR  |
| 7   |             | 2   |      |       | WASHER, (DNS)  |
| 8   | 0271 502    | 2   |      |       | NUT and WASHER   |
| 9   | 6031 366    | 2   |      |       | BOLT, 1/2-20 x 4.50  |
| 10  | 6030 883    | 2   |      |       | PLUG, Rr. Hold Down Bolt   |
| 11  |             | 4   |      |       | WASHER, (DNS)  |
| 12  |             | 4   |      |       | WASHER, (DNS)  |
| 13  | 4113 616    | 2   |      |       | INSULATOR  |
| 14  |             | 2   |      |       | SPACER, Rr. Hold Down Bolt (DNS)   |
| 15  | 6031 711    | 2   |      |       | BOLT, Body Hold Down, Frt.   |
| 16  | 3495 417    | 4   |      |       | INSULATOR  |
| 17  | 4215 906    | 2   |      |       | SPACER, Radiator Grille Support Front End Sheet Metal Hold-<br>Down Bolt |
| 18  | 6026 647    | 2   |      |       | RETAINER   |
| 19  |             | 2   |      |       | WASHER, (DNS)  |
| 20  | 0152 346    | 2   |      |       | LOCKNUT, (7/16 - 14)   |
| NOTE: The Following Items Are Not Shown On Illustration. and Cover. |             |     |      |       |  |
|   | 3495 321    | 2   |      |       | INSULATOR, Body to Frame, Frt. (Crew Cab)                                |
|   | 4212 850    | AR  |      |       | SPACER, Hold-Down  |
|   | 0152 349    | 4   |      |       | LOCK NUT, Body Hold-Down Bolt (1/2"-20)                                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

BODY HOLD DOWN D4 & 8  
Figure 13-350

4313 350



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 6029 643    | 2   |      |       | BOLT, 1/2-20 x 4.00                           |
| 2    |             | 4   |      |       | SPACER, (DNS)                                 |
| 3    |             |     |      |       | WASHER, (DNS)                                 |
| 4    | 0152 349    | 2   |      |       | LOCKNUT, 1/2-20                               |
| 5    | 4166 994    | 4   |      |       | INSULATOR                                     |
| 6    | 4113 614    | 2   |      |       | INSULATOR                                     |
| 7    |             |     |      |       | WASHER, (DNS)                                 |
| 8    | 6030 883    | AR  |      |       | PLUG  |
| 9    | 6030 188    | 8   |      |       | WASHER, Neck Bolt                             |
| 10   | 3636 484    | 2   |      |       | SPACER  |
| 11   | 0152 579    | 2   |      |       | STUD, Use Up To 9/19/83                       |
|      | 6032 669    | 2   |      |       | Use After 9/19/83                             |
| 12   | 3495 417    | 12  |      |       | INSULATOR                                     |
| 13   |             |     |      |       | BOLT, Neck, 7/16-14 x 4.50 (DNS)              |
| 14   | 0271 502    | 2   |      |       | NUT, w/Washer (7/16-14)                       |
| 15   | 4113 616    | 2   |      |       | INSULATOR                                     |
| 16   |             | 2   |      |       | WASHER, (DNS)                                 |
| 17   | 6031 366    | 2   |      |       | BOLT, Body Hold Down Rr.                      |
| 18   |             |     |      |       | WASHER, (DNS)                                 |
|      | 4168 074    | 2   |      |       | REINFORCEMET, U/Body Rr. C/Sill Rr. Hold Down |
|      | 3827 142-3  | 1   |      |       | BRACKET, Frt. Hold Down                       |
|      | 3822 725    | 2   |      |       | Rear  |
| 19   | 6031 711    | 2   |      |       | BOLT, Body Hold Down, Frt.                    |
| 20   | 6026 647    | 2   |      |       | RETAINER, Frt.                                |
| 21   |             | 2   |      |       | WASHER, Cone (DNS)                            |
| 22   | 0152 346    | 2   |      |       | LOCKNUT, (7/16-14)                            |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BUMPER FRONT - W/GUARDS & NERF STRIPS B MODEL  
Figure 13-400

4313 400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                |
|------|-------------|-----|------|-------|----------------------------|
| 1    | 4036 656-7  | 1   |      |       | SUPPORT, Bumper Mtg.       |
| 2    |             | 6   |      |       | BOLT, (Not Serviced)       |
| 3    | 6024 027    | 4   |      |       | SCREW, Brkt.               |
| 4    |             | 2   |      |       | NUT, (Not Serviced)        |
| 5    |             | 2   |      |       | SPACER, (Not Serviced)     |
| 6    | 4249 552    | 1   |      |       | BUMPER, Chrome, w/Nerf     |
| 7    | 6031 614    | 2   |      |       | BOLT, Round Head Chrome    |
| 8    | 4086 960-1  | 1   |      |       | NERF, End                  |
| 9    | 4086 962    | 1   |      |       | NERF, Center               |
| 10   | 4249 560-1  | 1   |      |       | GUARD, Bumper              |
| 11   | 4039 739    | 2   |      |       | NERF, Guard                |
| 12   | 6027 958    | 2   |      |       | NUT, Snap-In License Plate |
| 13   |             | 2   |      |       | Screw, (Not Serviced)      |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

BUMPER FRONT - W/& W/O GUARDS W/O NERF B MODEL  
Figure 13-500

4313 500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4036 656-7  | 1   |      |       | SUPPORT, Bumper Mtg.                                |
| 2    |             | 6   |      |       | BOLT, (Not Serviced)                                |
| 3    | 6024 027    | 4   |      |       | BOLT, Guard   |
| 4    |             | AR  |      |       | NUT, (Not Serviced)                                 |
| 5    |             | AR  |      |       | SPACER, (Not Serviced)                              |
| 6    | 4249 551    | 1   |      |       | BUMPER, Chrome                                      |
|      | 4334 125    | 1   |      |       | BUMPER, Painted                                     |
| 7    | 6031 614    | AR  |      |       | BOLT, Round Head Chrome                             |
| 8    | 6028 112    | AR  |      |       | BOLT, Round Head Cadmium,w/o Guard w/Painted Bumper |
| 9    | 4249 560-1  | 1   |      |       | GUARD, Bumper                                       |
| 10   | 4039 739    | 2   |      |       | NERF, Guard   |
| 11   |             | 2   |      |       | SCREW, (Not Serviced)                               |
| 12   | 6027 958    | 2   |      |       | NUT, Snap-In License Plate                          |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |



BUMPER REAR - W/GUARDS & NERF STRIPS B MODEL  
Figure 13-600

4313 600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                |
|------|-------------|-----|------|-------|----------------------------|
| 1    | 4249 554    | 1   |      |       | BUMPER, Rear Chrome        |
| 2    | 4037 886-7  | 1   |      |       | NERF, Bumper End           |
| 3    | 4249 562    | 2   |      |       | GUARD, Bumper              |
| 4    | 4039 740    | 2   |      |       | NERF, Guard                |
| 5    | 4037 885    | 1   |      |       | NERF, Bumper, Center       |
| 6    |             | 2   |      |       | BOLT, (Not Serviced)       |
| 7    | 0271 502    | 2   |      |       | NUT, Brkt. Bolt            |
| 8    | 4088 814    | 2   |      |       | BRACKET, Bumper Mtg.       |
| 9    | 6024 023    | 8   |      |       | BOLT, Brkt.                |
| 10   | 6027 958    | 2   |      |       | NUT, Snap-In License Plate |
| 11   |             | 2   |      |       | SCREW, (Not Serviced)      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

BUMPER REAR - W/& W/O GUARDS W/O NERF STRIP B MODEL  
Figure 13-700

4313 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                |
|------|-------------|-----|------|-------|----------------------------|
| 1    | 4249 553    | 1   |      |       | BUMPER, Rear, Chrome       |
|      | 4334 126    | 1   |      |       | Painted                    |
| 2    | 4249 562    | 2   |      |       | GUARD, Bumper              |
| 3    | 4039 740    | 2   |      |       | NERF, Guard                |
| 4    |             | 2   |      |       | SCREW, (Not Serviced)      |
| 5    | 0271 502    | 2   |      |       | NUT, Brkt.                 |
| 6    | 4088 814    | 2   |      |       | BRACKET, Bumper Mtg.       |
| 7    | 6024 023    | 8   |      |       | BOLT, Brkt.                |
| 8    | 6027 958    | 2   |      |       | NUT, Snap-In License Plate |
| 9    |             | 2   |      |       | SCREW, (Not Serviced)      |
| 10   | 6028 112    | AR  |      |       | BOLT, Bumper               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 13-800**

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                |
|------|----------------|-----|------|-------|----------------------------|
| 1    |                | 2   |      |       | SCREW, (Not Serviced)      |
| 2    |                | 6   |      |       | BOLT (Not Serviced)        |
| 3    |                | 6   |      |       | NUT, Lock (Not Serviced)   |
| 4    |                | 4   |      |       | NUT, (Not Serviced)        |
| 5    | 4249 555       | 1   |      |       | BUMPER, Chrome             |
|      | 4334 128       | 1   |      |       | Painted                    |
| 6    | 6031 614       | 4   |      |       | BOLT, (Chrome)             |
|      | 6028 112       | 4   |      |       | (Cadmium)                  |
| 7    | 6027 958       | 2   |      |       | NUT, Snap-In License Plate |
| 8    | 4249 512-3     | 1   |      |       | BRACKET, Bumper Mtg.       |
| 9    | 6024 027       | 4   |      |       | BOLT, Guard                |
| 10   | 4249 560-1     | 1   |      |       | GUARD, Frt.                |
| 11   | 4039 739       | 2   |      |       | NERF, Guard                |




**« RETURN TO GROUP INDEX**

**Figure 13-900**

This technical drawing is an exploded view of a mechanical assembly, likely a hinge or a mounting bracket. It shows the following components and their assembly sequence:

- Part 1:** A long, curved metal plate or base.
- Part 2:** Two screws used to secure Part 1.
- Part 3:** Two pins or bushings that fit into holes on Part 1.
- Part 4:** A curved metal plate or base, similar to Part 1 but smaller.
- Part 5:** Two screws used to secure Part 4.
- Part 6:** Two pins or bushings that fit into holes on Part 4.
- Part 7:** A small metal plate or bracket.
- Part 8:** A small metal plate or bracket.
- Part 9:** A small metal plate or bracket.
- Part 10:** Two screws used to secure Part 9.
- Part 11:** A small metal plate or bracket.

The diagram uses dashed lines to indicate the alignment and assembly path of the components.




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                |
|------|----------------|-----|------|-------|----------------------------|
| 1    | 6027 958       | 2   |      |       | NUT, Snap-In License Plate |
| 2    |                | 2   |      |       | SCREW (Not Serviced)       |
| 3    | 6031 614       | 6   |      |       | BOLT, Chrome               |
|      | 6028 112       | 6   |      |       | Cadmium                    |
| 4    | 4249 557       | 1   |      |       | BUMPER, Chrome             |
|      | 4334 129       | 1   |      |       | Painted                    |
| 5    | 0120 395       | 6   |      |       | WASHER, Brkt.              |
| 6    | 0152 346       | 6   |      |       | NUT, Lock                  |
| 7    | 6029 981       | 4   |      |       | BOLT, Brkt.                |
| 8    | 4194 592       | 2   |      |       | BRACKET, Bumper, Outer     |
| 9    | 4194 596-7     | 1   |      | D4-8  | BRACKET, Bumper, Inner     |
|      | 3492 930-1     | 1   |      |       | (Exc. D4-8)                |
| 10   | 0152 348       | AR  |      |       | NUT, Brkt.                 |
| 11   |                | AR  |      |       | NUT, Brkt. (Not Serviced)  |
| 12   | 4167 572       | 1   |      |       | BUMPER, Step-Type, Painted |
| 13   | 4194 598-9     | 1   |      |       | BRACKET, Bumper            |
| 14   | 6029 981       | 12  |      |       | BOLT, Brkt.                |
| 15   | 0152 348       | 12  |      |       | NUT, Bolt                  |

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

PLOW, SNOW AND ATTACHING SERVICE PARTS D-5,6,8  
Figure 13-1300

431J 1300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 3489 427    | 2   |      |       | HEADLAMP, Auxiliary Snow Plow                        |
| 2    |             |     |      |       | STANDARD PARTS, (Service in Lamp Assy.)              |
| 3    | 0120 371    | 2   |      |       | NUT, Turn Signal Mounting Pad                        |
| 4    | 6027 515    | 2   |      |       | WASHER, Lock   |
| 5    | 3620 889    | 2   |      |       | LENS, Turn Signal Lamp, Amber                        |
| 6    | 3635 538    | 2   |      |       | LAMP, Turn Signal                                    |
|      | 3635 542    | 1   |      |       | GASKET, Turn Signal lamp                             |
| 7    | 0152 704    | 2   |      |       | SEALED BEAM, Auxiliary Headlamp                      |
|      | 2958 089    | 1   |      |       | SWITCH, Auxiliary Headlamp (Not Shown)               |
|      | 3489 744    | 2   |      |       | BEZEL, Aux. Headlamp Switch (Not Shown)              |
|      | 3489 815    | 1   |      |       | KNOB, Aux Headlamp Switch (Not Shown)                |
|      | 3895 477    | 1   |      |       | WIRING, Switch to Bulkhead (Not Shown)               |
|      | 4034 145    | 1   |      |       | WIRING, Bulkhead to Aux. Lamps (Not Shown)           |
|      | 3635 520    | 1   |      |       | REINFORCEMENT, Aux. Headlamp Switch Mtg. (Not Shown) |
| 8    | 4037 130    | 1   |      |       | FRAME, Snow Plow Lift                                |
| 9    | 4088 842    | 1   |      |       | STRAP, Mtg.  |
| 10   | 9426 931    | 1   |      |       | BOLT, (3/4-10x2.00)                                  |
| 11   |             | 4   |      |       | BOLT, (7/16-14x2.00)                                 |
| 12   | 0271 876    | 4   |      |       | BOLT, (5/8-11x1.50)                                  |
| 13   |             | 4   |      |       | WASHER, Flat   |
| 14   | 4088 840    | 1   |      |       | BRACE, Right   |
| 15   | 0152 352    | 6   |      |       | NUT, (5/8-11)  |
| 16   | 4164 045    | 1   |      |       | BRACKET, Pivot w/Light and Heavy Duty Plow           |
|      | 4164 045    | 1   |      |       | PIVOT, Brkt. and Brace Kit                           |
| 17   | 0152 354    | 2   |      |       | NUT, (3/4-10)  |
| 18   | 0152 346    | 8   |      |       | NUT, (7/16-14)                                       |
| 19   | 4088 841    | 1   |      |       | BRACE, Left  |
| 20   |             | 6   |      |       | BOLT, (7/16-20x1.25)                                 |
| 21   | 3492 482    | 1   |      |       | BRACKET, Mtg.  |
| 22   |             | 6   |      |       | NUT, (7/16 - 20)                                     |
| 23   | 3632 819    | 2   |      |       | BOLT and NUT PACKAGE, Cutting edge                   |
| 24   | 3879 746    | 1   |      |       | MARKER PACKAGE                                       |
| 25   | 3632 593    | 2   |      |       | SPRING, Sector                                       |
| 26   |             | 10  |      |       | WASHER   |
| 27   | 3632 591    | 2   |      |       | RUNNER, (w/6ft and 8ft Plow)                         |
| 28   |             | 2   |      |       | PIN, Cotter (Not Serv.)                              |
| 29   | 3632 596    | 2   |      |       | PIN, Pivot w/Cotter Pkg. Sector To Moldboard         |
| 30   | 3632 592    | 2   |      |       | SPINDLE  |
| 31   | 3632 590    | 1   |      |       | CUTTING EDGE, Moldboard w/7 1/2 ft Plow              |
|      | 4031 966    | 1   |      |       | w/8 Ft. Plow   |
| 32   | 3632 594    | 1   |      |       | SECTOR   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLOW, SNOW AND ATTACHING SERVICE PARTS D-5,6,8  
Figure 13-1300

431J 1300




| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION  |
|------|-------------|-----|------|---------|--|
| 33   | 3632 598    | 1   |      |         | BOLT, King w/Nut Pkg. Sector to "A" Frame  |
| 34   | 3497 280    | 1   |      | D-5-6-8 | BLADE, w/o Hvy Dty. Pkg. 80"   |
|      | 4031 866    | 1   |      | D-6     | w/Hvy Dty. Pkg.96"   |
|      | 4322 049    | 1   |      | D-7     | w/H.D.Power Blade Pkg.   |
| 35   | 3632 597    | 2   |      |         | BOLT, Eye w/Nut Pkg. Sprg to Mld Board   |
| 36   | 3632 599    | 1   |      |         | PIN, Sector Shear  |
| 37   | 3632 701    | 2   |      |         | CLIP, A-Frame Hinge Pin  |
| 38   | 3632 600    | 2   |      |         | PIN, w/Clip Pkg. "A" Frame Hinge   |
| 39   | 3632 703    | 2   |      |         | RAM, Power Angle   |
| 40   | 3632 595    | 1   |      |         | FRAME  |
|      | 4237 652    | 1   |      | D-5-6-8 | PACKAGE, Sector and "A" Frame w/90" Blade<br>Consist Of;<br>Instruction Packet (1)   |
|      |             |     |      |         | 3632593 Plow Trip Spring (2)<br>CARTON, Cardboard 42 X 29 X 8 (1)<br>BAG, Hardware Plow 11" (1)<br>3632594 SECTOR Weld 11" (1)<br>3632595 A Frame 11 x 38 x 23.5 (1) |
|      | 4237 653    | 1   |      | D-6     | w/96" Blade  |
| 41   | 3497 296    | 1   |      |         | CYLINDER, snow plow lift   |
| 42   | 2237 396    | 4   |      |         | ELBOW, (90 Degree x 1/4)   |
| 43   | 3497 294    | 1   |      |         | ARM, Snow Plow Lift Frm.   |
|      | 4237 650    | 1   |      | D-5-6-8 | PACKAGE, Lift And Angeling w/90" Blade<br>CONSIST Of;<br>INSTRUCTION Packet (1)  |
|      |             |     |      |         | CARTON Cardboard 23.5 x 14.88 x 7.75 (1)<br>RAM R.H. 1.50 x 10 w/Fittings (1)<br>RAM L.H. 1.50 x 10 w/Fittings And Hose (1)<br>BAG Hardware P.A. 11" E-47 (1)        |
|      |             |     |      |         | KIT Press. Release Valve w/Red. Bush. (1)<br>BOLT 5/16-18 x 1/2 (1)<br>E-47 Lift And P.A. Assy. Pump And Mtr. Comp. (1)<br>WASHER-Int/Ext. Tooth 5/16 I.D. (1)       |
|      |             |     |      |         | 3497294 ARM-Lift Weld (1)<br>BOLT 5/8-11 X 2.75 (1)<br>LOCKNUT 5/8-11 (1)  |
|      | 4237 651    | 1   |      | D-6     | w/96" Blade<br>CONSIST Of;<br>INSTRUCTION (1)<br>CARTON Cardboard 28.62 x 17 x 8.38 (1)<br>RAM L.H. 1.50 x 12 w/Fittings And Hose (1)                                |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

PLOW, SNOW AND ATTACHING SERVICE PARTS D-5,6,8  
Figure 13-1300

4313 1300





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | RAM R.H. 1.50 x 12 w/Fittings (1)               |
|      |             |     |      |       | BAG Hardware (1)                                |
|      |             |     |      |       | KIT Press. Release Valve w/Red. Bush. (1)       |
|      |             |     |      |       | BOLT 5/16-18 x 1/2 (1)                          |
|      |             |     |      |       | E-47 Lift And P.A. Assy Pump And Mtr. Comp. (1) |
|      |             |     |      |       | WASHER Int/Ext. Tooth 5/16 I.D. (1)             |
|      |             |     |      |       | 3497294 ARM Lift Weld (1)                       |
|      |             |     |      |       | BOLT 5/8-11 x 2.75 (1)                          |
|      |             |     |      |       | LOCKNUT 5/8-11 (1)                              |
| 62   | 2911 048    | 1   |      |       | GROMMET   |
| 63   | 3733 623    | 1   |      |       | HOSE, 58" 7 way system                          |
| 64   | 3733 622    | 1   |      |       | HOSE, 46" 7 way system                          |
| 65   | 3733 624    | 2   |      |       | HOSE, swivel, 1 end 70"                         |
| 66   | 3733 625    | 2   |      |       | HOSE, swivel, both ends, 70"                    |
|      | 3733 621    | 1   |      |       | ELBOW, Swivel, 1/4 x 90 male to male (Not Ill.) |
| 68   | 3632 708    | 1   |      |       | BLOCK, Junction                                 |
| 69   | 3632 704    | 2   |      |       | COUPLER, hydraulic                              |
|      |             |     |      |       | - and Cover.                                    |
|      |             |     |      |       | FOLLOWING ITEMS NOT SHOWN and Cover.            |
|      | 3828 440    | 1   |      |       | GROMMET, c/val. to J block & lift cyl. hose     |
|      | 4260 014    | 2   |      |       | DECAL, "SNOW COMMANDER"                         |
|      | 4057 704-5  | 1   |      |       | TAPE PACKAGE, Front Cab                         |
|      |             | 1   |      |       | TAPE PACKAGE, Side Panel                        |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CONTROLS, ELECTRIC TOUCH SNOW PLOW D-5,6,8  
Figure 13-1400

4313 1400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             | 2   |      |       | KNOBS, (Not Serviced)                                   |
| 2    | 4162 522    | 1   |      |       | HOUSING   |
| 3    | 4216 535    | 4   |      |       | RETAINERS   |
| 4    | 4162 865    | 1   |      |       | SWITCH, Headlamps                                       |
| 5    | 4216 508    | 1   |      |       | BEZEL   |
| 6    | 4162 742    | 2   |      |       | SWITCH, Blade Control                                   |
| 7    | 9415 969    | 2   |      |       | BULBS, Title Illum. Lamp & Oil Temperature Warning Lamp |
| 8    | 4162 988    | 1   |      |       | WIRING  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



DRIVE UNIT, ELECTRO TOUCH SNOW PLOW D-5,6,8  
Figure 13-1500

4313 1500



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|-------|-------------|-----|------|-------|--|
| 1     | 4237 651    | 1   |      |       | PUMP, Complete                               |
|       | 4026 163    | 1   |      |       | MOTOR, Pump                                  |
| 2     | 4026 164    | 1   |      |       | PUMP ASSEMBLY                                |
| 3     | 4026 165    | 1   |      |       | SEAL, Shaft                                  |
| 4     | 4026 166    | 1   |      |       | CYLINDER, Tank                               |
| 5     | 4026 167    | 1   |      |       | KIT, Pressure Relief Valve w/Bushing         |
| 6     | 4026 168    | 1   |      |       | CYLINDER                                     |
| 7     | 4026 169    |     |      |       | RAM  |
| 8     | 4026 170    | 1   |      |       | BASE, w/Strainer                             |
| 9     | 4026 171    | 1   |      |       | KIT, Check Valve Pump                        |
| 10    | 4026 172    | 1   |      |       | KIT, Filter                                  |
| 11    | 4026 173    | 1   |      |       | A-COIL                                       |
| 12    | 4026 174    | 1   |      |       | VALVE, A-Cartridge                           |
| 13    | 4026 175    | 1   |      |       | KIT, Crossover Valve                         |
| 14    | 4026 176    | 1   |      |       | KIT, Seal Crossover Valve                    |
| 15    | 4026 177    | 1   |      |       | KIT, Pilot Check Valve                       |
| 16    | 4026 178    | 1   |      |       | B-COIL                                       |
| 17    | 4026 179    | 1   |      |       | VALVE, B-Cartridge                           |
| 18    | 4026 182    | 1   |      |       | KIT, "B" Solinoid Check Valve                |
| 19    | 4026 180    | 1   |      |       | C-COIL                                       |
| 20    | 4026 181    | 1   |      |       | VALVE, C-Cartridge                           |
| 21    | 4026 186    | 1   |      |       | KIT, Pump Relief Valve                       |
| 22-33 | 4026 187    | 1   |      |       | KIT, Master Seal (Contains Items 22 Thru 32) |
|       | 4026 187    | 1   |      |       | KIT, Master Seal                             |
|       |             |     |      |       | Also Contains                                |
|       |             |     |      |       | 4026174 Seal Kit "A" Cartridge (1)           |
|       |             |     |      |       | 4026176 Seal Kit Crossover Valve (1)         |
|       |             |     |      |       | ----- Seal Kit "B" Cartridge (1)             |
|       |             |     |      |       | ----- Seal Kit "C" Cartridge (1)             |
|       | 4026 194    |     |      |       | FLUID, Hydraulic (Quart)                     |

ired. and Cover.  
uel is required. and Cover.  
loaded Fuel not required. (CANADA & EXPORT ONLY) and Cover.  
ue to it being mandatory for designated on trucks sold in the State Of California. and Cover.  
n some geographical markets predominantly above 4000 Feet elevation. and Cover.

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



| ILLUSTRATION TITLE  | GROUP-FIG. NO. |
|---|----------------|
| <b>GROUP 14 - FUEL</b>  |                |
| <b>FRESH AIR INTAKE SYSTEM</b>                                      |                |
| FRESH AIR INTAKE SYSTEM .....                                       | Fig. 14-100    |
| <b>AIR CLEANER SYSTEM</b>   |                |
| AIR CLEANER 225 ENGINE .....  | Fig. 14-200    |
| AIR CLEANER 318 ENGINE 2 BBL. ....                                  | Fig. 14-300    |
| AIR CLEANER 360 ENGINE 4 BBL. ....                                  | Fig. 14-400    |
| <b>CARBURETOR AND COMPONENTS</b>                                    |                |
| CARBURETOR IDENTIFICATION AND CROSS REFERENCE .....                 | Fig. 14-500    |
| CARBURETOR CHOKES, CHOKE CONTROLS & FLANGE GASKETS .....            | Fig. 14-600    |
| CARBURETOR AND COMPONENT PARTS HOLLEY - 1BBL. (6145) .....          | Fig. 14-700    |
| CARBURETOR AND COMPONENT PARTS HOLLEY - 1BBL. (1945) .....          | Fig. 14-800    |
| CARBURETOR AND COMPONENT PARTS HOLLEY - 2BBL. (2280) .....          | Fig. 14-900    |
| CARBURETOR AND COMPONENT PARTS HOLLEY - 2BBL. (6280) .....          | Fig. 14-1000   |
| CARBURETOR AND COMPONENT PARTS CARTER - 2BBL. (BBD) .....           | Fig. 14-1100   |
| CARBURETOR AND COMPONENT PARTS CARTER - 4BBL. (TQ) .....            | Fig. 14-1200   |
| CARBURETOR AND COMPONENT PARTS ROCHESTER - 4BBL. (QUADRA JET) ..... | Fig. 14-1300   |
| CARBURETOR HEAT SHIELD .....  | Fig. 14-1400   |
| <b>THROTTLE CONTROL</b>   |                |
| THROTTLE CONTROLS 225 ENGINE B1,2,3 .....                           | Fig. 14-1600   |
| THROTTLE CONTROLS 318 - 360 ENGINE B1,2,3 - 1984 .....              | Fig. 14-1700   |
| THROTTLE CONTROLS 318 - 360 ENGINE B1,2,3 - 1985 .....              | Fig. 14-1800   |
| THROTTLE CONTROLS 225 ENGINE - D .....                              | Fig. 14-1900   |
| THROTTLE CONTROLS 225 ENGINE 2 BBL. D1 MISER .....                  | Fig. 14-2000   |
| THROTTLE CONTROLS 318 - 360 ENGINE - D - 1984 .....                 | Fig. 14-2100   |
| THROTTLE CONTROLS 318 - 360 ENGINE - D - 1985 .....                 | Fig. 14-2200   |
| <b>SPEED CONTROL AND SPEED CABLES</b>                               |                |
| SPEED CONTROL 225 ENGINE .....                                      | Fig. 14-2300   |
| SPEED CONTROL 318 - 360 ENGINE B1,2,3 .....                         | Fig. 14-2400   |
| SPEED CONTROL ELECTRONIC B1,2,3 .....                               | Fig. 14-2500   |
| SPEED CONTROL 318 - 360 ENGINE - D .....                            | Fig. 14-2600   |
| SPEED CONTROL ELECTRONIC D .....                                    | Fig. 14-2700   |
| SPEED CONTROL CABLES .....  | Fig. 14-2800   |
| <b>ACCELERATOR PEDAL</b>  |                |
| ACCELERATOR PEDAL MOUNTING B1,2,3 .....                             | Fig. 14-2900   |
| ACCELERATOR PEDAL AND HAND THROTTLE CONTROLS - D .....              | Fig. 14-3000   |

GROUP 14 - FUEL

| ILLUSTRATION TITLE                           | GROUP-FIG. NO. |
|--|----------------|
| <b>FUEL FILTER</b>                           |                |
| FUEL FILTER .....                            | Fig. 14-3020   |
| <b>FUEL PUMP</b>                             |                |
| FUEL PUMP .....                              | Fig. 14-3100   |
| <b>FUEL LINES</b>                            |                |
| FUEL LINES B1,2,3 .....                      | Fig. 14-3200   |
| FUEL LINES - D .....                         | Fig. 14-3300   |
| <b>FUEL LEVEL SENDING UNITS</b>              |                |
| FUEL TANK SENDING UNIT B MODEL .....         | Fig. 14-3400   |
| FUEL TANK SENDING UNIT D - 1,2,3,5,6,7 ..... | Fig. 14-3500   |
| FUEL TANK SENDING UNIT D - 4,8 .....         | Fig. 14-3600   |
| <b>FUEL TANK</b>                             |                |
| FUEL TANK 22 GALLON B1,2,3 .....             | Fig. 14-3700   |
| FUEL TANK 36 GALLON B1,2,3 .....             | Fig. 14-3800   |
| FUEL TANK FILLER TUBES B1,2,3 .....          | Fig. 14-3900   |
| FUEL TANK MID-MOUNTED - D .....              | Fig. 14-4000   |
| FUEL TANK FILLER TUBES MID-MOUNTED - D ..... | Fig. 14-4100   |
| FUEL TANK 36 GALLON - D4,8 .....             | Fig. 14-4200   |
| FUEL TANK FILLER TUBES - D4,8 .....          | Fig. 14-4300   |

FRESH AIR INTAKE SYSTEM  
Figure 14-100

4314 100B



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                             |
|------|-------------|-----|------|--------|---|
| 1    | 4241 572    | 1   |      | B1,2   | DUCT, Tee to ESA                        |
|      | 4241 572    | 1   |      | B1,2,3 | w/225 Eng.                              |
|      |             |     |      |        | w/318 Eng., w/(SC-NAE,NAF)              |
| 2    | 4164 704    | 1   |      | B1,2   | BAFFLE, Air Intake                      |
|      | 4164 704    | 1   |      | B1,2,3 | w/225 Eng.                              |
|      | 4268 274    | 1   |      | D      | w/318,360 Eng.                          |
|      | 4268 274    | 1   |      | D      | w/225 Eng., 1984                        |
| 3    |             |     |      |        | DUCT, w/ADAPTER, Air Intake             |
|      | 4241 570    | 1   |      | B1,2   | w/318,360 Eng., 1984                    |
|      | 4241 570    | 1   |      | B1,2,3 | w/225 Eng.                              |
| 4    | 4213 693    | 1   |      | B1,2,3 | DUCT, w/ADAPTER, Air Intake             |
|      | 4213 693    | 1   |      | B2,3   | w/318 Eng., w/(SC-NAC,NAD)              |
|      | 4306 267    | 1   |      | B2,3   | w/360 Eng., 1984                        |
|      | 4275 566    | 1   |      | D      | w/360 Eng. w/(SC-NAC,NAE,NAF), 1985     |
|      | 4213 690    | 1   |      | D      | w/225 Eng., 1984                        |
| 5    | 4210 077    | 1   |      | B      | ADAPTER, Air Cleaner Snorkel            |
|      | 4210 077    | 1   |      |        | 1984                                    |
| 6    | 4268 292    | 1   |      | D      | CLAMP, Air Inlet Duct, w/225 Eng., 1984 |
| 7    |             |     |      |        | DUCT, Flex to Air Cleaner               |
|      | 4300 948    | 1   |      | D      | w/318 Eng., 1985                        |
|      | 4300 951    | 1   |      | D      | w/225 Eng., 1985                        |
|      | 4300 951    | 1   |      | D      | w/360 Eng., w/(SC-NAD) 1985             |
|      | 4306 131    | 1   |      | D      | w/360 Eng., w/(SC-NAC,NAE,NAF) 1985     |
| 8    | 4300 947    | 1   |      | D      | DUCT, ESA, 1985                         |
| 9    |             |     |      |        | DUCT, Radiator Grille to Flex Duct      |
|      | 4300 960    | 1   |      | D      | w/ ESA, 1985                            |
|      | 4300 961    | 1   |      | D      | w/o ESA, 1985                           |
| 10   | 4275 632    | 1   |      | D      | BAFFLE, Air Intake, 1985                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AIR CLEANER 225 ENGINE  
Figure 14-200

4314 200




| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                      |
|------|-------------|-----|------|--------|----------------------------------|
| 1    | 6026 841    | 1   |      |        | NUT, Wing                        |
| 2    | 0118 614    | 1   |      | D1     | 2 Bbl.                           |
| 3    | 4173 087    | 1   |      | B1,2,3 | COVER, Air Cleaner               |
|      | 4041 654    | 1   |      | D1,2,5 | LDC                              |
|      | 4041 654    | 1   |      | D1,2,5 | Canada                           |
| 4    | 4041 654    | 1   |      | D1     | 2 Bbl.                           |
| 5    | 4173 093    | 1   |      | B1,2,3 | WRAP, Air Cleaner                |
|      | 3830 142    | 1   |      | D1,2,5 |                                  |
| 6    |             |     |      |        | FILTER, Air Cleaner              |
|      | 4179 923    | 1   |      | B1,2   | LDC                              |
|      | 4173 084    | 1   |      | B1,2   | Canada                           |
|      | 4201 103    | 1   |      | D1,2,5 | LDC                              |
|      | 1739 547    | 1   |      | D      |                                  |
| 7    | 4240 062    | 1   |      |        | SENSOR, Air Cleaner Temp.        |
| 8    | 1947 797    | 1   |      |        | GASKET, Air Cleaner to Carb.     |
| 9    | 2951 394    | 1   |      | B1,2,3 | CLAMP, Air Cleaner               |
|      | 4241 317    | 1   |      | D1,2,5 | LDC                              |
|      | 4241 317    | 1   |      | D1,2,5 | Canada                           |
| 10   | 4104 520    | 1   |      |        | HEATER, Air Temp.                |
| 11   | 0181 084    | 2   |      |        | SCREW                            |
| 12   |             |     |      |        | DUCT, Hot Air Stove              |
|      | 4241 310    | 1   |      | D      |                                  |
|      | 4039 020    | 1   |      | B      |                                  |
| 13   | 4201 385    | 1   |      |        | VALVE, Heated Air Vacuum         |
| 14   | 3656 646    | 1   |      |        | COVER, OSAC                      |
| 15   | 6022 834    | 2   |      |        | SCREW, OSAC Cover                |
|      |             |     |      |        | BODY, Air Cleaner                |
|      | 4241 075    | 1   |      | B      | w/(SC-NAA,NAE)                   |
|      | 4241 320    | 1   |      | D      | w/(SC-NAA,NAE), 1984             |
|      | 4275 641    | 1   |      | D      | w/(SC-NAA,NAE), 1985             |
|      | 4241 076    | 1   |      | B      | Canada, w/(SC-NAA)               |
|      | 4275 953    | 1   |      | D      | Canada, w/(SC-NAA)               |
| 16   | 4026 511    | AR  |      |        | HOSE (serv. in 50 ft. roll)      |
|      |             |     |      |        | Temp. Sensor to Vac. Delay Valve |
|      |             |     |      |        | Vac. Delay Valve to Vac. Diaph.  |
|      |             |     |      |        | Temp. Sensor to Vac. Source      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AIR CLEANER 318 ENGINE 2 BBL.  
Figure 14-300

4314 300A




| ITEM | PART NUMBER | QTY | BODY | MODEL       | DESCRIPTION                                   |
|------|-------------|-----|------|-------------|---|
| 1    |             |     |      |             | NUT, Wing                                     |
|      | 0118 614    | 1   |      |             | 318 Eng., 1984                                |
|      | 6026 841    | 1   |      |             | 318 Eng., 1985                                |
| 2    | 4041 654    | 1   |      |             | COVER, Air Cleaner                            |
| 3    | 3830 142    | 1   |      |             | WRAP, Air Cleaner                             |
| 4    | 1739 547    | 1   |      |             | FILTER, Air Cleaner                           |
|      | 4201 103    | 1   |      | B-D-123568  | 318 Eng. w/Calif. & w/Hi Alt.                 |
| 5    | 4240 062    | 1   |      |             | SENSOR, Air Cleaner Temp.                     |
| 6    | 4201 385    | 1   |      |             | VALVE, Heated Air Vacuum w/Calif. & w/Hi Alt. |
| 7    | 3656 646    | 1   |      |             | COVER, OSAC                                   |
| 8    | 2536 626    | 1   |      |             | GASKET, Air Cleaner to Carb.                  |
| 9    | 2951 393    | 1   |      |             | CLAMP, Air Cleaner                            |
| 10   | 4241 310    | 1   |      |             | CONNECTOR                                     |
| 11   |             |     |      |             | HEATER, Carb. Air                             |
|      | 4241 371    | 1   |      | B           | w/(SC-NCB,NAD)                                |
|      | 4164 314    | 1   |      | B           | w/(SC-NCA)                                    |
|      | 4323 428    | 1   |      | D           | w/(SC-NCB,NAD)                                |
|      | 3828 385    | 1   |      | D           | w/(SC-NCA)                                    |
| 12   |             |     |      |             | BODY, Air Cleaner                             |
|      | 4268 441    | 1   |      | B1,2-D-1235 | w/Catalyst w/o ESA, 1984                      |
|      | 4268 441    | 1   |      | D4          | 1984  |
|      | 4241 078    | 1   |      |             | w/Leaded Fuel, 1984                           |
|      | 4241 078    | 1   |      | D-1237      | 1984  |
|      | 4241 078    | 1   |      | B1,2,3      | w/Calif. & w/Hi Alt., 1984                    |
|      | 4241 978    | 1   |      |             | w/Hi Alt., 1984                               |
|      | 4268 441    | 1   |      | B           | w/(SC-NCB+NAC), 1985                          |
|      | 4275 745    | 1   |      | D           | w/(SC-NCB+NAC), 1985                          |
|      | 4241 078    | 1   |      | B           | w/(SC-NAD,NAE,NAF,NAC+NCA), 1985              |
|      | 4275 645    | 1   |      | D           | w/(SC-NCA), 1985                              |
| 13   | 4026 511    | AR  |      |             | HOSE (serv. in 50 ft. roll)                   |
|      |             |     |      |             | Temp. Sensor to Vac. Source                   |
|      |             |     |      |             | Temp. Sensor to Vac. Diaph.                   |
|      |             |     |      |             | Vac. Delay Val. to Vac. Diaph.                |
|      |             |     |      |             | Temp. Sensor to Vac. Delay Valve              |
| 14   | 6022 834    | 2   |      |             | SCREW, OSAC Cover                             |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AIR CLEANER 360 ENGINE 4 BBL.  
Figure 14-400

4314 400A










| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 6031 609    | 1   |      |       | NUT, Wing   |
| 2    | 4041 654    | 1   |      |       | COVER, Air Cleaner                                    |
| 3    | 3830 142    | 1   |      |       | WRAP, Air Cleaner                                     |
| 4    | 1739 547    | 1   |      |       | FILTER, Air Cleaner                                   |
| 5    |             |     |      |       | SENSOR, Air Cleaner Temp.                             |
|      | 3514 168    | 1   |      |       | w/(SC-NAC,NAF)  |
|      | 4240 062    | 1   |      |       | w/(SC-NAD)  |
| 6    | 4201 385    | AR  |      |       | VALVE, Heated Air Vacuum                              |
| 7    | 3656 646    | 1   |      |       | COVER, OSAC   |
| 8    | 4100 602    | 1   |      |       | GASKET, Air Cleaner to Carb.                          |
| 9    | 1826 286    | 1   |      |       | STUD, Air Cleaner to Carb.                            |
| 10   | 4241 310    | 1   |      |       | CONNECTOR   |
| 11   |             |     |      |       | HEATER, Carb. Air                                     |
|      | 3828 385    | 1   |      | D     | w/(SC-NCA)  |
|      | 4164 314    | 1   |      | B     | w/(SC-NCA)  |
| 12   |             |     |      |       | BODY, Air Cleaner                                     |
|      | 4241 080    | 1   |      |       | 360 Eng. HDC, 1984 (single)                           |
|      | 4268 567    | 1   |      |       | w/Catalyst w/o ESA, 1984 (dual)                       |
|      | 4306 145    | 1   |      | B     | w/(SC-NCA,NAF,NAE), 1985 (single)                     |
|      | 4275 473    | 1   |      | B     | w/(SC-NAD), 1985 (dual)                               |
|      | 4306 146    | 1   |      | D     | w/(SC-NAC,NAF,NAE), 1985 (dual)                       |
|      | 4287 333    | 1   |      | D     | w/(SC-NAD), 1985 (single)                             |
| 13   | 4026 511    | AR  |      |       | HOSE (serv. in 50 ft. roll)                           |
|      |             |     |      |       | Temp. Sensor to Vac. Source                           |
|      |             |     |      |       | Temp. Sensor to Vac. Diaph.                           |
|      |             |     |      |       | Temp. Sensor to Vac. Delay Valve                      |
|      |             |     |      |       | Vac. Delay Valve to Vac. Diaph.                       |
|      |             |     |      |       | Conn. to Air Cleaner Temp. Sensor                     |
|      |             |     |      |       | Conn. to Vac. Source                                  |
| 14   | 4306 349    | 1   |      |       | DIAPHRAGM, Air Cleaner Snorkel Vacuum, After 11-16-84 |
| 15   | 6022 834    | 2   |      |       | SCREW, OSAC Cover                                     |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

CARBURETOR IDENTIFICATION AND CROSS REFERENCE  
Figure 14-500

4314 500A










| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| 1   |             |     |      |       | HOLLEY 6280 SERIES CARBURETOR N N N N<br>N N N N                      |
| NOTE: The Holley 6280 Carburetor is identified by a Tag attached to the top of the carburetor it contains both the Holley and Chrysler Numbers.   |             |     |      |       |   |
| 2   |             |     |      |       | N N N N<br>ROCHESTER QUADRA JET CARBURETOR N N N N<br>N N N N         |
| NOTE: The Rochester Quadra Jet Carburetor is identified by the Rochester Number stamped on the Throt tle side of the float bowl.  |             |     |      |       |   |
| 3   |             |     |      |       | N N N N<br>HOLLEY 2280 SERIES CARBURTOR N N N N<br>N N N N            |
| NOTE: The Holley 2280 Carburetor is identified by the Holley and Chrysler Number stamped on the fron t to the Left of the Fuel Inlet.   |             |     |      |       |   |
| 4   |             |     |      |       | N N N N<br>HOLLEY 1945 and 6145 SERIES CARBURETOR N N N N<br>N N N N  |
| NOTE: The Holley 1945 and 6145 Carburetors are identified by the Holley and Chrysler Numbers stamped on the side of the Carburetor next to the Solenoi d bracket.   |             |     |      |       |   |
| 5   |             |     |      |       | N N N N<br>HOLLEY 5220 and 6520 SERIES CARBURETORS N N N N<br>N N N N |
| NOTE: The Holley 5220 and 6520 Carburetors are identified by the Holley and Chrysler Numbers stamped on the rear of the Throttle Body. A mirror is required to read the number when the Carburetor is on the vehicle. on the rear of the Throttle Body. A mirror is required to read the number when the Carburetor is on |             |     |      |       |   |
| 6   |             |     |      |       | N N N N<br>CARTER BBD SERIES CARBURETOR N N N N<br>N N N N            |
| NOTE: The Carter BBD Carburetor is Identified by the Chrysler number on the tag located on the Throt tle Cover.   |             |     |      |       |   |
| 7   |             |     |      |       | N N N N<br>CARTER THERMO QUAD SERIES CARBURETOR N N N N<br>N N N N    |
| NOTE: The Carter Thermo Quad Carburetor is Identified by the Chrysler and Carter Numbers located on the Tag on the Air Horn.  |             |     |      |       |   |
| 7   |             |     |      |       | TQ ! 1200 N4241753 NTQ-9376 N360 N4                                   |
| 7   |             |     |      |       | TQ ! 1200 N4287016 NTQ-9379 N360 N3                                   |
| 6   |             |     |      |       | BBD ! 1100 N4287017 NBBD-8358 N318 N2                                 |
| 6   |             |     |      |       | BBD ! 1100 N4287018 NBBD-8359 N318 N3                                 |
| 3   |             |     |      |       | 2280 ! 900 N4287028 NR-9951 N318 N2                                   |
| 3   |             |     |      |       | 2280 ! 900 N4287053 NR-40093 N318 N1                                  |
| 6   |             |     |      |       | BBD ! 1100 N4287055 NBBD-8374 N318 N1                                 |
| 4   |             |     |      |       | 1945 ! 800 N4287056 NR-40088 N225 N1                                  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| SPORT UTILITY:   |  |                              |  |                   |                  |
| (71) = 106" W.B.   |  |                              |  |                   |                  |
| CREW CAB:  |  |                              |  |                   |                  |
| (82) = 149" W.B.   |  |                              |  |                   |                  |
| (83) = 165" W.B.   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |



CARBURETOR IDENTIFICATION AND CROSS REFERENCE  
Figure 14-500

4314 500A



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|----------------|-----|------|-------|--|
| 4    |                |     |      |       | 1945 ! 800 N4287057 NR-40089 N225 N2         |
| 7    |                |     |      |       | TQ ! 1200 N4287064 NTQ-9386 N360 N1          |
| 7    |                |     |      |       | TQ ! 1200 N4287065 NTQ-9387 N360 N2          |
| 4    |                |     |      |       | 6145 ! 700 N4287069 NR-40098 N225 N1         |
| 4    |                |     |      |       | 6145 ! 700 N4287070 NR-40099 N225 N2         |
| 4    |                |     |      |       | 6145 ! 700 N4287071 NR-40097 N225 N3         |
| 4    |                |     |      |       | 1945 ! 800 N4287076 NR-40102 N225 N3         |
| 4    |                |     |      |       | 1945 ! 800 N4287077 NR-40103 N225 N4         |
| 6    |                |     |      |       | BBD ! 1100 N4287097 NBBD-8387 N318 N4        |
| 6    |                |     |      |       | BBD ! 1100 N4287098 NBBD-8386 N318 N5        |
| 3    |                |     |      |       | 2280 ! 900 N4288579 NR-40173 N318 N5         |
| 3    |                |     |      |       | 2280 ! 900 N4288580 NR-40172 N318 N6         |
| 3    |                |     |      |       | 2280 ! 900 N4300015 NR-40198 N318 N3         |
| 3    |                |     |      |       | 2280 ! 900 N4300016 NR-40200 N318 N4         |
| 4    |                |     |      |       | 1945 ! 800 N4300046 NR-40244 N225 N7         |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306408 N17085408 N360 N1 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306409 N17085409 N360 N2 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306410 N17085410 N360 N3 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306415 N17085415 N360 N5 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306417 N17085417 N360 N4 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306431 N17085431 N360 N6 |
| 2    |                |     |      |       | Quadra Jet ! 1300 N4306432 N17085432 N360 N7 |
| 3    |                |     |      |       | 2280 ! 900 N4306451 NR-40164 N318 N7         |
| 3    |                |     |      |       | 2280 ! 900 N4306452 NR-40165 N318 N9         |
| 1    |                |     |      |       | 6280 ! 1000 N4306453 NR-40132 N318 N1        |
| 1    |                |     |      |       | 6280 ! 1000 N4306454 NR-40133 N318 N2        |
| 3    |                |     |      |       | 2280 ! 900 N4306458 NR-40167 N318 N8         |
| 4    |                |     |      |       | 1945 ! 800 N4306459 NR-40159 N225 N5         |
| 4    |                |     |      |       | 1945 ! 800 N4306460 NR-40160 N225 N6         |
| 4    |                |     |      |       | 6145 ! 700 N4306461 NR-40161 N225 N4         |
| 4    |                |     |      |       | 6145 ! 700 N4306462 NR-40162 N225 N5         |
| 3    |                |     |      |       | 2280 ! 900 N4306465 NR-40165-1 N318 N10      |
| 3    |                |     |      |       | 2280 ! 900 N4306466 NR-40167-1 N318 N11      |
| 1    |                |     |      |       | 6280 ! 1000 N4306467 NR-40132-1 N318 N3      |
| 1    |                |     |      |       | 6280 ! 1000 N4306468 NR-40133-1 N318 N4      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR CHOKES, CHOKE CONTROLS & FLANGE GASKETS  
Figure 14-600

4314 600


| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    | 3698 365       | 1   |      |       | GASKET, Flange, w/360-4BBL., 1984                   |
|      | 4306 309       | 1   |      |       | 1985  |
| 2    | 4095 970       | 1   |      |       | GASKET, Flange<br>w/318-2BBL., w/(SC-NAE,NAF), 1984 |
|      | 4041 591       | 1   |      |       | w/318-2BBL. w/(SC-NAD), 1984                        |
| 3    | 3870 535       | 1   |      |       | GASKET, Flange, w/318-2BBL., w/(SC-NAC), 1984       |
|      | 3870 535       | 1   |      |       | w/318-2BBL., 1985                                   |
| 4    | 4071 983       | 1   |      |       | GASKET, Flange, w/ 225 Eng.                         |
| 5    |                |     |      |       | CONTROL, w/ RESISTOR, Electric Choke                |
|      | 4049 777       | 1   |      |       | w/318-2BBL., w/(SC-NAF,NAE)                         |
|      | 4106 096       | 1   |      |       | w/360-4BBL., w/(SC-NAC,NAF)                         |
|      | 4145 371       | 1   |      |       | w/360-4BBL., w/(SC-NAD,NAE)                         |
| 6    | 4049 799       | 1   |      |       | CONTROL, Electric Choke                             |
| 7    |                |     |      |       | CHOKE, w/(SC-NAD)                                   |
|      | 4041 597       | 1   |      |       | Up to 1-16-84                                       |
|      | 4287 004       | 1   |      |       | After 1-16-84                                       |
| 8    |                |     |      |       | CHOKE   |
|      | 4095 331       | 1   |      |       | w/ 360 Eng.   |
|      | 4095 339       | 1   |      |       | w/ 318 Eng.   |
|      | 4213 715       | 1   |      |       | w/ 225 Eng.   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS HOLLEY - 1BBL. (6145)  
Figure 14-700

4314 700A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|-------|-------------|-----|------|-------|--|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N                            |
|       | 4287 069    |     |      |       | B,D w/(SC-NAE) ! 225/M NR-40098 N4287069 Y4287069 N1   |
|       | 4287 070    |     |      |       | B,D w/(SC-NAE) ! 225/A NR-40099 N4287070 Y4287070 N2   |
|       | 4287 071    |     |      |       | D NR-40097 N4287071 Y4287071 N3                        |
|       | 4306 461    |     |      |       | B,D w/(SC-NAE) ! 225/M NR-40161 N4306461 Y4306461 N4   |
|       | 4306 462    |     |      |       | B,D w/(SC-NAE) ! 225/A NR-40162 N4306462 Y4306462 N5   |
| PKG.A | 4267 154    |     |      |       | GASKET SET, Carb Y4267154 Y4267154 Y4267154 Y4267154   |
| PKG.B | 4267 155    |     |      |       | REPAIR KIT, Carb Y4267155 Y4267155 Y4267155 Y4267155   |
| 1     | 4271 950    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4271950 Y4271950 Y4271950    |
|       |             |     |      |       | Y4271950   |
| 2     | 4094 859    |     |      |       | CUP, Pump Piston Y4094859 Y4094859 Y4094859 Y4094859   |
| 3     | 4267 219    |     |      |       | SOLENOID, Duty-Cycle, Carb Y4267219 Y4267219 Y4267219  |
|       |             |     |      |       | Y4267219   |
| 4     | 4186 308    |     |      |       | SOLENOID, Switch Vent, Carb Y4186308 Y4186308 Y4186308 |
|       |             |     |      |       | Y4186308   |
| 5     | 4267 151    |     |      |       | GASKET, Air Horn, Carb Y4267151 Y4267151 Y4267151      |
|       |             |     |      |       | Y4267151   |
| 6     | 4240 042    |     |      |       | FLOAT, Carb Y4240042 Y4240042 Y4240042 Y4240042        |
| 7     | 4026 259    |     |      |       | NEEDLE and SEAT Y4026259 Y4026259 Y4026259 Y4026259    |
| 8     | 4267 240    |     |      |       | SOLENOID, Speed-Up, Carb Y4267240 Y4267240 Y4267240    |
|       |             |     |      |       | Y4267240   |
| 9     | 4240 034    |     |      |       | SPRING, Solenoid Adjusting Screw Y4240034 Y4240034     |
|       |             |     |      |       | Y4240034 N   |
| 10    | 4240 035    |     |      |       | SCREW, Solenoid Adjusting Y4240035 Y4240035 Y4240035 N |
| 11    | 4267 140    |     |      |       | PLUG, Idle Mix Y4267140 Y4267140 Y4267140 Y4267140     |
| 12    | 4240 178    |     |      |       | JET, Main Y4240178 Y4240178 Y4240178 Y4240178          |
| 13    | 4049 220    |     |      |       | VALVE, Power, Carb Y4049220 Y4049220 Y4049220 Y4049220 |
| -     | 4267 152    |     |      |       | PUMP, Accel., Carb Y4267152 Y4267152 Y4267152 Y4267152 |
| -     | 4049 235    |     |      |       | DASHPOT, w/BACKET N N N Y4049235                       |
| PKG.A | 4267 154    |     |      |       | GASKET SET Y4267154 N N N                              |
| PKG.B | 4267 155    |     |      |       | REPAIR KIT Y4267155 N N N                              |
| 1     | 4271 950    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4271950 N N N                |
| 2     | 4049 859    |     |      |       | CUP, Pump Piston Y4049859 N N N                        |
| 3     | 4267 219    |     |      |       | SOLENOID, Duty - Cycle Y4267219 N N N                  |
| 4     | 4186 308    |     |      |       | SOLENOID, Switch Vent Y4186308 N N N                   |
| 5     | 4267 151    |     |      |       | GASKET, Air Horn Y4267151 N N N                        |
| 6     | 4240 042    |     |      |       | FLOAT Y4240042 N N N                                   |
| 7     | 4026 259    |     |      |       | NEEDLE and SEAT, Carb Y4026259 N N N                   |
| 8     | 4267 240    |     |      |       | SOLENOID, Speed - Up Y4267240 N N N                    |
| 9     |             |     |      |       | SPRING, Solenoid Adjusting Screw N N N N               |
| 10    |             |     |      |       | SCREW, Solenoid Adjusting N N N N                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 14-700**

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or motor. The parts are numbered as follows:


- 1**: A small cylindrical component, possibly a pin or a small shaft.
- 2**: A spring-loaded plunger or valve assembly.
- 3**: A long, thin shaft or rod.
- 4**: A cylindrical component with a cable attached, possibly a solenoid or actuator.
- 5**: A flat, rectangular plate or gasket with a central circular opening.
- 6**: A large, complex housing or casing.
- 7**: A small cylindrical component, possibly a pin or a small shaft.
- 8**: A large, cylindrical component, possibly a motor or pump body.
- 9**: A small cylindrical component, possibly a pin or a small shaft.
- 10**: A small cylindrical component, possibly a pin or a small shaft.
- 11**: A small cylindrical component, possibly a pin or a small shaft.
- 12**: A small cylindrical component, possibly a pin or a small shaft.
- 13**: A small cylindrical component, possibly a pin or a small shaft.

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>B - VANS AND WAGONS (4X2)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

## CARBURETOR AND COMPONENT PARTS HOLLEY - 1BBL. (1945)

Figure 14-800

4314 800A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|-------|-------------|-----|------|-------|--|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N                                  |
|       | 4287 056    |     |      |       | B,D w/(SC-NAA) ! 225/M NR-40088 N4287056 Y4287056 N1         |
|       | 4287 057    |     |      |       | B,D w/(SC-NAA) ! 225/A NR-40089 N4287057 Y4287057 N2         |
|       | 4287 076    |     |      |       | B,D w/(SC-NAA), Canada ! 225/M NR-40102 N4287076 Y4287076 N3 |
|       | 4287 077    |     |      |       | B,D w/(SC-NAA), Canada ! 225/A NR-40103 N4287077 Y4287077 N4 |
|       | 4306 459    |     |      |       | B,D w/(SC-NAA) ! 225/M NR-40159 N4306459 Y4306459 N5         |
|       | 4306 460    |     |      |       | B,D w/(SC-NAA) ! 225/A NR-40160 N4306460 Y4306460 N6         |
|       | 4300 046    |     |      |       | B,D w/(SC-NAA), Canada ! 225/A NR-40244 N4300046 Y4300046 N7 |
| PKG.A | 4267 172    |     |      |       | GASKET SET Y4267172 Y4267172 Y4267172 Y4267172               |
| PKG.B | 4293 715    |     |      |       | REPAIR KIT Y4293715 Y4293715 N4186134 N4186134               |
| PKG.B | 4186 134    |     |      |       | REPAIR KIT N4293715 N4293715 Y4186134 Y4186134               |
| 1     | 4267 240    |     |      |       | SOLENOID, Speed-Up Y4267240 Y4267240 N N                     |
| 2     | 4267 140    |     |      |       | PLUG, Idle Needle Y4267140 Y4267140 Y4267140 Y4267140        |
| 3     | 4271 950    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4271950 Y4271950 Y4271950 Y4271950 |
| 4     |             |     |      |       | VALVE, Power N N N N   |
|       | 4240 005    |     |      |       | Mechanical Y4240005 Y4240005 N N                             |
|       | 4049 220    |     |      |       | Vacuum Y4049220 Y4049220 Y4049220 Y4049220                   |
| 5     | 4186 192    |     |      |       | JET, Main Metering Y4186192 Y4186192 Y4186192 Y4186192       |
| 6     | 4026 259    |     |      |       | NEEDLE and SEAT Y4026259 Y4026259 Y4026259 Y4026259          |
| 7     | 4094 859    |     |      |       | CUP, Pump Piston Y4094859 Y4094859 Y4094859 Y4094859         |
| 8     | 4049 226    |     |      |       | GASKET, Air Horn Y4049226 Y4049226 Y4049226 Y4049226         |
| 9     | 4240 042    |     |      |       | FLOAT Y4240042 Y4240042 N4049223 N4049223                    |
| 9     | 4049 223    |     |      |       | FLOAT N4240042 N4240042 Y4049223 Y4049223                    |
| 10    | 4240 035    |     |      |       | SCREW, Solenoid Idle Adjusting Y4240035 Y4240035 N N         |
| 11    | 4240 034    |     |      |       | SPRING, Solenoid Idle Adjusting Screw Y4240034 Y4240034 N N  |
| -     | 4186 147    |     |      |       | PUMP, Accel. Y4186147 Y4186147 Y4186147 Y4186147             |
| -     | 4186 311    |     |      |       | SWITCH, Idle Stop N N Y4186311 Y4186311                      |
| PKG.A | 4267 172    |     |      |       | GASKET SET Y4267172 Y4267172 Y4267172 N                      |
| PKG.B | 4293 715    |     |      |       | REPAIR KIT Y4293715 Y4293715 Y4293715 N                      |
| 1     | 4267 240    |     |      |       | SOLENOID, Speed - Up Y4267240 Y4267240 Y4267240 N            |
| 2     | 4267 140    |     |      |       | PLUG, Idle Needle Y4267140 Y4267140 Y4267140 N               |
| 3     | 4271 950    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4271950 Y4271950 Y4271950 N        |
| 4     |             |     |      |       | VALVE, Power N N N N   |
|       | 4240 005    |     |      |       | Mechanical Y4240005 Y4240005 Y4240005 N                      |
|       | 4049 220    |     |      |       | Vacuum Y4049220 Y4049220 Y4049220 N                          |
| 5     | 4186 192    |     |      |       | JET, Main Metering Y4186192 Y4186192 N3879122 N              |
| 5     | 3879 122    |     |      |       | JET, Main Metering N4186192 N4186192 Y3879122 N              |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS HOLLEY - 1BBL. (1945)  
Figure 14-800

4314 800A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 6    | 4026 259    |     |      |       | NEEDLE and SEAT Y4026259 Y4026259 Y4026259 N  |
| 7    | 4094 859    |     |      |       | CUP, Pump Piston Y4094859 Y4094859 Y4094859 N |
| 8    | 4049 226    |     |      |       | GASKET, Air Horn Y4049226 Y4049226 Y4049226 N |
| 9    | 4240 042    |     |      |       | FLOAT Y4240042 Y4240042 N4049223 N            |
| 9    | 4049 223    |     |      |       | FLOAT N4240042 N4240042 Y4049223 N            |
| 10   |             |     |      |       | SCREW, Solenoid Adjusting N N N N             |
| -    | 4186 311    |     |      |       | SWITCH, Idle Stop N N Y4186311 N              |
| -    | 4186 147    |     |      |       | PUMP, Accel. Y4186147 Y4186147 Y4186147 N     |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CARBURETOR AND COMPONENT PARTS HOLLEY - 2BBL. (2280)  
Figure 14-900

4314 900 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|-------|-------------|-----|------|-------|---|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N   |
|       | 4287 053    |     |      |       | B,D w/(SC-NAC,NCA) ! 318/B NR-40093 N4287053 Y4287053 N1            |
|       | 4287 028    |     |      |       | B,D w/(SC-NCB), Canada ! 318/A NR-9951 N4287028 Y4287028 N2         |
|       | 4300 015    |     |      |       | B,D w/(SC-NAC,NCA) ! 318/B NR-40198 N4300015 Y4300015 N3            |
|       | 4300 016    |     |      |       | B,D w/(SC-NCB) ! 318/A NR-40200 N4300016 Y4300016 N4                |
|       | 4288 579    |     |      |       | D w/(SC-NAD), Canada ! 318/M NR-40173 N4288579 Y4288579 N5          |
|       | 4288 580    |     |      |       | B,D w/(SC-NAD), Canada ! 318/B NR-40172 N4288580 Y4288580 N6        |
|       | 4306 451    |     |      |       | B,D w/(SC-NAC,NCA) ! 318/B NR-40164 N4306451 Y4306451 N7            |
|       | 4306 458    |     |      |       | B,D w/(SC-NAB+NAC), Canada ! 318/B NR-40167 N4306458 Y4306458 N8    |
|       | 4306 452    |     |      |       | B,D w/(SC-NAB+NAC) ! 318/B NR-40165 N4306452 Y4306452 N9            |
|       | 4306 452    |     |      |       | B,D w/(SC-NAC,NAC) ! 318/A NR-40165-1 N4306465 Y4306452 N10         |
|       | 4306 458    |     |      |       | B,D w/(SC-NAB,NAC), Canada ! 318/B NR-40167-1 N4306466 Y4306458 N11 |
| PKG.A | 4267 175    |     |      |       | GASKET SET Y4267175 Y4267175 Y4267175 Y4267175                      |
| PKG.B | 4267 245    |     |      |       | REPAIR KIT Y4267245 Y4267245 Y4267245 Y4267245                      |
| 1     | 4131 084    |     |      |       | NEEDLE and SEAT Y4131084 Y4131084 Y4131084 Y4131084                 |
| 2     |             |     |      |       | VALVE, Power N N N N  |
|       | 4267 243    |     |      |       | Mechanical Y4267243 N N4267243 N4267243                             |
|       | 4267 243    |     |      |       | Mechanical N4267243 N Y4267243 Y4267243                             |
|       | 4186 125    |     |      |       | Vacuum Y4186125 Y4186125 Y4186125 Y4186125                          |
| 3     | 4186 339    |     |      |       | JET, Main Metering Y4186339 N4131124 N4186339 N4131124              |
| 3     | 4131 124    |     |      |       | JET, Main Metering N4186339 Y4131124 N4186339 N4131124              |
| 3     | 4186 339    |     |      |       | JET, Main Metering N4186339 N4131124 Y4186339 N4131124              |
| 3     | 4131 124    |     |      |       | JET, Main Metering N4186339 N4131124 N4186339 Y4131124              |
| 4     | 4267 140    |     |      |       | PLUG, Idle Needle Y4267140 Y4267140 N N                             |
| 5     | 4293 895    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4293895 Y4293895 Y4293895 Y4293895        |
| 6     | 3879 771    |     |      |       | CUP, Pump Y3879771 Y3879771 Y3879771 Y3879771                       |
| 7     | 4131 083    |     |      |       | GASKET, Air Horn Y4131083 Y4131083 Y4131083 N4131084                |
| 7     | 4131 084    |     |      |       | GASKET, Air Horn N4131083 N4131083 N4131083 Y4131084                |
| 8     | 4186 230    |     |      |       | FLOAT Y4186230 Y4186230 Y4186230 Y4186230                           |
| 9     | 4293 876    |     |      |       | SOLENOID, Idle Stop, Carb Y4293876 Y4293876 Y4293876 N              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS HOLLEY - 2BBL. (2280)  
Figure 14-900

4314 900 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|-------|-------------|-----|------|-------|--|
| 10    | 4267 159    |     |      |       | STEM and HEAD, Pump, Carb Y4267159 Y4267159 N N                |
| 11    | 4267 171    |     |      |       | PLUG, Power Valve Adjusting Screw Y4267171 Y4267171 N N        |
| 12    | 4131 146    |     |      |       | GASKET, Throttle Body Y4131146 N4131136 N N                    |
| 12    | 4131 136    |     |      |       | GASKET, Throttle Body N4131146 Y4131136 N N                    |
| 13    | 4095 598    |     |      |       | CONNECTOR, Spark Tube Hose Y4095598 Y4095598 N N               |
| PKG.A | 4267 175    |     |      |       | GASKET SET N Y4267175 Y4267175 Y4267175                        |
| PKG.B | 4267 245    |     |      |       | REPAIR KIT N Y4267245 Y4267245 Y4267245                        |
| 1     | 4131 084    |     |      |       | NEEDLE and SEAT N Y4131084 Y4131084 Y4131084                   |
| 2     |             |     |      |       | VALVE, Power N N N N   |
|       | 4267 243    |     |      |       | Mechanical N Y4267243 Y4267243 Y4267243                        |
|       | 4186 125    |     |      |       | Vacuum N Y4186125 Y4186125 Y4186125                            |
| 3     | 4131 241    |     |      |       | JET, Main Metering N Y4131241 N4186339 N4131241                |
| 3     | 4186 339    |     |      |       | JET, Main Metering N N4131241 Y4186339 N4131241                |
| 3     | 4131 241    |     |      |       | JET, Main Metering N N4131241 N4186339 Y4131241                |
| 4     | 4267 140    |     |      |       | PLUG, Idle Needle N Y4267140 Y4267140 Y4267140                 |
| 5     | 4293 895    |     |      |       | DIAPHRAGM, w/LINK, Choke N Y4293895 Y4293895 Y4293895          |
| 6     | 3879 771    |     |      |       | CUP, Pump N Y3879771 Y3879771 Y3879771                         |
| 7     | 4131 083    |     |      |       | GASKET, Air Horn N Y4131083 Y4131083 Y4131083                  |
| 8     | 4186 230    |     |      |       | FLOAT N Y4186230 Y4186230 Y4186230                             |
| 9     | 4342 900    |     |      |       | SOLENOID, Idle Stop N Y4342900 N4293876 N                      |
| 9     | 4293 876    |     |      |       | SOLENOID, Idle Stop N N4342900 Y4293876 N                      |
| 10    | 4267 159    |     |      |       | STEW and HEAD, Pump N Y4267159 Y4267159 Y4267159               |
| 11    | 4267 171    |     |      |       | PLUG, Power Valve Adjusting Screw N Y4267171 Y4267171 Y4267171 |
| PKG.A | 4267 175    |     |      |       | GASKET SET Y4267175 Y4267175 Y4267175 N                        |
| PKG.B | 4267 245    |     |      |       | REPAIR KIT Y4267245 Y4267245 Y4267245 N                        |
| 1     | 4131 084    |     |      |       | NEEDLE and SEAT Y4131084 Y4131084 Y4131084 N                   |
| 2     |             |     |      |       | VALVE, Power N N N N   |
|       | 4267 243    |     |      |       | Mechanical Y4267243 Y4267243 Y4267243 N                        |
|       | 4186 125    |     |      |       | Vacuum Y4186125 Y4186125 Y4186125 N                            |
| 3     | 4342 922    |     |      |       | JET, Main Metering Y4342922 Y4342922 N4131241 N                |
| 3     | 4131 241    |     |      |       | JET, Main Metering N4342922 N4342922 Y4131241 N                |
| 4     | 4267 140    |     |      |       | PLUG, Idle Needle Y4267140 Y4267140 Y4267140 N                 |
| 5     | 4293 895    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4293895 Y4293895 Y4293895 N          |
| 6     | 3879 771    |     |      |       | CUP, Pump Y3879771 Y3879771 Y3879771 N                         |
| 7     | 4131 083    |     |      |       | GASKET, Air Horn Y4131083 Y4131083 Y4131083 N                  |
| 8     | 4186 230    |     |      |       | FLOAT Y4186230 Y4186230 Y4186230 N                             |
| 9     | 4293 876    |     |      |       | SOLENOID, Idle Stop Y4293876 Y4293876 N N                      |
| 10    | 4267 159    |     |      |       | STEM and HEAD, Pump Y4267159 Y4267159 Y4267159 N               |
| 11    | 4267 171    |     |      |       | PLUG, Power Valve Adjusting Y4267171 N N N                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CARBURETOR AND COMPONENT PARTS HOLLEY - 2BBL. (6280)  
Figure 14-1000

4314 1000A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|-------|-------------|-----|------|-------|---|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N                                   |
|       | 4306 453    |     |      |       | B,D w/(SC-NAE) ! 318/B NR-40132 N4306453 Y4306453 N1          |
|       | 4306 454    |     |      |       | B,D w/(SC-NAE) ! 318/B NR-40133 N4306454 Y4306454 N2          |
|       | 4306 453    |     |      |       | B,D w/(SC-NAF) ! 318/B NR-40132-1 N4306467 Y4306453 N3        |
|       | 4306 454    |     |      |       | B,D w/(SC-NAE) ! 318/B NR-40133-1 N4306468 Y4306454 N4        |
| PKG.A | 4342 859    |     |      |       | GASKET SET Y4342859 Y4342859 Y4342859 Y4342859                |
| PKG.B | 4342 860    |     |      |       | REPAIR KIT Y4342860 Y4342860 Y4342860 Y4342860                |
| 1     | 4131 084    |     |      |       | NEEDLE and SEAT Y4131084 Y4131084 Y4131084 Y4131084           |
| 2     |             |     |      |       | VALVE, Power N N N N  |
|       |             |     |      |       | Mechanical N N N N  |
|       | 4186 125    |     |      |       | Vacuum Y4186125 Y4186125 Y4186125 Y4186125                    |
| 3     | 4342 858    |     |      |       | JET, Main Metering Y4342858 N4267108 N4342858 N4131173        |
| 3     | 4267 108    |     |      |       | JET, Main Metering N4342858 Y4267108 N4342858 N4131173        |
| 3     | 4342 858    |     |      |       | JET, Main Metering N4342858 N4267108 Y4342858 N4131173        |
| 3     | 4131 173    |     |      |       | JET, Main Metering N4342858 N4267108 N4342858 Y4131173        |
| 4     | 4342 857    |     |      |       | FLOAT Y4342857 Y4342857 Y4342857 Y4342857                     |
| 5     | 4342 854    |     |      |       | GASKET, Air Horn Y4342854 Y4342854 Y4342854 Y4342854          |
| 6     | 4342 863    |     |      |       | SOLENOID, Switch Vent Y4342863 Y4342863 Y4342863 Y4342863     |
| 7     | 4293 895    |     |      |       | DIAPHRAGM, w/LINK, Choke Y4293895 Y4293895 Y4293895 Y4293895  |
| 8     | 4267 090    |     |      |       | CUP, Pump Y4267090 Y4267090 Y4267090 Y4267090                 |
| 9     | 4342 861    |     |      |       | SOLENOID, Feed Back, Carb Y4342861 Y4342861 Y4342861 Y4342861 |
| 10    | 4342 862    |     |      |       | SOLENOID, Idle Stop Y4342862 Y4342862 Y4342862 Y4342862       |
| 11    | 4267 140    |     |      |       | PLUG, Idle Needle Y4267140 Y4267140 Y4267140 Y4267140         |
| 12    | 4397 621    |     |      |       | STEM, Pump Y4397621 Y4397621 Y4397621 Y4397621                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS CARTER - 2BBL. (BBD)  
Figure 14-1100

4314 1100 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|-------|-------------|-----|------|-------|---|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N                             |
|       | 4287 055    |     |      |       | B,D w/(SC-NAF)! 318/B NBBD-8374 N4287055 Y4287055 N1    |
|       | 4287 017    |     |      |       | B,D w/(SC-NAE)! 318/M NBBD-8358 N4287017 Y4287017 N2    |
|       | 4287 018    |     |      |       | B,D w/(SC-NAE)! 318/A NBBD-8359 N4287018 Y4287018 N3    |
|       | 4287 097    |     |      |       | B,D w/(SC-NAD), Canada ! 318/M NBBD-8387 N4287097       |
|       |             |     |      |       | Y4287097 N4   |
|       | 4287 098    |     |      |       | B,D w/(SC-NAD), Canada ! 318/A NBBD-8386 N4287098       |
|       |             |     |      |       | Y4287098 N5   |
| PKG.A | 4271 942    |     |      |       | GASKET SET Y4271942 Y4271942 Y4271942 N                 |
| PKG.B | 4271 962    |     |      |       | REPAIR KIT Y4271962 Y4271962 Y4271962 N                 |
| 1     | 2933 008    |     |      |       | JET, Main Metering Y2933008 N2809305 N2809305 N2933008  |
| 1     | 2809 305    |     |      |       | JET, Main Metering N2933008 Y2809305 Y2809305 N2933008  |
| 1     | 2933 008    |     |      |       | JET, Main Metering N2933008 N2809305 N2809305 Y2933008  |
| 2     | 4240 135    |     |      |       | GASKET, Air Horn Y4240135 Y4240135 Y4240135 N4026469    |
| 2     | 4026 469    |     |      |       | GASKET, Air Horn N4240135 N4240135 N4240135 Y4026469    |
| 3     | 4271 955    |     |      |       | DIAPHRAGM, w/BRACKET, Choke Y4271955 Y4271955           |
|       |             |     |      |       | Y4271955 N3879173                                       |
| 3     | 3879 173    |     |      |       | DIAPHRAGM, w/BRACKET, Choke N4271955 N4271955           |
|       |             |     |      |       | N4271955 Y3879173                                       |
| 4     | 4267 146    |     |      |       | SOLENOID, w/BRACKET, Carb Y4267146 Y4267146 N N         |
| 5     | 4049 196    |     |      |       | ROD, Metering, Carb Y4049196 N4293821 N4293820 N4186103 |
| 5     | 4293 821    |     |      |       | ROD, Metering, Carb N4049196 Y4293821 N4293820 N4186103 |
| 5     | 4293 820    |     |      |       | ROD, Metering, Carb N4049196 N4293821 Y4293820 N4186103 |
| 5     | 4186 103    |     |      |       | ROD, Metering, Carb N4049196 N4293821 N4293820 Y4186103 |
| 6     | 4397 805    |     |      |       | CUP or PLUNGER, Accel. Pump Y4397805 Y4397805 Y4397805  |
|       |             |     |      |       | Y4397805  |
| 7     | 3481 274    |     |      |       | FLOAT Y3481274 Y3481274 Y3481274 Y3481274               |
| 8     | 2933 042    |     |      |       | NEEDLE and SEAT Y2933042 Y2933042 Y2933042 Y2933042     |
| 9     | 4240 040    |     |      |       | SOLENOID, Bowl Vent, Carb Y4240040 N N N                |
| 10    | 4240 127    |     |      |       | SOLENOID, Pulsing Y4240127 Y4240127 N N                 |
| 11    | 4267 216    |     |      |       | CAP, Idle Limiter N N N Y4267216                        |
| 12    | 4271 855    |     |      |       | PLUG, Idle Needle Y4271855 Y4271855 Y4271855 N          |
| PKG.A |             |     |      |       | GASKET SET N N N N                                      |
| PKG.B | 4271 962    |     |      |       | REPAIR KIT Y4271962 N N N                               |
| 1     | 2933 008    |     |      |       | JET, Main Metering Y2933008 N N N                       |
| 2     | 4026 469    |     |      |       | GASKET, Air Horn Y4026469 N N N                         |
| 3     | 4049 323    |     |      |       | DIAPHRAGM, w/BRACKET, Choke Y4049323 N N N              |
| 4     |             |     |      |       | SOLENOID, w/BRACKET N N N N                             |
| 5     | 4186 103    |     |      |       | ROD, Metering Y4186103 N N N                            |
| 6     | 4094 866    |     |      |       | CUP or PLUNGER, Accel. Pump Y4094866 N N N              |
| 7     | 3481 274    |     |      |       | FLOAT Y3481274 N N N                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required


**Figure 14-1100**

[illegible]

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS CARTER - 4BBL. (TQ)  
Figure 14-1200

4314 1200 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|-------|-------------|-----|------|-------|--|
| A     |             |     |      |       | CARBURETOR ASSEMBLY N N N N                                    |
|       | 4287 064    |     |      |       | B,D w/(SC-NAF) ! 360/A NTQ-9386 N4287064 Y4287064 N1           |
|       | 4287 065    |     |      |       | B,D w/(SC-NAC) ! 360/A NTQ-9387 N4287065 Y4287065 N2           |
|       | 4287 016    |     |      |       | B,D w/(SC-NAD), Canada ! 360/B NTQ-9379 N4287016 Y4287016 N3   |
|       | 4241 753    |     |      |       | B,D w/(SC-NAE) ! 360/B NTQ-9376 N4241753 Y4241753 N4           |
| PKG.A | 4267 212    |     |      |       | GASKET SET Y4267212 Y4267212 Y4267212 Y4267212                 |
| PKG.B | 4271 945    |     |      |       | REPAIR KIT Y4271945 Y4271945 Y4271945 Y4271945                 |
| 1     |             |     |      |       | JET, Metering N N N N  |
|       | 3683 905    |     |      |       | Primary Y3683905 N4049234 N4026269 N4186289                    |
|       | 4049 234    |     |      |       | Primary N3683905 Y4049234 N4026269 N4186289                    |
|       | 4026 269    |     |      |       | Primary N3683905 N4049234 Y4026269 N4186289                    |
|       | 4186 289    |     |      |       | Primary N3683905 N4049234 N4026269 Y4186289                    |
|       | 4049 189    |     |      |       | Secondary Y4049189 N4049189 N3744772 N4049189                  |
|       | 4049 189    |     |      |       | Secondary N4049189 Y4049189 N3744772 N4049189                  |
|       | 3744 772    |     |      |       | Secondary N4049189 N4049189 Y3744772 N4049189                  |
|       | 4049 189    |     |      |       | Secondary N4049189 N4049189 N3744772 Y4049189                  |
| 2     | 4186 236    |     |      |       | GASKET, Air Horn Y4186236 Y4186236 N4131077 N4131077           |
| 2     | 4131 077    |     |      |       | GASKET, Air Horn N4186236 N4186236 Y4131077 Y4131077           |
| 3     | 3780 155    |     |      |       | FLOAT Y3780155 Y3780155 Y3780155 Y3780155                      |
| 4     |             |     |      |       | CUP, Accel. Pump N N N N                                       |
|       | 4094 867    |     |      |       | PLUNGER, Accel. Pump, Carb Y4094867 Y4094867 Y4094867 Y4094867 |
| 5     | 3879 843    |     |      |       | ROD, Metering Y3879843 N3879844 N4240179 N4186288              |
| 5     | 3879 844    |     |      |       | ROD, Metering N3879843 Y3879844 N4240179 N4186288              |
| 5     | 4240 179    |     |      |       | ROD, Metering N3879843 N3879844 Y4240179 N4186288              |
| 5     | 4186 288    |     |      |       | ROD, Metering N3879843 N3879844 N4240179 Y4186288              |
| 6     |             |     |      |       | DIAPHRAGM N N N N  |
|       | 4131 250    |     |      |       | Choke Y4131250 Y4131250 Y4131250 N4049275                      |
|       | 4049 275    |     |      |       | Choke N4131250 N4131250 N4131250 Y4049275                      |
|       | 4267 137    |     |      |       | Choke Aux. Y4267137 N N N                                      |
| 7     | 4186 102    |     |      |       | SOLENOID, Bowl Vent Y4186102 Y4186102 Y4186102 Y4186102        |
| 8     |             |     |      |       | SOLENOID, Pulsing N N N N                                      |
| 9     | 3621 161    |     |      |       | NEEDLE and SEAT Y3621161 Y3621161 Y3621161 Y3621161            |
| 10    | 4240 071    |     |      |       | SOLENOID, w/BRACKET Y4240071 Y4240071 N4026246 N4026246        |
| 10    | 4026 246    |     |      |       | SOLENOID, w/BRACKET N4240071 N4240071 Y4026246 Y4026246        |
| 11    | 4271 855    |     |      |       | PLUG, Idle Needle Y4271855 Y4271855 Y4271855 Y4271855          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS ROCHESTER - 4BBL. (QUADRA JET)  
Figure 14-1300

4314 1300A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| NOTE: Parts listed in the component packages on these pages may not be include in all kits some carb uretors do not require all parts listed. |             |     |      |       |   |
| A   |             |     |      |       | CARBURETOR ASSEMBLY N N N N   |
|   | 4342 806    |     |      |       | B,D w/(SC-NAC,NAD) ! 360/B N17085408 N4306408 Y4342806 N1   |
|   | 4342 807    |     |      |       | B,D w/(SC-NAF) ! 360/B N17085409 N4306409 Y4342807 N2<br>B,D w/(SC-NAD) ! 360/B N17085410 N4306410 N N3 |
|   | 4342 914    |     |      |       | D w/(SC-NAC) ! 360/M N17085417 N4306417 Y4342914 N4   |
|   | 4342 810    |     |      |       | B,D w/(SC-NAD) ! 360/B N17085415 N4306415 Y4342810 N5   |
|   | 4342 932    |     |      |       | B,D w/(SC-NAE) ! 360/B N17085431 N4306431 Y4342932 N6   |
|   | 4397 608    |     |      |       | B,D w/(SC-NAD) ! 360/B N17085432 N4306432 Y4397608 N7   |
| 1   | 4342 832    |     |      |       | REPAIR KIT, Carb. Y4342832 N4342832 N N4342832  |
| 1   | 4342 832    |     |      |       | REPAIR KIT, Carb. N4342832 Y4342832 N N4342832  |
| 1   | 4342 832    |     |      |       | REPAIR KIT, Carb. N4342832 N4342832 N Y4342832  |
| 2   | 4342 833    |     |      |       | GASKET PACKAGE, Air Horn Y4342833 N4342833 N N4342833   |
| 2   | 4342 833    |     |      |       | GASKET PACKAGE, Air Horn N4342833 Y4342833 N N4342833   |
| 2   | 4342 833    |     |      |       | GASKET PACKAGE, Air Horn N4342833 N4342833 N Y4342833   |
| 3   | 4342 834    |     |      |       | HORN PPACKAGE, Air Y4342834 N4342844 N N4342844   |
| 3   | 4342 844    |     |      |       | HORN PPACKAGE, Air N4342834 Y4342844 N N4342844   |
| 3   | 4342 844    |     |      |       | HORN PPACKAGE, Air N4342834 N4342844 N Y4342844   |
| 4   | 4342 835    |     |      |       | BOWL PACKAGE, Float Y4342835 N4342845 N N4342845  |
| 4   | 4342 845    |     |      |       | BOWL PACKAGE, Float N4342835 Y4342845 N N4342845  |
| 4   | 4342 845    |     |      |       | BOWL PACKAGE, Float N4342835 N4342845 N Y4342845  |
| 5   | 4342 852    |     |      |       | BODY PACKAGE, Throttle Y4342852 N4342852 N N4342852   |
| 5   | 4342 852    |     |      |       | BODY PACKAGE, Throttle N4342852 Y4342852 N N4342852   |
| 5   | 4342 852    |     |      |       | BODY PACKAGE, Throttle N4342852 N4342852 N Y4342852   |
| 6   | 4342 817    |     |      |       | HOUSING PACKAGE, Choke Y4342817 N4342837 N N4342817   |
| 6   | 4342 837    |     |      |       | HOUSING PACKAGE, Choke N4342817 Y4342837 N N4342817   |
| 6   | 4342 817    |     |      |       | HOUSING PACKAGE, Choke N4342817 N4342837 N Y4342817   |
| 7   | 4342 818    |     |      |       | RETAINER KIT, Choke Cover Y4342818 N4342818 N N4342818  |
| 7   | 4342 818    |     |      |       | RETAINER KIT, Choke Cover N4342818 Y4342818 N N4342818  |
| 7   | 4342 818    |     |      |       | RETAINER KIT, Choke Cover N4342818 N4342818 N Y4342818  |
| 8   | 4342 819    |     |      |       | STAT and COVER PACKAGE, Elec Choke Y4342819 N4342819<br>N N4342819                                      |
| 8   | 4342 819    |     |      |       | STAT and COVER PACKAGE, Elec Choke N4342819 Y4342819<br>N N4342819                                      |
| 8   | 4342 819    |     |      |       | STAT and COVER PACKAGE, Elec Choke N4342819 N4342819<br>N Y4342819                                      |
| 9   | 4342 838    |     |      |       | BREAK PACKAGE, Secondary Vacuum Y4342838 N4342838 N<br>N4342838   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS ROCHESTER - 4BBL. (QUADRA JET)  
Figure 14-1300

4314 1300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 9    | 4342 838    |     |      |       | BREAK PACKAGE, Secondary Vacuum N4342838 Y4342838 N N4342838 |
| 9    | 4342 838    |     |      |       | BREAK PACKAGE, Secondary Vacuum N4342838 N4342838 N Y4342838 |
| 10   | 4342 839    |     |      |       | PISTON PACKAGE, Power Y4342839 N4342846 N N4342839           |
| 10   | 4342 846    |     |      |       | PISTON PACKAGE, Power N4342839 Y4342846 N N4342839           |
| 10   | 4342 839    |     |      |       | PISTON PACKAGE, Power N4342839 N4342846 N Y4342839           |
| 11   | 4342 840    |     |      |       | JET and ROD PACKAGE, Metering Y4342840 N4342847 N N4342847   |
| 11   | 4342 847    |     |      |       | JET and ROD PACKAGE, Metering N4342840 Y4342847 N N4342847   |
| 11   | 4342 847    |     |      |       | JET and ROD PACKAGE, Metering N4342840 N4342847 N Y4342847   |
| 12   | 4342 841    |     |      |       | SOLENOID PACKAGE, Idle Y4342841 N4342841 N N4342841          |
| 12   | 4342 841    |     |      |       | SOLENOID PACKAGE, Idle N4342841 Y4342841 N N4342841          |
| 12   | 4342 841    |     |      |       | SOLENOID PACKAGE, Idle N4342841 N4342841 N Y4342841          |
| 13   | 4342 825    |     |      |       | FILTER PACKAGE, Fuel Y4342825 N4342825 N N4342825            |
| 13   | 4342 825    |     |      |       | FILTER PACKAGE, Fuel N4342825 Y4342825 N N4342825            |
| 13   | 4342 825    |     |      |       | FILTER PACKAGE, Fuel N4342825 N4342825 N Y4342825            |
| 14   | 4342 842    |     |      |       | FLOAT and INSERT PACKAGE Y4342842 N4342842 N N4342842        |
| 14   | 4342 842    |     |      |       | FLOAT and INSERT PACKAGE N4342842 Y4342842 N N4342842        |
| 14   | 4342 842    |     |      |       | FLOAT and INSERT PACKAGE N4342842 N4342842 N Y4342842        |
| 15   | 4342 843    |     |      |       | PUMP Y4342843 N4342843 N N4342843                            |
| 15   | 4342 843    |     |      |       | PUMP N4342843 Y4342843 N N4342843                            |
| 15   | 4342 843    |     |      |       | PUMP N4342843 N4342843 N Y4342843                            |
| 16   | 4342 828    |     |      |       | NEEDLE and SEAT PACKAGE Y4342828 N4342828 N N4342828         |
| 16   | 4342 828    |     |      |       | NEEDLE and SEAT PACKAGE N4342828 Y4342828 N N4342828         |
| 16   | 4342 828    |     |      |       | NEEDLE and SEAT PACKAGE N4342828 N4342828 N Y4342828         |
| 17   | 4342 831    |     |      |       | SCREW ASSORTMENT PACKAGE Y4342831 N4342831 N N4342831        |
| 17   | 4342 831    |     |      |       | SCREW ASSORTMENT PACKAGE N4342831 Y4342831 N N4342831        |
| 17   | 4342 831    |     |      |       | SCREW ASSORTMENT PACKAGE N4342831 N4342831 N Y4342831        |
| 1    | 4342 832    |     |      |       | REPAIR KIT, Carb. Y4342832 Y4342832 Y4342832 N               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARBURETOR AND COMPONENT PARTS ROCHESTER - 4BBL. (QUADRA JET)  
Figure 14-1300

4314 1300A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 2    | 4342 833    |     |      |       | GASKET PACKAGE, Air Horn Y4342833 Y4342833 Y4342833 N            |
| 3    | 4342 834    |     |      |       | HORN PACKAGE, Air Y4342834 Y4342834 Y4342834 N                   |
| 4    | 4342 851    |     |      |       | BOWL PACKAGE, Float Y4342851 Y4342851 N4397616 N                 |
| 4    | 4397 616    |     |      |       | BOWL PACKAGE, Float N4342851 N4342851 Y4397616 N                 |
| 5    | 4342 913    |     |      |       | BODY PACKAGE, Throttle Y4342913 N4342933 N4397610 N              |
| 5    | 4342 933    |     |      |       | BODY PACKAGE, Throttle N4342913 Y4342933 N4397610 N              |
| 5    | 4397 610    |     |      |       | BODY PACKAGE, Throttle N4342913 N4342933 Y4397610 N              |
| 6    | 4342 837    |     |      |       | HOUSING PACKAGE, Choke Y4342837 Y4342837 Y4342837 N              |
| 7    | 4342 818    |     |      |       | RETAINER KIT, Choke Cover Y4342818 Y4342818 Y4342818 N           |
| 8    | 4342 819    |     |      |       | STAT and COVER PACKAGE, Elec. Choke Y4342819 N4342934 N4342819 N |
| 8    | 4342 934    |     |      |       | STAT and COVER PACKAGE, Elec. Choke N4342819 Y4342934 N4342819 N |
| 8    | 4342 819    |     |      |       | STAT and COVER PACKAGE, Elec. Choke N4342819 N4342934 Y4342819 N |
| 9    | 4342 838    |     |      |       | BREAK PACKAGE, Secondary Vacuum Y4342838 Y4342838 Y4342838 N     |
| 10   | 4342 839    |     |      |       | PISTON PACKAGE, Power Y4342839 Y4342839 Y4342839 N               |
| 11   | 4342 853    |     |      |       | JET and ROD, Metering Y4342853 Y4342853 N4342850 N               |
| 11   | 4342 850    |     |      |       | JET and ROD, Metering N4342853 N4342853 Y4342850 N               |
| 12   | 4342 841    |     |      |       | SOLENOID PACKAGE, Idle Y4342841 Y4342841 N N                     |
| 13   | 4342 825    |     |      |       | FILTER PACKAGE, Fuel Y4342825 Y4342825 Y4342825 N                |
| 14   | 4342 842    |     |      |       | FLOAT and INSERT PACKAGE Y4342842 Y4342842 Y4342842 N            |
| 15   | 4342 843    |     |      |       | PUMP Y4342843 Y4342843 Y4342843 N                                |
| 16   | 4342 828    |     |      |       | NEEDLE and SEAT PACKAGE Y4342828 Y4342828 Y4342828 N             |
| 17   | 4342 831    |     |      |       | SCREW ASSORTMENT PACKAGE Y4342831 Y4342831 Y4342831 N            |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

## CARBURETOR HEAT SHIELD

### Figure 14-1400

4314 1400



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|----------------|-----|------|-------|--|
| 1    | 4210 223       | 1   |      |       | SHIELD, Carburetor Heat 225 Eng., 1984 |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

~~D = WANG AND WANG (1982)~~

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.


(66) = 100 W.D.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



THROTTLE CONTROLS 225 ENGINE B1,2,3  
Figure 14-1600

4314 1600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 2121 571    | 1   |      |       | RETAINER, Ball Joint                          |
|      | 2268 367    | 1   |      |       | BALL JOINT, Accel Pedal Lever to Carb Rod     |
| 2    | 4115 353    | 1   |      |       | ROD, Pedal to Carb.                           |
| 3    | 6025 867    | AR  |      |       | CLIP  |
| 4    | 3641 255    | 1   |      |       | ROD, Throttle Control Eng. Bellcrank to Carb. |
| 5    |             |     |      |       | STUD, Throttle Control Carb. Lever            |
|      | 4037 792    | 1   |      |       | Man. Trans.                                   |
|      | 4116 432    | 1   |      |       | Auto. Trans.                                  |
| 6    | 4241 220    | 1   |      |       | BELLCRANK, Throttle Control Eng.              |
| 7    | 4241 276    | 1   |      |       | BRACKET, Throttle Control Eng. Bellcrank      |
| 8    | 4112 522    | 1   |      |       | SPRING, Return - Outer                        |
| 9    | 4112 521    | 1   |      |       | SPRING, Return - Inner                        |
| 10   | 4104 266    | 1   |      |       | BRACKET, Throttle Control Return Spring       |
| 11   | 4027 590    | 1   |      |       | SPRING, Carb. to Trans. Rod Return            |
| 12   | 4115 356    | 1   |      |       | ROD, Carb. to Trans.                          |
| 13   | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel            |
| 14   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod                   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

THROTTLE CONTROLS 318 - 360 ENGINE B1,2,3 - 1984  
Figure 14-1700

4314 1700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 2268 367    | 1   |      |       | BALL JOINT, Accel Pedel Lever to Carb Rod |
| 2    | 4036 469    | 1   |      |       | ROD, Pedal to Carb.                       |
|      | 4287 962    | 1   |      |       | 2 Bbl.                                    |
|      | 6025 867    | AR  |      |       | 4 Bbl.                                    |
| 3    |             |     |      |       | CLIP, Throttle Cont. Carb. Lever Stud     |
| 4    | 4037 792    | 1   |      |       | STUD, Throttle Control Carb. Lever        |
|      | 4037 791    | 1   |      |       | Man. Trans.                               |
|      |             |     |      |       | Auto. Trans.                              |
| 5    |             |     |      |       | BRACKET, Return Spring                    |
|      | 4201 473    | 1   |      |       | 2 BBL.                                    |
|      | 4117 164    | 1   |      |       | 4 Bbl.                                    |
| 6    |             |     |      |       | SPRING, Return                            |
|      |             |     |      |       | Outer                                     |
|      | 4117 176    | 1   |      |       | 318 Eng. 2 Bbl.                           |
|      | 4117 183    | 1   |      |       | 360 Eng. 4 Bbl.                           |
|      |             |     |      |       | Inner                                     |
|      | 4117 177    | 1   |      |       | 318 Eng. 2 Bbl.                           |
|      | 4117 184    | 1   |      |       | 360 Eng. 4 Bbl.                           |
| 7    |             |     |      |       | LINK, Carb. to Trans. Rod                 |
|      | 4037 929    | 1   |      |       | 318 Eng. 2 Bbl.                           |
|      | 3751 553    | 1   |      |       | 360 Eng. 4 Bbl.                           |
| 8    | 4027 590    | 1   |      |       | SPRING, Carb. to Trans. Rod Return        |
| 9    |             |     |      |       | ROD, Carb. to Trans.                      |
|      | 4115 758    | 1   |      |       | 2 Bbl.                                    |
|      | 4115 759    | 1   |      |       | 4 Bbl.                                    |
| 10   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod               |
| 11   | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel        |
| 12   | 3418 807    | 1   |      |       | STABILIZER, Carb. to Trans. Rod           |
| 13   |             |     |      |       | BRACKET, Cable Mtg.                       |
|      | 3462 766    | 1   |      |       | 2 Bbl.                                    |
|      | 3577 561    | 1   |      |       | 4 Bbl.                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

THROTTLE CONTROLS 318 - 360 ENGINE B1,2,3 - 1985  
Figure 14-1800

4314 1800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 2268 367    | 1   |      |       | BALL JOINT, Accel. Pedal Lever to Carb. Rod |
| 2    | 4036 469    | 1   |      |       | ROD, Pedal to Carb.                         |
|      | 4287 962    | 1   |      |       | 318 - 2BBL.                                 |
|      | 6025 867    | AR  |      |       | 360 - 4BBL.                                 |
| 3    |             |     |      |       | CLIP, Throttle Cont. Carb. Kever Stud       |
| 4    | 4037 792    | 1   |      |       | STUD, Throttle Control Carb. Lever          |
|      | 4037 791    | 1   |      |       | Man. Trans.                                 |
|      |             |     |      |       | Auto. Trans.                                |
| 5    |             |     |      |       | BRACKET, Return Spring                      |
|      |             | 1   |      |       | 318 - 2BBL.                                 |
|      |             | 1   |      |       | 360 - 4BBL.                                 |
| 6    |             |     |      |       | SPRING, Return                              |
|      |             |     |      |       | Outer                                       |
|      | 4117 176    | 1   |      |       | 318 - 2BBL.                                 |
|      | 4288 228    | 1   |      |       | 360 - 4BBL.                                 |
|      |             |     |      |       | Inner                                       |
|      | 4117 177    | 1   |      |       | 318 - 2BBL.                                 |
|      | 4288 229    | 1   |      |       | 360 - 4BBL.                                 |
| 7    |             |     |      |       | LINK, Carb. to Trans. Rod                   |
|      | 4037 929    | 1   |      |       | 318 - 2BBL.                                 |
|      | 3751 553    | 1   |      |       | 360 - 4BBL.                                 |
| 8    | 4027 590    | 1   |      |       | SPRING, Carb. to Trans. Rod Return          |
| 9    |             |     |      |       | ROD, Carb. to Trans.                        |
|      | 4115 758    | 1   |      |       | 318 - 2BBL.                                 |
|      | 4287 963    | 1   |      |       | 360 - 4BBL.                                 |
| 10   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod                 |
| 11   | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel          |
| 12   | 3418 807    | 1   |      |       | STABILIZER, Carb. to Trans. Rod             |
| 13   |             |     |      |       | BRACKET, Cable Mtg.                         |
|      | 3462 766    | 1   |      |       | 318 - 2BBL.                                 |
|      | 4287 965    | 1   |      |       | 360 - 4BBL.                                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

THROTTLE CONTROLS 225 ENGINE - D  
Figure 14-1900

4314 1900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4026 509    | 1   |      |       | SPRING, Throttle Control Return - Inner and Outer     |
| 2    | 4104 266    | 1   |      |       | BRACKET, Throttle Control Return Spring               |
| 3    | 6031 628    | 1   |      |       | CLIP, Throttle Control Cable Pin                      |
| 4    |             |     |      |       | CABLE, Throttle Control                               |
|      | 4287 534    | 1   |      |       | Up to 11-15-84  |
|      | 4306 180    | 1   |      |       | From 11-15-84 to 2-26-85                              |
|      | 4306 192    | 1   |      |       | After 2-26-85   |
| 5    | 2402 210    | 1   |      |       | CLIP, Throttle Control Cable Mounting                 |
| 6    | 0219 462    | 1   |      |       | NUT   |
| 7    | 3830 366    | 1   |      |       | BRACKET, Throttle Cont. Eng. Bellcrank                |
| 8    | 4241 219    | 1   |      |       | ROD, Carb. to Trans.                                  |
| 9    | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel                    |
| 10   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod                           |
| 11   | 6025 867    | 1   |      |       | CLIP, Carb. to Trans. Rod Swivel                      |
| 12   | 6026 776    | 1   |      |       | CLIP, Carb. to Trans. Rod                             |
| 13   | 4095 995    | 1   |      |       | BRACKET, Throttle Cont. Eng. Bellcrank - Auto. Trans. |
| 14   | 4027 590    | 1   |      |       | SPRING, Trans. Rod Return                             |
| 15   | 4095 175    | 1   |      |       | ROD, Eng. Bellcrank to Carb.                          |
| 16   | 3870 699    | 1   |      |       | CLIP, Carb. Rod End                                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

THROTTLE CONTROLS 225 ENGINE 2 BBL. D1 MISER  
Figure 14-2000

4314 2000




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|----------------|-----|------|-------|---------------------------------------|
| 1    | 6025 867       | 1   |      |       | CLIP, Throttle Cont. Retainer Spring  |
| 2    | 6030 607       | 1   |      |       | NUT, Lock                             |
| 3    | 3418 899       | 1   |      |       | STUD, Carb. Lever                     |
| 4    | 3820 952       | 1   |      |       | CABLE, Throttle Control               |
| 5    | 2402 210       | 1   |      |       | CLIP, Throttle Cont. Cable            |
| 6    | 0219 462       | 1   |      |       | NUT                                   |
| 7    | 6022 250       | 1   |      |       | SCREW                                 |
| 8    | 4027 397       | 1   |      |       | BRACKET, Cable Mtg.                   |
| 9    | 0152 342       | 2   |      |       | NUT                                   |
| 10   | 4032 115       | 1   |      |       | SPRING, Return - Outer                |
| 11   | 4032 116       | 1   |      |       | SPRING, Return - Inner                |
| 12   | 4041 504       | 1   |      |       | BRACKET, Throttle Cont. Return Spring |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

THROTTLE CONTROLS 318 - 360 ENGINE - D - 1984  
Figure 14-2100

4314 2100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             |     |      |       | BRACKET, Return Spring               |
|      | 4201 473    | 1   |      |       | 2 Bbl.                               |
|      | 4117 164    | 1   |      |       | 4 Bbl.                               |
| 2    |             |     |      |       | SPRING, Return - Outer               |
|      | 4117 176    | 1   |      |       | 318 Eng. 2 Bbl.                      |
|      | 4117 179    | 1   |      |       | 360 Eng. 4 Bbl.                      |
| 3    |             |     |      |       | SPRING, Return - Inner               |
|      | 4117 177    | 1   |      |       | 318 Eng. 2 Bbl.                      |
|      | 4117 180    | 1   |      |       | 360 Eng. 4 Bbl.                      |
| 4    | 2402 210    | 1   |      |       | CLIP, Throttle Control Cable Mtg.    |
| 5    | 4287 535    | 1   |      |       | CABLE, Throttle Control              |
| 6    |             |     |      |       | BRACKET, Cable & Stabilizer Mtg.     |
|      | 3462 766    | 1   |      |       | 2 Bbl.                               |
|      | 3577 561    | 1   |      |       | 4 Bbl.                               |
| 7    | 6030 607    | 1   |      |       | NUT                                  |
| 8    |             |     |      |       | STUD, Throttle Control Carb. Lever   |
|      | 3418 899    | 1   |      |       | Man. Trans.                          |
|      | 3418 900    | 1   |      |       | Auto. Trans.                         |
| 9    | 6025 867    | 1   |      |       | CLIP, Throttle Control Cable Stud    |
| 10   |             |     |      |       | LINK, Carb. to Trans. Rod            |
|      | 4037 929    | 1   |      |       | 318 Eng. 2 Bbl.                      |
|      | 3751 553    | 1   |      |       | 360 Eng. 4 Bbl.                      |
| 11   | 6026 776    | 1   |      |       | CLIP, Throttle Control Cable Stud    |
| 12   | 6025 867    | 1   |      |       | CLIP, Carb. to Trans. Rod Stabilizer |
| 13   | 4027 590    | 1   |      |       | SPRING, Carb. to Trans. Rod Return   |
| 14   |             |     |      |       | ROD, Carb. to Trans.                 |
|      | 4115 758    | 1   |      |       | 2 Bbl.                               |
|      | 4115 759    | 1   |      |       | 4 Bbl.                               |
| 15   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod          |
| 16   | 0181 080    | 1   |      |       | SCREW                                |
| 17   | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel   |
| 18   | 3418 807    | 1   |      |       | STABILIZER, Carb. to Trans. Rod      |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# THROTTLE CONTROLS 318 - 360 ENGINE - D - 1985 Figure 14-2200

4314 2200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | BRACKET, Return Spring<br>318 - 2BBL.<br>360 - 4BBL. |
| 2    | 4117 176    | 1   |      |       | SPRING, Return - Outer<br>318 - 2BBL.                |
|      | 4288 228    | 1   |      |       | 360 - 4BBL.  |
| 3    | 4117 177    | 1   |      |       | SPRING, Return - Inner<br>318 - 2BBL.                |
|      | 4288 229    | 1   |      |       | 360 - 4BBL.  |
| 4    | 2402 210    | 1   |      |       | Clip Throttle Control Cable Mtg.                     |
| 5    | 4300 978    | 1   |      |       | CABLE, Throttle Control                              |
| 6    | 3462 766    | 1   |      |       | BRACKET, Cable & Stabilizer Mtg.<br>318 - 2BBL.      |
|      | 4287 965    | 1   |      |       | 360 - 4BBL.  |
| 7    | 6030 607    | 1   |      |       | NUT  |
| 8    | 3418 899    | 1   |      |       | STUD, Throttle Control Carb. Lever<br>Man. Trans.    |
|      | 3418 900    | 1   |      |       | Auto. Trans.   |
| 9    | 6025 867    | 1   |      |       | CLIP, Throttle Control Cable Stud                    |
| 10   | 4037 929    | 1   |      |       | LINK, Carb. to Trans. Rod<br>318 - 2BBL.             |
|      | 3751 553    | 1   |      |       | 360 - 4BBL.  |
| 11   | 6026 776    | 1   |      |       | CLIP, Throttle Control Cable Stud                    |
| 12   | 6025 867    | 1   |      |       | CLIP, Carb. to Trans. Rod Stabilizer                 |
| 13   | 4027 590    | 1   |      |       | SPRING, Carb. to Trans. Rod Return                   |
| 14   | 4115 758    | 1   |      |       | ROD, Caab. to Trans.<br>318 - 2BBL.                  |
|      | 4287 963    | 1   |      |       | 360 - 4BBL.  |
| 15   | 4027 374    | 1   |      |       | SWIVEL, Carb. to Trans. Rod                          |
| 16   | 0181 080    | 1   |      |       | SCREW  |
| 17   | 3769 198    | 1   |      |       | SPRING, Carb. to Trans. Rod Swivel                   |
| 18   | 3418 807    | 1   |      |       | STABILIZER, Carb. to Trans. Rod                      |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SPEED CONTROL 225 ENGINE  
Figure 14-2300

4314 2300



| ITEM  | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                           |
|-------|-------------|-----|------|--------|---------------------------------------|
| PKG.A |             |     |      |        |                                       |
|       |             |     |      |        | CONTROL PKG., Speed                   |
|       | 4318 805    | 1   |      | B      | 1984 (see Note 1)                     |
|       | 4364 356    | 1   |      | B      | 1985 (see Note 1 & 3)                 |
|       | 4318 806    | 1   |      | D      | 1984 (see Note 1 & 2)                 |
|       | 4364 357    | 1   |      | D      | 1985 (see Note 1,2 & 3)               |
| 1     | 3830 871    | 1   |      |        | PIN, Speed Control Lost Motion        |
| 2     | 4095 071    | 1   |      |        | LINK, Speed Control Lost Motion       |
| 3     | 6030 479    | 2   |      |        | CLIP, Speed Control Lost Motion       |
| 4     | 4203 211    | 1   |      |        | HOSE, Intake Manifold to Servo Vacuum |
| 5     | 2402 210    | 1   |      |        | CLIP, Cable Mtg. Bracket              |
| 6     | 4241 181    | 1   |      | B1,2,3 | BRACKET, Speed Control Cable Mtg.     |
|       | 4041 505    | 1   |      | D      |                                       |
| 7     | 4241 172    | 1   |      | B1,2,3 | CABLE, Speed Control - Servo to Carb. |
|       | 4241 582    | 1   |      | D      |                                       |
| 8     | 6025 867    | 1   |      |        | SPRING CLIP, Cable to Servo           |
| 9     | 4241 551    | 1   |      |        | SERVO, Speed Control                  |
| 10    | 4213 698    | 1   |      |        | BRACKET, Servo Mtg.                   |
| 11    | 4162 862    | 1   |      | B1,2,3 | SHIELD, Servo Splash                  |
| 12    | 4163 093    | 1   |      | B1,2,3 | WIRE, Speed Cont. Inst. Panel, 1984   |
|       | 4163 282    | 1   |      | B1,2,3 | 1985                                  |
|       | 4163 087    | 1   |      | D      |                                       |

NOTE 1: Use part number 4216539 Lever for units with Tilt Steering Wheel. Part number 4216538 may be returned for credit with an offsetting order for part number 4216539.

NOTE 2: Use Speedometer Cable part number 4114410 for all Power Wagons. part number 4216539.

NOTE 3: For vehicles equipped with a Manual Trans. order 1 of 4169588 Clutch Switch part number 4216539.


|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SPEED CONTROL 318 - 360 ENGINE B1,2,3  
Figure 14-2400

4314 2400



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|-------|-------------|-----|------|-------|---------------------------------------|
| PKG.A |             |     |      |       | CONTROL PKG., Speed                   |
|       | 4318 805    | 1   |      |       | 1984 (see note 1)                     |
|       | 4364 356    | 1   |      |       | 1985 (see note 1 & 2)                 |
| 1     | 6032 134    | 1   |      |       | PIN, Speed Control Lost Motion        |
| 2     | 6030 479    | 1   |      |       | CLIP, Speed Control Lost Motion Link  |
| 3     | 4241 171    | 1   |      |       | CABLE, Speed Control - Servo to Carb. |
| 4     | 2402 210    | 1   |      |       | CLIP, Cable Mtg. Bracket              |
| 5     | 6024 682    | 1   |      |       | SPACER, Cable Mtg. Bracket            |
| 6     | 2899 376    | 1   |      |       | BRACKET, Speed Control Cable Mtg.     |
| 7     | 3769 261    | 1   |      |       | LINK, Speed Control Lost Motion       |
| 8     | 4203 211    | 1   |      |       | HOSE, Intake Man. to Servo Vac.       |
| 9     | 4241 551    | 1   |      |       | SERVO, Speed Control                  |
| 10    | 6025 867    | 1   |      |       | SPRING CLIP, Cable to Servo           |
| 11    | 4213 698    | 1   |      |       | BRACKET, Servo Mtg.                   |
| 12    | 4162 862    | 1   |      |       | SHIELD, Servo Splash                  |
| 13    | 4163 093    | 1   |      |       | WIRE, Speed Cont. Inst. Panel         |


NOTE 1: Use part number 4216539 Lever for units with Tilt Steering Wheel. Part number 4216538 may be returned for credit with an offsetting order for part number 4216539.

NOTE 2: For vehicles equipped with a Manual Trans. order 1 of 4169558 Clutch Switch part number 4216539.

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

**SPEED CONTROL ELECTRONIC B1,2,3**  
**Figure 14-2500**

4314 2500A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|-------|-------------|-----|------|-------|---|
| PKG.A |             |     |      |       |   |
|       | 4318 847    | 1   |      |       | CONTROL PKG., Speed                       |
|       | 4364 364    | 1   |      |       | 1984 (see note 1 & 2)                     |
|       | 4216 538    | 1   |      |       | 1985 (see note 1 & 2)                     |
| 1     | 4216 538    | 1   |      |       | SWITCH, Control                           |
| 2     | 4304 099    | 1   |      |       | JUMPER                                    |
| 3     | 4318 839    | 1   |      |       | HARNESS, Master                           |
| 4     | 4318 829    | 1   |      |       | MODULE, Electronic                        |
| 5     | 4169 558    | 1   |      |       | SWITCH, Clutch                            |
| 6     | 4169 578    | 1   |      |       | BRACKET, Switch Mounting                  |
| 7     | 4221 438    | 1   |      |       | SWITCH, Stop Light                        |
| 8     | 0454 748    | 1   |      |       | NUT                                       |
| 9     | 4312 345    | 1   |      |       | CABLE, Sensor to Trans.                   |
| 10    | 4312 186    | 1   |      |       | SENSOR                                    |
| 11    | 4312 343    | 1   |      |       | CABLE, Speedo to Sensor                   |
| 12    | 4318 828    | 1   |      |       | HOSE, Vacuum 7/32 x 70                    |
| 13    | 4318 821    | 1   |      |       | RESERVOIR, w/BRACKET                      |
| 14    | 4318 818    | 1   |      |       | BODY, Valve                               |
| 15    | 4318 822    | 1   |      |       | HOSE, Horseshoe                           |
| 16    | 4318 826    | 1   |      |       | HOSE, Vacuum 5/32 ID., 1/2 OD. x 36       |
| 17    | 4318 827    | 1   |      |       | HOSE, Vacuum 5/32 x 50                    |
| 18    | 4318 819    | 1   |      |       | MOTOR, Vacuum                             |
| 19    | 4318 825    | 1   |      |       | BRACKET, Motor Mounting                   |
| 20    | 6025 001    | 1   |      |       | NUT                                       |
| 21    | 4241 172    | 1   |      |       | CABLE, Servo                              |
| 22    | 4095 071    | 1   |      |       | LINK, w/225 Engine                        |
| 23    | 2402 210    | 1   |      |       | CLAMP                                     |
| 24    | 4241 181    | 1   |      |       | BRACKET, Cable Mounting, w/225 Engine     |
| 25    | 2899 376    | 1   |      |       | BRACKET, Cable Mounting, w/318,360 Engine |
| 26    | 6024 682    | 1   |      |       | SPACER, w/318,360 Engine                  |
| 26    | 6024 682    | 1   |      |       | SPACER, w/318,360 Engine                  |
| 27    | 3769 261    | 1   |      |       | LINK, w/318,360 Engine                    |
| 28    | 3577 561    | 1   |      |       | BRACKET, Cable Mounting w/360 Engine      |
| 29    | 3462 766    | 1   |      |       | BRACKET, Cable Mounting w/318 Engine      |
| -     | 2983 406    | 1   |      |       | PLUG, Connector                           |
| -     | 3830 871    | 1   |      |       | PIN, Link, w/225 Engine                   |
| -     | 6101 131    | 1   |      |       | FUSE, 3Amp ATC                            |

NOTE 1: Use part number 4216539 Lever for units with tilt steering Wheel. Part number 4216538 may be returned for credit with an offsetting order for part number 4216359

NOTE 2: For vehicles equipped with a Manual Trans. order 1 of 4169558 Clutch Switch part number 4216359

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SPEED CONTROL 318 - 360 ENGINE - D  
Figure 14-2600

4314 2600



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|-------|-------------|-----|------|-------|---|
| PKG.A |             |     |      |       | CONTROL PKG., Speed                       |
|       | 4318 806    | 1   |      |       | 1984 (see note 1 & 2)                     |
|       | 4364 357    | 1   |      |       | 1985 (see note 1 & 2)                     |
| 1     | 6030 479    | 1   |      |       | CLIP, Speed Control Lost Motion Link      |
| 2     | 4241 350    | 1   |      |       | CABLE, Speed Control - Servo to Carb.     |
| 3     | 4203 211    | 1   |      |       | HOSE, Intake Manifold to Servo Vacuum 39" |
| 4     | 2899 376    | 1   |      |       | BRACKET, Speed Control Cable Mtg.         |
| 5     | 3769 261    | 1   |      |       | LINK, Speed Control Lost Motion           |
| 6     | 6032 134    | 1   |      |       | PIN, Speed Control Lost Motion            |
| 7     | 6025 867    | 1   |      |       | SPRING CLIP, Cable to Servo               |
| 8     | 4241 551    | 1   |      |       | SERVO, Speed Control                      |
| 9     | 4213 698    | 1   |      |       | BRACKET, Servo Mtg.                       |
| 10    | 4163 087    | 1   |      |       | WIRE, Speed Cont. Inst. Panel, 1984       |
|       | 4163 282    | 1   |      |       | 1985                                      |


NOTE 1: Use part number 4216539 Lever for units with Tilt Steering Wheel. Part number 4216538 may be returned for credit with an offsetting order for part number 4216539.

NOTE 2: Use Speedometer Cable part number 4114410 for all Power Wagons. part number 4216539.

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

SPEED CONTROL ELECTRONIC D  
Figure 14-2700

4314 2700A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|-------|-------------|-----|------|-------|--|
| PKG.A | 4318 810    | 1   |      |       | CONTROL PKG., Speed (see note 1 & 2)       |
| 1     | 4216 578    | 1   |      |       | SWITCH, Control                            |
| 2     | 4304 099    | 1   |      |       | JUMPER                                     |
| 3     | 4318 839    | 1   |      |       | HARNESS, Master                            |
| 4     | 4318 829    | 1   |      |       | MODULE, Electronic                         |
| 5     | 4169 556    | 1   |      |       | SWITCH, Clutch                             |
| 6     | 4169 579    | 1   |      |       | BRACKET, Switch Mounting                   |
| 7     | 4221 438    | 1   |      |       | SWITCH, Stop Lamp                          |
| 8     | 0454 748    | 1   |      |       | NUT  |
| 9     | 4312 350    | 1   |      | D1-4  | CABLE, Sensor to Trans                     |
|       | 4312 353    | 1   |      | D5-8  |  |
| 10    | 4312 186    | 1   |      | D5-8  | SENSOR                                     |
| 11    | 4312 348    | 1   |      |       | CABLE, Speedo to Sensor                    |
| 12    | 4318 828    | 1   |      |       | HOSE, Vacuum 7/32 x 70                     |
| 13    | 4318 821    | 1   |      |       | RESERVIOR, w/BRACKET                       |
| 14    | 4318 818    | 1   |      |       | BODY, Valve                                |
| 15    | 4318 822    | 1   |      |       | HOSE, Horseshoe                            |
| 16    | 4318 826    | 1   |      |       | HOSE, Vacuum 5/32 ID, 1/2 OD x 36          |
| 17    | 4318 827    | 1   |      |       | HOSE, Vacuum 5/32 x 50                     |
| 18    | 4318 819    | 1   |      |       | MOTOR, Vacuum                              |
| 19    | 4318 825    | 1   |      |       | BRACKET, Motor Mounting                    |
| 20    | 6025 001    | 1   |      |       | NUT  |
| 21    | 4241 172    | 1   |      |       | CABLE, Servo                               |
| 22    | 4095 071    | 1   |      |       | LINK, w/225 Engine                         |
| 23    | 2402 210    | 1   |      |       | CLAMP                                      |
| 24    | 4041 505    | 1   |      |       | BRACKET, Cable Mounting, w/225 Engine      |
| 25    | 2899 376    | 1   |      |       | BRACKET, Cable Mounting, w/318, 360 Engine |
| 26    | 6024 682    | 1   |      |       | SPACER, w/318, 360 Engine                  |
| 27    | 3769 261    | 1   |      |       | LINK, w/318, 360 Engine                    |
| 28    | 3577 561    | 1   |      |       | BRACKET, Cable Mounting w/318,360 Engine   |
| -     | 2983 406    | 1   |      |       | PLUG, Connector                            |
| -     | 3830 871    | 1   |      |       | PIN, Link, w/225 Engine                    |


NOTE 1: Use part number 4216539 Lever for units with Tilt Steering Wheel. Part number 4216538 may be returned for credit with an offsetting order for part number 4216539

NOTE 2: Use Speedometer Cable part number 4312353 for all Power Wagons part number 4216539

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

SPEED CONTROL CABLES  
Figure 14-2800

4314 2800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|


NOTE: These Cables are not to be used with Electronic Speed Controls. part number 4216539

|   |          |   |  |        |   |
|---|----------|---|--|--------|---|
| 1 |          | 1 |  |        | SPEEDOMETER (Ref.)                          |
| 2 | 5205 254 | 2 |  |        | O RING, Speedometer Cable to Servo          |
| 3 | 3593 446 | 1 |  |        | GROMMET, Speedometer Cable                  |
| 4 |          |   |  |        | CABLE, Speed Control Speedo to Servo        |
|   | 4162 666 | 1 |  | B1,2,3 | 36 " Long                                   |
|   | 4216 626 | 1 |  | D      | 29.5 " Long, Up to 12-17-84                 |
|   | 4363 025 | 1 |  | D      | 29.5 " Long, After 12-17-84                 |
| 5 |          | 1 |  |        | SERVO, Speed Control (Ref.)                 |
| 6 |          |   |  |        | CABLE, Speed Control Servo to Trans.        |
|   | 4162 760 | 1 |  | B1,2,3 | 89" Long w/Cat. Conv. & HDC, Up to 12-17-84 |
|   | 4363 050 | 1 |  | B1,2,3 | 89" Long w/Cat. Conv. & HDC, After 12-17-84 |
|   | 4114 409 | 1 |  | D-1234 | 50" Long                                    |
|   | 4114 410 | 1 |  | D-5678 | 67" Long                                    |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ACCELERATOR PEDAL MOUNTING B1,2,3  
Figure 14-2900

4314 2900



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                     |
|------|----------------|-----|------|-------|---------------------------------|
| 1    |                |     |      |       | LEVER, Accel. Shaft             |
|      | 4036 096       | 1   |      |       | 225 Eng.                        |
|      | 4036 096       | 1   |      |       | 318 Eng. 2 Bbl.                 |
|      | 4036 159       | 1   |      |       | 360 Eng. 4 Bbl.                 |
| 2    | 6025 004       | 1   |      |       | NUT                             |
| 3    | 0120 394       | 1   |      |       | WASHER                          |
| 4    | 4105 073       | 1   |      |       | PEDAL, Accelerator              |
| 5    | 2899 354       | 1   |      |       | SPRING, Accel. Pedal            |
| 6    | 9429 032       | 1   |      |       | PIN, Accel. Pedal Spring        |
| 7    | 2899 342       | 1   |      |       | PAD, Accel. Pedal               |
| 8    | 4036 160       | 1   |      |       | SHAFT, Accel. Pedal             |
| 9    | 0181 063       | 1   |      |       | SCREW                           |
| 10   | 4032 989       | 1   |      |       | BRACKET, Accel. Pedal Shaft     |
| 11   | 0118 614       | 1   |      |       | NUT                             |
| 12   | 0120 393       | 1   |      |       | WASHER                          |
| 13   | 6022 245       | 1   |      |       | BOLT                            |
| 14   | 4300 929       | 1   |      |       | SEAL, Accel Pedal Shaft Bracket |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

ACCELERATOR PEDAL AND HAND THROTTLE CONTROLS - D  
Figure 14-3000

4314 3000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    | 3730 524    | 1   |      |       | CONTROL, Throttle Locking              |
| 2    |             | 1   |      |       | DECAL, Throttle I.D. (not serviced)    |
| 3    | 4162 555    | 1   |      |       | BRACKET, Throttle Control Mtg. Locking |
| 4    | 6025 004    | 2   |      |       | NUT                                    |
| 5    | 2228 790    | 1   |      |       | CLIP, Throttle Control                 |
| 6    | 4116 369    | 1   |      |       | BRACKET, Throttle Control Ext.         |
| 7    | 2465 483    | 1   |      |       | PLUG, Accel. Lever                     |
| 8    | 4117 191    | 1   |      |       | LEVER & BRACKET                        |
| 9    | 4105 073    | 1   |      |       | PEDAL, Accelerator                     |
| 10   | 9429 032    | 1   |      |       | PIN, Accel. Pedal Spring               |
| 11   | 2899 342    | 1   |      |       | PAD, Accel. Pedal                      |
| 12   | 0181 059    | 1   |      |       | BOLT                                   |
| 13   | 3489 636    | 1   |      |       | BOLT, Throttle Control Shoulder        |
| 14   | 3489 696    | 1   |      |       | LEVER, Throttle Control                |
| 15   | 4015 760    | 1   |      |       | SEAL, Accel. Brkt.                     |
| 16   | 0219 462    | 2   |      |       | NUT                                    |
| 17   | 3462 725    | 1   |      |       | RETAINER, Throttle Control Cable       |
| 18   | 2899 354    | 1   |      |       | SPRING, Accel. Pedal                   |
| 19   | 2899 351    | 2   |      |       | BUSHING, Accel. Shaft                  |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

FUEL FILTER  
Figure 14-3020

4314 3020

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION         |
|------|----------------|-----|------|-------|---------------------|
| 1    |                |     |      |       | FILTER, Fuel        |
|      | 4049 224       | 1   |      |       | w/Vapor Separator   |
|      | 2084 476       | 1   |      |       | w/o Vapor Separator |




|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



FUEL PUMP  
Figure 14-3100

4314 3100A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION              |
|------|-------------|-----|------|-------|--------------------------|
| 1    |             |     |      |       | PUMP, Fuel               |
|      | 4293 806    | 1   |      | B     | w/225 Eng.               |
|      | 4293 807    | 1   |      | D     | w/225 Eng.               |
|      | 4293 805    | 1   |      |       | w/318 - 360 Eng.         |
| 2    | 3577 870    | 1   |      |       | GASKET, Fuel Pump Flange |
| 3    | 6031 927    | 2   |      |       | SCREW                    |



|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WHEELS (4X2)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

FUEL LINES B1,2,3  
Figure 14-3200

4314 3200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 1843 253    | AR  |      |       | TUBE, 5/16 O.D. (serv. in 25 ft. roll)<br>Fuel Filter to Carb.<br>Fuel Filter to Pump<br>Fuel Tank to Fuel Pump - Frt.<br>Fuel Tank to Fuel Pump - Rear   |
| 2    | 6031 808    | 1   |      |       | CLIP  |
| 3    | 4203 569    | AR  |      |       | HOSE, 5/16 I.D. (serv. in 50 ft. roll)<br>Fuel Filter to Carb. Tube<br>Fuel Tank to Fuel Pump - Frt.<br>Fuel Tank to Fuel Pump - Rear<br>Fuel Tank to Fuel Pump - Interm.<br>Fuel Tube<br>Fuel Pump to Fuel Filter Tube |
| 4    | 2448 761    | AR  |      |       | CLAMP   |
| 5    | 4179 759    | 1   |      |       | CLIP  |
| 6    | 6032 408    | 1   |      |       | CLIP  |
| 7    |             | AR  |      |       | CLIP (not serviced)   |
| 8    | 4203 553    | AR  |      |       | HOSE, 1/4 I.D. (serv. in 50 ft. roll)<br>Vapor Separator to Fuel Tank Tube<br>Return Tube<br>Vapor Separator to Fuel Tank - Interm.<br>Vapor Separator to Fuel Tank - Rear  |
| 9    | 3894 783    | 1   |      |       | CLIP  |
| 10   | 1843 251    | AR  |      |       | TUBE, 3/16 O.D. (serv. in 25 ft. roll)<br>Fuel Tank to Canister ECS   |
| 11   | 4167 759    | 1   |      |       | SHIELD, Vapor Sep. & Fuel to Fuel Tank Tube   |
| 12   | 1843 252    | AR  |      |       | TUBE, 1/4 O.D. (serv. in 25 ft. roll)<br>Vapor Separator to Fuel Tank - Frt.<br>Vapor Separator to Fuel Tank - Rear   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

FUEL LINES - D  
Figure 14-3300

4314 3300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 1843 253    | AR  |      |       | TUBE, 5/16 O.D. (serv. in 25 ft. roll)<br>Fuel Filter to Carb.<br>Pump to Fuel Filter<br>Fuel Tank to Fuel Pump<br>Fuel Tank to Fuel Pump - Frt.<br>Fuel Tank to Fuel Pump - Rear  |
| 2    | 6031 808    | 1   |      |       | CLIP   |
| 3    | 4203 569    | AR  |      |       | HOSE, 5/16 I.D. (serv. in 50 ft. roll)<br>Fuel Tank to Fuel Pump Tube - Frt.<br>Fuel Pump to Fuel Tank Tube - Rear<br>Fuel Tank to Fuel Pump - Interm.<br>Fuel Tank to Fuel Tube - Rear<br>Fuel Pump to Fuel Filter Tube |
| 4    | 2448 761    | AR  |      |       | Fuel Filter to Carb. Tube<br>CLAMP   |
| 5    | 4179 759    | 1   |      |       | CLIP   |
| 6    | 6032 408    | 1   |      |       | CLIP   |
| 7    | 1843 251    | AR  |      |       | TUBE, 3/16 O.D. (serv. in 25 ft. roll)<br>Fuel Tank to Canister ECS<br>Rollover Valve to Canister - Frt.<br>Rollover Valve to Canister - Rear  |
| 8    |             | AR  |      |       | CLIP (not serviced)  |
| 9    | 1843 252    | AR  |      |       | TUBE, 1/4 O.D. (serv. in 25 ft. roll)<br>Vapor Separator to Fuel Tank<br>Vapor Separator to Fuel Tank - Frt.<br>Vapor Separator to Fuel Tank - Rear<br>Fuel Tank to Rollover Valve                                       |
| 10   | 2448 761    | AR  |      |       | CLAMP  |
| 11   |             | AR  |      |       | CLAMP (not serviced)   |
| 12   | 4203 106    | AR  |      |       | HOSE, 3/16 I.D. (serv. in 50 ft. roll)<br>Rollover Valve to Canister - Interm.<br>Rollover Valve - Rear  |
| 13   | 4203 553    | AR  |      |       | HOSE, 1/4 I.D. (serv. in 50 ft. roll)<br>Vapor Separator to Fuel Tank Tube - Frt.<br>Vapor Separator to Fuel Tank - Rear<br>Vapor Separator to Fuel Tank - Interm.   |
| 14   | 3583 483    | AR  |      |       | CLIP   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK SENDING UNIT B MODEL  
Figure 14-3400

4314 3400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4115 209    | 1   |      |       | SEAL, Fuel Tank Sending Unit, w/ 35 Gal. Tank         |
| 2    | 4115 208    | 1   |      |       | CAP, Fuel Tank Sending Unit Retainer, w/ 35 Gal. Tank |
|      | 4075 216    | 1   |      |       | CAP, Sending Unit w/35 Gallon Tank                    |
| 3    | 4075 384    | 1   |      |       | UNIT, Fuel Tank Sending, w/ 35 Gal. Tank              |
| 4    | 4075 164    | 1   |      |       | UNIT, Fuel Tank Sending, w/ 22 Gal. Tank              |
| 5    | 1948 757    | 1   |      |       | SEAL, Fuel Tank Sending Unit, w/ 22 Gal. Tank         |
| 6    | 1730 095    | 1   |      |       | RETAINER, Fuel Tank Sending Unit, w/ 22 Gal. Tank     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK SENDING UNIT D - 1,2,3,5,6,7  
Figure 14-3500

4314 3500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             |     |      |       | UNIT, Fuel Tank Sending              |
|      | 4075 378    | 1   |      |       | w/ 20 Gal. Tank, 1984                |
|      | 4051 889    | 1   |      |       | w/ 20 Gal. Tank, 1985                |
|      | 4075 380    | 1   |      |       | w/ 30 Gal. Tank, 1984                |
|      | 4051 891    | 1   |      |       | w/ 30 Gal. Tank, 1985                |
| 2    | 4185 002    | 1   |      |       | SEAL, Fuel Tank Sending Unit         |
| 3    | 4185 001    | 1   |      |       | CAP, Fuel Tank Sending Unit Retainer |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D = TRUCK AND WAGONS (ALL)</del>                                    |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

**Figure 14-3600**

4314 3600



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
| 1    | 4075 382       | 1   |      |       | UNIT, Fuel Tank Sending  |
| 2    | 3730 757       | 1   |      |       | GASKET, Fuel Tank Sending Unit                                     |
| 3    |                | 6   |      |       | SCREW, Fuel Tank Sending Unit Retaining (10-32x1/2) (not serviced) |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)

D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

~~B - VANS AND WAGONS (1942)~~

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.


CREW CAB:

(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK 22 GALLON B1,2,3  
Figure 14-3700

4314 3700



UNLEADED GASOLINE ONLY

13

| ITEM | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION                                   |
|------|-------------|-----|--------|-------|---|
| 1    | 4279 481    | 1   |        |       | TANK, Fuel                                    |
| 2    | 3492 091    | 2   | B2,3   |       | STUD, Support Strap                           |
|      | 6031 760    | 2   | B1,2,3 |       | w/127" W.B. Extended Body                     |
|      |             |     |        |       | w/109" & 127" W.B. Nonextended Body           |
| 3    | 4039 222    | 1   |        |       | SLEEVE, Vent Hose                             |
| 4    | 4203 526    | AR  |        |       | HOSE, Filler Tube Vent (serv. in 50 ft. roll) |
| 5    | 2448 761    | 1   |        |       | CLAMP   |
| 6    | 4002 010    | 1   |        |       | GROMMET, Filler Tube                          |
| 7    |             | 1   |        |       | CLAMP, (not serviced)                         |
| 8    | 4037 236    | 2   |        |       | STRAP, Fuel Tank Support                      |
| 9    | 4117 812    | 1   |        |       | GROMMET, Fuel Tank Vent - Cross Sill          |
| 10   | 4203 106    | AR  |        |       | HOSE, (serv in 50 ft. roll)                   |
| 11   | 4002 252    | 1   |        |       | VALVE, Rollover                               |
| 12   | 4002 149    | 1   |        |       | GROMMET, Rollover Valve                       |
| 13   | 3792 550    | 1   |        |       | LABEL, Unleaded Gasoline Only                 |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

FUEL TANK 36 GALLON B1,2,3  
Figure 14-3800

4314 3800

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 4185 420    | 1   |      |       | TANK, Fuel                                    |
| 2    |             |     |      |       | STUD, Support Strap                           |
|      | 3492 091    | 2   |      |       | w/127" W.B. Extended Body                     |
|      | 6031 760    | 2   |      |       | w/109" & 127" W.B. Nonextended Body, 1984     |
|      | 3492 091    | 2   |      |       | w/109" & 127" W.B. Nonextended Body, 1985     |
| 3    | 4203 526    | AR  |      |       | HOSE, Filler Tube Vent (serv. in 50 ft. roll) |
| 4    | 4039 222    | 1   |      |       | SLEEVE, Vent Hose                             |
| 5    | 2448 761    | AR  |      |       | CLAMP, Vent Hose Sleeve                       |
| 6    | 4026 523    | 1   |      |       | STRAP, Lateral                                |
| 7    | 4026 522    | 2   |      |       | STRAP, Longitudinal                           |
| 8    | 4117 812    | 1   |      |       | GROMMET, Fuel Tank Vent - Cross Sill          |
| 9    | 3492 091    | 1   |      |       | STUD, Side Mtg.                               |
| 10   | 4075 215    | 1   |      |       | CLAMP   |
| 11   | 4115 070    | 1   |      |       | TUBE, Filler Vent                             |
| 12   | 4002 252    | 1   |      |       | VALVE, Rollover                               |
| 14   | 4002 149    | 1   |      |       | GROMMET, Rollover Valve                       |
| 14   | 3792 550    | 1   |      |       | LABEL, Unleaded Gasoline Only                 |
| 15   | 4266 158    | 1   |      |       | SHIELD, Fuel Tank Heat                        |
| 16   |             |     |      |       | SCREW (6/16-18x.75) (not serviced)            |


|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK LINE WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |





FUEL TANK FILLER TUBES B1,2,3  
Figure 14-3900

4314 3900A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4271 993    | 1   |      |       | CAP, Filler, 1984                                      |
| 2    | 4203 526    | AR  |      |       | HOSE, Filler Tube Vent (serv. in 50 ft. roll)          |
| 3    |             |     |      |       | TUBE, Filler - Lower 22 Gal. Tank                      |
|      | 4037 231    | 1   |      |       | (use up to 5/14/84)                                    |
|      | 4279 689    | 1   |      |       | (use after 5/14/84)                                    |
| 4    | 2448 763    | 2   |      |       | CLAMP  |
| 5    |             |     |      |       | HOSE, Filler Tube                                      |
|      | 3492 306    | 1   |      |       | 22 Gal. Tank   |
|      | 3898 630    | 1   |      |       | 36 Gal. Tank   |
| 6    | 4116 878    | 1   |      |       | SHIELD, Fuel Filler Tube 36 Gal. Tank Nonextended Body |
| 7    |             |     |      |       | TUBE, Filler - Upper                                   |
|      | 4279 685    | 1   |      |       | w/Cat. Conv.   |
|      | 4279 686    | 1   |      |       | w/o Cat. Conv.   |
| 8    | 4185 498    | 1   |      |       | HOUSING, Fuel Tank Filler Tube                         |
| 9    | 4279 839    | 1   |      |       | CAP, Filler, 1985                                      |
| 10   | 4279 144    | 1   |      |       | TETHER, Filler Cap, 1985                               |
| 11   |             | AR  |      |       | SCREW (10-16x1.25) (not serviced)                      |
| 12   |             | AR  |      |       | SCREW (10-16x1/2) (not serviced)                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (TRUCK) 4X4

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK MID-MOUNTED - D  
Figure 14-4000

4314 4000B



| ITEM | PART NUMBER | QTY | BODY       | MODEL | DESCRIPTION  |
|------|-------------|-----|------------|-------|--|
| 1    |             |     |            |       | TANK, Fuel - Plastic                                 |
|      | 4279 842    | 1   |            |       | 20 Gal.  |
|      | 4279 843    | 1   |            |       | 30 Gal.  |
| 2    | 0181 112    | AR  |            |       | BOLT   |
| 3    |             |     |            |       | STRAP, Fuel Tank - Front                             |
|      |             |     |            |       | 6" Rail  |
|      | 3735 271    | 1   | D1,2,5,6,7 |       | w/131" W.B. 20 Gal. Tank                             |
|      | 3733 835    | 1   | D1,2,5,6,7 |       | w/131" W.B. 30 Gal. Tank                             |
|      |             |     |            |       | 7" Rail  |
|      | 3898 366    | 1   | D-1,2,3,7  |       | w/135" W.B. 20 Gal. Tank                             |
|      | 3898 344    | 1   | D1,2,3     |       | w/115, 149, 159 & 165" W.B. 20 Gal. Tank             |
|      | 3898 344    | 1   | D3         |       | w/131" W.B. 20 Gal. Tank                             |
|      | 3898 344    | 1   | D-5,7      |       | w/115 & 149" W.B. 20 Gal. Tank                       |
|      | 3733 834    | 1   | D1,2,3,5,7 |       | w/149" W.B. 30 Gal. Tank                             |
|      | 3733 834    | 1   | D3         |       | w/131, 159 & 165" W.B. 30 Gal. Tank                  |
|      | 3735 271    | 1   | D-1235     |       | w/115" W.B. 30 Gal. Tank                             |
|      | 3735 271    | 1   | D-1235     |       | w/135 & 149" W.B. 30 Gal. Tank                       |
| 4    |             | 1   |            |       | BRACE (not serviced)                                 |
| 5    | 5217 578    | 1   |            |       | GROMMET, Fuel Tank to Filler Tube                    |
| 6    |             |     |            |       | STRAP, Fuel Tank - Rear                              |
|      | 4185 466    | 1   |            |       | 20 Gal. Tank   |
|      | 4185 526    | 1   |            |       | 30 Gal. Tank   |
| 7    |             |     |            |       | SUPPORT, Fuel Tank - Front                           |
|      | 3898 342    | 1   |            |       | 20 Gal. Tank   |
|      | 4185 195    | 1   |            |       | 30 Gal. Tank   |
| 8    | 0079 583    | AR  |            |       | END, Fuel Tank Strap                                 |
| 9    | 4185 516    | 1   | D-3,7      |       | BRACKET, Fuel Tank Impact Restraining - 30 Gal. Tank |
| 10   | 4002 252    | 1   |            |       | VALVE, Rollover                                      |
| 11   | 4002 149    | 1   |            |       | GROMMET, Rollover Valve                              |
| 12   | 3792 550    | 1   |            |       | LABEL, Unleaded Gasoline Only                        |
| 13   | 4185 446    | 1   |            |       | SHIELD, Fuel Tank to Frame Rail Edge                 |
| 14   | 4203 791    | 1   |            |       | SHIELD, Fuel Tank Heat                               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK FILLER TUBES MID-MOUNTED - D  
Figure 14-4100

4314 4100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 4185 529    | 1   |      |       | HOUSING, Fuel Tank Filler Tube                |
| 2    | 4185 304    | 1   |      |       | GASKET, Filler Tube Housing                   |
| 3    | 4271 993    | 1   |      |       | CAP, Filler, 1984                             |
| 4    | 4279 430    | 1   |      |       | TUBE, Filler - Upper<br>w/Cat. Conv.          |
|      | 4185 192    | 1   |      |       | w/o Cat. Conv.                                |
| 5    | 4279 529    | 1   |      |       | HOSE, Filler Tube                             |
| 6    | 4203 526    | AR  |      |       | HOSE, Filler Tube Vent (serv. in 50 ft. roll) |
| 7    | 4185 348    | 1   |      |       | TUBE, Filler - Lower                          |
| 8    | 4279 840    | 1   |      |       | CAP, Filler, 1984                             |
|      | 4279 840    | 1   |      |       | 1985  |
| 9    | 4279 431    | 1   |      |       | TUBE, Filler - Upper<br>w/Cat. Conv.          |
|      | 4185 214    | 1   |      |       | w/o Cat. Conv.                                |
| 10   | 4185 412    | 1   |      |       | HOSE, Vent Tube                               |
| 11   | 4185 324    | 1   |      |       | TUBE, Filler - Lower                          |
| 12   | 4279 839    | 1   |      |       | CAP, Filler, 1985                             |
| 13   | 4279 144    | 1   |      |       | TETHER, Filler Cap, 1985                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK 36 GALLON - D4,8  
Figure 14-4200

4314 4200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    | 4279 527    | 1   |      |       | TANK, Fuel                            |
| 2    | 3736 765    | 2   |      |       | STUD, Support Strap                   |
| 3    | 0152 344    | 2   |      |       | NUT, Support Strap Stud               |
| 4    | 3730 757    | 1   |      |       | GASKET, Filler Tube                   |
| 5    | 3822 384    | 2   |      |       | STRAP, Fuel Tank Support              |
| 6    | 0181 086    | 2   |      |       | BOLT, Support Strap                   |
|      | 0181 614    | 2   |      |       | NUT, Support Strap Bolt               |
| 7    | 0181 088    | 8   |      |       | SCREW, Skid Plate Mtg.                |
| 8    | 3821 647    | 1   |      |       | BRACKET, Skid Plate - Front           |
| 9    |             | AR  |      |       | U-NUT (not serviced)                  |
| 10   | 3821 646    | 1   |      |       | PLATE, Skid                           |
| 11   | 3898 353    | 1   |      |       | SHIELD, Heat                          |
| 12   | 4203 211    | AR  |      |       | HOSE (serv. in 50 ft. roll)           |
| 13   |             | 5   |      |       | CLAMP (not serviced)                  |
| 14   | 4002 012    | 1   |      |       | VALVE, Rollover                       |
| 15   | 0181 063    | 2   |      |       | BOLT                                  |
| 16   | 1843 252    | AR  |      |       | TUBE (serv. in 25 ft. roll)           |
| 17   | 6025 004    | 2   |      |       | NUT                                   |
| 18   | 4032 254    | 1   |      |       | RESTRICTOR, ECS & Atmospher Vent Hose |
| 19   | 4032 248    | 1   |      |       | ELBOW, ECS Vent Tube & Valve          |
| 20   | 3640 260    | 1   |      |       | GROMMET, Vent Elbow                   |
| 21   | 3792 550    | 1   |      |       | LABEL, Unleaded Gasoline Only         |
| 23   | 4002 149    | 1   |      |       | GROMMET, Rollover Valve               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (WAGON)  
D10 = SPORT UTILITY (4X4) (WAGON)  
D11 = SPORT UTILITY (4X4) (WAGON)  
D12 = SPORT UTILITY (4X4) (WAGON)  
D13 = SPORT UTILITY (4X4) (WAGON)  
D14 = SPORT UTILITY (4X4) (WAGON)  
D15 = SPORT UTILITY (4X4) (WAGON)  
D16 = SPORT UTILITY (4X4) (WAGON)  
D17 = SPORT UTILITY (4X4) (WAGON)  
D18 = SPORT UTILITY (4X4) (WAGON)  
D19 = SPORT UTILITY (4X4) (WAGON)  
D20 = SPORT UTILITY (4X4) (WAGON)  
D21 = SPORT UTILITY (4X4) (WAGON)  
D22 = SPORT UTILITY (4X4) (WAGON)  
D23 = SPORT UTILITY (4X4) (WAGON)  
D24 = SPORT UTILITY (4X4) (WAGON)  
D25 = SPORT UTILITY (4X4) (WAGON)  
D26 = SPORT UTILITY (4X4) (WAGON)  
D27 = SPORT UTILITY (4X4) (WAGON)  
D28 = SPORT UTILITY (4X4) (WAGON)  
D29 = SPORT UTILITY (4X4) (WAGON)  
D30 = SPORT UTILITY (4X4) (WAGON)  
D31 = SPORT UTILITY (4X4) (WAGON)  
D32 = SPORT UTILITY (4X4) (WAGON)  
D33 = SPORT UTILITY (4X4) (WAGON)  
D34 = SPORT UTILITY (4X4) (WAGON)  
D35 = SPORT UTILITY (4X4) (WAGON)  
D36 = SPORT UTILITY (4X4) (WAGON)  
D37 = SPORT UTILITY (4X4) (WAGON)  
D38 = SPORT UTILITY (4X4) (WAGON)  
D39 = SPORT UTILITY (4X4) (WAGON)  
D40 = SPORT UTILITY (4X4) (WAGON)  
D41 = SPORT UTILITY (4X4) (WAGON)  
D42 = SPORT UTILITY (4X4) (WAGON)  
D43 = SPORT UTILITY (4X4) (WAGON)  
D44 = SPORT UTILITY (4X4) (WAGON)  
D45 = SPORT UTILITY (4X4) (WAGON)  
D46 = SPORT UTILITY (4X4) (WAGON)  
D47 = SPORT UTILITY (4X4) (WAGON)  
D48 = SPORT UTILITY (4X4) (WAGON)  
D49 = SPORT UTILITY (4X4) (WAGON)  
D50 = SPORT UTILITY (4X4) (WAGON)  
D51 = SPORT UTILITY (4X4) (WAGON)  
D52 = SPORT UTILITY (4X4) (WAGON)  
D53 = SPORT UTILITY (4X4) (WAGON)  
D54 = SPORT UTILITY (4X4) (WAGON)  
D55 = SPORT UTILITY (4X4) (WAGON)  
D56 = SPORT UTILITY (4X4) (WAGON)  
D57 = SPORT UTILITY (4X4) (WAGON)  
D58 = SPORT UTILITY (4X4) (WAGON)  
D59 = SPORT UTILITY (4X4) (WAGON)  
D60 = SPORT UTILITY (4X4) (WAGON)  
D61 = SPORT UTILITY (4X4) (WAGON)  
D62 = SPORT UTILITY (4X4) (WAGON)  
D63 = SPORT UTILITY (4X4) (WAGON)  
D64 = SPORT UTILITY (4X4) (WAGON)  
D65 = SPORT UTILITY (4X4) (WAGON)  
D66 = SPORT UTILITY (4X4) (WAGON)  
D67 = SPORT UTILITY (4X4) (WAGON)  
D68 = SPORT UTILITY (4X4) (WAGON)  
D69 = SPORT UTILITY (4X4) (WAGON)  
D70 = SPORT UTILITY (4X4) (WAGON)  
D71 = SPORT UTILITY (4X4) (WAGON)  
D72 = SPORT UTILITY (4X4) (WAGON)  
D73 = SPORT UTILITY (4X4) (WAGON)  
D74 = SPORT UTILITY (4X4) (WAGON)  
D75 = SPORT UTILITY (4X4) (WAGON)  
D76 = SPORT UTILITY (4X4) (WAGON)  
D77 = SPORT UTILITY (4X4) (WAGON)  
D78 = SPORT UTILITY (4X4) (WAGON)  
D79 = SPORT UTILITY (4X4) (WAGON)  
D80 = SPORT UTILITY (4X4) (WAGON)  
D81 = SPORT UTILITY (4X4) (WAGON)  
D82 = SPORT UTILITY (4X4) (WAGON)  
D83 = SPORT UTILITY (4X4) (WAGON)  
D84 = SPORT UTILITY (4X4) (WAGON)  
D85 = SPORT UTILITY (4X4) (WAGON)  
D86 = SPORT UTILITY (4X4) (WAGON)  
D87 = SPORT UTILITY (4X4) (WAGON)  
D88 = SPORT UTILITY (4X4) (WAGON)  
D89 = SPORT UTILITY (4X4) (WAGON)  
D90 = SPORT UTILITY (4X4) (WAGON)  
D91 = SPORT UTILITY (4X4) (WAGON)  
D92 = SPORT UTILITY (4X4) (WAGON)  
D93 = SPORT UTILITY (4X4) (WAGON)  
D94 = SPORT UTILITY (4X4) (WAGON)  
D95 = SPORT UTILITY (4X4) (WAGON)  
D96 = SPORT UTILITY (4X4) (WAGON)  
D97 = SPORT UTILITY (4X4) (WAGON)  
D98 = SPORT UTILITY (4X4) (WAGON)  
D99 = SPORT UTILITY (4X4) (WAGON)  
D100 = SPORT UTILITY (4X4) (WAGON)

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FUEL TANK FILLER TUBES - D4,8  
Figure 14-4300

4314 4300A

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | 4185 529    | 1   |      |       | HOUSING, Fuel Tank Filler Tube               |
| 2    |             | 1   |      |       | SCREW (10-16x1/2) (not serviced)             |
| 3    |             |     |      |       | CAP, Filler                                  |
|      | 4186 237    | 1   |      |       | 1984   |
| 4    | 4185 304    | 1   |      |       | GASKET, Filler Tube Housing                  |
| 5    |             |     |      |       | TUBE, Filler                                 |
|      | 4279 430    | 1   |      |       | w/Cat. Conv.                                 |
|      | 4185 192    | 1   |      |       | w/o Cat. Conv.                               |
| 6    | 4203 526    | AR  |      |       | HOSE, Filler Tube Vent (Serv. In 50 Ft Roll) |
| 7    | 4185 291    | 1   |      |       | HOSE, Filler Tube                            |
| 8    | 4185 292    | 1   |      |       | TUBE, Vent                                   |
| 9    | 4279 839    | 1   |      |       | CAP, Filler, 1985                            |
| 10   | 4279 144    | 1   |      |       | TEATHER, Filler Cap                          |
| 11   |             | AR  |      |       | SCREW (10-16x1.25) (not serviced)            |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | CREW CAB:        |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (82) = 149" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. | (83) = 165" W.B. |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

GROUP 16 - PROP. SHAFT AND UNIVERSAL JOINT


ILLUSTRATION TITLE GROUP-FIG. NO.

|  |             |
|--|-------------|
| PROPELLER SHAFT  |             |
| JOINT, UNIVERSAL IDENTIFICATION . . . . .  | Fig. 16-150 |
| SHAFT, PROPELLER, SINGLE AND UNIVERSAL JOINT B1,2,3 . . . . .                              | Fig. 16-200 |
| SHAFT, PROPELLER, SINGLE AND UNIVERSAL JOINT D4 . . . . .                                  | Fig. 16-300 |
| SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT (SAGINAW 7260 FRT. PROP. SHAFT) D8 . . . . . | Fig. 16-400 |
| SHAFT, PROPELLER, SINGLE AND UNIVERSAL JOINT D1,2,3 . . . . .                              | Fig. 16-500 |
| SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D1,2,3 . . . . .                             | Fig. 16-600 |
| SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D5,6,7 (W/115, 131, 135 W.B.) . . . . .      | Fig. 16-700 |
| SHAFT, PROPELLER, 3 PIECE AND UNIVERSAL JOINT D5,7 (w/149"W.B.) . . . . .                  | Fig. 16-800 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

JOINT, UNIVERSAL IDENTIFICATION  
Figure 16-150

4316 150



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | 3893 478    | AR  |      |       | RETAINER Y3893478 N858006 N N                |
| 1    | 0858 006    | AR  |      |       | RETAINER N3893478 Y858006 N N                |
|      | 3893 479    | AR  |      |       | w/Pull Tab Y3893479 N N N                    |
| 2    |             | AR  |      |       | CROSS PACKAGE, Universal Joint (1-5) N N N N |
|      |             | AR  |      |       | w/o Grease Fitting N3780272 N3780250 N N     |
|      |             | AR  |      |       | w/Grease Fitting N4213200 N3004900 N N       |
|      |             | AR  |      |       | Constant Velocity (3.375) N N4030848 N N     |
| 3    |             | AR  |      |       | SEAL, Dust N N N N                           |
| 4    |             | AR  |      |       | RETAINER, Dust Seal N N N N                  |
| 5    |             | AR  |      |       | FITTING, Grease N N N N                      |
|      |             | AR  |      |       | 1/8-Pipe N9411022 N9411022 N N               |
|      |             | AR  |      |       | 1/4-28 N9411244 N9411244 N N                 |
|      |             | AR  |      |       | 10-32 Flush Head N2232011 N2232011 N N       |
|      |             | AR  |      |       | CLAMP N1939414 N1828824 N N                  |
|      |             | AR  |      |       | SCREW, Clamp N1939415 N6029562 N N           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, SINGLE AND UNIVERSAL JOINT B1,2,3  
Figure 16-200

4316 200



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION  |
|------|-------------|-----|------|--------|--|
| 1    |             |     |      |        | YOKE, w/Slinger, Rear Axle                               |
|      | 3723 251    | 1   |      | B1,2   | 8-3/8 Rear Axle (7260), 27 Spline, 2 1/8" Span           |
|      | 3432 485    | 1   |      | B1,2,3 | 9-1/4 Rear Axle (7260), 29 Spline, 2 1/8" Span           |
|      | 4117 781    | 1   |      | B3     | Spicer 60 Rear Axle (7260), 29 Spline, 2 1/8" Span       |
|      | 2952 469    | 1   |      |        | SLINGER, w/Spicer Rear Axle                              |
| 2    |             |     |      |        | CROSS PACKAGE, Universal Joint                           |
|      | 3004 900    | AR  |      |        | (7260), w/Grease Fitting                                 |
|      | 3780 250    | AR  |      |        | (7260), w/o Grease Fitting                               |
|      | 2232 011    | AR  |      |        | FITTING, Grease U/Joint Cross, 10-32 Flush Head          |
| 3    |             |     |      |        | TUBE, Propeller Shaft                                    |
|      | 3516 657    | 1   |      | B1,2   | w/109 W.B., w/8-3/8 Rear Axle, w/A727,A833 Trans.        |
|      |             |     |      |        | w/109 W.B., w/A904, A999 TRans.                          |
|      | 3516 665    | 1   |      |        | Up To 2/11/85  |
|      | 4137 468    | 1   |      |        | After 2/11/85  |
|      | 3516 661    | 1   |      | B1,2   | w/127 W.B., w/8-3/8 Rear Axle, w/A727,A833 Trans.        |
|      |             |     |      |        | w/127 W.B., w/8-3/8, 9-1/4 Rear Axle, w/A904,A999 Trans. |
|      | 3516 669    | 1   |      | B1,2   | Up To 2/18/85  |
|      | 4137 469    | 1   |      | B1,2   | After 2/18/85  |
|      | 4269 022    | 1   |      | B3     | w/127 W.B., w/9-1/4 Rear Axle, w/A999 Trans.             |
| 4    |             |     |      |        | YOKE, Sliding  |
|      | 3578 223    | 1   |      |        | w/A727, A833 Trans., 29 Spl.                             |
|      | 2852 323    | 1   |      | B1,2   | w/A904,A999 Trans., w/109" W.B., 25 Spl.                 |
|      | 3578 220    | 1   |      | B1,2,3 | w/A904,A999 Trans., w/127" W.B., 25 Spl.                 |
| 7    | 6029 562    | 4   |      |        | SCREW, Clamp Attaching                                   |
| 8    | 1828 824    | 2   |      |        | CLAMP, U/Joint Cross Yoke                                |
| 9    |             |     |      |        | NUT, Rear Axle Yoke                                      |
|      | 6028 041    | 1   |      |        | w/8-3/8, 9-1/4 Rear Axle                                 |
|      | 1795 173    | 1   |      | B3     | w/Spicer Rear Axle                                       |
| 10   |             |     |      |        | WASHER, Rear Axle Yoke                                   |
|      | 2070 117    | 1   |      |        | w/8-3/8, 9-1/4 Rear Axle                                 |
|      | 1795 175    | 1   |      | B3     | w/Spicer Rear Axle                                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SHAFT, PROPELLER, SINGLE AND UNIVERSAL JOINT D4  
Figure 16-300


4316 300

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 3723 251    | 1   |      |       | YOKE, w/Slinger, Rear Axle, (7260), 27 Spline, 2 1/8" Span, 8 3/8 Axle |
|      | 3432 485    | 1   |      |       | (7260), Flange, 29 Spline, 2 1/8" Span, 9-1/4 Axle                     |
| 2    | 3004 900    | 2   |      |       | CROSS PACKAGE, Universal Joint   |
|      | 3780 250    | 2   |      |       | 7260 w/Grease Fitting  |
| 3    | 3516 657    | 1   |      |       | TUBE, Propeller Shaft w/8-3/8, 9-1/4 Rear Axle, w/A727 Trans. (7260)   |
|      | 3516 665    | 1   |      |       | w/A999 Trans. (7260)   |
| 4    | 3578 223    | 1   |      |       | YOKE, Sliding, w/A727 Trans., 29 Spline (7260)                         |
|      | 3578 220    | 1   |      |       | w/A999 Trans., 25 Spline (7260)  |
| 7    | 6029 562    | 4   |      |       | SCREW, Clamp Attaching   |
| 8    | 1828 824    | 2   |      |       | CLAMP, U/Joint Cross Yoke (7260)                                       |
| 9    | 6028 041    | 1   |      |       | NUT, Rear Axle Yoke  |
| 10   | 2070 117    | 1   |      |       | WASHER, Rear Axle Yoke   |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK LINE WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT (SAGINAW 7260 FRT. PROP. SHAFT) D8  
Figure 16-400

4316 400 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 2952 894    | 1   |      |       | YOKE, w/Slinger, w/3500 Lb. Front Axle, 26 Spline                |
| 2    | 1791 576    | 1   |      |       | WASHER, Front Axle Yoke  |
| 3    | 1791 575    | 1   |      |       | NUT, Front Axle Yoke   |
| 4    | 3004 900    | 1   |      |       | BUSHING, w/Roller (Serv. in Cross Pkg.)<br>w/Grease Fitting Hole |
| 5    | 3780 250    | 1   |      |       | w/o Grease Fitting Hole  |
| 5    |             | 4   |      |       | SEAL, Cross Bushing Dust   |
| 6    | 1828 824    | 2   |      |       | CLAMP, U/Joint Cross Yoke  |
| 7    | 2237 264    | 1   |      |       | YOKE, Sliding 16 Spline  |
| 8    | 4117 049    | 1   |      |       | SEAL, Yoke Oil   |
| 9    | 4117 049    | 1   |      |       | CAP, Yoke Oil Seal   |
| 10   | 9411 022    | 1   |      |       | FITTING, Grease 1/8" Pipe  |
| 11   | 6029 562    | 4   |      |       | SCREW, Clamp Attaching   |
| 12   | 4137 098    | 1   |      |       | TUBE, Propeller Shaft, w/3500 Lb. Frt. Axle, w/208 T/Case        |
| 13   | 4049 697    | 1   |      |       | KIT, Center Ball   |
| 14   | 4030 848    | 2   |      |       | CROSS PACKAGE  |
| 15   | 4030 850    | 4   |      |       | BUSHING PACKAGE  |
| 16   | 4031 001    | 1   |      |       | FLANGE   |
| 17   | 6031 585    | 4   |      |       | SCREW and WASHER (7/16-14 x 1-1/4")                              |
| 18   |             | 4   |      |       | LOCKWASHER   |
| 19   | 4167 924    | 1   |      |       | NUT, T/Case Frt. Flange, w/208 T/Case                            |
| 20   |             |     |      |       | WASHER, T/Case Frt. Yoke or Flange                               |
|      | 2070 117    | 1   |      |       | Steel  |
|      | 4210 973    | 1   |      |       | Rubber   |
| 21   | 4167 912    | 1   |      |       | FLANGE, Transfer Case Front Output Shaft, w/208 T/Case           |
|      | 4210 611    | 1   |      |       | SLINGER, Front Output Shaft Flange, w/208 T/Case                 |
| 22   | 3516 495    | 1   |      |       | YOKE, Transfer Case Rear Output Shaft, w/208 T/Case              |
| 23   |             |     |      |       | WASHER, T/Case Rear Output Shaft                                 |
|      | 0578 994    | 1   |      |       | Steel  |
|      | 4210 973    | 1   |      |       | Rubber   |
| 24   | 4167 924    | 1   |      |       | NUT, T/Case RR. Yoke, w/208 T/Case                               |
| 25   |             |     |      |       | CROSS PACKAGE , Universal Joint (7260)                           |
|      | 3004 900    | 2   |      |       | w/Grease Fitting   |
|      | 3780 250    | 2   |      |       | w/o Grease Fitting   |
| 26   | 9411 244    | AR  |      |       | FITTING, Grease 1/4-28   |
| 27   | 2237 264    | 1   |      |       | YOKE, Sliding, 16 Spline   |
| 28   | 4117 049    | 1   |      |       | SEAL, Yoke Oil   |
| 29   | 4117 049    | 1   |      |       | CAP, Oil Seal  |
| 30   | 4137 490    | 1   |      |       | TUBE, Propeller Shaft, w/9-1/4 Rear Axle                         |
| 31   |             |     |      |       | CROSS PACKAGE, Universal Joint (7260)                            |
|      | 3004 900    | 1   |      |       | w/Grease Fitting   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT (SAGINAW 7260 FRT. PROP. SHAFT) D8  
Figure 16-400

4316 400 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
|      | 3780 250    | 1   |      |       | w/o Grease Fitting                                |
| 32   | 6028 041    | 1   |      |       | NUT, Rear Axle Yoke                               |
| 33   | 2070 117    | 1   |      |       | WASHER, Rear Axle Yoke                            |
| 34   | 3432 485    | 1   |      |       | YOKE, w/Slinger 9-1/4 Rear Axle, 29 Spline (7260) |
| 35   | 1828 824    | 2   |      |       | CLAMP, U/Joint Cross Yoke (7260)                  |
| 36   | 6029 562    | 8   |      |       | SCREW, Clamp Attaching                            |
| 37   | 1828 824    | 2   |      |       | CLAMP, Cross Yoke (7260)                          |
| 38   | 4137 901    | 1   |      |       | BOOT PKG., U/Joint Slip Yoke                      |
| 39   | 5212 720    | 2   |      |       | CLAMP, U/Joint Slip Yoke Boot                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D1,2,3  
Figure 16-600

4316 600



| ITEM | PART NUMBER                    | QTY | BODY | MODEL | DESCRIPTION  |
|------|--------------------------------|-----|------|-------|--|
| 1    | TUBE, Propeller Shaft, Rear    |     |      |       |  |
|      | 4137 483                       | 1   |      | D1    | 131" W.B., w/435 Trans., 9-1/4 Rear Axle, All Engines (7260)   |
|      | 4086 386                       | 1   |      | D1    | 149" W.B., w/All Trans., 8-3/8 Rear Axle, All Engines (7260)   |
|      | 4137 306                       | 1   |      | D2    | 131" W.B., w/435 Trans., Spicer 60-5500 lb. Rear Axle, All Engines (7260)                                |
|      | 4137 312                       | 1   |      | D2    | 149" W.B., w/All Trans., Spicer 60-5500 lb. Rear Axle, All Engines (7260)                                |
|      | 4137 306                       | 1   |      | D3    | 131" W.B., w/435 Trans. (7260)   |
|      | 4137 309                       | 1   |      | D3    | 135" W.B., w/All Trans., All Rear Axle, All Engines  |
|      | 4137 312                       | 1   |      | D3    | 149" W.B., w/All Trans., All Rear Axle, All Engines (7260)   |
|      | 4039 342                       | 1   |      | D3    | 159" W.B., w/All Trans., All Rear Axle, All Engines (7260)   |
|      | 4112 220                       | 1   |      | D3    | 165" W.B., w/All Trans., All Rear Axle, All Engines (7260)   |
| 2    | 4137 303                       | 1   |      | D1,2  | TUBE, Propeller Shaft, w/Center Bearing, Front w/All Trans., All Rear Axle, All W.B., All Engines (7260) |
|      | 4137 303                       | 1   |      | D3    |  |
| 3    | CROSS PACKAGE, Universal Joint |     |      |       |  |
|      | 3004 900                       | AR  |      |       | w/Grease Fitting (7260)  |
|      | 3780 250                       | AR  |      |       | w/o Grease Fitting (7260)  |
| 4    | 9411 244                       | AR  |      |       | FITTING, Grease 1/4-28   |
|      | 2508 238                       | 1   |      |       | YOKE, Trans. Output Shaft, 23 Spl. (7260)  |
| 5    | 2298 967                       | 1   |      |       | NUT and WASHER, Trans. Output Shaft  |
| 6    | 1828 824                       | AR  |      |       | CLAMP, U/Joint Cross Yoke (7260)   |
| 7    | 6029 562                       | AR  |      |       | SCREW, Clamp Attaching   |
| 8    |                                | 6   |      |       | BOLT, 7/16-20 x 1 (Not Serviced)   |
| 9    |                                | 2   |      |       | WASHER, 7/16 Plain (Not Serviced)  |
| 10   |                                | 2   |      | D1,2  | RETAINER, w/131 W.B.   |
| 11   | 6029 333                       | 6   |      |       | NUT, 7/16-20   |
| 12   | 4205 866                       | 1   |      |       | CENTER BEARING PACKAGE, w/Support and Insulator  |
|      | 3632 991                       | 1   |      |       | BEARING, w/Grease Retainer, Center P/Shaft   |
| 13   | 3632 995                       | 1   |      |       | RETAINER, Center Bearing Insulator   |
| 14   | 3632 997                       | 1   |      |       | RETAINER, Center Bearing   |
| 15   | 3632 996                       | 2   |      |       | SLINGER, Center Bearing  |
| 16   |                                |     |      |       | CAP, Oil Seal (7260) (Serviced in Item #17)  |
| 17   | 4117 049                       | 1   |      |       | SEAL, Yoke Oil (7260)  |
| 18   | 2237 264                       | 1   |      |       | YOKE, Sliding (7260)   |
| 19   | 6028 041                       | 1   |      |       | NUT, 8-3/8, 9-1/4 Rear Axle Yoke   |
|      | 1795 173                       | 1   |      |       | w/Spicer Rear Axle   |
| 20   | 2070 117                       | 1   |      |       | WASHER, 8-3/8, 9-1/4 Rear Axle Yoke Nut  |
|      | 1795 175                       | 1   |      |       | w/Spicer Rear Axle   |
| 21   |                                |     |      |       | YOKE, w/Slinger, Rear Axle   |
|      | 3723 251                       | 1   |      | D1    | 27 Spline, 2 1/8" Span, 8-3/8 Axle (7260)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D1,2,3  
Figure 16-600

4316 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      | 3432 485    | 1   |      | D1,2  | 29 Spline, 2 1/8" Span, 9-1/4 Axle (7260)     |
|      | 4117 781    | 1   |      | D2,3  | 29 Spline, 2 1/8" Span, w/Spicer Axles (7260) |
|      | 2952 469    | 1   |      |       | SLINGER, w/Spicer Rear Axle (7260)            |
| 22   | 9411 022    | AR  |      |       | FITTING, Grease 1/8-Pipe                      |
| 23   |             |     |      |       | BRACKET, Center Bearing Mounting              |
|      | 3893 756    | 1   |      |       | All Trans. (All Except as Shown Below)        |
|      | 4115 603    | 1   |      | D3    | w/149 W.B., Crew Cab                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D5,6,7 (W/115, 131, 135 W.B.)  
Figure 16-700

4316 700 A



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
| 1    |             |     |      |        | YOKE & SLINGER, Front Axle                              |
|      | 2952 894    | 1   |      | D5,6,7 | w/3500 Lb. Front Axle, 26 Spline, 2 1/8" Span           |
|      | 4117 781    | 1   |      | D7     | w/4500 Lb. Front Axle, 29 Spline, 2 1/8" Span           |
|      | 1791 574    | 1   |      | D5,6,7 | SLINGER, Yoke, w/3500 Lb. Front Axle                    |
|      | 1795 193    | 1   |      | D7     | w/4500 Lb. Front Axle                                   |
| 2    |             |     |      |        | WASHER, Front Axle Yoke                                 |
|      | 1791 576    | 1   |      | D5,6,7 | w/3500 Lb. Front Axle                                   |
|      | 1795 175    | 1   |      | D7     | w/4500 Lb. Front Axle                                   |
| 3    |             |     |      |        | NUT, Front Axle Yoke                                    |
|      | 1791 575    | 1   |      | D5,6,7 | w/3500 Lb. Front Axle                                   |
|      | 1795 173    | 1   |      | D7     | w/4500 Lb. Front Axle                                   |
| 4    |             |     |      |        | BUSHING, w/Roller (Serv. in Cross Pkg.)                 |
|      | 3004 900    | 1   |      |        | w/Grease Fitting Hole (7260)                            |
|      | 3780 250    | 1   |      |        | w/o Grease Fitting Hole (7260)                          |
| 5    |             | 4   |      |        | SEAL, Dust  |
| 6    | 1828 824    | 2   |      |        | CLAMP, U/Joint Cross Yoke (7260)                        |
| 7    | 2237 264    | 1   |      |        | YOKE, Frt. Prop. Shaft, Sliding                         |
| 8    | 4117 049    | 1   |      |        | SEAL, Yoke Oil (7260)                                   |
|      | 4117 050    | 1   |      |        | (5380)  |
| 9    | 4117 049    | 1   |      |        | CAP, Oil Seal (7260)                                    |
| 10   | 9411 022    | AR  |      |        | FITTING, Grease 1/8-Pipe                                |
| 11   | 6029 562    | 4   |      |        | SCREW, Clamp Attaching (7260)                           |
| 12   |             |     |      |        | TUBE, Propeller Shaft Front Axle (7260)                 |
|      | 4137 098    | 1   |      | D5,6,7 | w/3500 Lb. Front Axle, w/208 T/Case, (7260)             |
|      | 4137 099    | 1   |      | D7     | w/4500 Lb. Front Axle, w/205 T/Case (7260)              |
| 13   | 4049 697    | 1   |      | D7     | KIT, Center Ball, w/135" W.B.                           |
| 14   | 4030 848    | 2   |      | D7     | CROSS PACKAGE, Universal Joint, w/135" W.B.             |
| 15   | 4030 850    | 4   |      | D7     | BUSHING PACKAGE, w/135" W.B.                            |
| 16   | 4031 001    | 1   |      |        | SUPPORT YOKE, w/Bushing                                 |
| 17   | 6031 585    | 4   |      |        | SCREW and WASHER (7/16-14 x 1-1/4")                     |
| 18   | 6031 585    | 4   |      |        | SCREW and WASHER (7/16-14x1-1/4) ***                    |
| 19   | 4167 924    | 1   |      |        | NUT, T/Case Frt. Flange, w/205,208 T/Case               |
| 20   |             |     |      |        | WASHER, T/Case Frt. Yoke or Flange                      |
|      | 2070 117    | 1   |      |        | Steel   |
|      | 4210 973    | 1   |      |        | Rubber  |
| 21   | 4167 912    | 1   |      |        | FLANGE, T/Case Frt. Output Shaft, w/205,208 T/Case      |
|      | 4210 611    | 1   |      | D5,6,7 | SLINGER, T/Case Front Output Shaft Flange, w/208 T/Case |
|      | 4210 611    | 1   |      | D7     | GUARD, T/Case Front Output Shaft Flange, w/205 T/Case   |
| 22   |             | 1   |      |        | YOKE, Transfer Case Rear Output Shaft                   |
|      | 3516 495    | 1   |      | D5,6,7 | w/208 T/Case, (7260)                                    |
|      | 2909 669    | 1   |      | D7     | w/205 T/Case, (7260)                                    |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, 2 PIECE AND UNIVERSAL JOINT D5,6,7 (W/115, 131, 135 W.B.)  
Figure 16-700

4316 700 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 2909 670    | 1   |      | D7    | w/205 T/Case, w/135" W.B. (5380)                   |
| 23   | 0578 994    | 1   |      |       | WASHER, Rear Output Shaft Yoke                     |
|      | 4210 973    | 1   |      |       | Steel  |
|      | 4210 973    | 1   |      |       | Rubber   |
| 24   | 2954 140    | 1   |      |       | NUT, T/Case Rr. Yoke, w/205 T/Case                 |
|      | 4167 924    | 1   |      |       | w/208 T/Case                                       |
| 25   |             |     |      |       | CROSS PACKAGE, Universal Joint                     |
|      | 3004 900    | 2   |      |       | w/Grease Fitting (7260)                            |
|      | 3780 250    | 2   |      |       | w/o Grease Fitting (7260)                          |
| 26   | 9411 022    | AR  |      |       | FITTING, Grease 1/8-Pipe                           |
| 27   | 2237 264    | 1   |      |       | YOKE, Sliding, 16 Spline (7260)                    |
|      | 2832 393    | 1   |      | D7    | 16 Spline, w/135" W.B. (5380)                      |
| 28   | 4117 049    | 1   |      |       | SEAL, Yoke Oil (7260)                              |
|      | 4117 050    | 1   |      |       | (5380)   |
| 29   | 4117 049    | 1   |      |       | CAP, Oil Seal                                      |
| 30   |             |     |      |       | TUBE, Propeller Shaft, Rear                        |
|      | 4137 480    | 1   |      | D5    | w/115 W.B., w/9-1/4 Rear Axle, w/208 T/Case (7260) |
|      | 4112 947    | 1   |      | D5,6  | w/131 W.B., w/9-1/4 Rear Axle, w/208 T/Case (7260) |
|      | 4030 452    | 1   |      | D6,7  | w/131 W.B., w/Spicer 60, (7260)                    |
|      | 3735 973    | 1   |      | D7    | w/135" W.B. (5380)                                 |
| 31   |             |     |      |       | CROSS PACKAGE, Universal Joint                     |
|      | 3004 900    | AR  |      |       | w/Grease Fitting (7260)                            |
|      | 3780 250    | AR  |      |       | w/o Grease Fitting (7260)                          |
|      | 4213 200    | AR  |      | D7    | w/Grease Fitting (5380)                            |
|      | 9411 244    | AR  |      |       | FITTING, Grease, 1/4-28                            |
| 32   | 6028 041    | 1   |      | D5    | NUT, 8-3/8, 9-1/4 Rear Axle Yoke                   |
|      | 1795 173    | 1   |      | D6,7  | w/Spicer Rear Axle                                 |
| 33   | 2070 117    | 1   |      | D5    | WASHER, 8-3/8, 9-1/4 Rear Axle Yoke Nut            |
|      | 1795 175    | 1   |      | D6,7  | w/Spicer Rear Axle                                 |
| 34   |             |     |      |       | YOKE, w/Slinger, Rear Axle                         |
|      | 3432 485    | 1   |      | D5,6  | 29 Spline, 2 1/8" Span, 9-1/4 Axle (7260)          |
|      | 4117 781    | 1   |      | D6,7  | 29 Spline, 2 1/8" Span, Spicer 60 (7260)           |
|      | 4164 132    | 1   |      | D7    | Spicer 70 (5380)                                   |
|      | 2952 469    | 1   |      |       | SLINGER, w/Spicer Rear Axle (7260, 5380)           |
| 35   |             |     |      |       | CLAMP, U/Joint Cross Yoke                          |
|      | 1828 824    | 2   |      |       | (7260)   |
|      | 1939 414    | 2   |      | D7    | (5380)   |
| 36   | 6029 562    | 8   |      |       | SCREW, Clamp Attaching (7260)                      |
|      | 1939 415    | AR  |      | D7    | (5380)   |
| 37   | 4137 901    | 1   |      | D5    | BOOT PKG., U/Joint Slip Yoke, w/115" W.B.          |
| 38   | 5212 720    | 2   |      | D5    | CLAMP, U/Joint Slip Yoke Boot, w/115" W.B.         |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.


(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SHAFT, PROPELLER, 3 PIECE AND UNIVERSAL JOINT D5,7 (w/149"W.B.)  
Figure 16-800

4316 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 2952 894    | 1   |      | D5,7  | YOKE & SLINGER, Front Axle                              |
|      | 4117 781    | 1   |      | D7    | w/3500 Lb. Front Axle, 26 Spline, 2 1/8" Span           |
|      | 1791 574    | 1   |      | D5,7  | w/4500 Lb. Front Axle. 29 Spline, 2 1/8" Span           |
|      | 1795 193    | 1   |      | D7    | SLINGER, Yoke, w/3500 Lb. Front Axle                    |
| 2    | 1791 576    | 1   |      | D5,7  | w/4500 Lb. Front Axle                                   |
|      | 1795 175    | 1   |      | D7    | WASHER, Front Axle Yoke                                 |
| 3    | 1791 575    | 1   |      | D5,7  | NUT, Front Axle Yoke                                    |
|      | 1795 173    | 1   |      | D7    | w/3500 Lb. Front Axle                                   |
| 4    | 3004 900    | 1   |      |       | w/4500 Lb. Front Axle                                   |
|      | 3780 250    | 1   |      |       | BUSHING, w/Roller (Serv. in Cross Pkg.)                 |
| 5    |             | 4   |      |       | w/Grease Fitting (7260)                                 |
| 6    | 1828 824    | 2   |      |       | SEAL, U/Joint, Cross Roller Dust                        |
| 7    | 2237 264    | 1   |      |       | CLAMP, U/Joint Cross Yoke (7260)                        |
| 8    | 4117 049    | 1   |      |       | YOKE, Sliding, 16 Spline (7260)                         |
| 9    | 4117 049    | 1   |      |       | SEAL, Oil (7260)  |
| 10   | 9411 022    | AR  |      |       | CAP, Oil Seal   |
| 11   | 6029 562    | 4   |      |       | FITTING, Grease 1/8-Pipe                                |
| 12   | 4137 098    | 1   |      | D5,7  | SCREW, Clamp Attaching                                  |
|      | 4137 099    | 1   |      | D7    | TUBE, Propeller Shaft, Front                            |
| 13   | 4049 697    | 1   |      |       | w/3500 Lb., w/208 T/Case (7260)                         |
| 14   | 4030 848    | 2   |      |       | w/4500 Lb. Front Axle, w/205 T/Case (7260)              |
| 15   | 4030 850    | 4   |      |       | KIT, Center Ball  |
| 16   | 4031 001    | 1   |      |       | CROSS PKG.  |
| 17   | 6031 585    | 4   |      |       | BUSHING PKG.  |
| 18   |             | 4   |      |       | YOKE, Support, w/Bushing                                |
| 19   | 4167 924    | 1   |      |       | SCREW and WASHER (7/16-14 x 1-1/4")                     |
| 20   | 2070 117    | 1   |      |       | LOCKWASHER  |
|      | 4210 973    | 1   |      |       | NUT, T/Case Frt. Yoke or Flange, w/205,208 T/Case       |
| 21   | 4167 912    | 1   |      |       | WASHER, T/Case Frt. Yoke or Flange                      |
|      | 4210 611    | 1   |      |       | Steel   |
|      | 4210 611    | 1   |      |       | Rubber  |
| 22   | 3516 495    | 1   |      | D5,7  | FLANGE, T/Case Front Output Shaft, w/205,208 T/Case     |
|      | 2909 669    | 1   |      | D7    | SLINGER, T/Case Front Output Shaft Flange, w/208 T/Case |
| 23   | 0578 994    | 1   |      |       | GUARD, T/Case Front Output Shaft Flange, w/205 T/Case   |
|      |             |     |      |       | YOKE, T/Case Rear Output Shaft, w/208 T/Case            |
|      |             |     |      |       | w/205 T/Case, 32 Spline (7260)                          |
|      |             |     |      |       | WASHER, Rear Output Shaft                               |
|      |             |     |      |       | Steel   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SHAFT, PROPELLER, 3 PIECE AND UNIVERSAL JOINT D5,7 (w/149"W.B.)  
Figure 16-800

4316 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4210 973    | 1   |      |       | Rubber   |
| 24   | 2954 140    | 1   |      |       | NUT, Yoke, w/205 T/Case, Rear                          |
|      | 4167 924    | 1   |      |       | w/208 T/Case   |
| 25   |             |     |      |       | CROSS PACKAGE, Universal Joint                         |
|      | 3004 900    | 2   |      |       | w/Grease Fitting (7260)                                |
|      | 3780 250    | 2   |      |       | w/o Grease Fitting (7260)                              |
|      | 9411 244    | AR  |      |       | FITTING, Grease 1/4-28                                 |
| 26   | 1828 824    | 2   |      |       | CLAMP, U/Joint Cross Yoke (7260)                       |
| 27   | 6029 562    | 4   |      |       | SCREW, Clamp Attaching                                 |
| 28   | 4164 730    | 1   |      | D5,7  | TUBE ASSY., Intermediate w/Center Brg., w/208 T/Case   |
|      | 4137 486    | 1   |      | D7    | w/Center Brg., w/205 T/Case                            |
| 29   |             | 6   |      |       | BOLT, 7/16-14 x 1 (Not Serviced)                       |
| 30   |             | 2   |      |       | WASHER, 7/16 (Not Serviced)                            |
| 31   |             | 6   |      |       | NUT, 7/16-14 (Not Serviced)                            |
| 32   | 4117 049    | 1   |      |       | CAP, Oil Seal  |
| 33   | 4117 049    | 1   |      |       | SEAL, Yoke Oil   |
| 34   | 2237 264    | 1   |      |       | YOKE, Sliding, 16 Spline (7260)                        |
| 35   | 9411 022    | AR  |      |       | FITTING, Grease 1/8-Pipe                               |
| 36   |             |     |      |       | CROSS PACKAGE, Universal Joint                         |
|      | 3004 900    | AR  |      |       | w/Grease Fitting (7260)                                |
|      | 3780 250    | AR  |      |       | w/o Grease Fitting (7260)                              |
|      | 9411 244    | AR  |      |       | FITTING, Grease 1/4-28                                 |
| 37   |             |     |      |       | TUBE, Propeller Shaft, Rear                            |
|      | 4089 613    | 1   |      | D5    | w/9-1/4 Rear Axle (7260)                               |
|      | 4086 386    | 1   |      | D7    | w/Spicer 60,5500 lb., Rear Axle, w/4.10:1 Ratio (7260) |
| 38   | 6028 041    | 1   |      | D5    | NUT, 8-3/8, 9-1/4 Rear Axle Yoke                       |
|      | 1795 173    | 1   |      | D7    | w/Spicer Rear Axle                                     |
| 39   | 2070 117    | 1   |      | D5    | WASHER, 8-3/8, 9-1/4 Rear Axle Yoke Nut                |
|      | 1795 175    | 1   |      | D7    | w/Spicer Rear Axle                                     |
| 40   |             |     |      |       | YOKE, w/Slinger, Rear Axle                             |
|      | 3432 485    | 1   |      | D5,6  | 29 Spline, 2 1/8" Span, w/9-1/4 Axle (7260)            |
|      | 4117 781    | 1   |      | D7    | 29 Spline, 2 1/8" Span, w/Spicer Axle (7260)           |
|      | 2952 469    | 1   |      | D7    | SLINGER, w/Spicer Rear Axle                            |
| 41   | 1828 824    | 2   |      |       | CLAMP, U/Joint Cross Yoke                              |
| 42   | 6029 562    | 8   |      |       | SCREW, Clamp Attaching                                 |
| 43   |             |     |      |       | BRACKET, Center Bearing Mounting                       |
|      | 4030 479    | 1   |      | D5,7  | Club Cab   |
|      | 4115 602    | 1   |      | D7    | Crew Cab   |
| 44   | 4205 866    | 1   |      |       | CENTER BEARING PACKAGE, w/Support and Insulator        |
|      | 3632 991    | 1   |      |       | BEARING, w/Grease Retainer, Center P/Shaft             |
| 45   | 3632 995    | 1   |      |       | RETAINER, Center Bearing Insulator                     |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

### Figure 16-800

4316 800



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION              |
|------|----------------|-----|------|-------|--------------------------|
| 46   | 3632 997       | 1   |      |       | RETAINER, Center Bearing |
| 47   | 3632 996       | 2   |      |       | SLINGER, Center Bearing  |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

---



**GROUP 17 - REAR SUSPENSION**

| ILLUSTRATION TITLE   | GROUP-FIG. NO. |
|--|----------------|
| SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B1,2 .....         | Fig. 17-100    |
| SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B3 .....           | Fig. 17-200    |
| SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D1,2,3,4 ..... | Fig. 17-300    |
| SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D5,6,7,8 ..... | Fig. 17-400    |
| SPRING REPLACEMENT CHART,REAR-LIGHT DUTY .....               | Fig. 17-500    |

**ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION**

SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B1,2  
Figure 17-100

4317 100A





| ITEM  | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|----------------|-----|------|-------|---|
| 1 REAR SPRINGS  |                |     |      |       |   |
| NOTE:Spring Ratings Are Listed As Pad/Ground Capacity part number 4216539 |                |     |      |       |   |
|   | 4115 478       | 2   |      | B1    | 1200/1375 LB. - 1984  |
|   | 4228 426       | 2   |      | B1    | 1200/1375 LB. - 1985  |
|   | 4115 479       | 2   |      | B1    | 1400/1610 LB. - 1984  |
|   | 4228 427       | 2   |      | B1    | 1400/1610 LB. - 1985  |
|   | 4115 480       | 2   |      | B1,2  | 1600/1810 LB. - 1984  |
|   | 4228 428       | 2   |      | B1,2  | 1600/1810 LB. - 1985  |
|   | 4115 481       | 2   |      | B1,2  | 1800/1980 LB. - 1984  |
|   | 4228 429       | 2   |      | B1,2  | 1800/1980 LB. - 1985  |
| 2   | 3492 343       | 2   |      |       | PLATE,Rear Spring Clip-With 8 3/8,9 1/4 Rear Axle                 |
| 3   | 6023 019       | 8   |      |       | NUT,Clip  |
| 4   | 1400 269       | 4   |      |       | BUSHING,Shackle Spring  |
| 5   |                |     |      |       | PLATE,Shackle-In Shackle Package Item 9                           |
| 6   | 0152 346       | 4   |      |       | NUT,Shackle-7/16-14   |
| 7   | 6031 240       | 6   |      |       | SCREW,bracket to frame-7/13-14 x 1.25                             |
| 8   | 4039 356       | 2   |      |       | BRACKET & SLEEVE,Shackle-With 1400,1600,2900 Lb. Spring           |
|   |                |     |      |       | At Pad  |
|   | 4089 314-5     | 1   |      | B2    | BRACKET,Shackle-With 2600 Lb.Spring At Pad                        |
|   | 4039 356       | 2   |      |       | BRACKET,shackle-with 1600,1800 lb.spring at pad                   |
| 9   |                |     |      |       | SHACKLE with BOLTS-In Shackle Package-Item No. 5                  |
|   | 4131 312       | 2   |      | B1    | SHACKLE & BUSHING PACKAGE-Rear Spring-w/1200,1400, 1600 lb spring |
|   | 4131 312       | 2   |      | B2    | SHACKLE & BUSHING PKG. Rr.Spring w/1600 Lb. Spring At Pad         |
|   |                |     |      |       | Consists Of:  |
|   |                |     |      |       | Shackle (1)   |
|   |                |     |      |       | Plate (1)   |
|   |                |     |      |       | 3643988 BUSHING, Shackle Bracket (2)                              |
|   |                |     |      |       | 1400269 BUSHING,Shackle Spring (2)                                |
|   |                |     |      |       | 152346 NUT,Pin (2)  |
|   | 4131 313       | 2   |      | B2    | SHACKLE & BUSHING PKG.,Rr.Spring w/1800 Lb. Spring                |
|   |                |     |      |       | Consists Of:  |
|   |                |     |      |       | Shackle & Pin (1)   |
|   |                |     |      |       | PLATE,Shackle (1)   |
|   |                |     |      |       | INSERT,Shackle (1)  |
|   |                |     |      |       | 152346 NUT,Shackle Pin (2)  |
|   |                |     |      |       | 1400269 BUSHING,Shackle Spring (2)                                |
|   |                |     |      |       | 3643988 BUSHING, Shackle Bracket (2)                              |
| 10  | 3491 295       | 4   |      |       | CLIP,Spring-1/2-20x6.25-2" Thd.                                   |
|   | 1829 929       | 4   |      |       | INSULATOR,Alignment Clip  |

|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   |                  |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B1,2  
Figure 17-100

4317 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 2808 399    | 2   |      |       | PACKAGE, Spring Alignment Clip                     |
|      |             |     |      |       | Consists Of:                                       |
|      |             |     |      |       | 1829929 Insulator, Alignment (1)                   |
|      |             |     |      |       | CLIP, Alignment (1)                                |
|      |             |     |      |       | CLAMP, Alignment (1)                               |
| 11   | 1948 877    | 2   |      |       | NUT, Pivot Bolt-5/8-18                             |
| 12   | 3898 814    | AR  |      |       | BUSHING, Rear Spring Eye                           |
| 13   | 6029 377    | 2   |      |       | BOLT, Rear Spring Front Pivot                      |
| 14   |             |     |      |       | BOLT, Rear Spring Main Center                      |
|      | 0593 805    | AR  |      |       | 3/8-24 x 5.00                                      |
|      | 2961 233    | AR  |      |       | 3/8-24 x 1.5                                       |
|      | 2961 234    | AR  |      |       | 3/8-24 x 2.125                                     |
|      | 2953 358    | AR  |      |       | 3/8-24 x 1.75                                      |
| 15   |             |     |      |       | INSERT, with 6400 Lb.G.V.W.-In Pkg. Item 5 & 9     |
| 16   | 2960 296    | 2   |      |       | BRACKET, Shock Abs., 8-3/4 Axle-Lower              |
| 17   | 3638 666    | AR  |      |       | INTERLINER, Leaf Spring-2 1/2 x 3 1/2" long - 1984 |
|      | 4228 368    | AR  |      |       | 1985   |
| 18   | 0152 348    | AR  |      |       | NUT-1/2-13 ***                                     |
| 19   | 1319 555    | AR  |      |       | RETAINER, Shock Absorber Bushing-Outer             |
|      | 1319 554    | AR  |      |       | RETAINER, Shock Absorber Bushing-Inner             |
| 20   | 4116 580    | 2   |      |       | SPACER, Pivot Bushing Retainer                     |
| 21   | 9431 957    | 2   |      |       | BOLT-1/2-13 x 6.75                                 |
| 22   | 0181 173    | 2   |      |       | BOLT-1/2-13 x 2.75                                 |
| 23   | 3837 028    | 2   |      |       | SHOCK ABSORBER, light duty-3300 lb.axle            |
|      | 4086 418    | 2   |      |       | SHOCK ABSORBER, heavy duty-3300 lb. axle           |
|      | 4039 137    | 4   |      |       | BUSHING, Shock Absorber Upper Mounting             |
|      | 2229 479    | 2   |      |       | BUSHING, Rear Shock Absorber-With 3300 Lb. Axle    |
| 24   | 0181 067    | 2   |      |       | SCREW, 1/4-20 x 1.50                               |
| 25   | 3400 611    | 2   |      |       | BUMPER, Rear Spring                                |
| 26   | 4036 883    | 2   |      |       | SPACER, Rear Axle Bumper Frame                     |
|      | 4033 805    | 2   |      |       | REINFORCEMENT, rear axle bumper long rail          |
| 27   | 2206 923    | 2   |      |       | BUSHING, Shock Upper Eye                           |
| 28   | 2201 554    | AR  |      |       | BUSHING, Shock Lower Eye                           |
| 29   |             | 4   |      |       | BUSHING, Shackle Bracket-Serviced In Item 9        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B3  
Figure 17-200

4317-200A



| ITEM  | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|----------------|-----|------|-------|--|
| 1 REAR SPRINGS  |                |     |      |       |  |
| NOTE: Spring Rating Are Listed As Pad/Ground Capacity part number 4216539 |                |     |      |       |  |
|   | 3638 150       | 2   |      | B3    | 2750/3100 Lb.,7 Leaf - 1984  |
|   | 4228 433       | 2   |      | B3    | 2750/3100 Lb.,7 Leaf - 1985  |
|   | 4115 481       | 2   |      | B3    | 1800/1980 Lb. - 1984   |
|   | 4228 429       | 2   |      | B3    | 1800/1980 Lb. - 1985   |
|   | 4089 143       | 2   |      | B3    | 2100/2360 Lb. - 1984   |
|   | 4228 430       | 2   |      | B3    | 2100/2360 Lb. - 1985   |
|   | 4147 685       | 2   |      | B3    | 2400/2670 Lb. - 1984   |
|   | 4228 431       | 2   |      | B3    | 2400/2670 Lb. - 1985   |
|   | 4089 144       | 2   |      | B3    | 2500/2770 Lb. - 1984   |
|   | 4228 432       | 2   |      | B3    | 2500/2770 Lb. - 1985   |
| 2   | 3496 266       | 2   |      | B3    | SEAT,Clip-With 2500,2750,2850,2100 Lb. Spring At Pad   |
| 3   | 3633 999       | 4   |      | B3    | CLIP,spring-9/16-18 x 3.10 width x 16" long-10.75 thd. (Up To 4-2-84)                                  |
| 3   | 4228 068       | 4   |      | B3    | (After 4-2-84)   |
|   | 1829 929       | 4   |      |       | INSULATOR,Alignment Clip   |
|   | 2808 399       | 2   |      |       | PACKAGE,Spring Alignment Clip<br>Consists Of:<br>1829929 Insulator,Alignment (1)<br>Clip,Alignment (1) |
| 4   | 1400 269       | 8   |      |       | Clamp,Aligment (1)   |
| 5   |                |     |      |       | BUSHING,Shackle Spring   |
|   |                |     |      |       | PLATE,shackle-1800,2100,2400,2500 lb.spring at pad-in 4131313 shackle pkg.-item 9                      |
|   |                |     |      |       | PLATE,shackle-1750,2300 lb.spring at pad-in 3514978 shackle pkg.-item 5                                |
|   | 3514 978       | 2   |      |       | SHACKLE & PIN PACKAGE<br>Consists Of:  |
|   |                |     |      |       | Shackle & Pin Assy. (1)<br>Plate (1)<br>Insert (1)<br>1400269 Bushing (4)                              |
|   | 4210 985       | 2   |      | B3    | 271502 Nut (2)   |
| 6   | 0152 346       | 4   |      |       | BRACKET,rear susp.shackle rebound stop-2400 lb.sprg.at pad   |
| 7   | 6029 735       | 6   |      |       | NUT,Shackle Bolt-7/16-14   |
|   |                |     |      |       | SCREW,bracket to frame-7/16-14 X 1.25  |
| 8   | 4039 356       | 2   |      | B3    | BRACKET & SLEEVE,shackle w/2500 lb.sprg.at pad   |
|   | 4039 356       | 2   |      | B3    | BRACKET & SLEEVE,shackle w/2100,2400 lb. spring at pad   |
| 9   |                |     |      |       | SHACKLE with BOLTS-In Shackle Pkg.,Item 5<br>Consists Of:  |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B3  
Figure 17-200

4317 200A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      |             |     |      |       | 1400269 Bushing Spring (2)   |
|      |             |     |      |       | 152346 Nut (2)   |
|      |             |     |      |       | Bushing Pivot (2)  |
|      |             |     |      |       | Plate (1)  |
|      |             |     |      |       | Shackle (1)  |
|      | 4131 313    | 1   |      |       | SHACKLE & BUSHING PACKAGE,Rear Spring<br>w/1800,2100,2400,2500 Lb.Spring At Pad<br>Consists Of:<br>Shackle & Pin (1) |
|      |             |     |      |       | PLATE,Shackle (1)  |
|      |             |     |      |       | INSERT,Shackle (1)   |
|      |             |     |      |       | 152346 NUT,Shackle Pin (2)   |
|      |             |     |      |       | 1400269 BUSHING,Shackle Spring (2)   |
|      |             |     |      |       | BUSHING,Shackle Pivot (2)  |
| 10   |             |     |      |       | INSERT-In Shackle Pkg.,Item 5 & 9  |
| 11   | 2226 998    | 2   |      |       | PLATE,Spring Clip-With Spicer 60 Rear Axle   |
| 12   |             |     |      |       | WASHER,Clip  |
| 13   |             |     |      |       | WASHER,Clip  |
| 14   | 6029 459    | 8   |      |       | NUT,Clip Lock-9/16-18  |
| 15   | 1948 877    | 2   |      |       | NUT,Pivot Bolt-5/18-18   |
| 16   | 6029 377    | 2   |      |       | BOLT, Rr. Spring Front Eye   |
| 17   |             |     |      |       | BOLT,Rear Main Spring Center   |
|      | 0593 805    | AR  |      |       | 3/8-24x5   |
|      | 2961 233    | AR  |      |       | 3/8-24 x 1.5   |
|      | 2961 234    | AR  |      |       | 3/8-24 x 2.125   |
|      | 2953 358    | AR  |      |       | 3/8-24 x 1.75  |
|      | 0114 942    | AR  |      |       | NUT,Spring Center Bolt   |
| 18   |             | 4   |      |       | NUT-3/4-16   |
| 19   | 3634 781    | 2   |      | B3    | BRACKET, Shackle w/2750 Lb. Spring at Pad  |
|      | 4089 314-5  | 1   |      | B3    | w/2100 Lb. Spring at Pad   |
|      | 4089 314-5  | 1   |      | B3    | w/2400 Lb. Spring at Pad   |
|      | 4089 314    | 1   |      | B3    | w/2500 Lb. Spring at Pad   |
| 20   | 6029 770    | 6   |      |       | SCREW,Bracket To Frame-7/8-14x1.875  |
| 21   | 2237 066    | 4   |      |       | BOLT,rear spring eye-3/4-16 X 3.88   |
| 22   | 3496 094    | 2   |      |       | SHACKLE, w/o 3600 Lb. Spring   |
|      | 4037 714    | 2   |      |       | w/3600 Lb. Spring  |
| 23   |             |     |      |       | BUSHING, Rr. Spring Eye or Shackle   |
|      | 3898 814    | AR  |      |       | 3 O.D.x 5/8 I.D. x 3" Long   |
|      | 3640 089    | AR  |      |       | 2"O.D.x 5/8"I.D. x 3" Long   |
|      | 1920 541    | AR  |      |       | 1 1/2 O.D. x 3/4 I.D. x 2 7/8" long  |
|      | 3821 247    | AR  |      |       | 2.00-O.D. x .628 I.D.x 3.108" Long   |




|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SUSPENSION, REAR LEAF WITH SHOCK ABSORBER B3  
Figure 17-200

4317-200A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 24   | 3638 666    | AR  |      |       | INTERLINER,Leaf Spring-2 1/2 x 3 1/2" Long w/5/16" Center Bolt |
|      | 4228 368    | AR  |      |       | - 1984   |
|      | 3492 073    | AR  |      |       | 1985   |
|      | 3549 063    | AR  |      |       | 2 1/2 x 2 1/2 x 5/16" Bolt Hole                                |
|      |             |     |      |       | 2 1/2 x 5" Long w/1/2" Bolt Hole                               |
| 25   | 4086 937    | 2   |      | B3    | BUSHING, Rr. Spring Front Eye - 2100 Lb.                       |
|      | 3640 089    | 2   |      | B3    | 2500 Lb.   |
|      | 3821 247    | 2   |      | B3    | 2700 Lb.   |
| 26   | 0152 348    | AR  |      |       | NUT-1/2-20   |
| 27   | 1319 555    | AR  |      |       | RETAINER,Shock Absorber Bushing Outer                          |
|      | 1319 554    | AR  |      |       | Inner  |
| 28   | 4116 580    | 2   |      |       | SPACER,Pivot Bushing Retainer                                  |
| 29   | 9431 957    | 2   |      |       | BOLT-1/2-13 x 6.75   |
| 30   | 0181 173    | 2   |      |       | BOLT-1/2-13 x 2.75   |
| 31   | 3837 028    | 2   |      | B3    | SHOCK ABSORBER,Light Duty w/3600,4000 Lb. Axle                 |
|      | 4086 418    | 2   |      |       | Heavy Duty w/3300,3600,4000 Lb. Axle                           |
|      | 4039 137    | 4   |      |       | BUSHING,Shock Absorber Upper Mounting                          |
|      | 2229 479    | 2   |      |       | BUSHING,Rear Shock Absorber-With 3600,4000 Lb. Axle            |
| 32   | 6027 044    | AR  |      |       | SCREW & C/WASHER, Rr. Bumper                                   |
|      |             |     |      |       | 1/4-20 x 1.50  |
| 33   | 3496 691    | 2   |      |       | BUMPER,rear spring   |
|      | 4210 785    | 2   |      | B3    | SPACER,rear spring bumper-with 2400 lb.spring at pad           |
| 34   | 4036 883    | 2   |      |       | SPACER,Rear Axle Bumper Frame                                  |
|      | 4033 805    | 2   |      |       | REINFORCEMENT,rear axle bumper longrail                        |
|      | 4147 687    | 2   |      | B3    | RESTRICTOR,rear axle bumper mounting jounce                    |
| 35   | 2206 923    | 2   |      |       | BUSHING,Shock Upper Eye  |
| 36   | 2201 554    | 2   |      |       | BUSHING,Shock Lower Eye  |
| 37   |             | 2   |      |       | BUSHING, In Shackle Pkg., Item 5 & 9                           |

|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   |                  |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D1,2,3,4  
Figure 17-300

4317 300A




| ITEM   | PART<br>NUMBER | QTY | BODY  | MODEL | DESCRIPTION  |
|--|----------------|-----|---|-------|--|
| 1  | 3633 710       | AR  |   | D1,4  | CLIP,Rear Spring-1/2-20 x 3.04 x 8.25" Long-3.00 Thd.                        |
|  | 4031 209       | 4   |   | D1    | 1/2-20 x 3.04 x 7.50" Long-3.00" Thd.  |
|  | 3633 999       | AR  |   | D2,3  | 9/16-18x3.10x16" Long-10.75" Thd.  |
|  | 3821 279       | 4   |   | D1,4  | 1/2-20 x 3.04 x 6.25" Long-3.00" Thd.  |
|  | 3780 511       | 2   |   | D2,3  | CLIP PACKAGE,Rear Spring   |
|  |                |     |   |       | Consists Of:<br>3633999 Clip (2)<br>3496266 SEAL,Clip (1)<br>6029459 NUT (4) |
|  | 2808 399       | 2   | CLIP PACKAGE,Spring Alignment<br>Consists Of:<br>1829929 Alignment Insulator (1)<br>Alignment Clip (1)<br>Alignment Clamp (1) |       |  |
| 2  | 3633 713       | 2   |   | D1,4  | SEAT,Rear Spring Clip  |
|  | 3496 266       | 2   |   | D2,3  | Rear Spring Clip   |
| 3  | 3897 286       | 2   |   | D1    | SPRING,Rear Auxilliary-360 LB.-1 Leaf  |
|  | 3897 287       | 2   |   | D2,3  | 585 Lb.-1 Leaf   |
|  | 4032 300       | 2   |   | D3    | 900 Lb.-4 Leaf - 1984  |
|  | 4228 449       | 2   |   | D3    | 900 Lb.-4 Leaf - 1985  |
| 4  | 3633 720       | 2   | SPACER,550 Lb. Aux. Spring  |       |  |
|  | 3633 720       | 2   | 585 Lb. Aux. Spring   |       |  |
|  | 2507 662       | 2   | 900 Lb. Aux. Spring   |       |  |
| 5  |                |     |   |       | SPRING,Rear Main   |
| NOTE: Spring Ratings Are Listed As Pad/Ground Capacity part number 4216539 |                |     |   |       |  |
|  | 4030 456       | 2   |   | D4    | 1650/1820 Lb.,5 Leaf - 1984  |
|  | 4228 422       | 2   |   | D4    | 1650/1820 Lb.,5 Leaf - 1985  |
|  | 3897 279       | 2   |   | D1    | 1350/1520 Lb.,4 Leaf-115,131,133" W.B.- 1984                                 |
|  | 4228 420       | 2   |   | D1    | 1350/1520 Lb.,4 Leaf-115,131,133" W.B.- 1985                                 |
|  | 3897 281       | 2   |   | D1    | 1650/1820 Lb.,5 Leaf-115,131,133" W.B.- 1984                                 |
|  | 4228 421       | 2   |   | D1    | 1650/1820 Lb.,5 Leaf-115,131,133" W.B.- 1985                                 |
|  | 4030 456       | 2   |   | D1    | 1650/1820 Lb.,5 Leaf-149" W.B.- 1984   |
|  | 4228 422       | 2   |   | D1    | 1650/1820 Lb.,5 Leaf-149" W.B.- 1985   |
|  | 3492 085       | 2   |   | D2    | 1950/2175 Lb.,5 Leaf - 1984  |
|  | 4228 423       | 2   |   | D2    | 1950/2175 Lb.,5 Leaf - 1985  |
|  | 3897 284       | 2   |   | D2    | 2500/2750 Lb. w/3300 lb.Frt. Axle & Club Cab - 1984                          |
|  | 4228 424       | 2   |   | D2    | 2500/2750 Lb. w/3300 lb.Frt. Axle & Club Cab - 1985                          |
|  | 3897 285       | 2   |   | D2,3  | 2500/2900 Lb. w/4000 Lb.Frt.Axle & Club Cab - 1984                           |
|  | 4228 425       | 2   |   | D2,3  | 2500/2900 Lb. w/4000 Lb.Frt.Axle & Club Cab - 1985                           |
|  | 3897 284       | 2   |   | D2,3  | 2500 Lb. w/4000 Lb.Frt. Axle & Crew Cab - 1984                               |
|  | 4228 424       | 2   |   | D2,3  | 2500 Lb. w/4000 Lb.Frt. Axle & Crew Cab - 1985                               |

|  |  |  |  |  |  |
|--|--|--|--|--|--|
| MODEL CODES:   |  |  |  |  |  |
| TRUCK LINE   |  |  |  |  |  |
| D123 = CONVENTIONAL  |  |  |  |  |  |
| TRUCK (4X2)  |  |  |  |  |  |
| D4 = SPORT UTILITY (4X2)   |  |  |  |  |  |
| D5,6,7 = CONVENTIONAL  |  |  |  |  |  |
| (TRUCK) 4X4  |  |  |  |  |  |
| D8 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D9 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D10 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| BODY STYLE & WHEELBASE VANS:   |  |  |  |  |  |
| (11) = 109" W.B.   |  |  |  |  |  |
| (12) = 127" W.B.   |  |  |  |  |  |
| (13) = 127X" W.B.  |  |  |  |  |  |
| WAGONS:  |  |  |  |  |  |
| (51) = 109" W.B.   |  |  |  |  |  |
| (52) = 127" W.B.   |  |  |  |  |  |
| (53) = 127X" W.B.  |  |  |  |  |  |
| CONVENTIONAL:  |  |  |  |  |  |
| (61) = 115" W.B.   |  |  |  |  |  |
| (62) = 131" W.B.   |  |  |  |  |  |
| (63) = 135" W.B.   |  |  |  |  |  |
| (64) = 159" W.B.   |  |  |  |  |  |
| SPORT UTILITY:   |  |  |  |  |  |
| (71) = 106" W.B.   |  |  |  |  |  |
| CREW CAB:  |  |  |  |  |  |
| (82) = 149" W.B.   |  |  |  |  |  |
| (83) = 165" W.B.   |  |  |  |  |  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |  |  |  |  |

SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D1,2,3,4  
Figure 17-300

4317 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                            |
|------|-------------|-----|------|--------|--|
|      | 4030 456    | 2   |      | D2     | 1650/1820 Lb.,5 Leaf,149" W.B.- 1984   |
|      | 4228 422    | 2   |      | D2     | 1650/1820 Lb.,5 Leaf,149" W.B.- 1985   |
|      | 3897 285    | 2   |      | D3     | 2500/2820 Lb.,6 Leaf - 1984            |
|      | 3823 868    | 2   |      | D2-3   | 3250/3650 Lb.,7 Leaf - 1984            |
|      | 4228 438    | 2   |      | D2-3   | 3250/3650 Lb.,7 Leaf - 1985            |
|      | 3897 284    | 2   |      | D3     | 2500 Lb.,6 Leaf - 1984                 |
|      | 4228 424    | 2   |      | D3     | 2500 Lb.,6 Leaf - 1985                 |
|      | 4147 985    | 2   |      | D3     | 3400/3800 Lb. - 1984                   |
|      | 4228 434    | 2   |      | D3     | 3400/3800 Lb. - 1985                   |
| 6    | 6025 020    | 12  |      | D1,2,3 | NUT & WASHER,Bumper Bracket Bolt       |
| 7    | 3633 955    | 4   |      | D1,2,3 | BRACKET,Aux.Spring Bumper              |
| 8    | 4030 938-9  | 1   |      |        | SPACER,Rear Spring To Axle             |
| 9    | 3633 956    | 4   |      | D1,2,3 | PAD,Aux. Spring Bumper Bracket         |
| 10   | 0181 114    | 12  |      | D1,2,3 | BOLT,Bumper Bracket                    |
| 11   |             | 12  |      | D1,2,3 | RIVET (Not Serv.)                      |
| 12   |             |     |      |        | BRACKET,Sway Bar-Not Used              |
| 13   | 3736 400-1  | 1   |      | D1,4   | PLATE & STUD,Rear Spring Clip          |
|      | 3736 402-3  | 1   |      | D2,3   | Rear Spring Clip                       |
|      | 3736 404-5  | 1   |      | D3     | Spring Clip-With Spicer 70 Rear Axle   |
|      | 3736 402-3  | AR  |      | D2,3   | Rear Spring Clip w/Spicer 60 Rr. Axle  |
| 14   |             |     |      |        | NUT,Clip                               |
|      | 6029 459    | 8   |      | D2,3,  | 9/16-18                                |
|      | 6023 019    | 8   |      | D1,4   | 1/2-20                                 |
| 15   | 6028 762    | 8   |      | D1,4   | WASHER,Coned                           |
|      |             | 8   |      | D2,3   | Coned (Not Serv.)                      |
| 16   |             |     |      |        | BOLT,Rear spring                       |
|      | 1923 876    | AR  |      |        | 1/2-20x3.88"                           |
|      | 2907 406    | AR  |      |        | 5/8-18x3.88"                           |
|      | 2237 066    | AR  |      |        | 3/4-16x3.88"                           |
| 17   |             |     |      |        | NUT,Rear Spring Bolt                   |
|      | 0152 349    | AR  |      |        | 1/2-20                                 |
|      | 1948 877    | AR  |      | D1,2,4 | 5/8-18                                 |
|      | 0272 920    | AR  |      |        | 3/4-16-Not Serviced                    |
| 18   |             |     |      |        | INTERLINER,Leaf Spring                 |
|      | 3492 073    | AR  |      |        | 2-1/2 x 2-1/2" Long                    |
|      | 1937 549    | AR  |      |        | 2-1/2 x 5" Long,5/16" Center Bolt Hole |
|      | 3549 063    | AR  |      |        | 2-1/2 x 5" Long,1/2" Center Bolt Hole  |
|      | 1948 396    | AR  |      |        | 2-1/2 x 3-1/2" Long - 1984             |
|      | 4228 368    | AR  |      |        | 1985                                   |
|      | 3638 666    | AR  |      |        | 3 x 3-1/2" Long                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = WAGON (4X2)  
D10 = WAGON (4X4)  
D11 = WAGON (4X2)  
D12 = WAGON (4X4)  
D13 = WAGON (4X2)  
D14 = WAGON (4X4)  
D15 = WAGON (4X2)  
D16 = WAGON (4X4)  
D17 = WAGON (4X2)  
D18 = WAGON (4X4)  
D19 = WAGON (4X2)  
D20 = WAGON (4X4)  
D21 = WAGON (4X2)  
D22 = WAGON (4X4)  
D23 = WAGON (4X2)  
D24 = WAGON (4X4)  
D25 = WAGON (4X2)  
D26 = WAGON (4X4)  
D27 = WAGON (4X2)  
D28 = WAGON (4X4)  
D29 = WAGON (4X2)  
D30 = WAGON (4X4)  
D31 = WAGON (4X2)  
D32 = WAGON (4X4)  
D33 = WAGON (4X2)  
D34 = WAGON (4X4)  
D35 = WAGON (4X2)  
D36 = WAGON (4X4)  
D37 = WAGON (4X2)  
D38 = WAGON (4X4)  
D39 = WAGON (4X2)  
D40 = WAGON (4X4)  
D41 = WAGON (4X2)  
D42 = WAGON (4X4)  
D43 = WAGON (4X2)  
D44 = WAGON (4X4)  
D45 = WAGON (4X2)  
D46 = WAGON (4X4)  
D47 = WAGON (4X2)  
D48 = WAGON (4X4)  
D49 = WAGON (4X2)  
D50 = WAGON (4X4)  
D51 = WAGON (4X2)  
D52 = WAGON (4X4)  
D53 = WAGON (4X2)  
D54 = WAGON (4X4)  
D55 = WAGON (4X2)  
D56 = WAGON (4X4)  
D57 = WAGON (4X2)  
D58 = WAGON (4X4)  
D59 = WAGON (4X2)  
D60 = WAGON (4X4)  
D61 = WAGON (4X2)  
D62 = WAGON (4X4)  
D63 = WAGON (4X2)  
D64 = WAGON (4X4)  
D65 = WAGON (4X2)  
D66 = WAGON (4X4)  
D67 = WAGON (4X2)  
D68 = WAGON (4X4)  
D69 = WAGON (4X2)  
D70 = WAGON (4X4)  
D71 = WAGON (4X2)  
D72 = WAGON (4X4)  
D73 = WAGON (4X2)  
D74 = WAGON (4X4)  
D75 = WAGON (4X2)  
D76 = WAGON (4X4)  
D77 = WAGON (4X2)  
D78 = WAGON (4X4)  
D79 = WAGON (4X2)  
D80 = WAGON (4X4)  
D81 = WAGON (4X2)  
D82 = WAGON (4X4)  
D83 = WAGON (4X2)  
D84 = WAGON (4X4)  
D85 = WAGON (4X2)  
D86 = WAGON (4X4)  
D87 = WAGON (4X2)  
D88 = WAGON (4X4)  
D89 = WAGON (4X2)  
D90 = WAGON (4X4)  
D91 = WAGON (4X2)  
D92 = WAGON (4X4)  
D93 = WAGON (4X2)  
D94 = WAGON (4X4)  
D95 = WAGON (4X2)  
D96 = WAGON (4X4)  
D97 = WAGON (4X2)  
D98 = WAGON (4X4)  
D99 = WAGON (4X2)  
D100 = WAGON (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D1,2,3,4  
Figure 17-300

4317 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 19   | 1923 872    | 2   |      | D1    | SHACKLE, Rr. Spring Rr. All W.B.,w/1100,1350,1650 Lb. Spring At Pad |
|      | 2909 367    | 2   |      | D4    | w/1375,1650 Lb. Spring At Pad                                       |
|      | 3496 094    | 2   |      | D2,3  | w/3250 Lb. Spring At Pad  |
|      | 2909 367    | 2   |      | D1    | w/149" W.B.,w/1375,1650 Lb.Spring At Pad                            |
|      | 3496 094    | 2   |      | D2    | w/1700,2500 lb. spring  |
|      | 2909 367    | 2   |      | D2,3  | w/1950,2500 lb. spring  |
| 20   |             |     |      |       | BUSHING,Rear Spring Eye or Shackle                                  |
|      | 1920 540    | AR  |      |       | 1" O.D. x 1/2" I.D. x 2-7/8" Long                                   |
|      | 1920 541    | AR  |      |       | 1-1/2" O.D. x 3/4" I.D. x 2-7/8" Long                               |
|      | 2907 869    | AR  |      |       | 1-1/4" O.D. x 5/8" I.D. x 2-7/8" Long                               |
| 21   |             |     |      |       | BOLT,Main Spring Center   |
|      | 0593 805    | 2   |      |       | 3/8-24 x 5" Long  |
|      | 2954 709    | 2   |      |       | 3/8-24 x 5" Long  |
|      | 0120 369    | 2   |      |       | NUT, Spring Center Bolt   |
| 22   |             |     |      |       | BRACKET-Refer To Group 13   |
| 23   | 0152 342    | AR  |      |       | NUT-5/16-18   |
| 24   | 3897 293    | 2   |      | D2,3  | BUMPER,Rear Spring Rear Axle  |
| 25   | 0180 078    | AR  |      | D2,3  | BOLT  |
| 26   | 9422 752    | 2   |      |       | BOLT-1/2-20 x 2.75  |
| 27   | 0152 349    | AR  |      |       | BOLT-1/2-20   |
| 28   | 9417 668    | 8   |      | D1,4  | NUT-3/8-16  |
| 29   | 0152 344    | AR  |      |       | NUT   |
| 30   | 3897 290    | 2   |      | D1,4  | BRACKET,Rear Spring Bumper To Frame                                 |
| 31   | 0181 112    | AR  |      | D1,4  | BOLT-3/8-16 x 1   |
| 32   | 4014 050    | 2   |      | D1,4  | BUMPER,Rear Spring  |
| 33   | 0152 349    | AR  |      |       | NUT-1/2-20  |
| 34   | 1319 554    | 2   |      |       | RETAINER,Shock Bushing-Outer-Small Dia. Hole                        |
|      | 1319 555    | 2   |      |       | Inner-Large Dia. Hole   |
| 35   |             |     |      |       | PLATE-Refer To Item 13  |
| 36   | 4026 820    | 2   |      |       | SHOCK ABSORBER,Rear-Light Duty                                      |
|      | 4186 812    | 2   |      | D1    | Light Duty  |
|      | 4086 419    | 2   |      |       | Rear-Heavy Duty   |
|      | 2206 923    | 2   |      |       | BUSHING,Shock Absorber Upper Mounting                               |
| 37   | 1319 902    | AR  |      |       | BUSHING,Light Duty Shock Absorber-Upper & Lower                     |
|      | 2229 479    | AR  |      |       | Heavy Duty  |
|      | 2206 925    | AR  |      |       | RETAINER,Shock Upper Bushing  |
| 38   | 0181 088    | 4   |      |       | BOLT,Bumper   |
|      | 0181 094    | 4   |      | D3    | BOLT,Bumper-With 3250 Lb. Spring                                    |
| 39   | 3827 398    | 2   |      | D3    | SPACER,Bumper-With 3250 Lb. Spring                                  |
| 40   | 3496 691    | 2   |      |       | BUMPER,Rear Spring  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 17-300**


| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|



AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D5,6,7,8  
Figure 17-400

4317 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 3735 991    | 4   |      | D5,8  | CLIP,Rear Spring                            |
|      | 4147 955    | 4   |      | D5,8  | 1/2-20 x 3.04 x 10.25" Long-3.00 Thd.- 1984 |
|      | 3633 999    | AR  |      | D6,7  | 1985  |
|      | 4032 462    | 4   |      | D7    | 9/16-18 x 3.10 x 16" Long-10.75 Thd.        |
| 2    | 3633 713    | 2   |      | D5,8  | SEAT,Rear Spring Clip                       |
|      | 3496 266    | 2   |      | D6,7  | Rear spring Clip                            |
| 3    | 3897 287    | 2   |      | D6,7  | SPRING,Rear Auxilliary-585 Lb.,1 Leaf       |
|      | 4032 300    | 2   |      | D7    | 900 Lb.,4 Leaf - 1984                       |
| 4    | 4228 449    | 2   |      | D7    | 1985  |
|      | 3633 720    | 2   |      |       | SPACER,550 Lb. Aux. Spring                  |
|      | 3633 720    | 2   |      |       | 585 Lb. Aux. Spring                         |
|      | 2507 662    | 2   |      |       | 900 Lb. Aux. Spring                         |
| 5    |             |     |      |       | SPRING, Rear Main                           |
|      | 4030 456    | 2   |      | D5,8  | 1650/1820 LB.,5 Leaf - 1984                 |
|      | 4228 422    | 2   |      | D5,8  | 1650/1820 LB.,5 Leaf - 1985                 |
|      | 3897 284    | 2   |      | D6,7  | 2500/2725 LB.,6 Leaf - 1984                 |
|      | 4228 424    | 2   |      | D6,7  | 2500/2725 LB.,6 Leaf - 1985                 |
|      | 3823 868    | 2   |      | D7    | 3250/3650 LB.,7 Leaf - 1984                 |
|      | 4228 438    | 2   |      | D7    | 3250/3650 LB.,7 Leaf - 1985                 |
|      | 4147 985    | 2   |      | D7    | 3400/3800 LB.- 1984                         |
| 6    | 4228 434    | 2   |      | D7    | 3400/3800 LB.- 1985                         |
|      | 6025 020    | 12  |      | D6,7  | NUT & WASHER,Bumper Bracket Bolt            |
|      | 3633 955    | 4   |      | D6,7  | BRACKET,Aux.Spring Bumper                   |
|      | 3897 291    | 2   |      | D5,8  | SPACER,Rear Spring To Axle                  |
| 9    | 4030 938-9  | 2   |      | D6,7  | 3500 LB. Axle                               |
|      | 3893 234-5  | 2   |      | D7    | 4500 LB. Axle-Spacer-4-5/16" High           |
|      | 3828 296-7  | 2   |      | D7    | 4500 LB. Axle,Spacer-6" High                |
|      | 3633 956    | 4   |      | D6,7  | PAD,Aux.Spring Bumper Bracket               |
| 10   | 0181 114    | 12  |      | D6,7  | BOLT,Aux. Spring Bumper Bracket             |
|      |             | 12  |      | D6,7  | RIVET (Not Serv.)                           |
| 12   |             |     |      |       | BRACKET,Sway Bar with Dual Wheels           |
|      | 3736 400-1  | 1   |      | D5,8  | PLATE w/STUD,Rear Spring Clip               |
| 14   | 3736 402-3  | 1   |      | D6    | Rear Spring Clip                            |
|      | 3736 404-5  | 1   |      | D7    | Rear Spring Clip                            |
|      |             |     |      |       | NUT   |
| 15   | 6029 459    | 8   |      | D6,7  | 9/16-18                                     |
|      | 6023 019    | 8   |      | D5,8  | 1/2-20                                      |
| 16   | 6028 762    | 8   |      |       | WASHER,Coned                                |
|      | 6024 691    | 8   |      | D6,7  | BOLT, Rear Spring                           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUSPENSION, REAR LEAF WITH AUXILLIARY & SHOCK D5,6,7,8  
Figure 17-400

4317 400A



| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION  |
|------|-------------|-----|----------|-------|--|
| 17   | 1923 876    | AR  |          |       | 1/2-20 x 3.88" Long                                    |
|      | 2907 406    | AR  |          |       | 5/8-18 x 3.88" Long                                    |
|      | 2237 066    | AR  |          |       | 3/4-16 x 3.88" Long                                    |
|      | 0152 349    | AR  |          |       | NUT,Rear Spring Bolt<br>1/2-20                         |
| 18   | 1948 877    | AR  | D5,6,8   |       | 5/8-18   |
|      | 0272 920    | AR  |          |       | 3/4-16-Not Serviced<br>INTERLINER, Leaf Spring         |
|      | 3492 073    | AR  |          |       | 2-1/2 x 2-1/2" Long                                    |
| 19   | 3638 666    | AR  |          |       | 3 x 3-1/2" Long  |
|      | 3549 063    | AR  |          |       | 2-1/2 x 5" Long-1/2" Center Bolt Hole                  |
|      | 4228 368    | AR  |          |       | 1985   |
|      | 2909 367    | 2   | D5,6,7,8 |       | SHACKLE,Rear Spring Rear                               |
| 20   | 3496 094    | 2   | D7       |       | Rear Spring Rear<br>BUSHING,Rear Spring Eye or Shackle |
|      | 1920 540    | AR  |          |       | 1" O.D. x 1/2" I.D. x 2-7/8" Long                      |
|      | 1920 541    | AR  |          |       | 1-1/2" O.D. x 3/4" I.D. x 2-7/8" Long                  |
|      | 2907 869    | AR  |          |       | 1-1/4" O.D. x 5/8" I.D. x 2-7/8" Long                  |
| 21   | 4228 442    | 4   | D6,7     |       | SPACER, Tube Rr. Spring                                |
|      | 0593 805    | 2   |          |       | BOLT,Main Spring Center<br>3/8-24 x 5" Long            |
|      | 2954 709    | 2   |          |       | 3/8-24 x 5" Long                                       |
|      | 2961 234    | 2   |          |       | 3/8-24 x 2-1/8" Long                                   |
|      | 2953 076    | 2   |          |       | 3/8-24 x 3-1/4" Long                                   |
|      | 0120 369    | 2   |          |       | NUT,Spring Center Bolt                                 |
| 22   |             |     |          |       | BRACKET-Refer To Group 13                              |
| 23   | 0152 342    | AR  |          |       | NUT-5/16-18  |
| 24   | 3897 293    | 2   | D6,7     |       | BUMPER,Rear Spring Rear Axle                           |
| 25   | 0180 078    | AR  | D6,7     |       | BOLT-5/16-18 x 7/8"                                    |
| 26   | 9422 752    | AR  |          |       | BOLT-1/2 -20 x 2.75"                                   |
| 27   | 0152 349    | AR  |          |       | NUT-1/2 -20  |
| 28   | 9417 668    | 8   |          |       | NUT  |
| 29   | 0152 344    | AR  |          |       | NUT-3/8-16   |
| 30   | 3897 290    | 2   | D5,8     |       | BRACKET,Spring Bumper To Frame                         |
| 31   | 0181 112    | AR  |          |       | BOLT-3/8-16 x 1"                                       |
| 32   | 4014 050    | 2   | D5,8     |       | BUMPER,Rear Spring                                     |
| 33   | 0152 349    | AR  |          |       | NUT-1/2-20   |
| 34   | 1319 554    | 2   |          |       | RETAINER,Shock Bushing-Outer-Small Dia. Hole           |
|      | 1319 555    | 2   |          |       | Inner-Large Dia. Hole                                  |
| 35   |             |     |          |       | PLATE-Refer To Item 13                                 |
| 36   | 4026 821    | 2   | D5,6,7,8 |       | SHOCK ABSORBERS, Rear - Std.                           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 17-400**

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

«



SPRING REPLACEMENT CHART,REAR-LIGHT DUTY  
 Figure 17-500

4317 500B




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | REAR SPRING ASSEMBLY ***N N N N                |
|      | 3632 863    |     |      |       | 3492085 - 1984 ***Y3632863 N3632864 N3632865 N |
|      | 3632 864    |     |      |       | 3492085 - 1984 ***N3632863 Y3632864 N3632865 N |
|      | 3632 865    |     |      |       | 3492085 - 1984 ***N3632863 N3632864 Y3632865 N |
|      | 3632 863    |     |      |       | 4228423 - 1985 Y3632863 N3632864 N3632865 N    |
|      | 3632 864    |     |      |       | 4228423 - 1985 N3632863 Y3632864 N3632865 N    |
|      | 3632 865    |     |      |       | 4228423 - 1985 N3632863 N3632864 Y3632865 N    |
|      | 3638 194    |     |      |       | 3638150 - 1984 Y3638194 N3638195 N3638196 N    |
|      | 3638 195    |     |      |       | 3638150 - 1984 N3638194 Y3638195 N3638196 N    |
|      | 3638 196    |     |      |       | 3638150 - 1984 N3638194 N3638195 Y3638196 N    |
|      | 3638 194    |     |      |       | 4228433 - 1985 Y3638194 N3638195 N3638196 N    |
|      | 3638 195    |     |      |       | 4228433 - 1985 N3638194 Y3638195 N3638196 N    |
|      | 3638 196    |     |      |       | 4228433 - 1985 N3638194 N3638195 Y3638196 N    |
|      | 3638 197    |     |      |       | 3638190 - 1984 Y3638197 N3638198 N3638199 N    |
|      | 3638 198    |     |      |       | 3638190 - 1984 N3638197 Y3638198 N3638199 N    |
|      | 3638 199    |     |      |       | 3638190 - 1984 N3638197 N3638198 Y3638199 N    |
|      | 4147 986    |     |      |       | 4147985 - 1984 Y4147986 N4147987 N0 N          |
|      | 4147 987    |     |      |       | 4147985 - 1984 N4147986 Y4147987 N0 N          |
|      | 4147 986    |     |      |       | 4228434 - 1985 Y4147986 N4147987 N0 N          |
|      | 4147 987    |     |      |       | 4228434 - 1985 N4147986 Y4147987 N0 N          |
|      | 3638 197    |     |      |       | 3823868 - 1984 Y3638197 N3638198 N3638199 N    |
|      | 3638 198    |     |      |       | 3823868 - 1984 N3638197 Y3638198 N3638199 N    |
|      | 3638 199    |     |      |       | 3823868 - 1984 N3638197 N3638198 Y3638199 N    |
|      | 3638 197    |     |      |       | 4228438 - 1985 Y3638197 N3638198 N3638199 N    |
|      | 3638 198    |     |      |       | 4228438 - 1985 N3638197 Y3638198 N3638199 N    |
|      | 3638 199    |     |      |       | 4228438 - 1985 N3638197 N3638198 Y3638199 N    |
|      | 3632 854    |     |      |       | 3897279 - 1984 Y3632854 N3632855 N3634858 N    |
|      | 3632 855    |     |      |       | 3897279 - 1984 N3632854 Y3632855 N3634858 N    |
|      | 3634 858    |     |      |       | 3897279 - 1984 N3632854 N3632855 Y3634858 N    |
|      | 3632 854    |     |      |       | 4228420 - 1985 Y3632854 N3632855 N3634858 N    |
|      | 3632 855    |     |      |       | 4228420 - 1985 N3632854 Y3632855 N3634858 N    |
|      | 3634 858    |     |      |       | 4228420 - 1985 N3632854 N3632855 Y3634858 N    |
|      | 3632 857    |     |      |       | 3897281 - 1984 Y3632857 N3632858 N3632859 N    |
|      | 3632 858    |     |      |       | 3897281 - 1984 N3632857 Y3632858 N3632859 N    |
|      | 3632 859    |     |      |       | 3897281 - 1984 N3632857 N3632858 Y3632859 N    |
|      | 3632 857    |     |      |       | 4228421 - 1985 Y3632857 N3632858 N3632859 N    |
|      | 3632 858    |     |      |       | 4228421 - 1985 N3632857 Y3632858 N3632859 N    |
|      | 3632 859    |     |      |       | 4228421 - 1985 N3632857 N3632858 Y3632859 N    |
|      | 3632 863    |     |      |       | 3897283 - 1984 Y3632863 N3632864 N3632865 N    |
|      | 3632 864    |     |      |       | 3897283 - 1984 N3632863 Y3632864 N3632865 N    |
|      | 3632 865    |     |      |       | 3897283 - 1984 N3632863 N3632864 Y3632865 N    |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SPRING REPLACEMENT CHART,REAR-LIGHT DUTY  
 Figure 17-500

4317 500B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
|      | 3632 863    |     |      |       | 4228423 - 1985 Y3632863 N3632864 N3632865 N  |
|      | 3632 864    |     |      |       | 4228423 - 1985 N3632863 Y3632864 N3632865 N  |
|      | 3632 865    |     |      |       | 4228423 - 1985 N3632863 N3632864 Y3632865 N  |
|      | 3632 866    |     |      |       | 3897284 - 1984 Y3632866 N3632867 N3632868 N  |
|      | 3632 867    |     |      |       | 3897284 - 1984 N3632866 Y3632867 N3632868 N  |
|      | 3632 868    |     |      |       | 3897284 - 1984 N3632866 N3632867 Y3632868 N  |
|      | 3632 866    |     |      |       | 4228424 - 1985 Y3632866 N3632867 N3632868 N  |
|      | 3632 867    |     |      |       | 4228424 - 1985 N3632866 Y3632867 N3632868 N  |
|      | 3632 868    |     |      |       | 4228424 - 1985 N3632866 N3632867 Y3632868 N  |
|      | 3632 872    |     |      |       | 3897285 - 1984 Y3632872 N3632867 N3632868 N  |
|      | 3632 867    |     |      |       | 3897285 - 1984 N3632872 Y3632867 N3632868 N  |
|      | 3632 868    |     |      |       | 3897285 - 1984 N3632872 N3632867 Y3632868 N  |
|      | 3632 872    |     |      |       | 4228425 - 1985 Y3632872 N3632867 N3632868 N  |
|      | 3632 867    |     |      |       | 4228425 - 1985 N3632872 Y3632867 N3632868 N  |
|      | 3632 868    |     |      |       | 4228425 - 1985 N3632872 N3632867 Y3632868 N  |
|      | 3632 860    |     |      |       | 4030456 - 1984 Y3632860 N3632858 N4030472 N  |
|      | 3632 858    |     |      |       | 4030456 - 1984 N3632860 Y3632858 N4030472 N  |
|      | 4030 472    |     |      |       | 4030456 - 1984 N3632860 N3632858 Y4030472 N  |
|      | 3632 860    |     |      |       | 4228422 - 1985 Y3632860 N3632858 N4030472 N  |
|      | 3632 858    |     |      |       | 4228422 - 1985 N3632860 Y3632858 N4030472 N  |
|      | 4030 472    |     |      |       | 4228422 - 1985 N3632860 N3632858 Y4030472 N  |
|      |             |     |      |       | 4032300-AUXILIARY - 1984 N N N N             |
|      |             |     |      |       | 4228449-AUXILIARY - 1985 N N N N             |
|      | 4039 777    |     |      |       | 4115478 - 1984 Y4039777 N4039778 N4039779 N0 |
|      | 4039 778    |     |      |       | 4115478 - 1984 N4039777 Y4039778 N4039779 N0 |
|      | 4039 779    |     |      |       | 4115478 - 1984 N4039777 N4039778 Y4039779 N0 |
|      | 4039 777    |     |      |       | 4228426 - 1985 Y4039777 N4039778 N4039779 N0 |
|      | 4039 778    |     |      |       | 4228426 - 1985 N4039777 Y4039778 N4039779 N0 |
|      | 4039 779    |     |      |       | 4228426 - 1985 N4039777 N4039778 Y4039779 N0 |
|      | 4039 774    |     |      |       | 4115479 - 1984 Y4039774 N4039775 N4039776 N0 |
|      | 4039 775    |     |      |       | 4115479 - 1984 N4039774 Y4039775 N4039776 N0 |
|      | 4039 776    |     |      |       | 4115479 - 1984 N4039774 N4039775 Y4039776 N0 |
|      | 4039 774    |     |      |       | 4228427 - 1985 Y4039774 N4039775 N4039776 N0 |
|      | 4039 775    |     |      |       | 4228427 - 1985 N4039774 Y4039775 N4039776 N0 |
|      | 4039 776    |     |      |       | 4228427 - 1985 N4039774 N4039775 Y4039776 N0 |
|      | 4039 780    |     |      |       | 4115480 - 1984 Y4039780 N4039781 N4039782 N0 |
|      | 4039 781    |     |      |       | 4115480 - 1984 N4039780 Y4039781 N4039782 N0 |
|      | 4039 782    |     |      |       | 4115480 - 1984 N4039780 N4039781 Y4039782 N0 |
|      | 4039 780    |     |      |       | 4228428 - 1985 Y4039780 N4039781 N4039782 N0 |
|      | 4039 781    |     |      |       | 4228428 - 1985 N4039780 Y4039781 N4039782 N0 |
|      | 4039 782    |     |      |       | 4228428 - 1985 N4039780 N4039781 Y4039782 N0 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SPRING REPLACEMENT CHART,REAR-LIGHT DUTY  
Figure 17-500

4317 500B

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|----------------|-----|------|-------|--|
|      | 3898 981       |     |      |       | 4115481 - 1984 Y3898981 N4088929 N4088930 NO |
|      | 4088 929       |     |      |       | 4115481 - 1984 N3898981 Y4088929 N4088930 NO |
|      | 4088 930       |     |      |       | 4115481 - 1984 N3898981 N4088929 Y4088930 NO |
|      | 3898 981       |     |      |       | 4228429 - 1985 Y3898981 N4088929 N4088930 NO |
|      | 4088 929       |     |      |       | 4228429 - 1985 N3898981 Y4088929 N4088930 NO |
|      | 4088 930       |     |      |       | 4228429 - 1985 N3898981 N4088929 Y4088930 NO |
|      | 4088 959       |     |      |       | 4089143 - 1984 Y4088959 N4088960 N4088961 NO |
|      | 4088 960       |     |      |       | 4089143 - 1984 N4088959 Y4088960 N4088961 NO |
|      | 4088 961       |     |      |       | 4089143 - 1984 N4088959 N4088960 Y4088961 NO |
|      | 4088 959       |     |      |       | 4228430 - 1985 Y4088959 N4088960 N4088961 NO |
|      | 4088 960       |     |      |       | 4228430 - 1985 N4088959 Y4088960 N4088961 NO |
|      | 4088 961       |     |      |       | 4228430 - 1985 N4088959 N4088960 Y4088961 NO |
|      | 4089 301       |     |      |       | 4089144 - 1984 Y4089301 N4089302 N4089303 NO |
|      | 4089 302       |     |      |       | 4089144 - 1984 N4089301 Y4089302 N4089303 NO |
|      | 4089 303       |     |      |       | 4089144 - 1984 N4089301 N4089302 Y4089303 NO |
|      | 4089 301       |     |      |       | 4228432 - 1985 Y4089301 N4089302 N4089303 NO |
|      | 4089 302       |     |      |       | 4228432 - 1985 N4089301 Y4089302 N4089303 NO |
|      | 4089 303       |     |      |       | 4228432 - 1985 N4089301 N4089302 Y4089303 NO |
|      | 4147 686       |     |      |       | 4147685 - 1984 Y4147686 NO NO NO             |
|      | 4147 686       |     |      |       | 4228431 - 1985 Y4147686 NO NO NO             |

ITS THAT HAVE BEEN CHANGED IN COMPLIANCE WITH A BULLETIN. part number 4216539  
BULLETIN AND THE APPLICABLE SERVICE PART."NOT ALL BULLETIN PART NUMBERS ARE AVAILABLE FOR SERVICE  
REPLACEMENT." ADDITIONAL BULLETINS WILL BE ADDED AS INFORMATION BECOMES AVAILABLE.



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = WAGON (4X4)   |                              |                   |                  |                  |                  |
| D10 = WAGON (4X4)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

---

**GROUP 18 - SERVICE BULLETINS**

| ILLUSTRATION TITLE                                   | GROUP-FIG. NO. |
|--|----------------|
| TECHNICAL SERVICE BULLETIN INDEX .....               | Fig. 18-100    |
| SERVICE BULLETINS GROUP 2 - FRONT SUSPENSION .....   | Fig. 18-200    |
| SERVICE BULLETINS GROUP 6 - CLUTCH .....             | Fig. 18-600    |
| SERVICE BULLETINS GROUP 7 - COOLING .....            | Fig. 18-700    |
| SERVICE BULLETINS GROUP 8 - ELECTRICAL .....         | Fig. 18-800    |
| SERVICE BULLETINS GROUP 9 - ENGINE .....             | Fig. 18-900    |
| SERVICE BULLETINS GROUP 14 - FUEL .....              | Fig. 18-1400   |
| SERVICE BULLETINS GROUP 16 - PROPELLOR SHAFT .....   | Fig. 18-1600   |
| SERVICE BULETINS GROUP 18 - DRIVEABILITY .....       | Fig. 18-1800   |
| SERVICE BULLETINS GROUP 21 - TRANSMISSION .....      | Fig. 18-2100   |
| SERVICE BULLETINS GROUP 22 - WHEELS .....            | Fig. 18-2200   |
| SERVICE BULLETINS GROUP 23 - BODY .....              | Fig. 18-2300   |
| SERVICE BULLETINS GROUP 24 - AIR CONDITIONING .....  | Fig. 18-2400   |
| SERVICE BULLETINS GROUP 25 - EMISSION CONTROLS ..... | Fig. 18-2500   |

**ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION**

---

TECHNICAL SERVICE BULLETIN INDEX  
Figure 18-100

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | GROUP 2 - FRONT SUSPENSION (see illustration 18-200) N<br>N N N<br>N N N N<br>FRONT AXLE DISCONNECT WILL NOT ENGAGE (1985) NW,<br>AW N N N2-2-86                 |
|      |                |     |      |       | Install New Vacuum Motor Shield N N N N<br>N N N N<br>VEHICLE LEANS OR LOW ON LEFT FRONT CORNER (1984-<br>85) ND,AD N N N2-2-85                                  |
|      |                |     |      |       | Install Front Coil Spring Spacer N N N N<br>N N N N<br>VEHICLE LEAN (1984-85) NW N N N2-3-86<br>Install Spring Spacer Package N N N N                            |
|      |                |     |      |       | N N N N<br>FRONT SPRING SPACER (1985) NW-4WD N N N2-5-87<br>Installation Procedure for Front Spring Spacer N N N N<br>N N N N                                    |
|      |                |     |      |       | AUTO LOCK HUBS WILL NOT OPERATE (1984) NW N Nw/<br>Auto Lock N<br>N N NHubs N2-10-85<br>Repair Package and Producer to Repair Auto Lock Hubs N N N               |
|      |                |     |      |       | N<br>N N N N<br>GROUP 6 - CLUTCH (see illustration 18-600) N N N N<br>N N N N  |
|      |                |     |      |       | CLUTCH CHATTER AND ROARING NOISE ND,W N225 N N6-<br>2-87<br>Install Hydraulic Clutch Package N N N N<br>N N N N  |
|      |                |     |      |       | ROARING AND CHATTER ND N225 NA833,A435 N6-3-86<br>Install Hydraulic Clutch Actuator System N N N N<br>N N N N<br>CLUTCH CHATTER (1984-85) ND,W,AD,AW N N N6-3-85 |
|      |                |     |      |       | Install New Clutch Stop Bumper N N N N<br>N N N N<br>GROUP 7 - COOLING (see illustration 18-700) N N N N<br>N N N N  |
|      |                |     |      |       | ENGINE OVERHEAT DURING CITY DRIVING OR IDLE (1984-<br>85) NALL N N N7-3-85<br>Install Temperature Idle Compensator Valve Package N N N N<br>N N N N              |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |  |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = DRIVING AND WAGONS (4X2)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

TECHNICAL SERVICE BULLETIN INDEX  
Figure 18-100

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | GROUP 8 - ELECTRICAL (see illustration 18-800) N N N N<br>N N N N<br>OVERFILLED BATTERY DUE TO WATER INGESTION (1984)<br>NB N N N8-5-84<br>Install Battery water Shield N N N N  |
|      |                |     |      |       | N N N N<br>MAP LAMP TAB BREAKAGE (1984-1985) ND,W N3.7,5.2,5.<br>9LN N8-8-87<br>Install Lamp Mounting Bracket Repair Package N N N N   |
|      |                |     |      |       | N N N N<br>GROUP 9 - ENGINE (see illustration 18-900) N N N N<br>N N N N<br>MOAN OR DRONE AT 1600-2100 RPM (1984-85) ND N3.7L,5.<br>2L N N9-2-86<br>Install Engine Bending Damper and Rear Transmission<br>Insulator N N N N |
|      |                |     |      |       | N N N N<br>VALVE ROCKER ARM BREAKAGE (1984) ND,W,AD,AW N5.<br>2L,5.9L N N9-11-84<br>Install New Part Number Rocker Arms N N N N<br>N N N N   |
|      |                |     |      |       | USE OF 5W-30 ENGINE OIL NALL NALL N N9-17-85<br>N N N N<br>GROUP 14 - FUEL (see illustration 18-1400) N N N N<br>N N N N   |
|      |                |     |      |       | SAGS DURING ACCELERATION (Cold) (1984) NB,D,W,AD,<br>AW N5.2L N N14-13-84<br>Replace Carburetor Switch and Fast Idle Cam N N N N<br>N N N N  |
|      |                |     |      |       | FILL TUBE SPITBACK/PREMATURE NOZZLE SHUTOFF<br>(1984) ND,W,AD,AW N N N14-15-85<br>Install Revised Fuel Filler Tube N N N N<br>N N N N  |
|      |                |     |      |       | GROUP 16 - PROPELLOR SHAFT (see illustration 18-1600) N<br>N N N<br>N N N N<br>DRIVELINE SNAP OR CLUNK (1984-85) NB,D,AD N N N16-1-<br>84<br>Install New Driveshaft Yoke N N N N<br>N N N N                                  |

|                            |  |                              |                   |                  |                  |                  |
|----------------------------|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |  |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

TECHNICAL SERVICE BULLETIN INDEX  
Figure 18-100

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | DRIVELINE SNAP OR CLUNK (1984-85) NW,AW N N N16-1-85                                   |
|      |                |     |      |       | Install Driveshaft Boot Package N N N N  |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | GROUP 18 - DRIVEABILTY (see illustration 18-1800) N N N N                              |
|      |                |     |      |       | NOTE: Some bulletins in Group 18 are listed in Group 14 INFORMATION BECOMES AVAILABLE. |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | SAGS DURING ACCELERATION (Cold) (1984) NB,D,W,AD,AW N5.2L N N14-13-84                  |
|      |                |     |      |       | Replace Carburetor Switch and Fast Idle Cam N N N N                                    |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | COLD ENGINE LONG CRANK TIMES (1985) ND,W N5.9L N N18-1-86                              |
|      |                |     |      |       | Install Thermal Bowl Vent Valve N N N N  |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | HARD HOT RESTARTS 1985 NB,D,W N5.9L N N18-4-88   |
|      |                |     |      |       | Install Cold Trapped Spark Advance Driveability Package N N N N                        |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | HARD HOT STARTS N N5.9L N N18-14-87  |
|      |                |     |      |       | Install a Bolt in Vapor Containment Door to Block Open N N N N                         |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | VAPOR LOCK (1984-85) ND,W,AD,AW N5.2L,5.9L N N18-17-85                                 |
|      |                |     |      |       | Install Electric Fuel Pump N N N N   |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | VAPOR LOCK (1984-85) NB N5.2L,5.9L N N18-19-85A  |
|      |                |     |      |       | Install Electric Fuel Pump Package N N N N   |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | PREMATURE CHOKE CLOSING, HARD HOT RESTARTS (1985) NB,D,W,AD,AW N5.2L,5.9L N N18-19-86  |
|      |                |     |      |       | Reroute Heater Hose N N N N  |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | HARD HOT STARTS, POOR FUEL ECONOMY (1985) NB,D,W N5.9L-4V N N18-26-86                  |
|      |                |     |      |       | Install Driveability Package N N N N   |
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | WARM SURGE AT STEADY SPEED (1985) NB,D,W,AD,AW N5.2L N N18-29-85                       |
|      |                |     |      |       | Install Vacuum Delay and ESA Module N N N N  |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL TRUCK (4X2)  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL (TRUCK) 4X4  |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   | (64) = 159" W.B. |                  |                  |
| D = DRIVEN AND WAGONS (4X2)  |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

TECHNICAL SERVICE BULLETIN INDEX  
Figure 18-100

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | N N N N  |
|      |                |     |      |       | GROUP 21 - TRANSMISSION (see illustration 18-2100) N N N<br>N<br>HIGH TRANSFER CASE SHIFT EFFORT 2 HIGH and 4 HIGH<br>NW,AW,N N N N21-15-87                  |
|      |                |     |      |       | Change Front Axle Lubricant N N N N<br>N N N N<br>GROUP 22 - WHEELS (see illustration 18-2200) N N N N<br>N N N N  |
|      |                |     |      |       | WHEEL COVER RETENTION, w/16.5 WHEELS (1984) NB,<br>D,W N N N22-1-84<br>Replace Wheels N N N N<br>N N N N   |
|      |                |     |      |       | GROUP 23 - BODY (see illustration 18-2300) N N N N<br>N N N N<br>PASSANGERS SEAT CONTACTING WINDSHIELD (1984-85)<br>NAD,AW N N N23-2-85                      |
|      |                |     |      |       | Install Service Seat Stop N N N N<br>N N N N<br>CLOTH SEAT CLEANING PROCEDURE NB,N,D N N N23-3-<br>89  |
|      |                |     |      |       | Procedure for the Cleaning of Soiled Seat Upholstery. N N N N<br>N N N N<br>SEAT BELT EXTENSION AND SHOULDER BELT TENSION<br>REL.(1984-85) NALL N N N23-8-85 |
|      |                |     |      |       | Information Regarding Seat Belt Extenders N N N N<br>N N N N<br>LACK OF FIRMNESS OR CUSHION COLLAPSE (1985) ND,W<br>N N N23-15-85                            |
|      |                |     |      |       | Install New Seat Cushion Pad N N N N<br>N N N N<br>SLIDING SIDE DOOR WILL NOT OPEN (1985) NB N N N23-<br>25-85   |
|      |                |     |      |       | Install New Latch N N N N<br>N N N N<br>GROUP 24 - AIR CONDITIONING (see Illustration 18-2400) N<br>N N N  |
|      |                |     |      |       | N N N N<br>AIR CONDITIONING SYSTEM FLUSHING NB N N N24-1-87<br>Provide Specific Air Conditioning System Flushing and Refill<br>Procedures N N N N            |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGONS (4X2)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |



[illegible]

[illegible]

[illegible]

SERVICE BULLETINS GROUP 7 - COOLING  
Figure 18-700

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | Engine Overheating During City Driving or Idle (1984-85) ! 7-3-85 NALL N N N  |
|      | 4397 668       |     |      |       | VALVE PACKAGE, Temp Idle Compensator N N N N w/Originally Equipped Valve in Upper Radiator Hose N N N4397668 Y4397668 |
|      | 4268 712       |     |      |       | VALVE, Temp Idle Compensator N N N4268712 Y4268712 HARNESS, Vacuum Hose N N N4306277 NDNS                             |
|      | 6015 756       |     |      |       | ADAPTOR, 3/8" x 3/8" Brass N N N0444002 NDNS WRAP, Vacuum Harness N N N6015756 Y6015756                               |
|      | 4275 086       |     |      |       | LABEL, Authorized Modification N N N4276086 Y4275086  |
|      | 4397 669       |     |      |       | w/o Originally Equipped Valve in Upper Radiator Hose N N N4397669 Y4397669  |
|      | 4268 712       |     |      |       | VALVE, Temp Idle Compensator N N N4268712 Y4268712  |
|      | 3751 777       |     |      |       | HARNESS, Vacuum Hose N N N4306277 NDNS  |
|      | 2448 763       |     |      |       | ADAPTOR, Radiator Hose N N N3751777 Y3751777  |
|      | 4275 086       |     |      |       | CLAMP, Hose N N N2448763 Y2448763   |
|      |                |     |      |       | LABEL, Authorized Modification N N N4275086 Y4275086  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = TRUCK LINE WAGONS (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

[illegible]

SERVICE BULLETINS GROUP 9 - ENGINE  
Figure 18-900

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | Moan or Drone at 1600-2100 RPM (1984-85) ! 9-2-86 ND N3.<br>7L,5.2L N N       |
|      | 4412 962       |     |      |       | INSULATOR, Engine Rear Support, w/A904,999,727 Trans N N<br>N4412962 Y4412962 |
|      | 6029 770       |     |      |       | SCREW, w/WASHER N N N6029770 Y6029770   |
|      | 4412 542       |     |      |       | WEIGHT, Damper, w/A904,999 Trans. N N N4412542<br>Y4412542                    |
|      | 3681 614       |     |      |       | PLATE, w/A904,999 Trans N N N3681614 Y3681614                                 |
|      | 6032 046       |     |      |       | WASHER, w/A904,999 Trans N N N6032046 Y6032046                                |
|      | 6032 047       |     |      |       | SCREW, w/A904,999 Trans N N N6032047 Y6032047<br>N N N N                      |
|      |                |     |      |       | Valve Rocker Arm Breakage (1984) ! 9-11-84 ND,W,AD,AW<br>N5.2L,5.9L N N       |
|      | 4100 774       |     |      |       | ARM, Rocker N N N4100744 Y4100774   |
|      | 4100 775       |     |      |       | ARM, Rocker N N N4100775 Y4100775<br>N N N N                                  |
|      |                |     |      |       | Use of 5W-30 Engine Oil (1984-85) ! 9-17-85 NAll NAll N N                     |
|      | 4318 075       |     |      |       | OIL, Engine 5W-30 SF/CC Quart N N N4318075 Y4318075                           |
|      | 4318 076       |     |      |       | OIL, Engine 5W-30 SF/CC Drum N N N4318076 Y4318076                            |

|  |                   |                              |                   |                  |                  |
|--|-------------------|------------------------------|-------------------|------------------|------------------|
| MODEL CODES:   |                   |                              |                   |                  |                  |
| TRUCK LINE   |                   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| D123 = CONVENTIONAL  | (11) = 109" W.B.  |                              | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.  |                              | (52) = 127" W.B.  | (62) = 131" W.B. |                  |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B. |                              | (53) = 127X" W.B. | (63) = 135" W.B. | CREW CAB:        |
| D5,6,7 = CONVENTIONAL  |                   |                              |                   | (64) = 159" W.B. | (82) = 149" W.B. |
| (TRUCK) 4X4  |                   |                              |                   |                  | (83) = 165" W.B. |
| D8 = SPORT UTILITY (4X4)   |                   |                              |                   |                  |                  |
| D = DRUMS AND WAGONS (N/A)   |                   |                              |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                   |                              |                   |                  |                  |

**ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION**

| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>PAINT AND WAGONS (P.A.R.)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

|  | ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|------|----------------|-----|------|-------|---|
|  |      |                |     |      |       | Driveline Snap or Clunk (1984-85) ! 16-1-84 NB,D,AD N N N                                     |
|  |      | 4137 452       |     |      |       | YOKE, w/A904,999 Trans N N N4137452 Y4137452  |
|  |      | 4137 456       |     |      |       | YOKE, w/A727 Trans N N N4137456 Y4137456<br>N N N N   |
|  |      | 4137 901       |     |      |       | Driveline Snap ro Clunk (1984-85) ! 16-1-85 NW,AW N N N<br>BOOT PACKAGE N N N4137901 Y4137901 |
| ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
|  |      |                |     |      |       |   |
| <div>MODEL CODES:<br/>TRUCK LINE<br/>D123 = CONVENTIONAL TRUCK (4X2)<br/>D4 = SPORT UTILITY (4X2)<br/>D5,6,7 = CONVENTIONAL (TRUCK) 4X4<br/>D8 = SPORT UTILITY (4X4)</div> <div>BODY STYLE &amp; WHEELBASE VANS:<br/>(11) = 109" W.B.<br/>(12) = 127" W.B.<br/>(13) = 127X" W.B.</div> <div>WAGONS:<br/>(51) = 109" W.B.<br/>(52) = 127" W.B.<br/>(53) = 127X" W.B.</div> <div>CONVENTIONAL:<br/>(61) = 115" W.B.<br/>(62) = 131" W.B.<br/>(63) = 135" W.B.<br/>(64) = 159" W.B.</div> <div>SPORT UTILITY:<br/>(71) = 106" W.B.</div> <div>CREW CAB:<br/>(82) = 149" W.B.<br/>(83) = 165" W.B.</div> |      |                |     |      |       |   |
| <div>D - PARTS AND ACCESSORIES (P.A.R.)<br/>AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required</div>   |      |                |     |      |       |   |



SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | Cold Engine Long Crank Times (1985) ! 18-1-86 ND,W N5.9L<br>N N  |
|      | 4397 683       |     |      |       | DRIVEABILITY PACKAGE, D-Model, w/318/360-4Bbl. N N<br>N4397683 Y4397683  |
|      | 4307 576       |     |      |       | BRACKET, Heater Hose N N N4307576 Y4307576   |
|      |                |     |      |       | HOSE, Heater (Preformed) N N N4361146 NSCP<br>HOSE, Heater N N N3849197 NSCP                                     |
|      | 3730 000       |     |      |       | SCREW N N N3730000 Y3730000  |
|      | 4397 685       |     |      |       | DRIVEABILITY PACKAGE, B-Model, w/318/360-4Bbl. N N<br>N4397685 Y4397685  |
|      | 4307 576       |     |      |       | BRACKET, Heater Hose N N N4307576 Y4307576<br>HOSE, Heater N N N4361142 NSCP                                     |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756  |
|      | 3730 000       |     |      |       | SCREW N N N3730000 Y3730000<br>N N N N   |
|      |                |     |      |       | Hard Hot Restarts 1985 ! 18-4-88 N N5.9L N N   |
|      | 4419 449       |     |      |       | DRIVEABILITY PACKAGE NB N N4419449 Y4419449  |
|      |                |     |      |       | HARNESS, Vacuum N N N4324484 NSCP  |
|      | 6015 739       |     |      |       | CLIP N N N6015739 Y6015739   |
|      | 4105 196       |     |      |       | CONNECTER N N N4105196 Y4105196  |
|      | 4275 580       |     |      |       | CONNECTER, EGR N N N4275580 Y4275580   |
|      | 4324 069       |     |      |       | CONNECTER, 5-Port N N N4324069 Y4324069  |
|      | 4364 393       |     |      |       | TUBING, Convolutd N N N4124353 Y4364393  |
|      | 4364 374       |     |      |       | TUBING, Convolutd N N N3843376 Y4364374  |
|      | 4324 384       |     |      |       | VALVE, Delay N N N4324334 Y4324384   |
|      | 3780 508       |     |      |       | HOSE, Vacuum N N N4173987 Y3780508   |
|      | 3870 649       |     |      |       | BLEED, Filtered N N N3870649 Y3870649  |
|      | 4095 987       |     |      |       | CONNECTER, F N N N4095987 Y4095987   |
|      | 4026 511       |     |      |       | HOSE, Vacuum N N N3751863 Y4026511   |
|      | 4100 727       |     |      |       | ELBOW N N N4100727 Y4100727  |
|      | 4289 817       |     |      |       | SOLENOID, Dual Vacuum N N N4289817 Y4289817  |
|      | 0 D NS         |     |      |       | CONNECTER N N N4179391 YDNS<br>CONNECTER N N N4179392 NDNS   |
|      |                |     |      |       | CONNECTER N N N4179197 NDNS<br>ELBOW N N N4213774 NDNS<br>CONNECTER N N N4213775 NDNS<br>ELBOW N N N4213766 NDNS |
|      |                |     |      |       | ELBOW N N N4213767 NDNS<br>CONNECTER N N N4268687 NDNS<br>ELBOW N N N4213797 NDNS<br>TEE N N N4179193 NDNS       |

|                            |  |                              |  |                   |                  |
|----------------------------|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:               |  |                              |  |                   |                  |
| TRUCK LINE                 |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL      |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4                |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | 4268 716       |     |      |       | VALVE, 5-Port CVSCC N N N4268716 Y4268716             |
|      | 4307 895       |     |      |       | CABLE ASSEMBLY N N N4307895 Y4307895                  |
|      | 4275 086       |     |      |       | LABEL, Authorized Modifacation N N N4275086 Y4275086  |
|      | 4026 511       |     |      |       | HOSE, 3/16" Vacuum N N N4026511 Y4026511              |
|      | 4419 450       |     |      |       | DRIVEABILITY PACKAGE ND,W N N4419450 Y4419450         |
|      |                |     |      |       | HARNESS, Vacuum N N N4324485 NSCP                     |
|      | 6015 639       |     |      |       | CLIP N N N6015739 Y6015639                            |
|      | 4105 196       |     |      |       | CONNECTER N N N4105196 Y4105196                       |
|      | 4275 580       |     |      |       | CONNECTER, EGR N N N4275580 Y4275580                  |
|      | 4324 069       |     |      |       | CONNECTER, 5-Port N N N4324069 Y4324069               |
|      | 4364 393       |     |      |       | TUBING, Convolute N N N4124353 Y4364393               |
|      | 4364 374       |     |      |       | TUBING, Convolute N N N3843376 Y4364374               |
|      | 4324 384       |     |      |       | VALVE, Delay N N N4324334 Y4324384                    |
|      | 3780 508       |     |      |       | HOSE, Vacuum N N N4173987 Y3780508                    |
|      | 3870 649       |     |      |       | BLEED, Filtered N N N3870649 Y3870649                 |
|      | 4095 987       |     |      |       | CONNECTER, F N N N4095987 Y4095987                    |
|      | 4026 511       |     |      |       | HOSE, Vacuum N N N3751863 Y4026511                    |
|      | 4100 727       |     |      |       | ELBOW N N N4100727 Y4100727                           |
|      | 4289 817       |     |      |       | SOLENOID, Dual Vacuum N N N4289817 Y4289817           |
|      |                |     |      |       | CONNECTER N N N4179391 NDNS                           |
|      |                |     |      |       | CONNECTER N N N4179392 NDNS                           |
|      |                |     |      |       | CONNECTER N N N4179197 NDNS                           |
|      |                |     |      |       | ELBOW N N N4213774 NDNS                               |
|      |                |     |      |       | CONNECTER N N N4213775 NDNS                           |
|      |                |     |      |       | ELBOW N N N4213766 NDNS                               |
|      |                |     |      |       | ELBOW N N N4213767 NDNS                               |
|      |                |     |      |       | CONNECTER N N N4268687 NDNS                           |
|      |                |     |      |       | ELBOW N N N4213797 NDNS                               |
|      |                |     |      |       | TEE N N N4179193 NDNS                                 |
|      | 4268 716       |     |      |       | VALVE, 5-Port CVSCC N N N4268716 Y4268716             |
|      | 4307 895       |     |      |       | CABLE ASSEMBLY N N N4307895 Y4307895                  |
|      | 4275 086       |     |      |       | LABEL, Authorized Modification N N N4275086 Y4275086  |
|      | 4026 511       |     |      |       | HOSE, 3/16" Vacuum N N N4026511 Y4026511              |
|      |                |     |      |       | N N N N   |
|      |                |     |      |       | Hard Hot Starts (1985) ! 18-14-87 N N5.9L N N         |
|      | 5240 437       |     |      |       | BOLT (m6x1x14) N N N5240437 Y5240437                  |
|      | 6500 274       |     |      |       | NUT (m6x1) N N N6500274 Y6500274                      |
|      | 4275 086       |     |      |       | LABEL, Authorized Modification N N N4275086 Y4275086  |
|      |                |     |      |       | N N N N   |
|      |                |     |      |       | VAPOR LOCK (1984-85) ! 18-17-85 ND,W,AD,AW N5.2L,5.9L |
|      |                |     |      |       | N N   |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGONS (4X2)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | 4364 384       |     |      |       | LOCK PACKAGE, Vapor, w/20 Gal Fuel Tank N N N4364384<br>Y4364384                  |
|      | 4397 847       |     |      |       | GAUGE/PUMP, Fuel N N N4075437 NSCP<br>PUMP and SEAL PACKAGE N N N4397847 Y4397847 |
|      | 4397 844       |     |      |       | LEVEL and SEAL PACKAGE N N N4397844 Y4397844                                      |
|      | 4397 838       |     |      |       | FILTER and SEAL PACKAGE, Fuel Pump N N N4397838<br>Y4397838                       |
|      | 4362 295       |     |      |       | HARNESS, Engine Compartment Wiring N N N4362295<br>Y4362295                       |
|      | 4362 284       |     |      |       | HARNESS, Instrument Panel Wiring N N N4362284 Y4362284                            |
|      | 4362 286       |     |      |       | HARNESS, Body Wiring N N N4362286 Y4362286  |
|      | 5226 640       |     |      |       | MODULE, Control N N N5226640 Y5226640   |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756   |
|      | 6101 135       |     |      |       | FUSE, 10 Amp N N N6101135 Y6101135  |
|      | 4418 012       |     |      |       | RESERVOIR/FILTER and BRACKET, Fuel N N N4418012<br>Y4418012                       |
|      | 4306 968       |     |      |       | TUBE, Fuel Filter to Reservoir (4x4) N N N4306968 Y4306968                        |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651   |
|      | 6500 651       |     |      |       | CLAMP, Hose 1/4" N N N6500650 Y6500651  |
|      |                |     |      |       | SCREW, Self-Tapping N N N6022777 NDNS   |
|      | 4418 013       |     |      |       | TEMPLATE (4x4) N N N4418013 Y4418013  |
|      | 4203 569       |     |      |       | HOSE, 5/16" x 8" Long N N N4203576 Y4203569                                       |
|      | 4418 005       |     |      |       | HOSE, w/SLEEVE, 1/4" x 10" Long N N N4418005 Y4418005                             |
|      | 4279 993       |     |      |       | TUBING, Convolute, 6" Long N N N4279993 Y4279993                                  |
|      |                |     |      |       | TEMPLATE (4x2) N N N4418042 NDNS  |
|      | 4306 967       |     |      |       | TUBE, Fuel Pump to Reservoir (4x2) N N N4306967 Y4306967                          |
|      | 4185 002       |     |      |       | SEAL, Fuel Tank Gauge N N N4185002 Y4185002                                       |
|      | 2448 761       |     |      |       | CLAMP, Hose 1/2" Filler Neck Vent Tube N N N2448761<br>Y2448761                   |
|      | 4364 385       |     |      |       | LOCK PACKAGE, Vapor, w/30 Gal Fuel Tank N N N4364385<br>Y4364385                  |
|      | 4397 847       |     |      |       | GAUGE/PUMP, Fuel N N N4075438 NSCP<br>PUMP and SEAL PACKAGE N N N4397847 Y4397847 |
|      | 4397 843       |     |      |       | LEVEL and SEAL PACKAGE N N N4397843 Y4397843                                      |
|      | 4397 838       |     |      |       | FILTER and SEAL PACKAGE, Fuel Pump N N N4397838<br>Y4397838                       |
|      | 4362 295       |     |      |       | HARNESS, Engine Compartment Wiring N N N4362295<br>Y4362295                       |
|      | 4362 284       |     |      |       | HARNESS, Instrument Panel Wiring N N N4362284 Y4362284                            |
|      | 4362 286       |     |      |       | HARNESS, Body Wiring N N N4362286 Y4362286  |
|      | 5226 640       |     |      |       | MODULE, Control N N N5226640 Y5226640   |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVEN AND WAGONS (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756                                  |
|      | 6101 135       |     |      |       | FUSE, 10 Amp N N N6101135 Y6101135                               |
|      | 4418 012       |     |      |       | RESERVOIR/FILTER and BRACKET, Fuel N N N4418012<br>Y4418012      |
|      | 4306 968       |     |      |       | TUBE, Fuel Pump to Reservoir (4x4) N N N4306968 Y4306968         |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651                          |
|      | 6500 650       |     |      |       | CLAMP, Hose 1/4" N N N6500650 Y6500650                           |
|      |                |     |      |       | SCREW, Self-Tapping N N N6022777 NDNS                            |
|      | 4418 013       |     |      |       | TEMPLATE (4x4) N N N4418013 Y4418013                             |
|      | 4203 569       |     |      |       | HOSE, 5/16" x 8" Long N N N4203576 Y4203569                      |
|      | 4418 005       |     |      |       | HOSE, w/SLEEVE, 1/4" x 10" Long N N N4418005 Y4418005            |
|      | 4279 993       |     |      |       | TUBING, Convolute, 6" Long N N N4279993 Y4279993                 |
|      |                |     |      |       | TEMPLATE (4x2) N N N4418042 NDNS                                 |
|      | 4306 967       |     |      |       | TUBE, Fuel pump to Reservoir N N N4306967 Y4306967               |
|      | 4185 002       |     |      |       | SEAL, Fuel Tank Gauge N N N4185002 Y4185002                      |
|      | 2448 761       |     |      |       | CLAMP, Hose 1/2" Filler Neck Vent Tube N N N2448761<br>Y2448761  |
|      | 4364 386       |     |      |       | LOCK PACKAGE, Vapor, w/35 Gal Fuel Tank N N N4364386<br>Y4364386 |
|      |                |     |      |       | GAUGE/PUMP, Fuel N N N4075439 NSCP                               |
|      | 4397 848       |     |      |       | PUMP and SEAL PACKAGE N N N4397848 Y4397848                      |
|      | 4397 842       |     |      |       | LEVEL and SEAL PACKAGE N N N4397842 Y4397842                     |
|      | 4397 839       |     |      |       | FILTER and SEAL PACKAGE, Fuel Pump N N N4397839<br>Y4397839      |
|      | 4362 295       |     |      |       | HARNESS, Engine Compartement Wiring N N N4362295<br>Y4362295     |
|      | 4362 284       |     |      |       | HARNESS, Instrument Panel Wiring N N N4362284 Y4362284           |
|      | 4362 286       |     |      |       | HARNESS, Body Wiring N N N4362286 Y4362286                       |
|      | 5226 640       |     |      |       | MODULE, Control N N N5226640 Y5226640                            |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756                                  |
|      | 6101 135       |     |      |       | FUSE, 10 Amp N N N6101135 Y6101135                               |
|      | 4418 012       |     |      |       | RESERVOIR/FILTER and BRACKET, Fuel N N N4418012<br>Y4418012      |
|      | 4306 968       |     |      |       | TUBE, Fuel Pump to Reservoir (4x4) N N N4306968 Y4306968         |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651                          |
|      | 6500 650       |     |      |       | CLAMP, Hose 1/4" N N N6500650 Y6500650                           |
|      |                |     |      |       | SCREW, Self-Tapping N N N6022777 NDNS                            |
|      | 4418 013       |     |      |       | TEMPLATE (4x4) N N N4418013 Y4418013                             |
|      | 4203 569       |     |      |       | HOSE, 5/16" x 8" Long N N N4203576 Y4203569                      |
|      | 4418 005       |     |      |       | HOSE, w/SLEEVE, 1/4" x 10" Long N N N4418005 Y4418005            |
|      | 4379 993       |     |      |       | TUBING, Convolute, 6" Long N N N4279993 Y4379993                 |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGONS (4X2)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | TEMPLATE (4x2) N N N4418042 NDNS  |
|      | 4306 967       |     |      |       | TUBE, Fuel Pump to Reservoir (4x2) N N N4306967 Y4306967  |
|      | 3730 757       |     |      |       | GASKET, Fuel Tank Gauge N N N3730757 Y3730757   |
|      | 2448 761       |     |      |       | CLAMP, Hose 1/2" Filler Neck Vent Tube N N N2448761<br>Y2448761   |
|      | 4397 611       |     |      |       | N N N N<br>Vapor lock (1984-85) ! 18-19-85A NB N5.2L,5.9L N N<br>LOCK PACKAGE, Vapor, w/22 Gal Fual Tank N N N4397611<br>Y4397611 |
|      | 4397 849       |     |      |       | GAUGE/PUMP, Fuel N N N4075432 NSCP  |
|      | 4397 846       |     |      |       | PUMP and SEAL PACKAGE N N N4397849 Y4397849   |
|      | 4397 836       |     |      |       | LEVEL and SEAL PACKAGE N N N4397846 Y4397846  |
|      |                |     |      |       | FILTER and SEAL PACKAGE, Fuel Pump N N N4397836<br>Y4397836   |
|      | 4362 295       |     |      |       | HARNESS, Engine Compartment Wiring N N N4362295<br>Y4362295   |
|      | 4362 289       |     |      |       | HARNESS, Insterment Panel Wiring Overlay N N N4362289<br>Y4362289   |
|      | 4362 290       |     |      |       | HARNESS, Instrument Panel Relay N N N4362290 Y4362290   |
|      | 4362 291       |     |      |       | HARNESS, Instrument Panel Jumper N N N4362291 Y4362291  |
|      | 4362 292       |     |      |       | HARNESS, Instrument Panel Jumper N N N4362292 Y4362292  |
|      | 4362 293       |     |      |       | HARNESS, Body Wiring N N N4362293 Y4362293  |
|      | 4162 597       |     |      |       | RELAY, Ignition Switch Paotection N N N4162597 Y4162597   |
|      | 5226 640       |     |      |       | MODULE, Control N N N5226640 Y5226640   |
|      | 9417 422       |     |      |       | SCREW, Ground N N N9417422 Y9417422   |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756   |
|      | 4418 012       |     |      |       | RESERVOIR/FILTER and BRACKET, Fuel N N N4418012<br>Y4418012   |
|      | 4306 968       |     |      |       | TUBE, Fuel Pump to Reservoir N N N4306968 Y4306968  |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651   |
|      | 6500 650       |     |      |       | CLAMP, Hose 1/4" N N N6500650 Y6500650  |
|      |                |     |      |       | SCREW, Self-Tapping N N N6022777 NDNS   |
|      | 4418 011       |     |      |       | TEMPLATE N N N4418011 Y4418011  |
|      | 4203 569       |     |      |       | HOSE, 5/16" x 8" Long N N N4203576 Y4203569   |
|      | 4418 006       |     |      |       | HOSE, w/SLEEVE, 1/4" x 10" Long N N N4418006 Y4418006   |
|      | 4279 993       |     |      |       | TUBE, Convolute, 6" Long N N N4279993 Y4279993  |
|      | 1948 757       |     |      |       | SEAL, Fuel Tank Gauge N N N3404451 Y1948757   |
|      | 2448 761       |     |      |       | CLAMP, Hose 1/2" Filler Neck Vent Tube N N N2448761<br>Y2448761   |
|      | 4397 612       |     |      |       | LOCK PACKAGE, Vapor, w/36 Gal Fuel Tank N N N4397612<br>Y4397612  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGONS (4X2)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | GAUGE/PUMP, Fuel N N N4075436 NSCP   |
|      | 4397 850       |     |      |       | PUMP and SEAL PACKAGE N N N4397850 Y4397850                                |
|      | 4397 845       |     |      |       | LEVEL and SEAL PACKAGE N N N4397845 Y4397845                               |
|      | 4397 837       |     |      |       | FILTER and SEAL PACKAGE, Fuel Pump N N N4397837<br>Y4397837                |
|      | 4362 295       |     |      |       | HARNESS, Engine Compartment Wiring N N N4362295<br>Y4362295                |
|      | 4362 289       |     |      |       | HARNESS, Instrument Panel Wiring Overlay N N N4362289<br>Y4362289          |
|      | 4362 290       |     |      |       | HARNESS, Instrument Panel Relay N N N4362290 Y4362290                      |
|      | 4362 291       |     |      |       | HARNESS, Instrument Panel Jumper N N N4362291 Y4362291                     |
|      | 4362 292       |     |      |       | HARNESS, Instrument Panel Jumper N N N4362292 Y4362292                     |
|      | 4362 293       |     |      |       | HARNESS, Body Wiring N N N4362293 Y4362293                                 |
|      | 4162 597       |     |      |       | RELAY, Ignition Switch Protection N N N4162597 Y4162597                    |
|      | 5226 640       |     |      |       | MODULE, Control N N N5226640 Y5226640                                      |
|      | 9414 722       |     |      |       | SCREW, Ground N N N9414722 Y9414722  |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756  |
|      | 4418 012       |     |      |       | RESERVOIR/FILTER and BRACKET, Fuel N N N4418012<br>Y4418012                |
|      | 4306 968       |     |      |       | TUBE, Fuel Pump to Reservoir N N N4306968 Y4306968                         |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651                                    |
|      | 6500 650       |     |      |       | CLAMP, Hose 1/4" N N N6500650 Y6500650                                     |
|      |                |     |      |       | SCREW, Self-Tapping N N N6022777 NDNS                                      |
|      | 4418 011       |     |      |       | TEMPLATE N N N4418011 Y4418011   |
|      | 4203 569       |     |      |       | HOSE, 5/16" x 8" Long N N N4203576 Y4203569                                |
|      | 4418 006       |     |      |       | HOSE, w/SLEEVE, 1/4" x 8" Long N N N4418006 Y4418006                       |
|      | 4279 993       |     |      |       | TUBE, Convolute, 6" Long N N N4279993 Y4279993                             |
|      | 4115 209       |     |      |       | GASKET, Fuel Tank Sending Unit N N N4115209 Y4115209                       |
|      | 2448 761       |     |      |       | CLAMP, Hose 1/2" Filler Neck Vent Hose N N N2448761<br>Y2448761            |
|      | 4397 639       |     |      |       | REGULATOR PACKAGE, w/Carter Thermoquad N N<br>N4397639 Y4397639            |
|      | 4418 009       |     |      |       | REGULATOR, Pressure N N N4418009 Y4418009                                  |
|      | 4418 010       |     |      |       | BRACKET, Pressure Regulator N N N4418010 Y4418010                          |
|      | 0181 112       |     |      |       | SCREW, w/WASHER, Bracket to Intake Manifold N N<br>N6022254 Y0181112       |
|      | 6033 066       |     |      |       | SCREW, Pressure Regulator to Bracket N N N6033066<br>Y6033066              |
|      | 4418 014       |     |      |       | TUBE, Reservoir/Filter Hose to Pressure Regulator N N<br>N4418014 Y4418014 |

|                            |  |                              |  |                   |                  |
|----------------------------|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:               |  |                              |  |                   |                  |
| TRUCK LINE                 |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL      |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4                |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| P.A.R. = Paint as Required |  |                              |  |                   |                  |

SERVICE BULETINS GROUP 18 - DRIVEABILITY  
Figure 18-1800

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      | 4418 008       |     |      |       | TUBE, Pressure Regulator to Carburetor N N N4418008 Y4418008   |
|      | 6500 651       |     |      |       | CLAMP, Hose 5/16" N N N6500651 Y6500651  |
|      | 4397 615       |     |      |       | ALTERNATOR PACKAGE, 78 Amp. N N N4397615 Y4397615  |
|      | 4176 006       |     |      |       | ALTERNATOR, 78 Amp. N N N4111204 Y4176006  |
|      | 4362 343       |     |      |       | HARNESS, Alternator Wiring Overlay N N N4362343 Y4362343   |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756  |
|      | 4055 399       |     |      |       | GASKET, Bulkhead Connector N N N4055399 Y4055399<br>N N N N  |
|      | 4397 683       |     |      |       | Premature Choke Closing, Hard Hot Restarts (1985) ! 18-19-86<br>NB.D,W,AD,AW N5.2L,5.9L N N<br>DRIVEABILITY PACKAGE, 318/360-4Bbl., D,W-Model N N<br>N4397683 Y4397683 |
|      | 4307 576       |     |      |       | BRACKET, Heater Hose N N N4307576 Y4307576<br>HOSE, Heater (Preformed) N N N4361146 NSCP<br>HOSE, Heater N N N3849197 NSCP   |
|      | 3730 000       |     |      |       | SCREW N N N3730000 Y3730000  |
|      | 4397 685       |     |      |       | DRIVEABILITY PACKAGE, 318/360-4Bbl., B-Model N N<br>N4397685 Y4397685  |
|      | 4307 576       |     |      |       | BRACKET, Heater Hose N N N4307576 Y4307576<br>HOSE, Heater N N N4361142 NSCP   |
|      | 6015 756       |     |      |       | WRAP, Tie N N N6015756 Y6015756  |
|      | 3730 000       |     |      |       | SCREW N N N3730000 Y3730000<br>N N N N<br>Hard Hot Starts, Poor Fuel Economy (1985) ! 18-26-86 NB,W,D<br>N5.9L-4V N N  |
|      | 4397 709       |     |      |       | DRIVEABILITY PACKAGE N N N4397709 Y4397709   |
|      | 6500 499       |     |      |       | BOLTS, Pressure Tap Adapter N N N6500499 Y6500499  |
|      | 5214 336       |     |      |       | VALVE, Bowl Vent N N N5214336 Y5214336   |
|      | 4241 252       |     |      |       | ADAPTER, Pressure Tap N N N4241252 Y4241252  |
|      | 4362 459       |     |      |       | WIRE N N N4362459 Y4362459   |
|      | 5240 437       |     |      |       | BOLT, (6mmx14mm-1.0) N N N5240437 Y5240437   |
|      | 6500 274       |     |      |       | NUT, (6mmx1) N N N6500274 Y6500274   |
|      | 6015 756       |     |      |       | TIE, Wrap N N N6015756 Y6015756  |
|      | 4203 621       |     |      |       | HOSE, (3/8) N N N4203421 Y4203621  |
|      | 4105 167       |     |      |       | HOSE, (3/16) N N N4105167 Y4105167<br>N N N N  |
|      | 4397 618       |     |      |       | Warm Surge at Steady Speed (1985) ! 18-29-85 NB,D,W,AD,<br>AW N5.2L N N<br>DRIVEABILITY PACKAGE N N N4397618 Y4397618  |
|      | 4173 433       |     |      |       | VALVE, Vacuum Delay N N N4173433 Y4173433  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVEN AND WAGONS (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

**SERVICE BULETINS GROUP 18 - DRIVEABILITY**  
**Figure 18-1800**

[illegible]

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>B-B VANS AND WAGONS (W.B.)</b>  |                              |                   |                  |                  |                  |
| AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



[illegible]

|  | ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|------|----------------|-----|------|-------|--|
| ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION  |      |                |     |      |       | Wheel Cover Retention with 16.5 x 6.75 H.D. Wheels(1984) ! |
|  |      |                |     |      |       | 22-1-84 NB,D,W N N N                                       |
|  |      | 4284 446       |     |      |       | WHEEL, 16.5 x 6.75 H.D. N N N4284446 Y4284446              |
|  |      |                |     |      |       |  |
|  |      |                |     |      |       |  |
|  |      |                |     |      |       |  |
|  |      |                |     |      |       |  |
|  |      |                |     |      |       |  |
| <div>MODEL CODES:<br/>TRUCK LINE<br/>D123 = CONVENTIONAL TRUCK (4X2)<br/>D4 = SPORT UTILITY (4X2)<br/>D5,6,7 = CONVENTIONAL (TRUCK) 4X4<br/>D8 = SPORT UTILITY (4X4)</div> <div>BODY STYLE &amp; WHEELBASE VANS:<br/>(11) = 109" W.B.<br/>(12) = 127" W.B.<br/>(13) = 127X" W.B.</div> <div>WAGONS:<br/>(51) = 109" W.B.<br/>(52) = 127" W.B.<br/>(53) = 127X" W.B.</div> <div>CONVENTIONAL:<br/>(61) = 115" W.B.<br/>(62) = 131" W.B.<br/>(63) = 135" W.B.<br/>(64) = 159" W.B.</div> <div>SPORT UTILITY:<br/>(71) = 106" W.B.</div> <div>CREW CAB:<br/>(82) = 149" W.B.<br/>(83) = 165" W.B.</div> <div>AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required</div> |      |                |     |      |       |  |

**ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION**

| MODEL CODES:                      |                                      |                                      |                                      |                  |                  |
|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------|------------------|
| TRUCK LINE                        | BODY STYLE & WHEELBASE VANS:         | WAGONS:                              | CONVENTIONAL:                        | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL TRUCK (4X2)   | (11) = 109" W.B.<br>(12) = 127" W.B. | (51) = 109" W.B.<br>(52) = 127" W.B. | (61) = 115" W.B.<br>(62) = 131" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)          | (13) = 127X" W.B.                    | (53) = 127X" W.B.                    | (63) = 135" W.B.                     |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL (TRUCK) 4X4 |                                      |                                      | (64) = 159" W.B.                     |                  |                  |
| D8 = SPORT UTILITY (4X4)          |                                      |                                      |                                      |                  |                  |

**Painting and Finishing (P.A.R.)**

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SERVICE BULLETINS GROUP 24 - AIR CONDITIONING  
Figure 18-2400

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | Air Conditioning System Flushing ! 24-1-87 NB N N N   |
|      | 4318 008       |     |      |       | FLUSHING COMPOUND N N N4318008 Y4318008               |
|      | 3837 730       |     |      |       | REFRIGERANT N N N3837730 Y3837730                     |
|      | 4308 057       |     |      |       | COMPRESSOR OIL N N N4318057 Y4308057                  |
|      | 4467 703       |     |      |       | FLUSHING KIT, Front System N N N4467703 Y4467703      |
|      | 4462 132       |     |      |       | VALVE, H N N N4176999 Y4462132                        |
|      | 3846 836       |     |      |       | GASKET, H Valve to Evaporator N N N3846836 Y3846836   |
|      | 3846 834       |     |      |       | GASKET, H Valve to Suction Line N N N3846834 Y3846834 |
|      | 3847 829       |     |      |       | FILTER, Drier N N N3847829 Y3847829                   |
|      | 3847 083       |     |      |       | GASKET, Drier N N N3847083 Y3847083                   |
|      | 3847 081       |     |      |       | GASKET, Compressor to Plumbing N N N3847081 Y3847081  |
|      | 4467 704       |     |      |       | FLUSHING KIT, Rear System N N N4467704 Y4467704       |
|      | 4361 314       |     |      |       | LINE, Rear Suction N N N4361298 Y4361314              |
|      | 4321 299       |     |      |       | Line, Rear Liquid N N N4361299 Y4321299               |
|      | 2219 385       |     |      |       | O-RING, Rear Suction Hose N N N2219385 Y2219385       |
|      | 4361 097       |     |      |       | O-RING, Rear Suction Hose N N N2521172 Y4361097       |
|      | 5210 380       |     |      |       | O-RING, Rear Liquid Hose N N N5210380 Y5210380        |
|      |                |     |      |       | N N N N   |

|  |                   |                              |                   |                  |                  |
|--|-------------------|------------------------------|-------------------|------------------|------------------|
| MODEL CODES:   |                   |                              |                   |                  |                  |
| TRUCK LINE   |                   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| D123 = CONVENTIONAL  | (11) = 109" W.B.  |                              | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.  |                              | (52) = 127" W.B.  | (62) = 131" W.B. |                  |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B. |                              | (53) = 127X" W.B. | (63) = 135" W.B. |                  |
| D5,6,7 = CONVENTIONAL  |                   |                              |                   | (64) = 159" W.B. |                  |
| (TRUCK) 4X4  |                   |                              |                   |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                   |                              |                   |                  |                  |
| D = TRUCK LINE WAGONS (4X2)  |                   |                              |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                   |                              |                   |                  |                  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ITEM   | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|----------------|-----|------|-------|--|
| High Altitude Conversion (1985) ! 25-4-85 NB,D,W,AD,AW N N N   |                |     |      |       |  |
|  |                |     |      |       |  |
|  | 3837 520       |     |      |       | w/3.7L Eng., w/Fed. Emission (49 States) N N N N JET, Main Metering #611 N N N3837520 Y3837520 |
|  | 4267 140       |     |      |       | GASKET, Carburetor Air Horn N N N4267140 Y4267140  |
| w/5.2L-2Bbl., w/50 States Emission N N N N   |                |     |      |       |  |
|  | 4306 453       |     |      |       | CARBURETOR N N N4306453 Y4306453   |
|  | 4094 891       |     |      |       | VALVE, EGR N N N4094891 Y4094891   |
|  | 4287 938       |     |      |       | GASKET, EGR Valve N N N4287938 Y4287938  |
| GASKET, Carburetor Base N N N4095970 Y4095970  |                |     |      |       |  |
| w/5.2L-2Bbl., w/Fed Emission (49 States) N N N N   |                |     |      |       |  |
|  | 4271 983       |     |      |       | JET, Main Metering #147 N N N4271983 Y4271983  |
|  | 4287 678       |     |      |       | VALVE, EGR N N N4287678 Y4287678   |
| GASKET, EGR Valve N N N4287938 Y4287938  |                |     |      |       |  |
|  | 4095 970       |     |      |       | GASKET, Carburetor Base N N N4095970 Y4095970  |
| w/5.9L-4Bbl., w/Auto Trans, w/Fed Emission N N N N   |                |     |      |       |  |
|  | 4342 807       |     |      |       | CARBURETOR N N N4342807 Y4342807   |
| VALVE, EGR N N N4287659 Y4287659   |                |     |      |       |  |
|  | 3698 365       |     |      |       | GASKET, Carburetor Base N N N3698365 Y3698365  |
|  | 4287 938       |     |      |       | GASKET, EGR Valve N N N4287938 Y4287938  |
| w/5.9L-4Bbl., w/Manual Trans, w/Fed Emission N N N N   |                |     |      |       |  |
|  | 4342 807       |     |      |       | CARBURETOR N N N4342807 Y4342807   |
|  | 3698 365       |     |      |       | GASKET, Carburetor Base N N N3698365 Y3698365  |
| N N N N  |                |     |      |       |  |
| High Altitude Conversion (1984) ! 25-5-84 NB N N N   |                |     |      |       |  |
|  | 4293 720       |     |      |       | JET, Secondary Metering, W/360-4Bbl. N N N4293720 Y4293720                                     |
|  |                |     |      |       |  |
|  |                |     |      |       |  |
|  |                |     |      |       |  |
|  |                |     |      |       |  |
|  |                |     |      |       |  |
|  |                |     |      |       |  |
| <div>MODEL CODES:<br/>TRUCK LINE<br/>D123 = CONVENTIONAL TRUCK (4X2)<br/>D4 = SPORT UTILITY (4X2)<br/>D5,6,7 = CONVENTIONAL (TRUCK) 4X4<br/>D8 = SPORT UTILITY (4X4)</div> |                |     |      |       |  |
| <div>BODY STYLE &amp; WHEELBASE VANS:<br/>(11) = 109" W.B.<br/>(12) = 127" W.B.<br/>(13) = 127X" W.B.</div>  |                |     |      |       |  |
| <div>WAGONS:<br/>(51) = 109" W.B.<br/>(52) = 127" W.B.<br/>(53) = 127X" W.B.</div>   |                |     |      |       |  |
| <div>CONVENTIONAL:<br/>(61) = 115" W.B.<br/>(62) = 131" W.B.<br/>(63) = 135" W.B.<br/>(64) = 159" W.B.</div>   |                |     |      |       |  |
| <div>SPORT UTILITY:<br/>(71) = 106" W.B.</div>   |                |     |      |       |  |
| <div>CREW CAB:<br/>(82) = 149" W.B.<br/>(83) = 165" W.B.</div>   |                |     |      |       |  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required   |                |     |      |       |  |

GROUP 19 - STEERING

ILLUSTRATION TITLEGROUP-FIG. NO.

STEERING WHEEL

|  |             |
|--|-------------|
| WHEEL, MANUAL STRG.- 16.5" 2-SPOKE B1-D1,2,3,4               | Fig. 19-100 |
| WHEEL, POWER STRG. 2 SPOKE B-D MODELS                        | Fig. 19-200 |
| WHEEL, POWER STRG. 2 SPOKE B1,2,3                            | Fig. 19-300 |
| WHEEL, STEERING - 1984 4 SPOKE - SPORT TYPE D1,2,3,4,5,6,7,8 | Fig. 19-400 |
| WHEEL, STEERING - 1985 EURO/SPORT TYPE D1,2,3,4,5,6,7,8      | Fig. 19-450 |

STEERING COLUMN

|   |              |
|---|--------------|
| COLUMN, STEERING, NON-TILT UPPER & LOWER B1,2,3           | Fig. 19-500  |
| COLUMN, STEERING, TILT UPPER & LOWER B1,2,3               | Fig. 19-600  |
| COLUMN, STEERING-TILT (RELEASE HOUSING) B1,2,3            | Fig. 19-700  |
| COLUMN, STEERING, NON-TILT D1,2,3,4,5,6,7,8               | Fig. 19-800  |
| COLUMN, STEERING, UPPER W/O TILT D1,2,3,4,5,6,7,8         | Fig. 19-900  |
| COLUMN,STEERING-NON-TILT LOWER D5,6,7,8                   | Fig. 19-1000 |
| COLUMN, STEERING, NON-TILT LOWER D1,2,3,4                 | Fig. 19-1100 |
| COLUMN, STEERING, TILT UPPER & LOWER D1,2,3,4,5,6,7,8     | Fig. 19-1200 |
| COLUMN, STEERING, TILT (RELEASE HOUSING) D1,2,3,4,5,6,7,8 | Fig. 19-1300 |

STEERING GEARS

|  |              |
|--|--------------|
| GEAR APPLICATION,STEERING POWER & MANUAL     | Fig. 19-1400 |
| GEAR-CHRYSLER POWER STEERING B1,2,3          | Fig. 19-1500 |
| GEAR-SAGINAW POWER STEERING D1,2,3,4,5,6,7,8 | Fig. 19-1600 |
| GEAR-MANUAL STEERING CHRYSLER B1             | Fig. 19-1700 |
| GEAR, MANUAL STEERING SAGINAW D1,2,3         | Fig. 19-1800 |
| CONTROL VALVE, STEERING GEAR POWER B1,2,3    | Fig. 19-1900 |

STEERING LINKAGE

|                                   |              |
|-----------------------------------|--------------|
| GEAR & LINKAGE, STEERING B1,2,3   | Fig. 19-2000 |
| GEAR & LINKAGE, STEERING D1,2,3,4 | Fig. 19-2100 |
| GEAR & LINKAGE, STEERING D5,6,7,8 | Fig. 19-2200 |

POWER STEERING PUMPS


|  |              |
|--|--------------|
| PUMP, POWER STEERING SAGINAW B-D                                     | Fig. 19-2300 |
| PUMP MOUNTING, POWER STEERING 5.2, 5.9L ENG. WITHOUT REMOTE FILL B-D | Fig. 19-2400 |
| PUMP MOUNTING, POWER STEERING 5.9L ENG. WITH REMOTE FILL B-D         | Fig. 19-2450 |
| PUMP MOUNTING, POWER STEERING WITH 3.7L ENG. B-D                     | Fig. 19-2500 |

POWER STEERING HOSES

|  |              |
|--|--------------|
| HOSES & TUBES,POWER STEERING WITH & WITHOUT REMOTE FILL B1,2,3 | Fig. 19-2600 |
| HOSES, POWER STEERING PUMP PRESSURE & RETURN D1,2,3,4,5,6,7,8  | Fig. 19-2700 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION


## 4319 100C



| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>5 - VANS AND WAGONS (XL)</b>  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

WHEEL, POWER STRG. 2 SPOKE B-D MODELS  
Figure 19-200

4319 200A




| ITEM | PART NUMBER | QTY | BODY | MODEL      | DESCRIPTION                           |
|------|-------------|-----|------|------------|---------------------------------------|
| 1    | P074 CC7    | 1   |      | B1,2,3     | WHEEL, Strg. (Blue)                   |
|      | P074 CM6    | 1   |      | B1,2,3     | (Red)                                 |
|      | P074 CT8    | 1   |      | B1,2,3     | (Brown) - 1984                        |
|      | P074 DT5    | 1   |      | B1,2,3     | (Brown) - 1985                        |
|      | P074 CX9    | 1   |      | B-D1,2,3,4 | (Black)                               |
|      | 4147 063    | 1   |      | D5,6,7,8   | (Black) Up To 4-8-85                  |
|      | 4333 137    | 1   |      | D5,6,7,8   | (Black) After 4-8-85                  |
| 2    | P212 CC7    | 1   |      | B1,2,3     | PAD, Strg. Wheel (Blue) - 1984        |
| 2    | P215 CC7    | 1   |      | B1,2,3     | Blue - 1985                           |
|      | P212 CM6    | 1   |      | B1,2,3     | (Red) - 1984                          |
|      | P215 CM6    | 1   |      | B1,2,3     | (Red) - 1985                          |
|      | P212 CT8    | 1   |      | B1,2,3     | (Brown) - 1984                        |
|      | P215 DT5    | 1   |      | B1,2,3     | (Brown) - 1985                        |
|      | P212 CX9    | 1   |      | ALL        | (Black) - 1984                        |
|      | P215 CX9    | 1   |      | ALL        | (Black) - 1985                        |
| 3    |             | 2   |      | ALL        | SCREW, (Not Serv.)                    |
| 4    | 3747 899    | 1   |      | ALL        | CAM, T/Sig. Sw. Cancelling (w/o Tilt) |
| 5    | 6500 906    | 1   |      | ALL        | NUT, Strg. Wheel                      |
| 6    | 4147 004    | 1   |      | ALL        | SKIRT, Strg. Wheel (Paint As Reqd.)   |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



WHEEL, POWER STRG. 2 SPOKE B1,2,3  
Figure 19-300

4319 300A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | P073 CC7    | 1   |      | B     | WHEEL, Strg. w/Tilt (Blue)                |
|      | P073 CM6    | 1   |      | B     | (Red)                                     |
|      | P073 CT8    | 1   |      | B     | (Brown) - 1984                            |
|      | P073 DT5    | 1   |      | B     | (Brown) - 1985                            |
|      | P073 CX9    | 1   |      | B     | (Black)                                   |
|      | P067 CC7    | 1   |      | B     | WHEEL, Strg. w/o Tilt (Blue)              |
|      | P067 CM6    | 1   |      | B     | (Red)                                     |
|      | P067 CT8    | 1   |      | B     | (Brown) - 1984                            |
|      | P067 DT5    | 1   |      | B     | (Brown) - 1985                            |
|      | P067 CX9    | 1   |      | B     | (Black)                                   |
| 2    | P198 CC7    | 1   |      | B     | PAD, Strg. Whl. (Blue)                    |
|      | P198 CM6    | 1   |      | B     | (Red)                                     |
|      | P198 CT8    | 1   |      | B     | (Brown) - 1984                            |
|      | P198 DT5    | 1   |      | B     | (Brown) - 1985                            |
|      | P198 CX9    | 1   |      | B     | (Black)                                   |
| 3    | 3747 899    | 1   |      | B     | CAM, - T/Sig. Sw. Cancelling (w/o Tilt)   |
| 4    | 6500 906    | 1   |      | B     | NUT, Strg. Whl.                           |
| 5    | 4147 066    | 1   |      | B     | SKIRT, Strg. Whl. w/Tilt (Paint As Reqd.) |
|      | 4147 004    | 1   |      | B     | w/o Tilt (Paint As Reqd.)                 |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = TRUCK LINE WAGONS (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

WHEEL, STEERING - 1984 4 SPOKE - SPORT TYPE D1,2,3,4,5,6,7,8  
Figure 19-400

4319 400B

| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                             |
|------|-------------|-----|------|----------|---|
| 1    | 4147 058    | 1   |      | D1,2,3,4 | WHEEL, Strg. w/o Tilt (Black)           |
|      | 4147 059    | 1   |      | D5,6,7,8 | w/o Tilt (Black)                        |
|      | 4147 060    | 1   |      | D1,2,3,4 | w/Tilt (Black)                          |
|      | 4147 061    | 1   |      | D5,6,7,8 | w/Tilt (Black)                          |
| 2    |             | 1   |      | All      | SWITCH, Horn (See Group 8)              |
| 3    | P211 CX9    | 1   |      | All      | PAD, Strg. Whl. (Black)                 |
| 4    | 3747 899    | 1   |      | All      | CAM, - T/Sig. Sw. Cancelling (w/o Tilt) |
| 5    | 6500 906    | 1   |      | All      | NUT, Strg. Wheel                        |
| 6    | 4188 620    | 1   |      | All      | SKIRT ASSY., Strg. Whl. Hub             |



MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WHEEL, STEERING - 1985 EURO/SPORT TYPE D,1,2,3,4,5,6,7,8  
Figure 19-450

4319 450




| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                     |
|------|-------------|-----|------|----------|---------------------------------|
| 1    | P078 DX9    | 1   |      | D1,2,3,4 | WHEEL, Steering                 |
|      | 4147 312    | 1   |      | D5,6,7,8 | w/o Tilt Strg. (Up To 4-8-85)   |
|      | 4147 313    | 1   |      | D5,6,7,8 | w/o Tilt Strg. (After 4-8-85)   |
|      | 4147 313    | 1   |      | D5,6,7,8 | w/Tilt Strg.                    |
| 2    | P216 DX9    | 1   |      | ALL      | PAD, Strg. Wheel                |
| 3    | 4147 260    | 1   |      | ALL      | SKIRT, Strg. Wheel w/o Tilt     |
|      | 4147 309    | 1   |      | ALL      | w/Tilt                          |
| 4    | 3747 899    | 1   |      | ALL      | CAM, T/Sig. Cancelling w/o Tilt |
|      | 3747 988    | 1   |      | ALL      | w/Tilt                          |
| 5    | 6500 906    | 1   |      | ALL      | NUT, Steering Wheel             |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>SPORT UTILITY AND WAGONS (LINE)</b>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

COLUMN, STEERING, NON-TILT UPPER & LOWER B1,2,3  
Figure 19-500

4319 500C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
| 1    | 6023 088    | 3   |      |       | SCREW, Shaft Retainer Plate                       |
| 2    | 4188 934    | 1   |      |       | PLATE, Shaft Brg. Retainer                        |
| 3    |             |     |      |       | SWITCH, Refer To Group 8                          |
| 4    |             |     |      |       | SCREW, Refer To Group 8                           |
| 5    | 6032 364    | 1   |      |       | SNAP-RING, Shaft Upper ***                        |
| 6    | 2265 656    | 1   |      |       | BEARING, Shaft Upper                              |
| 7    | 2925 491    | 1   |      |       | INSULATOR, Shaft Bearing                          |
| 8    |             |     |      |       | LEVER, Refer To Group 8                           |
| 9    | 6029 932    | 3   |      |       | SCREW   |
| 10   | 3575 231    | 1   |      |       | HOUSING, Shaft Bearing                            |
| 11   | 4019 549    | 1   |      |       | SPRING, Lock Plate                                |
| 12   | 4019 612    | 1   |      |       | PLATE, Shaft Lock                                 |
| 13   | 4147 319    | 1   |      |       | WEDGE, Shaft Bearing (After 3-1-84)               |
| 14   | 4036 069    | 1   |      |       | SHAFT, Strg. Column                               |
| 15   |             | 1   |      |       | PIN, (Not Serv.)                                  |
| 16   | 2950 839    | 1   |      |       | PLATE, Lock Lever Guide                           |
| 17   | 6028 499    | 2   |      |       | SCREW, (Not Serv.)                                |
| 18   | 2950 844    | 1   |      |       | LEVER ASSY., Gearshift Housing Lock ***           |
| 19   | 2950 840    | 1   |      |       | LEVER, Column Shaft Lock                          |
| 20   | 2996 858    | 1   |      |       | SPRING, Shaft Lock Lever                          |
| 21   | 6030 122    | 4   |      |       | SCREW, (Not Serv.)                                |
| 22   | 3748 398    | 1   |      |       | HOUSING, Column Lock                              |
|      | L710 BX9    | 1   |      |       | COLLAR, Column & Turn Signal Cover, Black         |
|      | L710 BB5    | 1   |      |       | COLLAR, Column & Turn Signal Cover, Blue 1984     |
|      | L710 BC7    | 1   |      |       | COLLAR, Column & Turn Signal Cover, Blue 1985     |
|      | L710 BM6    | 1   |      |       | COLLAR, Column & Turn Signal Cover, Red           |
|      | L710 BT8    | 1   |      |       | COLLAR, Strg. Column & T/Sig. Cover, Brown - 1984 |
|      | L710 DT5    | 1   |      |       | COLLAR, Strg. Column & T/Sig. Cover, Brown - 1985 |
|      | 6015 925    | 3   |      |       | RETAINER, Wiring Cover & Strg. Column Collar      |
| 23   | 9412 281    | 1   |      |       | PIN, Shift Lever Spring                           |
| 24   | 4147 163    | 1   |      |       | LEVER, w/Knob - 1984                              |
|      | 4147 324    | 1   |      |       | 1985  |
| 25   | 4188 075    | 1   |      |       | HOUSING, w/A833 trans.                            |
|      | 3575 256    | 1   |      |       | SPRING, Lock Control Hsg. w/A833 Trans.           |
|      | 3575 257    | 1   |      |       | BUMPER, Lock Control Hsg. w/A833 Trans.           |
|      | 3780 847    | 1   |      |       | HOUSING & POINTER KIT, w/Auto. Trans. ***         |
|      | 3575 999    | 1   |      |       | HOUSING, Gearshift w/Auto Trans.                  |
| 26   | 2996 786    | 1   |      |       | SPRING, Shift Lever                               |
| 27   | 4036 060    | 1   |      |       | TUBE, Gearshift w/Auto Trans.                     |
| 28   | 4112 241    | 1   |      |       | JACKET, Steering Column-(Primed)                  |
|      | 2996 799    | 1   |      |       | SUPPORT, Jacket G/shift Hsg. w/o Auto.Trans.      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (TRUCK) 4X4

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, NON-TILT UPPER & LOWER B1,2,3  
Figure 19-500

4319 500C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 29   | 3748 229    | 1   |      |       | SUPPORT, Shaft Bearing w/A833 Trans.             |
| 30   | 4164 129    | 1   |      |       | PLATE ASSY., Jacket Support - Up To 3-19-84 ***  |
|      | 4147 453    | 1   |      |       | After 3-19-84                                    |
| 31   | 3748 492    | 2   |      |       | SPACER, Column Support Bracket                   |
| 32   | 3748 242    | 1   |      |       | SPRING, Shaft Lower Bearing                      |
| 33   | 3748 241    | 1   |      |       | BEARING, Shaft Lower - Up To 3-1-84              |
|      | 4147 318    | 1   |      |       | After 3-1-84                                     |
| 34   |             |     |      |       | CLIP, (Not Serv.)                                |
| 35   | 3575 333    | 1   |      |       | GROMMET  |
| 36   | 4188 572    | 1   |      |       | GATE, Gearshift                                  |
| 37   |             | 2   |      |       | SCREW, (Not Serv.)                               |
| 38   | 3467 176    | 1   |      |       | BRACKET, Indicator                               |
| 39   | 6027 976    | 2   |      |       | RIVET  |
| 40   |             |     |      |       | PIN, Col. Shaft Coupling                         |
|      | 2266 743    | 1   |      |       | 11/32 x 1.40-(Solid)                             |
|      | 6028 750    | 1   |      |       | 5/16 x 1.25-(Slotted)                            |
| 41   | 6027 403    | 2   |      |       | NUT, Lock  |
| 42   |             |     |      |       | WASHER, (Not Serv.)                              |
| 43   |             | 1   |      |       | BRACKET, Column Support, (Serv. Assy.)           |
| 44   | 3748 489    | 1   |      |       | RING, Shaft Lower Bearing                        |
| 45   | 6027 947    | 2   |      |       | STUD   |
| 46   |             |     |      |       | SHAFT, Steering Column-Refer To Item 14          |
| 47   | 4019 278    | 1   |      |       | SEAL, Col. Coupling                              |
| 48   | 2530 538    | 1   |      |       | COVER, Shaft Coupling Body                       |
| 49   | 3879 914    | 1   |      |       | BODY PACKAGE, w/Man. Strg., Coupling             |
|      | 3579 522    | 1   |      |       | w/Power Strg.                                    |
| 50   | 2800 738    | 2   |      |       | SHOE, Coupling Body                              |
| 51   | 2925 492    | 1   |      |       | SPRING, Coupling Body                            |
| 52   | 6029 951    | 1   |      |       | PIN, Shaft                                       |
| 53   | 4115 086    | 1   |      |       | SEAL, Jacket Support Plate                       |
| 54   | 6031 600    | 1   |      |       | PIN, Shaft Lock Plate                            |
| 55   |             |     |      |       | EXTENSION, w/Man. Strg., Refer To Figure 19-2000 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, TILT UPPER & LOWER B1,2,3  
Figure 19-600

4319 600A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | LEVER, Refer To Group 8                                  |
| 2    | 4019 909    | 1   |      |       | LEVER, Tilt Release - 1984                               |
|      | 4147 435    | 1   |      |       | 1985   |
| 3    | 0152 233    | 1   |      |       | PIN, Col. G/Shift Lever,(3/16x7/8) Up to 10-17-83        |
|      | 9412 281    | 1   |      |       | (1/4x1") After 10-17-83                                  |
| 4    | 6027 976    | 2   |      |       | RIVET  |
| 5    | 3467 176    | 1   |      |       | BRACKET, Indicator                                       |
| 6    | 6027 947    | 2   |      |       | STUD   |
| 7    | 0181 088    | 3   |      |       | SCREW  |
| 8    | 3575 333    | 1   |      |       | GROMET   |
| 9    | 0152 367    | 1   |      |       | NUT, Column Coupling Clamp Bolt                          |
| 10   | 4112 605    | 1   |      |       | BOLT, Column Coupling Clamp                              |
| 11   | 4112 604    | 1   |      |       | CLAMP, Column Coupling                                   |
| 12   | 4115 082    | 1   |      |       | PLATE, Column Jacket Support                             |
| 13   | 3748 400    | 1   |      |       | GROMMET, Column Support                                  |
|      | 3748 634    | 1   |      |       | GROMMET, Steering Column                                 |
| 14   |             |     |      |       | WASHER, (Not Serv.)                                      |
| 15   | 6027 403    | 2   |      |       | NUT, Lock  |
| 16   |             |     |      |       | CLIP, (Not Serv.)  |
| 17   | 3748 492    | 2   |      |       | SPACER, Support Bracket                                  |
| 18   | 4147 360    | 1   |      |       | LEVER, Gearshift - 1984                                  |
|      | 4147 375    | 1   |      |       | 1985   |
| 19   |             |     |      |       | HOUSING, Refer To Figure 19-700                          |
| 20   | 4115 877    | 1   |      |       | COUPLING ASSY. ***                                       |
|      | 2204 143    | 1   |      |       | SPRING, Column Shaft Coupling                            |
|      | 2072 111    | 2   |      |       | BEARING, Column U-Joint Coupling                         |
|      | 4112 604    | 1   |      |       | CLAMP, Strap   |
| 21   |             | 1   |      |       | TUBE & LEVER, Shift-Refer To Figure 19-700 ***           |
| 22   | 4115 876    | 1   |      |       | SHAFT ASSY., Strg. Column Intermediate (Includes Boot)   |
| 23   |             | 1   |      |       | BOWL, Refer To Figure 19-700 Item 52                     |
| 24   |             | 1   |      |       | SHAFT, Strg. Column (Refer To Fig. 19-700) Item 49,50,51 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

COLUMN, STEERING-TILT (RELEASE HOUSING) B1,2,3  
Figure 19-700

4319 700B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | 2   |      |       | BEARING, Column (Serv. Kit 4147364)                |
| 2    | 2880 259    | 1   |      |       | PIN, Release Lever                                 |
| 3    | 2880 262    | 1   |      |       | SPRING, Release Lever                              |
| 4    | 3467 392    | 2   |      |       | SPRING, Shoe                                       |
| 5    |             | 1   |      |       | PIN, Pivot (Serv. Kit 4147363)                     |
| 6    | 3467 382    | 1   |      |       | PIN, Dowel   |
| 7    | 4188 835    | 1   |      |       | SHAFT, Drive                                       |
| 8    | 3467 388    | 1   |      |       | SHOE, Steering Wheel Lock                          |
| 8    | 3467 389    | 1   |      |       | SHOE, Steering Wheel Lock                          |
| 9    |             | 1   |      |       | SPRING, Lock Bolt (Serv. Kit 4147364)              |
| 10   | 3467 377    | 1   |      |       | BOLT, Lock   |
| 11   | 3467 419    | 1   |      |       | SHIELD, Tilt Lever Opening                         |
| 12   | 4147 167    | 1   |      |       | COVER, Lock Housing                                |
| 13   | 4019 793    | 1   |      |       | CLIP, Buzzer                                       |
| 14   |             | 1   |      |       | SWITCH, Buzzer (Refer To Group 8)                  |
| 15   |             | 3   |      |       | SCREW, Refer To Group 8                            |
| 16   |             | 1   |      |       | RACE, Inner (Serv. Kit 4147363)                    |
| 17   |             | 1   |      |       | SEAT, Upper Bearing Inner Race (Serv. Kit 4147363) |
| 18   |             |     |      |       | SWITCH, Turn Signal (Refer To Group 8)             |
| 19   | 3467 814    | 3   |      |       | SCREW, Binding Head                                |
| 20   | 3575 981    | 1   |      |       | SPRING, Upper Bearing                              |
| 21   |             |     |      |       | CAM, Turn Signal (See Strg. Wheels)                |
| 22   | 4019 336    | 1   |      |       | LOCK, Shaft  |
| 23   | 2925 062    | 1   |      |       | RING, Retaining                                    |
| 24   |             |     |      |       | COVER, Shaft Lock, Skirt Used                      |
| 25   | 6500 126    | 1   |      |       | NUT, Steering Wheel                                |
| 26   |             |     |      |       | RETAINER, Not Serviced                             |
| 27   | 4019 455    | 1   |      |       | ACTUATOR, Ignition Switch - 1984                   |
|      | 4333 082    | 1   |      |       | 1985   |
| 28   | 3575 220    | 1   |      |       | LEVER, Shoe Release                                |
| 29   |             | 1   |      |       | RACK, Switch Actuator (Serv. Kit 4147364)          |
| 30   | 3467 391    | 1   |      |       | SPRING, Rack Preload                               |
| 31   | 4019 451    | 1   |      |       | HOUSING, Steering Column - 1984                    |
|      | 4333 084    | 1   |      |       | 1985   |
| 32   |             | 1   |      |       | SECTOR, Switch Actuator (Serv. Kit 4147364)        |
| 33   | 2925 062    | 1   |      |       | RING, Retaining                                    |
| 34   | 3467 431    | 2   |      |       | SCREW, Washer (10-24x.25)                          |
| 35   |             | 1   |      |       | GUIDE, Spring (Serv. in Kit 4147363)               |
| 36   |             | 1   |      |       | SPRING, Wheel Tilt (Serv. in Kit 4147363)          |
| 37   |             | 1   |      |       | RETAINER, Spring (Serv. in Kit 4147363)            |
| 38   | 3467 402    | 2   |      |       | SCREW, Cross Recess                                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING-TILT (RELEASE HOUSING) B1,2,3  
Figure 19-700

4319 700B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 39   | 3748 497    | 1   |      |       | GATE, Shift Lever                               |
| 40   | 4114 619    | 1   |      |       | PROTECTOR, Steering Column Wiring               |
|      | 6015 925    | 2   |      |       | RETAINER, Steering Column Wiring Protector      |
| 41   |             |     |      |       | JACKET and BOWL, w/Shift Tube ***               |
|      | 4115 889    | 1   |      |       | (Up To 10-17-83)                                |
|      | 4147 404    | 1   |      |       | (After 10-17-83)                                |
| 42   | 2880 284    | 1   |      |       | SPRING, Shift Lever                             |
| 43   | 3748 592    | 1   |      |       | WASHER, Wave                                    |
| 44   | 3748 498    | 1   |      |       | PLATE, Lock                                     |
| 45   | 3467 423    | 1   |      |       | WASHER, Thrust                                  |
| 46   | 3467 415    | 1   |      |       | RING, Shift Tube Retaining                      |
| 47   | 3748 496    | 1   |      |       | SUPPORT ASSY., Strg. Column Brg. Housing - 1984 |
|      | 4333 089    | 1   |      |       | 1985  |
|      | 4115 082    | 1   |      |       | PLATE ASSY., Steering Column Support            |
|      | 3497 988    | 1   |      |       | RING, Seal Retainer                             |
| 48   | 3748 500    | 4   |      |       | SCREW, Support                                  |
| 49   | 4115 880    | 1   |      |       | SHAFT ASSY., Steering Column, Lower             |
| 50   |             | AR  |      |       | SPHERE & SPRING, Centering (Serv. Kit 4147365)  |
| 51   | 4094 094    | 1   |      |       | SHAFT, Race And Upper                           |
| 52   |             |     |      |       | TUBE & LEVER, Shift-In Item 41 ***              |
| 53   | 4115 869    | 1   |      |       | SEAL & ADAPTER ASSY.                            |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



COLUMN, STEERING, NON-TILT D1,2,3,4,5,6,7,8  
Figure 19-800


4319 800A

| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION   |
|------|-------------|-----|----------|-------|---|
| 1    | 4117 648    | 1   |          |       | JACKET, Strg. Col. (In White)                         |
|      | 4147 213    | 1   |          |       | (Painted)   |
| -    | 2996 799    | 1   |          |       | SUPPORT, Col. Jacket G/Shift Hsg.- Except Auto Trans. |
| -    | 4188 526    | 1   |          |       | TROUGH, s/Col. Wiring - w/Auto Trans                  |
| 2    | 6027 947    | 2   |          |       | STUD, Column Bracket                                  |
| 3    | 3748 492    | 2   |          |       | SPACER, Column Support Bracket                        |
| 4    |             |     |          |       | BRACKET, Column Support-Serviced In Assy.             |
| 5    | 6027 403    | 2   |          |       | NUT, Lock   |
| 6    |             |     |          |       | WASHER, (Not Serv.)                                   |
| 7    |             |     |          |       | CLIP, (Not Serv.)                                     |
| 8    |             | 1   |          |       | SCREW, (Not Serv.)                                    |
| 9    |             | 1   |          |       | SPACER, (For Shipping Purposes Only)                  |
| 10   | 6031 070    | AR  |          |       | NUT, Coupling Bolt                                    |
| 11   | 0121 367    | AR  |          |       | WASHER, Lock  |
| 12   | 0123 920    | AR  |          |       | WASHER, Lock  |
| 13   | 0114 942    | AR  |          |       | NUT   |
| 14   |             |     | D5,6,7,8 |       | SHAFT, Steering Column-Refer To Figure 19-1000        |
|      |             | 1   | D1,2,3,4 |       | SHAFT, Steering Column-Refer To Figure 19-1100        |
| 15   | 4116 191    | 1   |          |       | TUBE ASSY., Column Gearshift ***                      |
|      | 3575 082    | 1   |          |       | SEAL, Column Gear Shift Tube Jacket                   |
| 16   | 0152 342    | 3   |          |       | NUT, Support Plate                                    |
| 17   | 6022 847    | 3   |          |       | WASHER  |
| 18   | 4147 235    | 1   |          |       | PLATE & SEAL ASSY., Jacket Support ***                |
| 19   | 3748 634    | 1   |          |       | GROMMET, Steering Column                              |
| 20   |             |     |          |       | PIN, Shaft Coupling                                   |
|      | 6028 750    | 1   |          |       | 5/16 x 1.25-(Slotted)                                 |
|      | 2266 743    | 1   |          |       | 11/32 x 1.40-(Solid)                                  |
| 22   |             | 1   |          |       | INSULATOR, w/Man. Strg. (Serv. Assy.)                 |
| 23   |             |     |          |       | COUPLING or BODY, Refer To Inset-Figure 19-1000 ***   |
| 24   | 6031 800    | 2   |          |       | BOLT, Column Shaft Coupling                           |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

COLUMN, STEERING, UPPER W/O TILT D1,2,3,4,5,6,7,8  
Figure 19-900

4319 900B



| ITEM | PART NUMBER | QTY | BODY                 | MODEL | DESCRIPTION   |
|------|-------------|-----|----------------------|-------|---|
| 1    | 6023 088    | 3   |                      |       | SCREW, S/Gear Col. Shaft Retaining Plate                                  |
| 2    | 4188 934    | 1   |                      |       | PLATE, Column Shaft Brg. Retainer   |
| 3    |             |     |                      |       | SWITCH, (Refer To Group 8)  |
| 4    |             |     |                      |       | SCREW, (Refer To Group 8)   |
| 5    | 6032 364    | 1   |                      |       | SNAP-RING, S/Gear Col. Shaft Brg. Upper                                   |
| 6    | 2265 656    | 1   |                      |       | BEARING, Column Shaft   |
| 7    | 2925 491    | 1   |                      |       | INSULATOR, Shaft Bearing  |
| 8    |             |     |                      |       | LEVER, Turn Sig. (Refer To Group 8)                                       |
| 9    | 6029 932    | 3   |                      |       | SCREW   |
| 10   | 3575 231    | 1   |                      |       | HOUSING, Shaft Bearing  |
| 11   | 4019 549    | 1   |                      |       | SPRING, Shaft Lock Plate  |
| 12   | 4019 612    | 1   |                      |       | PLATE, Shaft Lock   |
| 13   | 6031 600    | 1   |                      |       | PIN, Shaft Lock Plate   |
| 14   |             |     | D5,6,7,8<br>D1,2,3,4 |       | SHAFT, Steering Column-Refer To Figure 19-1000<br>Refer To Figure 19-1100 |
| 15   |             |     |                      |       | PIN, (Not Serv.)  |
| 16   | 2950 839    | 1   |                      |       | PLATE, Lock Lever Guide   |
| 17   |             | 2   |                      |       | SCREW, (Not Serv.)  |
| 18   | 2950 844    | 1   |                      |       | LEVER, Gearshift Hsg. Lock  |
| 19   | 2950 840    | 1   |                      |       | LEVER, Shaft Lock   |
| 20   | 2996 858    | 1   |                      |       | SPRING, Shaft Lock Lever  |
| 21   |             | 4   |                      |       | SCREW, (Not Serv.)  |
| 22   | 3748 398    | 1   |                      |       | HOUSING, Column Lock  |
| 23   | 9412 281    | 1   |                      |       | PIN, Gearshift Lever Spring   |
| 24   | 4147 163    | 1   |                      |       | LEVER, Gearshift - 1984   |
|      | 4147 324    | 1   |                      |       | 1985  |
| 25   | 3575 999    | 1   |                      |       | HOUSING, Col. Shift, w/Auto Trans.  |
|      | 4188 075    | 1   |                      |       | HOUSING, Col. Lock, w/435,A833 Trans.                                     |
|      | 3748 242    | 1   |                      |       | SPRING, Col. Lock Control Hsg. w/A833 Trans.                              |
|      | 3575 257    | 1   |                      |       | BUMPER, Col. Lock Control Hsg. w/A833 Trans.                              |
|      | 3575 258    | 1   |                      |       | DECAL, Col. Lock Control Hsg. w/435,A833 Trans.                           |
| 26   | 2996 786    | 1   |                      |       | SPRING, Shift Lever   |
| 27   |             |     |                      |       | TUBE & LEVER, Refer To Figure 19-800 ***                                  |
| 28   |             |     |                      |       | JACKET, Column-Refer To Figure 19-800                                     |
| 29   | 4188 572    | 1   |                      |       | GATE, Gearshift   |
| 30   |             | 2   |                      |       | SCREW, (Not Serv.)  |
| 31   | 4164 408    | 1   |                      |       | BRACKET, Indicator  |
| 32   |             |     |                      |       | RIVET, (Not Serv.)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN,STEERING-NON-TILT LOWER D5,6,7,8  
Figure 19-1000

4319 1000B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | BODY & FLANGE (Refer To Insert Below)               |
| 2    | 3748 242    | 1   |      |       | SPRING, Strg. Col. Shaft Lower Bearing              |
| 3    | 3748 241    | 1   |      |       | BEARING, Column Shaft Lower - Up To 3-1-84          |
|      | 4147 318    | 1   |      |       | After 3-1-84  |
|      | 4147 319    | 1   |      |       | WEDGE, Shaft Bearing (After 3-1-84)                 |
| 4    |             |     |      |       | TUBE & LEVER, Col. G/Shift (Refer To Figure 19-800) |
| 5    | 4147 235    | 1   |      |       | PLATE & SEAL, Strg. Col. Jacket Support             |
| 6    | 3748 634    | 1   |      |       | GROMMET, Strg. Column                               |
| 7    | 4115 178    | 1   |      |       | SHAFT, Strg. Column, 36.45" Long (Up To 4-8-85)     |
|      | 4115 149    | 1   |      |       | (After 4-8-85)                                      |
|      | 4115 895    | 1   |      |       | SPACER, Steering Shaft                              |
| 8    |             |     |      |       | TUBE ASSY. (Refer To Figure 19-800)                 |
| 9    |             |     |      |       | JACKET, Strg. Column (Refer To Figure 19-800)       |
| 12   | 3575 333    | 1   |      |       | GROMMET,G/shift Tube Lever-With A727 Trans.         |
| 13   |             | 1   |      |       | BUSHING, (Not Serv.)                                |
| 14   | 3748 229    | 1   |      |       | SUPPORT, Column Shaft Bearing                       |
| 15   | 4115 165    | 1   |      |       | SHAFT, w/Pwr. Strg. Intermediate-19.85"long         |
|      | 4115 147    | 1   |      |       | w/Man. Strg. Intermediate-18.54"long                |
| 16   | 2530 538    | 1   |      |       | COVER, Coupling                                     |
| 17   | 4115 549    | 1   |      |       | COUPLING or BODY, Column Shaft ***                  |
| 18   | 2800 738    | 2   |      |       | SHOE, Coupling                                      |
| 19   | 2925 492    | 1   |      |       | SPRING, Coupling Shoe                               |
| 20   | 6029 951    | 1   |      |       | PIN, Coupling Body                                  |
| 21   | 4086 951    | 1   |      |       | SEAL, Coupling                                      |
| 22   | 6031 168    | 2   |      |       | BOLT, Coupling                                      |
| 23   | 6031 802    | 2   |      |       | BOLT, Coupling                                      |
| 24   | 3748 310    | 1   |      |       | INSULATOR, Strg. Column Coupling (Also in Assy.)    |
| 25   | 4186 826    | 1   |      |       | STRAP and BOLT PACKAGE                              |
| 26   |             |     |      |       | PIN, Strg.Col.Shaft Cplg.                           |
|      | 6028 750    | 1   |      |       | 5/16 x 1.25 (Slotted)                               |
|      | 2266 743    | 1   |      |       | 11/32 x 1.40 (Solid)                                |
| 27   | 3748 489    | 1   |      |       | RING, Column Lower Bearing                          |
| 28   | 3748 271    | 1   |      |       | FLANGE, Column Shaft Intermediate                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, NON-TILT LOWER D1,2,3,4  
Figure 19-1100

4319 1100B



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION                                 |
|------|-------------|-----|------|--------|---|
| 1    |             |     |      |        | COUPLING and JOINT, Refer To Inset ***      |
| 2    | 3748 241    | 1   |      |        | BEARING, Column Lower (Up To 3-1-84)        |
|      | 4147 318    | 1   |      |        | (After 3-1-84)                              |
|      | 4147 319    | 1   |      |        | WEDGE, Shaft Bearing (After 3-1-84)         |
| 3    | 3575 333    | 1   |      |        | GROMMET                                     |
| 4    | 4117 648    | 1   |      |        | JACKET, Strg. Col., w/Auto Trans.(In White) |
|      | 4147 213    | 1   |      |        | (Painted)                                   |
| 5    | 4115 149    | 1   |      |        | SHAFT, Column-36.45" Long                   |
| 6    | 3748 634    | 1   |      |        | GROMMET, Steering Column                    |
| 7    | 4147 235    | 1   |      |        | PLATE ASSY., Jacket Support & Seal ***      |
| 8    |             |     |      |        | TUBE & LEVER, Refer To Figure 19-800 ***    |
|      | 3496 290    | 1   |      |        | SPACER, Shift Tube Lever                    |
| 9    | 3748 242    | 1   |      |        | SPRING, Shaft Lower Bearing                 |
| 10   | 3748 229    | 1   |      | D1,2,3 | SUPPORT, Column Lower w/A833,435, Trans.    |
| 11   | 3748 489    | 1   |      |        | RING, Column Bearing Retainer               |
| 12   | 2800 738    | 2   |      |        | SHOE, Column Coupling                       |
| 13   | 3748 310    | 1   |      | D1,2,3 | COUPLING, Strg. Column                      |
| 14   | 4115 147    | 1   |      |        | SHAFT, w/Man. Strg. Intermediate-18.54"long |
|      | 4115 148    | 1   |      |        | w/Pwr. Strg. Intermediate-16.69"long        |
| 15   | 4115 549    | 1   |      |        | COUPLING or BODY, Column Shaft ***          |
| 16   | 2925 492    | 1   |      |        | SPRING, Column Coupling Shoe                |
| 17   | 4086 951    | 1   |      |        | SEAL, Column Coupling                       |
| 18   | 2530 538    | 1   |      |        | COVER, Column Coupling                      |
| 19   | 6029 951    | 1   |      |        | PIN, Shaft Coupling Body                    |
| 20   | 4186 826    | 1   |      |        | STRAP and BOLT PACKAGE                      |
| 21   |             |     |      |        | PIN, Shaft Coupling Body                    |
|      | 2266 743    | 1   |      |        | 11/32 x 1.40 (Solid)                        |
|      | 6028 750    | 1   |      |        | 5/16 x 1.25 (Slotted)                       |
| 22   | 4106 154    | 1   |      |        | FLANGE & BOLT PKG., Shaft Coupling ***      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, TILT UPPER & LOWER D1,2,3,4,5,6,7,8  
Figure 19-1200

4319 1200A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
| 1    |             | 1   |      |          | JACKET, Steering Column-Refer To Figure 19-1300  |
| 2    |             |     |      |          | BRACKET, Serviced On Steering Column Assy.   |
| 3    | 3748 492    | 2   |      |          | SPACER, Column Support Bracket   |
| 4    | 6027 947    | 2   |      |          | STUD, Column Support Bracket   |
| 5    | 4188 197    | 1   |      |          | LEVER, Gearshift (Up To 10-3-83)   |
|      | 4147 360    | 1   |      |          | (After 10-3-83)  |
|      | 4147 375    | 1   |      |          | 1985   |
| 6    | 0152 233    | 1   |      |          | PIN, G/Shift Lever (3/16 x 7/8) Up to 10-3-83  |
|      | 9412 281    | 1   |      |          | (1/4 x 1) After 10-3-83)   |
| 7    |             |     |      |          | BRACKET, Indicator-Refer To Group 21   |
| 8    |             |     |      |          | HOUSING, w/Tilt Col.-Refer To Fig. 19-1300   |
| 9    | 4219 038    | 1   |      | D5,6,7,8 | SHAFT, Steering Column   |
|      | 4210 650    | 1   |      | D1,2,3,4 | SHAFT, Steering Column   |
| 10   |             |     |      |          | LEVER, Refer To Group 8  |
| 11   | 4019 909    | 1   |      |          | LEVER, Tilt Release - 1984   |
|      | 4147 435    | 1   |      |          | 1985   |
| 12   |             |     |      |          | CLIP, Steering Column Ground-Not Serviced  |
| 13   | 6027 403    | 2   |      |          | NUT, Lock  |
| 14   |             |     |      |          | WASHER, Lock-Not Serviced  |
| 15   |             |     |      |          | GEAR, Steering-Refer To Figure 19-1400   |
| 16   | 6028 750    | 1   |      |          | PIN, Column Shaft Cplg.-5/16 x 1.25 (Slotted)  |
|      | 2266 743    | 1   |      |          | PIN, Column Shaft Cplg.-11/32 x 1.40 (Solid)   |
| 17   |             |     |      |          | SCREW, Not Serviced  |
| 18   | 3748 400    | 1   |      |          | GROMMET, Steering Column   |
| 19   | 4147 276    | 1   |      |          | PLATE ASSY., Column Support ***  |
| 20   |             |     |      |          | WASHER, Not Serviced   |
| 21   | 0152 342    | 3   |      |          | NUT  |
| 22   | 3575 333    | 1   |      |          | GROMMET, Shift Tube Lever  |
| 23   |             | 1   |      | ALL      | INSULATOR, Column Coupling (Serv. Assy.)   |
| 24   | 4117 669    | 1   |      | D5,6,7,8 | SHAFT, Column Coupling   |
|      | 4117 668    | 1   |      | D1,2,3,4 | SHAFT, Column Coupling   |
| 25   |             |     |      |          | PIN, Not Serviced  |
| 26   | 2530 538    | 1   |      |          | COVER, Column Coupling   |
| 27   | 3748 271    | 1   |      |          | FLANGE, Column Shaft Intermediate Cplg.  |
| 28   | 2800 738    | 2   |      |          | SHOE, Column Coupling  |
| 29   | 6031 801    | 2   |      |          | BOLT, Column Shaft Coupling  |
| 30   | 4115 549    | 1   |      | D1,2,3,4 | BODY, Column Shaft Coupling  |
|      | 4115 549    | 1   |      | D5,6,7,8 | BODY, Column Shaft Coupling  |
| 31   | 2925 492    | 1   |      |          | SPRING, Column Shoe Coupling   |
| 32   | 4186 826    | 1   |      |          | STRAP & BOLT PKG., Strg. Col. Coupling, Consist Of Strap (2), 6031800,6031801,6031802 Bolts (2 Each) *** |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, TILT UPPER & LOWER D1,2,3,4,5,6,7,8  
Figure 19-1200

4319 1200A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
|      | 4019 501    | 1   |      |       | INSULATOR and BEARING, Tilt Steering Column  |
| 33   | 6030 999    | 2   |      |       | BOLT, P/Strg. Coupling Flange                |
| 34   | 6029 951    | 1   |      |       | PIN, Column Shaft Coupling Body              |
| 35   |             |     |      |       | SWITCH, Dimmer-Refer To Group 8              |
| 36   |             |     |      |       | ROD, Dimmer Switch Actuator-Refer To Group 8 |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| B = BUSHING WAGONS (4X2)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

COLUMN, STEERING, TILT (RELEASE HOUSING) D1,2,3,4,5,6,7,8  
Figure 19-1300

4319 1300B



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
| 1    |             | 2   |      |          | BEARING, Column (Serv. Kit 4147364)                |
| 2    | 2880 259    | 1   |      |          | PIN, Release Lever                                 |
| 3    | 2880 262    | 1   |      |          | SPRING, Release Lever                              |
| 4    | 3467 392    | 2   |      |          | SPRING, Shoe                                       |
| 5    |             | 1   |      |          | PIN, Pivot (Serv. Kit 4147363)                     |
| 6    | 3467 382    | 1   |      |          | PIN, Dowel   |
| 7    | 4188 835    | 1   |      |          | SHAFT, Drive                                       |
| 8    |             |     |      |          | SHOE, Steering Wheel Lock                          |
|      | 3467 389    | 1   |      |          | 3-Position   |
|      | 3467 388    | 1   |      |          | 4-Position   |
| 9    |             | 1   |      | D1,2,3,4 | SPRING, Lock Bolt (Serv. Kit 4147364)              |
| 10   | 3467 377    | 1   |      | D1,2,3,4 | BOLT, Lock   |
| 11   | 3467 419    | 1   |      |          | SHIELD, Tilt Lever Opening                         |
| 12   | 4219 046    | 1   |      |          | COVER, Lock Housing-(Painted)                      |
| 13   | 4019 793    | 1   |      |          | CLIP, Buzzer                                       |
| 14   |             | 1   |      |          | SWITCH, Buzzer-Refer To Group 8                    |
| 15   | 3467 814    | 3   |      |          | SCREW  |
| 16   |             | 1   |      |          | RACE, Inner (Serv. Kit 4147363)                    |
| 17   |             | 1   |      |          | SEAT, Upper Bearing Inner Race (Serv. Kit 4147363) |
| 18   |             |     |      |          | SWITCH, Turn Signal-Refer To Group 8               |
| 19   | 3467 814    | 3   |      |          | SCREW, Binding Head                                |
| 20   | 3575 981    | 1   |      |          | SPRING, Upper Bearing                              |
| 21   |             |     |      |          | CAM, Turn Signal-Refer To Group 8                  |
| 22   | 4019 336    | 1   |      | D1,2,3,4 | LOCK, Shaft  |
|      | 4147 369    | 1   |      | D5,6,7,8 | LOCK, Shaft  |
| 23   | 2925 062    | 1   |      |          | RING, Retaining                                    |
| 24   |             |     |      |          | COVER, Shaft Lock-Not Used-(Skirt Used)            |
| 25   | 6500 126    | 1   |      |          | NUT, Steering Wheel Shaft                          |
| 26   |             |     |      |          | RETAINER, Not Serviced                             |
| 27   | 4088 151    | 1   |      |          | ACTUATOR, Ignition Switch                          |
| 28   | 3575 220    | 1   |      |          | LEVER, Shoe Release                                |
| 29   |             | 1   |      |          | RACK, Switch Actuator (Serv. Kit 4147364)          |
| 30   | 3467 391    | 1   |      |          | SPRING, Rack Preload                               |
| 31   | 4019 451    | 1   |      |          | HOUSING ASSY., Steering Column - 1984 ***          |
|      | 4333 084    | 1   |      |          | 1985   |
|      | 4219 046    | 1   |      |          | COVER & SCREW KIT, Lock Housing ***                |
| 32   |             | 1   |      |          | SECTOR, Switch Actuator (Serv. Kit 4147364)        |
| 33   |             | 1   |      |          | RING, Retaining-Not Required                       |
| 34   | 3467 385    | 1   |      |          | SCREW, Hex.Washer Head                             |
| 35   |             | 1   |      |          | GUIDE, Spring (Serv. in Kit 4147363)               |
| 36   |             | 1   |      |          | SPRING, Wheel Tilt (Serv. in Kit 4147363)          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COLUMN, STEERING, TILT (RELEASE HOUSING) D1,2,3,4,5,6,7,8  
Figure 19-1300

4319 1300B



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL    | DESCRIPTION   |
|------|----------------|-----|------|----------|---|
| 37   |                | 1   |      |          | RETAINER, Spring (Serv. in Kit 4147363)             |
| 38   | 3467 402       | 2   |      |          | SCREW, Cross Recess                                 |
| 39   | 3748 497       | 1   |      |          | GATE, Shift Lever                                   |
| 40   | 4188 527       | 1   |      |          | TROUGH, Steering Column Wiring                      |
|      | 6015 925       | AR  |      |          | RETAINER, Steering Column Wiring Trough             |
| 41   |                |     |      |          | BOWL, Gearshift Lever-Refer To Item 55              |
| 42   | 2880 284       | 1   |      |          | SPRING, Shift Lever                                 |
| 43   | 3748 592       | 1   |      |          | WASHER, Wave  |
| 44   | 3748 498       | 1   |      |          | PLATE, Lock   |
| 45   | 3467 423       | 1   |      |          | WASHER, Thrust                                      |
| 46   | 3467 415       | 1   |      |          | RING, Shift Tube Retaining                          |
| 47   | 3748 496       | 1   |      |          | SUPPORT ASSY., Strg. Column Brg. Housing - 1984 *** |
|      | 4333 089       | 1   |      |          | 1985  |
| 48   | 3748 500       | 4   |      |          | SCREW, Support                                      |
| 49   | 4219 039       | 1   |      |          | SHAFT ASSY., Lower Steering ***                     |
| 50   |                | AR  |      |          | SPHERE & SPRING, Centering (Serv. Kit 4147365) ***  |
| 51   | 4094 094       | 1   |      | D1,2,3,4 | SHAFT, Race Upper                                   |
|      | 4089 240       | 1   |      | D5,6,7,8 |   |
| 52   | 4219 045       | 1   |      |          | TUBE ASSY., Shift ***                               |
| 53   |                |     |      |          | SEAL, Dash-Refer To Group 23                        |
| 54   |                |     |      |          | CLIP, Lower Bearing Adapter                         |
| 55   | 4147 051       | 1   |      |          | JACKET ASSY., Steering Column ***                   |
|      | 4210 233       | 1   |      |          | BOWL ASSY., Spring - (Up To 10-3-83) ***            |
|      | 4147 405       | 1   |      |          | (After 10-3-83)                                     |
|      | 9428 682       | 2   |      | D5,6,7,8 | SCREW, Lens Retaining Mounting Bracket              |
|      | 4219 041       | 3   |      |          | SCREW, Pan Head Cross Recess                        |
| 56   | 4019 501       | 1   |      |          | INSULATOR & BEARING ASSY.                           |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



### Figure 19-1400

4319 1400B



# MANUAL



# POWER


[illegible]

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>B - VANS AND WAGONS (4X2)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

## GEAR-CHRYSLER POWER STEERING B1,2,3

Figure 19-1500

4319 1500B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
| 1    | 4026 481    | 1   |      |       | GEAR, Power Steering                              |
| 2    | 3643 315    | 1   |      |       | HEAD ASSY., Steering Gear Housing ***             |
| 3    | 2537 796    | 1   |      |       | BEARING, Steering Gear Worm                       |
| 4    | 3643 321    | 1   |      |       | SEAL, Steering Gear Worm Cover                    |
| 5    | 1733 627    | 1   |      |       | NUT, Steering Gear Shaft Cover                    |
| 6    | 6028 983    | 1   |      |       | NUT, Shaft Adj. Screw                             |
| 7    |             | 1   |      |       | SEAL, Shaft Adj. Screw-In 3879920 Repair Kit      |
| 8    | 3643 301    | 1   |      |       | COVER, Steering Gear Shaft                        |
| 9    | 3643 009    | 1   |      |       | O-RING, Shaft Cover-In 3879920 Repair Kit         |
| 10   | 2948 857    | 1   |      |       | SCREW, Gear Shaft Adjusting                       |
|      |             | 1   |      |       | Gasket, Gear Shaft Adj.Screw-In 3879920 RepairKit |
| 11   |             | 1   |      |       | SPRING, Refer to 19-1600                          |
| 12   |             | 1   |      |       | PLUNGER, Refer To 19-1600                         |
| 13   | 3643 302    | 1   |      |       | SHAFT, Steering Gear                              |
| 14   |             | 1   |      |       | SPRING, Pressure Control Valve, Refer To 19-1600  |
| 15   |             | 1   |      |       | SCREW, Refer To 19-1600                           |
| 16   |             | 1   |      |       | HOUSING, Refer To 19-1600                         |
| 17   | 6030 658    | 1   |      |       | O-RING, Housing To Valve-In 3879919 Repair Kit    |
| 18   | 3643 317    | 1   |      |       | HOUSING, Strg. Gear                               |
|      | 1733 625    | 1   |      |       | NUT, Steering Gear Housing                        |
|      | 6030 657    | 2   |      |       | O-RING, Housing Port-In 3879919 Repair Kit        |
|      | 6032 526    | 2   |      |       | SCREW, Steering Gear Mounting                     |
| 19   | 2948 971    | 2   |      |       | BEARING   |
| 20   | 3643 184    | 1   |      |       | SEAL, Strg. Gear Shaft Oil-In 3879921 Repair Kit  |
| 21   | 1670 356    | 1   |      |       | RETAINER, Strg. Gear Shaft Oil Seal               |
| 22   | 2127 049    | 1   |      |       | SNAP-RING, Strg. Gear Shaft Oil Seal ***          |
| 23   | 2267 350    | 1   |      |       | SEAL, Strg. Gear Shaft Dust-In 3879921 Repair Kit |
| 24   | 1822 380    | 1   |      |       | LEVER, Steering Gear Control Valve                |
| 25   | 1823 151    | 1   |      |       | SPRING, Steering Gear Control Valve Lever         |
| 26   |             | 1   |      |       | PLUG, Refer To 19-1600                            |
| 27   | 1733 724    | 1   |      |       | GASKET, Valve Plug                                |
| 28   |             | 1   |      |       | PISTON, Refer To 19-1600                          |
| 29   |             | 1   |      |       | SCREW, Refer To 19-1600                           |
| 30   | 1618 611    | 1   |      |       | GASKET  |
| 31   |             | 1   |      |       | ADAPTER, Refer To 19-1900                         |
| 32   | 6030 655    | 1   |      |       | O-RING, Gear Valve Housing-In 3879919 Repair Kit  |
| 33   | 6030 656    | 1   |      |       | O-RING, In 3879919 Repair Kit                     |
| 34   |             | 1   |      |       | BODY, Refer To 19-1600                            |
| 35   | 1618 611    | 1   |      |       | GASKET  |
| 36   |             | 1   |      |       | ADAPTER, Refer To 19-1600                         |
|      | 2267 530    | 1   |      |       | O-RING, Steering Gear Pressure Hose Adapter       |

## MODEL CODES:

## TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

## BODY STYLE &amp; WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

## WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

## CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

## SPORT UTILITY:

(71) = 106" W.B.

## CREW CAB:

(82) = 149" W.B.


(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## GEAR-CHRYSLER POWER STEERING B1,2,3

Figure 19-1500

4319 1500B



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
|   | 2267 529    | 1   |      |       | NUT, Steering Gear Pressure Hose Adapter                |
|   | 1618 611    | 1   |      |       | GASKET, Gear Pressure Hose Adapter                      |
| 37  | 4342 711    | 1   |      |       | WORM & PISTON, Steering Gear ***                        |
| 38  |             | 1   |      |       | PLUG, w/Spring  |
| 39  | 3491 332    | 1   | B3   |       | RING, Steering Gear Rack Piston                         |
|   | 4115 052    | 1   | B3   |       | RING, Steering Gear Rack Piston Ring                    |
| 40  |             | 1   |      |       | RING, Strg. Gear Worm Oil Seal (Serv. Pkg.)             |
| 41  | 1822 321    | 1   |      |       | SNAP-RING, Cylinder Head ***                            |
| 42  | 1822 320    | 1   |      |       | SLEEVE, Steering Gear Worm                              |
| 43  | 1733 562    | 1   |      |       | O-RING, Piston Ring Sealing                             |
| 44  | 1822 324    | 1   |      |       | SEAL  |
| 45  | 1733 588    | 1   |      |       | WASHER  |
| 46  | 1733 625    | 1   |      |       | NUT   |
| 47  | 1856 292    | 1   |      |       | RACE, Thrust Bearing-Inner                              |
| 48  | 1822 158    | 1   |      |       | BEARING, Worm Thrust                                    |
| 49  | 1486 205    | 1   |      |       | O-RING, Cylinder Head Ferrule                           |
| 50  | 3643 173    | 1   |      |       | HEAD ASSY., Steering Gear Cylinder ***                  |
| 51  | 1822 151    | 1   |      |       | SEAL, Strg. Gear Reaction, Upper                        |
|   |             | 1   |      |       | O-RING, Strg. Gear Reaction,Lwr.(In 3879924 Repair Kit) |
| 52  | 1822 156    | 1   |      |       | RACE, Thrust Bearing-Outer                              |
| 53  | 2537 796    | 1   |      |       | BEARING, Strg.Gear Worm                                 |
| 54  | 2537 247    | 1   |      |       | SPRING, Reaction  |
| 56  | 1822 390    | 1   |      |       | SPACER & CENTER RACE, Steering Gear ***                 |
| 57  | 1822 150    | 1   |      |       | RING, Steering Gear Reaction                            |
| 58  | 3643 129    | 1   |      |       | SPRING, Steering Gear Reaction                          |
| 59  | 1733 790    | 1   |      |       | WASHER, Steering Gear Reaction                          |
| 60  | 1822 157    | 1   |      |       | NUT, Thrust Bearing                                     |
| 61  |             | 1   |      |       | SEAL, Reaction Ring Upper-In 3879924 Repair Kit         |
| 62  |             | 1   |      |       | O-RING, Reaction Ring Lower-In 3879924 Repair Kit       |
| NOTE: REPAIR SERVICE KITS- INFORMATION BECOMES AVAILABLE. |             |     |      |       |   |
| -   | 3879 924    | 1   |      |       | STEERING GEAR POWER TRAIN                               |
| -   | 4057 088    | 1   |      |       | STEERING GEAR VALVE HOUSING & SEAL ***                  |
| -   | 4057 087    | 1   |      |       | STEERING GEAR FLUID RETURN & SEAL ***                   |
| -   | 4037 635    | 1   |      |       | STEERING GEAR THRUST BEARING, LOWER ***                 |
| -   | 3879 921    | 1   |      |       | STEERING GEAR LOWER SECTOR SEAL, 1-1/4" GEARS ***       |
| -   | 3879 920    | 1   |      |       | STEERING GEAR SECTOR COVER SEAL ***                     |
| -   | 3879 919    | 1   |      |       | STEERING GEAR VALVE BODY SEAL ***                       |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR-SAGINAW POWER STEERING D1,2,3,4,5,6,7,8  
Figure 19-1600

4319 1600B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 1    | 4117 497    | 1   |      |       | GEAR, Power Steering                             |
| 2    | 3491 340    | 1   |      |       | PLUG, Strg. Gear Housing End                     |
| 3    |             | 1   |      |       | SEAL, Strg. Gear Hsg. Plug,In 3893557 Repair Kit |
| 4    |             | 1   |      |       | RING, In 3893557 Repair Kit                      |
| 5    |             | 1   |      |       | SEAL, O-Ring, In 3893557 Repair Kit              |
| 6    | 4115 053    | 1   |      |       | PLUG, Strg. Gear Rack Piston                     |
| 7    | 4271 369    | 1   |      |       | PISTON NUT ASSY., Steering Gear Rack ***         |
| 8    | 3491 329    | 2   |      |       | GUIDE, Strg. Gear Ball Return                    |
| 9    | 3491 330    | 1   |      |       | CLAMP, Strg. Gear Ball Return Guide              |
| 10   | 3491 331    | 2   |      |       | SCREW w/WASHER, Ball Return Guide Clamp          |
| 11   |             |     |      |       | HOUSING, Strg. Gear, In 4210539 Repair Kit       |
| 12   | 3491 320    | 1   |      |       | BEARING, Strg. Gear Housing                      |
| 13   | 3893 555    | 1   |      |       | SHAFT, Strg. Gear                                |
| 14   |             | 1   |      |       | SPRING, In Item 12                               |
| 15   |             | 1   |      |       | WASHER, In Item 12                               |
| 16   |             | 1   |      |       | BOLT, Adjuster, In Item 12                       |
| 17   |             | 1   |      |       | RETAINER, In Item 12                             |
| 18   |             | 1   |      |       | BUSHING, In Item 18                              |
| 19   | 3893 554    | 1   |      |       | COVER, Gear Hsg. Side                            |
| 20   | 3491 338    | 1   |      |       | NUT, Steering Gear Lash Adjuster                 |
| 21   | 3822 792    | 4   |      |       | BOLT, Hsg. Side Cover                            |
| 22   |             | 1   |      |       | SEAL, Hsg. Side Cover,In 3893558 Repair Kit      |
| 23   |             | 1   |      |       | SEAT, Outlet, In 4210545 Repair Kit              |
| 24   |             | 1   |      |       | SEAT, Inlet, In 4210545 Repair Kit               |
| 25   |             | 1   |      |       | POPPET, In 4210545 Repair Kit                    |
| 26   |             | 1   |      |       | SPRING, In 4210545 Repair Kit                    |
| 27   |             | 1   |      |       | VALVE, Check-In 4210545 Repair Kit               |
| 28   |             | 1   |      |       | BEARING, Lower Thrust-In 4037635 Repair Kit      |
| 29   |             | 1   |      |       | WORM & BEARINGS, In Item 7                       |
| 30   |             | 1   |      |       | O-RING, In Item 30                               |
| 31   | 4117 653    | 1   |      |       | VALVE, Strg. Gear Control                        |
| 32   |             | 1   |      |       | SEAL, Valve Ring-In 3491350 Repair Kit           |
| 33   |             | 1   |      |       | BEARING, Upper Thrust-In 4117654 Repair Kit      |
| 34   |             | 1   |      |       | BEARING, Adjuster Plug - In 4117655 Repair Kit   |
| 35   |             | 1   |      |       | PLUG, Gear Adjuster - In 4117655 Repair Kit      |
| 36   |             | 1   |      |       | O-RING, In 4117655 Repair Kit                    |
| 37   |             | 1   |      |       | SEAL, Adjusting Plug-In 4164021 Repair Kit       |
| 38   |             | 1   |      |       | SEAL, Adjusting Plug-In 4164021 Repair Kit       |
| 39   | 3491 337    | 1   |      |       | NUT, Adjuster Plug Lock                          |
| 40   |             | 1   |      |       | RING, In 4117655 Repair Kit                      |
| 41   |             | 1   |      |       | BEARING, Pitman Shaft-In Item 11                 |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.


CREW CAB:

(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR-SAGINAW POWER STEERING D1,2,3,4,5,6,7,8  
Figure 19-1600

4319 1600B



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| 42   |             | 1   |      |       | SEALS & WASHERS, Pitman Shaft-In 3491349 RepairKit *** |
| 44   | 3633 423    | 1   |      |       | LOCKWASHER, Steering Gear Arm ***                      |
| 45   | 3491 339    | 1   |      |       | NUT, Steering Gear Arm                                 |
| 46   |             | 1   |      |       | RING, Hsg. End Plug Retaining, In 3893557 Repair Kit   |
| NOTE: REPAIR SERVICE KITS INFORMATION BECOMES AVAILABLE. |             |     |      |       |  |
| -  | 4210 539    | 1   |      |       | STEERING GEAR HOUSING ASSY. ***                        |
| -  | 4210 542    | 1   |      |       | STEERING GEAR RECIRCULATING BALL ***                   |
| -  | 4210 541    | 1   |      |       | RACK-PISTON-NUT KIT, STRG. GEAR ***                    |
| -  | 4164 021    | 1   |      |       | STEERING GEAR ADJUSTER PLUG SEAL ***                   |
| -  | 3491 349    | 1   |      |       | STEERING GEAR PITMAN SHAFT SEAL & WASHER ***           |
| -  | 3491 350    | 1   |      |       | STEERING GEAR VALVE RING & SEAL ***                    |
| -  | 4210 545    | 1   |      |       | STEERING GEAR CHECK VALVE ***                          |
| -  | 4117 654    | 1   |      |       | STEERING GEAR THRUST BEARING, UPPER ***                |
| -  | 4037 635    | 1   |      |       | STEERING GEAR THRUST BEARING, LOWER ***                |
| -  | 3893 557    | 1   |      |       | STEERING GEAR END PLUG SEAL ***                        |
| -  | 3893 558    | 1   |      |       | STEERING GEAR HOUSING SIDE COVER SEAL ***              |
| -  | 3893 559    | 1   |      |       | STEERING GEAR RACK PISTON SEAL ***                     |
| -  | 4117 655    | 1   |      |       | STEERING GEAR ADJ. PLUG ASSY. ***                      |
| -  | 4164 019    | 1   |      |       | STRG.GEAR HSG.NEEDLE BRG.ASSY. ***                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR-MANUAL STEERING CHRYSLER B1  
Figure 19-1700

4319 1700C




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| 1  | 4032 101    | 1   |      |       | GEAR, Steering   |
| 2  | 2267 467    | 1   |      |       | COVER, Steering Gear Shaft                             |
| 3  | 2267 178    | 1   |      |       | SCREW, Steering Gear Shaft Adjusting                   |
|  | 2279 961    | 1   |      |       | SHIM, Strg. Gear Shaft Adj. Screw                      |
| 4  | 2267 487    | 1   |      |       | SHAFT, Steering Gear                                   |
| 5  | 1734 078    | 2   |      |       | BEARING ASSY., Steering Gear Shaft ***                 |
| 6  | 2948 811    | 1   |      |       | HOUSING, Steering Gear                                 |
| 7  | 2537 153    |     |      |       | SEAL, In 3879921 Repair Kit                            |
| 8  | 2267 478    | 1   |      |       | SPACER, Steering Gear Thrust Bearing                   |
| 9  | 2127 097    | 2   |      |       | CUP, Worm Thrust Bearing                               |
| 10   | 2072 060    | 2   |      |       | BEARING ASSY., Steering Gear Worm Thrust ***           |
| 11   | 2267 454    | 1   |      |       | WORM & BALL NUT ASSY., Steering Gear ***               |
| 12   | 2267 492    | 1   |      |       | BEARING ASSY., Steering Gear Worm Thrust Adjusting *** |
| 13   | 2267 192    | 1   |      |       | NUT, Steering Gear Worm Adjusting Lock                 |
| 14   | 4031 884    | 1   |      |       | SEAL, Steering Gear Worm Shaft                         |
| 15   |             |     |      |       | GUIDES, CLAMP, BALLS, Serviced In Item 11 ***          |
| 16   | 1673 974    | 1   |      |       | PLUG, Housing Oil Filler                               |
| 17   |             |     |      |       | WASHER   |
| 18   | 2948 801    | 1   |      |       | BEARING ASSY., Steering Gear Shaft Cover ***           |
| 19   | 2267 468    | 1   |      |       | GASKET, Shaft Cover                                    |
| 20   | 6025 063    | 2   |      |       | BOLT, w/Washer Steering Gear Cover                     |
| 21   | 6024 487    | 1   |      |       | BOLT, w/Washer Steering Gear Cover                     |
| 22   | 0272 235    | 1   |      |       | LOCK-NUT, Shaft Adjusting Screw ***                    |
| 23   | 6031 659    | 2   |      |       | SCREW, Steering Gear Mounting                          |
| 24   | 6028 762    | AR  |      |       | LOCK WASHER, Strg. Gear Mtg. Screw                     |
| NOTE: Repair Service Kits INFORMATION BECOMES AVAILABLE. |             |     |      |       |  |
|  | 3879 921    | 1   |      |       | SEAL PKG., Strg. Gear Lwr. Sector ***                  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

GEAR, MANUAL STEERING SAGINAW D1,2,3  
Figure 19-1800

4319 1800B



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| 1  | 4117 998    | 1   |      |       | GEAR, Manual Steering                              |
| 2  | 3633 413    | 1   |      |       | ADJUSTER ASSY., Worm Thrust Bearing ***            |
| 3  | 2072 062    | 1   |      |       | CUP, Worm Thrust Bearing-Lower                     |
| 4  | 2072 060    | 1   |      |       | BEARING, Worm Thrust Lower                         |
| 5  | 3827 610    | 1   |      |       | RETAINER, Steering Gear Worm Thrust                |
| 6  |             | 1   |      |       | BALLNUT, Refer To Item 7                           |
| 7  | 4210 627    | 1   |      |       | WORM ASSY., Steering Gear-Used In 4117998 Gear *** |
| 8  | 2072 060    | 1   |      |       | BEARING ASSY., Worm Thrust-Upper ***               |
| 9  | 2072 062    | 1   |      |       | CUP, Worm Thrust Bearing-Upper                     |
| 10   | 3491 250    | 1   |      |       | SEAL, Steering Gear Shaft Grease                   |
| 11   | 3633 411    | 1   |      |       | HOUSING ASSY., Steering Gear ***                   |
| 12   | 3633 416    | 1   |      |       | SEAL, Steering Gear Worm Shaft                     |
| 13   | 2072 048    | 1   |      |       | GASKET, Steering Gear Shaft Cover                  |
| 14   | 2226 124    |     |      |       | BUSHING  |
| 15   | 4116 377    | 1   |      |       | SHAFT, Steering Gear-Used In 4117998 Gear          |
| 16   | 3633 421    | 1   |      |       | SCREW, Steering Gear Shaft Adjusting               |
| 17   |             |     |      |       | SHIM, Serv. In Pkg. 2240601                        |
| 18   |             |     |      |       | COVER, Serv. In Pkg. 3633426                       |
| 19   |             |     |      |       | NUT, Adjusting Screw-Not Serviced                  |
| 20   | 3491 252    | 3   |      |       | BOLT, Steering Gear Shaft Cover                    |
| 21   |             |     |      |       | SCREW, Serv. In Pkg. 3633425                       |
| 22   |             |     |      |       | CLAMP, Serv. in Pkg. 3633425                       |
| 23   |             |     |      |       | GUIDE, Serv. In Pkg. 3633425                       |
| 24   |             |     |      |       | BALL, Serv. In Pkg. 3633425                        |
| 25   | 3491 339    | 1   |      |       | NUT, Steering Gear Shaft                           |
| 26   | 3633 423    | 1   |      |       | LOCKWASHER, Steering Gear Shaft ***                |
| 27   | 3633 415    | 1   |      |       | LOCKNUT, Worm Bearing Adjuster ***                 |
| NOTE: REPAIR SERVICE KITS INFORMATION BECOMES AVAILABLE. |             |     |      |       |  |
| -  | 3633 425    | 1   |      |       | STEERING GEAR BALL RETURN GUIDE & CLAMP ***        |
| -  | 3633 426    | 1   |      |       | STEERING GEAR SIDE COVER                           |
| -  | 2240 601    | 1   |      |       | STEERING GEAR SHAFT ADJUSTER SHIM ***              |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROL VALVE, STEERING GEAR POWER B1,2,3  
Figure 19-1900

4319 1900B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 3643 280    | 1   |      |       | VALVE ASSY., Control ***                            |
| 2    | 1733 724    | 1   |      |       | GASKET, Plug  |
| 3    |             |     |      |       | PLUG, Serviced In Assy.                             |
| 4    |             |     |      |       | HOUSING, Serviced In Assy.                          |
| 5    |             |     |      |       | PISTON, Serviced In Item 10                         |
| 6    | 3879 919    | 1   |      |       | O-RING, Pressure Control Valve                      |
| 7    |             |     |      |       | BODY, Serviced In Item 10                           |
| 8    |             |     |      |       | PISTON, Serviced In Item 10                         |
| 9    |             |     |      |       | SPRING, Serviced In Item 10                         |
| 10   | 4057 085    | 1   |      |       | VALVE PACKAGE                                       |
|      |             |     |      |       | Consist Of:   |
|      |             |     |      |       | 2537228 Adapter (1)                                 |
|      |             |     |      |       | 1733717 Spring (1)                                  |
|      |             |     |      |       | 3643282 Piston (1)                                  |
|      |             |     |      |       | 3643272 Body (1)                                    |
|      |             |     |      |       | 3879919 O'Ring Hyd. Strg. Gear Valve Hsg.(1)        |
|      |             |     |      |       | 3879919 O'Ring Hyd. Strg. Gear Press Cont. Valve(1) |
|      |             |     |      |       | 2891430 Sleeve                                      |
| 11   | 9408 948    | 2   |      |       | SCREW   |
| 12   |             |     |      |       | ADAPTER, Serviced in Item 10                        |
| 13   | 3879 919    | 1   |      |       | O-RING, Valve Housing                               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



GEAR & LINKAGE, STEERING B1,2,3  
Figure 19-2000

4319 2000A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4037 651    | 1   |      |       | EXTENSION, Manual Steering Gear                    |
| 2    | 6028 750    | 1   |      |       | PIN, Extension Spring                              |
| 3    |             |     |      |       | GEAR, Manual Steering-Refer To Figure 19-1700      |
| 4    | 4037 177    | 1   |      |       | SUPPORT, Steering Gear Mounting Bracket            |
| 5    | 6031 757    | 1   |      |       | STUD, Steering Gear To Bracket                     |
| 6    | 6028 087    | AR  |      |       | WASHER, Lock                                       |
| 7    | 6031 758    | AR  |      |       | NUT, Strg. Gear To Bracket Stud                    |
| 8    | 6032 526    | 2   |      |       | SCREW, Steering Gear Mounting                      |
| 9    |             |     |      |       | GEAR, Power Steering-Refer To Figure 19-1500       |
| 10   | 9416 171    | AR  |      |       | BOLT   |
| 11   | 4089 350    | 1   |      |       | ARM, Steering Gear                                 |
| 12   | 6028 088    | 1   |      |       | WASHER, Steering Gear Arm                          |
| 13   | 6029 964    | 1   |      |       | NUT, Steering Gear Arm                             |
| 14   |             |     |      |       | PIN  |
| 15   | 1263 946    | 4   |      |       | NUT, Tie Rod End-Outter-With 4000 Lb. Axle         |
| 16   | 4088 946    | 2   |      |       | ARM, Steering Idler                                |
|      | 2835 895    | 2   |      |       | SEAL, Steering Idler Arm Socket                    |
| 17   | 4089 385    | 2   |      |       | TUBE ASSY., Tie Rod-With 3300,3600 Lb.Axle ***     |
| 18   |             |     |      |       | LINK, Center                                       |
|      | 4089 398    | 1   |      |       | w/3300,3600 Lb.Axle                                |
|      | 4089 399    | 1   |      |       | w/4000 Lb.Axle                                     |
| 19   | 9425 132    | 2   |      |       | NUT, Idler Arm Stud                                |
| 20   | 3004 805    | 2   |      |       | BOLT, Idler Arm                                    |
| 21   | 9424 798    | AR  |      |       | NUT, Steering Linkage Tie Rod Ball                 |
| 22   | 6030 448    | 2   |      |       | NUT, Idler Arm Bolt                                |
| 23   | 4237 963    | 1   |      |       | LINK and ENDS, Drag ***                            |
| 24   | 4131 302    | 1   |      |       | END PACKAGE, Tie Rod-R.H. Thd.-w/3300,3600 Lb.Axle |
| 24   | 4131 303    | 1   |      |       | END PACKAGE, Tie Rod-L.H.Thd.-w/3300,3600 Lb. Axle |
| 25   |             |     |      |       | END PACKAGE, Tie Rod-Inner w/4000 Lb. Axle         |
|      | 4186 008    | 1   |      |       | Right  |
|      | 4186 009    | 1   |      |       | Left   |
| 26   |             |     |      |       | PIN, Not Serviced                                  |
| 27   | 1263 946    | 4   |      |       | NUT, Tie Rod End                                   |
| 28   | 4186 007    | 2   |      |       | END PACKAGE, Tie Rod-Outter w/4000 Lb. Axle        |
| 29   | 3897 412    | 4   |      |       | SEAL, Tie Rod End Dust w/3300,3600,4000 lb. axle   |
| 29   | 4116 441    | 2   |      |       | SEAL, Tie Rod End assy.-w/4000 lb. axle            |
| 30   | 4112 842-3  | 1   |      |       | TUBE ASSY., Tie Rod w/4000 Lb. Axle ***            |
| 31   | 6030 099    | AR  |      |       | NIPPLE, Grease                                     |
| 32   | 3897 412    | 2   |      |       | SEAL, Drag Link End Stud                           |
| 33   | 4131 302    | 1   |      |       | END PACKAGE, Drag Link-R.H.Thd.                    |
| 34   | 4131 303    | 1   |      |       | END PACKAGE, Drag Link-L.H.Thd.                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4318 2000A


$$(63) = 163 \text{ W.B.}$$


GEAR & LINKAGE, STEERING D1,2,3,4  
Figure 19-2100

4319 2100A




| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                    |
|------|-------------|-----|------|----------|--|
| 1    |             | AR  |      |          | PIN  |
| 2    | 9424 798    | 4   |      |          | NUT, Tie Rod Ball-1/2-20 w/3300,3600 Lb. Axle  |
| 3    |             |     |      |          | END PACKAGE, Tie Rod                           |
|      | 4131 302    | 1   |      |          | R.H.Thread-3000.3300,4000 Lb. Axle             |
|      | 4131 303    | 1   |      |          | L.H.Thread w/3000,3300,4000 Lb                 |
| 4    | 4031 743    | 2   |      |          | TUBE, Tie Rod w/3000,3300,3600 Lb.Axle         |
| 5    |             | 2   |      | D1,2,3,4 | WASHER, Not Serviced                           |
| 6    | 0152 346    | 2   |      | D1,2,3,4 | NUT, Lock-7/16-14                              |
| 7    |             | 2   |      | D1,2,3,4 | NUT, Center Link-9/16-18                       |
| 8    | 9418 275    | 2   |      | D1,2,3,4 | BOLT, Idler Arm Bracket                        |
| 9    | 3496 507    | 1   |      |          | ARM and BRACKET, Idler                         |
| 10   |             |     |      |          | GEAR, Saginaw Steering-Refer To Figure 19-1700 |
| 11   | 3492 134    | 1   |      |          | LINK, Center                                   |
| 12   | 3491 339    | 1   |      |          | NUT, Steering Gear Arm                         |
| -    | 3633 423    | 1   |      |          | WASHER, Steering Gear Arm                      |
| 13   | 3492 214    | 1   |      |          | ARM, Power Steering Gear                       |
|      | 3492 213    | 1   |      |          | ARM, Manual Steering Gear                      |
| 14   |             | AR  |      |          | WASHER, Steering Gear To Frame                 |
| 15   | 6030 269    | AR  |      |          | SCREW, Steering Gear To Frame                  |
| 16   |             |     |      |          | ARM, Steering Knuckle-Refer To Figure 2-300    |
| 17   | 3496 506    | 1   |      |          | COVER, Strg. Idler Arm Dust                    |
| 18   | 4031 288    | 1   |      |          | CLAMP PACKAGE, Tie Rod Tube                    |
|      |             |     |      |          | Consists Of:                                   |
|      |             |     |      |          | CLAMP (1)                                      |
|      |             |     |      |          | 9422727 BOLT (1)                               |
|      |             |     |      |          | 0152342 NUT (1)                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

GEAR & LINKAGE, STEERING D5,6,7,8  
Figure 19-2200

4319 2200A



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
| 1    | 0152 348    | 3   |      |          | NUT, Gear Bracket To Frame                         |
| 2    | 0123 174    | AR  |      |          | WASHER, Lock                                       |
| 3    |             |     |      |          | SCREW, Bracket To Steering Gear                    |
|      | 6030 475    | 1   |      |          | (7/16-14 x 1.62)                                   |
|      | 6031 585    | 3   |      |          | (7/16-14 x 1.25)                                   |
| 4    | 0152 346    | 3   |      |          | NUT, (7/16-14)                                     |
| 5    | 4088 041    | 1   |      |          | BRACKET, Steering Gear To Frame                    |
| 6    | 6031 586    | 3   |      |          | BOLT, Steering Gear Bracket To Frame               |
| 7    |             |     |      |          | GEAR, Steering-Refer To Figure 19-1600             |
| 8    | 1263 946    | 2   |      |          | NUT, Drag Link Ball                                |
| 9    |             |     |      |          | ARM, Steering Gear                                 |
|      | 4088 044    | 1   |      |          | w/Manual Steering                                  |
|      | 4088 045    | 1   |      |          | w/Power Steering 1984                              |
|      | 4333 092    | 1   |      |          | w/Power Steering 1985                              |
| 10   | 3491 339    | 1   |      |          | NUT, Steering Gear Arm                             |
|      | 3633 423    | 1   |      |          | WASHER, Steering Gear Arm                          |
| 11   |             |     |      |          | PIN, Not Serviced                                  |
| 12   |             |     |      |          | KNUCKLE, Steering                                  |
|      |             |     | D5,8 |          | Refer To Figure 2-200                              |
|      |             |     | D6,7 |          | w/3500 LB. Axle-Refer To Fig. 2-800                |
|      |             |     | D7   |          | w/4500 LB. Axle-Refer To Fig. 2-1300 ***           |
| 13   | 9411 022    | 2   |      |          | FITTING, Grease                                    |
| 14   | 4106 178    | 1   |      |          | LINK PACKAGE, Drag                                 |
|      |             |     |      |          | Consists Of:                                       |
|      |             |     |      |          | LINK, Drag (1)                                     |
|      |             |     |      |          | PIN, Cotter (2)                                    |
|      |             |     |      |          | NIPPLE, Grease (2)                                 |
|      | 3736 094    | 2   |      | D7       | CLAMP PACKAGE, Tie Rod End-4500 Lb. Axle           |
| 15   |             | 1   |      |          | COVER, Serviced In Item 14                         |
| 16   | 4167 293    | 1   |      |          | BRACKET  |
| 17   |             | 1   |      |          | END PACKAGE, Tie Rod                               |
|      | 4026 832    | 1   |      | D5,6,7,8 | w/3500 Lb. Axle, 3/4-12 Rt. Hand Coarse Thread     |
|      | 4026 833    | 1   |      | D5,6,7,8 | Left, w/3500 Lb. Axle, 3/4-18 Lt. Hand Fine Thread |
|      | 4026 830    | 1   |      | D7       | Right, w/4500 Lb. Axle                             |
|      | 4026 831    | 1   |      | D7       | Left, w/4500 Lb. Axle                              |
| 18   |             |     |      |          | TUBE, Knuckle Tie Rod                              |
|      | 4031 963    | 1   |      | D5,8     | w/3500 Lb. Axle                                    |
|      | 4031 965    | 1   |      | D6,7     | w/3500 Lb. Axle                                    |
|      | 4031 960    | 1   |      | D7       | w/4500 Lb. Axle                                    |
| 19   | 3736 094    | 2   |      | D7       | CLAMP PACKAGE, Tie Rod, w/4500 Lb. Axle            |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PUMP, POWER STEERING SAGINAW B-D  
Figure 19-2300

4319 2300 C




| ITEM   | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION  |
|--|-------------|-----|--------|-------|--|
| 1-26   |             |     |        |       | PUMP, Power Steering   |
|  | 3815 968    | 1   | B1,2,3 |       | w/225,318,360 Eng. (Up To 12-17-84)                                  |
|  | 4333 134    | 1   | B1,2,3 |       | (After 12-17-84)   |
|  | 3815 969    | 1   | D      |       | All Eng., w/o Remote Fill  |
|  | 4333 055    | 1   | B-D    |       | w/360 Eng., With Remote Fill   |
| 1  | 3643 493    | 1   |        |       | FITTING, Pump Discharge  |
| 2  |             | 1   |        |       | SEAL, Union O-Ring,Serviced In 2537838 Repair Kit                    |
| 3  | 3643 466    | AR  |        |       | STUD, Pump Mounting  |
| 4  |             |     |        |       | RESERVOIR, Pump, w/o Remote Fill (Serv. in Kit)                      |
| 5  | 4219 036    | 1   |        |       | CAP, Reservoir w/o Remote Fill                                       |
| 6  |             | AR  |        |       | SEAL, Reservoir Rectangular Section (Serviced in 2537838 Repair Kit) |
| 7  | 2537 823    | 1   |        |       | RING, End Plate Retaining  |
| 8  | 2537 820    | 1   |        |       | PLATE, End   |
| 9  | 3815 966    | 1   |        |       | SPRING, Pressure Plate   |
| 10   | 3815 967    | 1   |        |       | PLATE, Pressure  |
| 11   |             | 1   |        |       | RING, Pump (Service Repair Kit)                                      |
| 12   |             |     |        |       | VANE, (Service Repair Kit)   |
| 13   |             | 1   |        |       | RING, Drive Shaft Retaining (Serv. in 3815960 Repair Kit)            |
| 14   |             | 1   |        |       | ROTOR, Pump (Service in Repair Kit)                                  |
| 15   | 3815 914    | 1   |        |       | PLATE, Thrust  |
| 16   | 2537 819    | 2   |        |       | PIN, Pump Ring Dowel   |
| 17   |             | 1   |        |       | SEAL, Union Rectangular Section, (Serviced in 2537838 Repair Kit)    |
| 18   | 3497 794    | 1   |        |       | VALVE, Flow Control  |
| 19   | 2537 833    | 1   |        |       | SPRING, Flow Control Valve   |
| 20   |             | 1   |        |       | SEAL, End Pressure Plate O-Ring (Serviced in 2537838 Repair Kit)     |
| 21   |             | 1   |        |       | SEAL, End Pressure Plate O-Ring (Serviced in 2537838 Repair Kit)     |
| 22   |             | 1   |        |       | HOUSING-BALL-PLUG & SEAL, (Service Assy.)                            |
| 23   | 2537 828    | 1   |        |       | SEAL, Reservoir "O" Ring   |
| 24   | 2537 899    | 1   |        |       | SEAL, Drive Shaft  |
| 25   |             |     |        |       | KEY, Not Required  |
| 26   |             |     |        |       | SHAFT, Drive-In 3815961 Repair Kit                                   |
| 27   |             |     |        |       | RESERVOIR, Pump w/Remote Filler (Serv. in Kit)                       |
| 28   | #2448 770   | 2   | B-D    |       | CLAMP, Hose, Pump To Reservoir                                       |
| 29   | #4333 059   | 1   | B-D    |       | REMOTE RESERVOIR ASSY., Pwr. Strg. Pump                              |
| 30   | #4219 036   | 1   | B-D    |       | CAP, Remote Reservoir  |
| REPAIR SERVICE KITS INFORMATION BECOMES AVAILABLE. |             |     |        |       |  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PUMP, POWER STEERING SAGINAW B-D  
Figure 19-2300

4319 2300 C



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION  |
|------|-------------|-----|------|--------|--|
| -    | 3815 962    | 1   |      |        | PUMP RING, ROTOR & VANE (Used in 3815968-969-970 Pumps)    |
| -    | 2537 838    | 1   |      |        | PUMP SEAL KIT  |
| -    | 3815 960    | 1   |      |        | RING, Service Kit - Retaining                              |
| -    | 3815 961    | 1   |      |        | PUMP DRIVE SHAFT & RETAINING RING KIT ***                  |
| -    | 2891 726    | 1   |      | B1,2,3 | PUMP RESERVOIR KIT,Used In & 3815968 Pump (Up To 12-17-84) |
| -    | 4333 238    | 1   |      | B1,2,3 | (After 12-17-84)   |
| -    | 2891 725    | 1   |      | D      | PUMP RESERVOIR KIT,Used In 3815969 Pump                    |
| -    | #4333 237   | 1   |      | B-D    | PUMP REMOTE RESERVOIR KIT, Used in 4333055 Pump            |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PUMP MOUNTING, POWER STEERING 5.2, 5.9L ENG. WITHOUT REMOTE FILL B-D  
Figure 19-2400

4119 2400 II



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    | 9420 892    | 1   |      |       | BOLT                                |
| 2    | #0433 105   | 1   |      |       | BOLT, Pwr. Strg. Pump To Mtg. Brkt. |
| 3    | 3870 089    | 1   |      |       | PULLEY                              |
| 4    | 6500 374    | 1   |      |       | SCREW, w/Washer, Brkt. to Pump      |
| 5    |             |     |      |       | WASHER, (Not Serviced)              |
| 6    | 6101 050    | 1   |      |       | SCREW, w/Washer, Brkt. To Pump      |
| 7    | 4179 736    | 1   |      |       | BRACKET, Front                      |
| 8    |             |     |      |       | PUMP, (Refer To Fig. 19-2300)       |
| 9    | 4179 738    | 1   |      |       | BRACKET, Rear                       |
| 10   | 6100 053    | 2   |      |       | NUT, w/Washer                       |
| 11   | 2951 852    | 1   |      |       | BRACKET, Rear                       |
| 12   | 6025 215    | 1   |      |       | SPACER                              |
| 13   | 2951 747    | 1   |      |       | BRACKET, Front                      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PUMP MOUNTING, POWER STEERING 5.9L ENG. WITH REMOTE FILL B-D  
Figure 19-2450

4319 2450

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1    | 6031 761    | 1   |      |       | BOLT, Pwr. Strg. Pump Mtg.                      |
| 2    |             |     |      |       | WASHER, Bolt (Not Serviced)                     |
| 3    | 4323 956    | 1   |      |       | BRACKET, Pwr. Strg. Front                       |
| 4    | 9420 892    | 1   |      |       | BOLT, w/Washer, P/Strg. Brkt.                   |
| 5    | 6500 158    | 1   |      |       | BOLT, w/Washer, P/Strg. Brkt. Frt. To Adj.      |
| 6    | 4343 514    | 1   |      |       | PULLEY, Pwr. Strg. Pump                         |
| 7    | 6500 399    | 1   |      |       | BOLT, w/Washer, P/Strg. Brkt. Frt. To P/S Pivot |
| 8    | 4343 401    | 1   |      |       | BRACKET, Pwr. Strg. Pump Adj.                   |
| 9    | 4333 055    | 1   |      |       | PUMP ASSY, Pwr. Strg.                           |
| 10   | 2448 770    | 2   |      |       | CLAMP, Hose, Pump To Reservoir                  |
| 11   | 4333 060    | 1   |      |       | HOSE ASSY., P/Strg. Reservoir to Pump           |
| 12   | 4333 059    | 1   |      |       | REMOTE RESERVOIR, P/Strg. Pump                  |
| 13   | 4219 036    | 1   |      |       | CAP, Reservoir                                  |
| 14   | 6500 259    | 1   |      |       | NUT, Flanged, Pwr. Strg. Brkt. Rr. Pivot        |
| 15   | 4323 954    | 1   |      |       | BRACKET, Pwr. Strg. Pump Rear                   |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WAGON (4X2)  |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



PUMP MOUNTING, POWER STEERING WITH 3.7L ENG. B-D  
Figure 19-2500


4319 2500

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    | 6029 550    | 2   |      |       | SCREW, (3/8-16x3.75)                 |
| 2    |             | 1   |      |       | BOLT, Not Serviced (7/16-14 x 1.00)  |
| 3    |             | 1   |      |       | WASHER, Lock (Not Serv.)             |
| 4    | 4140 703    | 1   |      |       | BRACKET, w/Auto Trans.               |
| 5    |             | 1   |      |       | SCREW, Not Serviced (7/16-14 x 1.00) |
| 6    |             | 1   |      |       | WASHER, Lock (Not Serv.)             |
| 7    | 0152 344    | 1   |      |       | NUT, Lock (3/8-16)                   |
| 8    | 3751 279    | 1   |      |       | SPACER                               |
| 9    | 6100 053    | 2   |      |       | NUT, w/Washer                        |
| 10   | 4179 683    | 1   |      |       | BRACKET, Pump - Rear                 |
| 11   | 4179 684    | 1   |      |       | BRACKET, Pump Mtg.- Front            |
| 12   | 6101 050    | 1   |      |       | SCREW, w/Washer                      |
| 13   | 3830 967    | 1   |      |       | PULLEY, Pump                         |
| 14   | 6101 051    | 1   |      |       | SCREW, w/Washer                      |
| 15   | 4088 468    | 1   |      |       | BRACKET, Pump - Eng.                 |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

HOSES & TUBES,POWER STEERING WITH & WITHOUT REMOTE FILL B1,2,3  
Figure 19-2600

4319 2600



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    | 1316 864       | 1   |      |       | O-RING  |
| 2    | 4086 887       | 1   |      |       | TUBE, Assy. Pressure<br>(Up To 12-17-84)                        |
|      | 4147 300       | 1   |      |       | (After 12-17-84)  |
| 3    |                |     |      |       | HOSE, (Make From Listed Roll Stock Hose and Tube)               |
|      | 1843 254       | AR  |      |       | TUBE 50' Roll   |
|      | 3879 925       | AR  |      |       | HOSE 50' Roll   |
| 4    | 1843 254       | AR  |      |       | TUBE, Assy. Gear To Pump-Return (Make From Roll Stock)          |
| 5    |                |     |      |       | HOSE ASSY., Pressure ***  |
|      | 3815 995       | 1   |      |       | (Up To 12-17-84)  |
|      | 4333 058       | 1   |      |       | (After 12-17-84)  |
| 6    |                | AR  |      |       | SCREW, Not Serviced (5/16-18x7/8)                               |
| 7    |                | AR  |      |       | CLIP, Not Serviced  |
| 8    |                |     |      |       | NUT, Not Serviced   |
| 9    |                |     |      |       | CLAMP, Not Serviced   |
| 10   | 3879 925       | AR  |      |       | HOSE, Gear To Pump-Return-Make From Roll Stock (Up To 12-17-84) |
|      | 4333 133       | 1   |      |       | HOSE ASSY, Strg. Gear To Pump - Return (After 12-17-84)         |
| -    | 2960 369       | 1   |      |       | FITTING, Power Strg. Gear Return Hose                           |
| 11   | 5205 254       | 1   |      |       | O-RING, P/Strg. Gear Pressure - Pump End                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4.319 2700 A



CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**


GROUP 21M - TRANSMISSION, MANUAL

| ILLUSTRATION TITLE   | GROUP-FIG. NO. |
|--|----------------|
| <b>TRANSMISSION</b>  |                |
| TRANSMISSION, OVERDRIVE 4-SPEED N.P.G. MODEL A833, B1,2 - D1 WITH 225,318 ENGINE . . . . .                   | Fig. 21M-100   |
| TRANSMISSION, 4 SPEED, N.P.G. MODEL 435 CASE AND GEARS D1,2,3,5,6,7,8 . . . . .                              | Fig. 21M-200   |
| <b>GEARSHIFT CONTROLS</b>  |                |
| CONTROLS, GEARSHIFT, OVERDRIVE 4-SPEED FLOOR SHIFTMANUAL TRANSMISSION, N.P.G. MODEL A833 B1,2 - D1 . . . . . | Fig. 21M-300   |
| CONTROLS, GEARSHIFT, 4-SPEED FLOOR SHIFT MANUAL TRANSMISSION, N.P.G. MODEL 435 D1,2,3, 5,6,7,8 . . . . .     | Fig. 21M-400   |
| <b>TRANSFER CASE</b>   |                |
| CASE TRANSFER, AND RELATED PARTS N.P.G. MODEL 205 D7 (Section 1 of 3) . . . . .                              | Fig. 21M-500   |
| CASE, TRANSFER, SHAFTS AND GEARS N.P.G. MODEL 205 D7 (Section 2 of 3) . . . . .                              | Fig. 21M-600   |
| CASE, TRANSFER, SHAFTS AND GEARS N.P.G. MODEL 205 D7 (Section 3 of 3) . . . . .                              | Fig. 21M-700   |
| CASE, TRANSFER N.P.G. MODEL 208, SYNCHRONIZED D5,6,7,8 . . . . .   | Fig. 21M-800   |
| <b>CONTROLS AND MOUNTING</b>   |                |
| CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 205 D7 . . . . .   | Fig. 21M-900   |
| CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 208 D5,6,7,8 . . . . .                                     | Fig. 21M-1000  |
| <b>SPEEDOMETER CABLE AND PINION</b>  |                |
| CABLE, SPEEDOMETER, w/PINION AND RETAINER B-D (D5,6,7,8 w/208 TRANSFER CASE) . . . . .                       | Fig. 21M-1100  |
| CABLE, SPEEDOMETER, w/PINION AND ADAPTER N.P.G. MODEL 205 TRANSFER CASE D7 . . . . .                         | Fig. 21M-1150  |
| PINION CHART, SPEEDOMETER . . . . .  | Fig. 21M-1200  |
| PINION CHART, SPEEDOMETER WITH N.P.G. MODEL 205 TRANSFER CASE, D7 . . . . .                                  | Fig. 21M-1400  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

TRANSMISSION, OVERDRIVE 4-SPEED N.P.G. MODEL A833, B1,2 - D1 WITH 225,318 ENGINE  
Figure 21M-100

4321 100



| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION  |
|------|-------------|-----|------|---------|--|
|      | 4186 870    | 1   |      |         | GASKET and SEAL PACKAGE, A833, w/Long Extension  |
|      |             |     |      |         | Above Package Consists Of:   |
|      |             |     |      |         | 1 - 3515383 SEAL, Yoke   |
|      |             |     |      |         | 1 - 2464059 GASKET, Extension  |
|      |             |     |      |         | 1 - 2801692 SEAL, Drive Pinion   |
|      |             |     |      |         | 1 - 2801893 GASKET, D/Gear Brg. Ret.   |
|      |             |     |      |         | 1 - 4058673 GASKET, G/Shift Hsg.   |
|      |             |     |      |         | 3 - 3515793 RETAINER, "O" Ring Seal  |
|      |             |     |      |         | 3 - 1316849 SEAL, G/Shift Lever Oil  |
|      |             |     | D1   |         | 1 - 4057046 Speedo. Pinion Small Parts Pkg.  |
|      |             |     |      | D1      | TRANSMISSION ASSY., AS PURCHASED NO. 4295039 - NOT SERVICED  |
|      |             |     |      | B1,2    | TRANSMISSION ASSY., AS PURCHASED NO. 4295040 - NOT SERVICED  |
|      | 4295 038    | 1   |      | B1,2-D1 | TRANSMISSION ASSEMBLY, A833, w/LONG EXTENSION, B1,2-D1 w/10" Cl. w/225 Eng., B1,2-D1 w/10-1/2" Cl. w/318 Eng., w/Alum. Case - SERVICED |
| 1    | 3878 431    | 1   |      |         | GEAR, Second Speed   |
| 2    | 3515 023    | AR  |      |         | RING, Synch. Stop (4)  |
| 3    | 3515 468    | AR  |      |         | SPRING, Synchronizer (4)   |
| 4    |             | 1   |      |         | SLEEVE, (Serviced in Assy. 4130095)  |
| 5    | 6032 251    | 1   |      |         | SNAP RING, First, Second and Third Speed Gear  |
| 7    | 2464 018    | 1   |      |         | GEAR, First Speed (S36-L35T)   |
| 8    | 6027 229    | 1   |      |         | SNAP RING, Bearing Outer   |
| 9    | 2801 890    | 1   |      |         | BEARING, Mainshaft, Rear   |
| 10   |             |     |      |         | SNAP RING, Bearing Inner, 1-1/4" I.D.  |
|      | 6025 754    | AR  |      |         | .088" Thick  |
|      | 6025 755    | AR  |      |         | .091" Thick  |
|      | 6025 756    | AR  |      |         | .094" Thick  |
|      | 6025 757    | AR  |      |         | .097" Thick  |
| 11   | 2538 785    | 1   |      |         | BAFFLE, Vent   |
| 12   | 2124 715    | 1   |      |         | VENT, Breather   |
| 13   | 4028 705    | 1   |      |         | EXTENSION, Trans. Case   |
| 14   | 2801 724    | 1   |      |         | BUSHING, Extension   |
| 15   | 3515 383    | 1   |      |         | SEAL, Ext. Yoke  |
| 16   | 9418 275    | 6   |      |         | SCREW, Ext. 7/16-14 x 1-3/8"   |
|      | 6030 270    | 6   |      |         | 7/16-14 x 1-3/4"   |
| 17   | 0123 153    | 6   |      |         | WASHER, Lock 7/16  |
| 18   |             | 1   |      |         | STRUTS, (Serviced in Synch. Assy.)   |
| 19   |             | 1   |      |         | GEAR, (Serviced in Synch. Assy.)   |
| 20   | 4295 288    | 1   |      |         | SYNCHRONIZER ASSEMBLY, First and Second Speed  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRANSMISSION, OVERDRIVE 4-SPEED N.P.G. MODEL A833, B1,2 - D1 WITH 225,318 ENGINE  
Figure 21M-100

4321 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 21   | 2538 207    | 2   |      |       | WASHER, Co/Shaft Gear Thrust                   |
| 22   | 2464 743    | 4   |      |       | WASHER, Co/Shaft Bearing                       |
| 23   | 4295 101    | 1   |      |       | GEAR, Countershaft                             |
| 24   | 2464 013    | 1   |      |       | SPACER, Co/Shaft Bearing                       |
| 25   | 4028 123    | 1   |      |       | COUNTERSHAFT, Trans.                           |
| 26   | 1635 293    | 1   |      |       | KEY, Countershaft                              |
| 27   | 2464 744    | 76  |      |       | ROLLERS, Co/Shaft Gear Bearing                 |
| 28   | 6027 246    | 1   |      |       | SNAP RING, Third and Fourth Synch. Clutch Gear |
| 31   |             | 1   |      |       | SLEEVE, (Serv. in Synch. Assy.)                |
| 33   | 3878 430    | 1   |      |       | GEAR, Overdrive                                |
| 34   | 4205 892    | 1   |      |       | MAINSHAFT PACKAGE, Trans.                      |
| 35   |             |     |      |       | STRUTS, (Serv. in Synch. Assy.)                |
| 36   |             |     |      |       | GEAR, (Serv. in Synch. Assy.)                  |
| 37   | 4377 401    | 1   |      |       | SYNCHRONIZER ASSEMBLY, Third and Overdrive     |
| 38   | 3878 596    | 1   |      |       | RETAINER, M/Drive Gear Bearing                 |
| 39   | 4028 722    | 4   |      |       | SCREW, M/Drive Gear Brg. Retainer              |
| 40   | 4295 449    | 1   |      |       | GASKET, M/Drive Gear Brg. Retainer             |
| 41   | 2801 692    | 1   |      |       | SEAL, M/Drive Gear Brg. Retainer Oil           |
| 43   | 6027 225    | 1   |      |       | SNAP RING, M/Drive Gear Brg., Outer            |
| 44   | 2801 890    | 1   |      |       | BEARING, M/Drive Gear, 3.54 O.D., 13/16" Width |
| 45   | 3743 690    | 1   |      |       | GEAR, Main Drive, 11" Lg. (23Spl-22T-36T)      |
| 46   | 1949 834    | 16  |      |       | ROLLERS, M/Drive Gear                          |
| 47   | 6024 130    | 1   |      |       | SNAP RING, Output Shaft Pilot Brg. Roller      |
| 48   | 4058 734    | 1   |      |       | CASE, Trans., Aluminum                         |
| 49   |             |     |      |       | PLUG, Filler 1/2"-14 Pipe (Not Serviced)       |
| 50   | 2464 059    | 1   |      |       | GASKET, Case Extension                         |
| 51   | 4221 587    | 1   |      |       | SWITCH, B/U Light                              |
| 52   | 1302 807    | 1   |      |       | GASKET, B/U Light Switch                       |
| 54   | 1139 153    | 1   |      |       | PLUG, Rev. Lever Detent                        |
| 55   | 2464 052    | 1   |      |       | RETAINER, Detent Spring                        |
| 56   | 2464 053    | 1   |      |       | GASKET, Detent Spring Retainer                 |
| 57   | 4058 677    | 1   |      |       | SPRING, Ball Detent                            |
| 58   | 0104 920    | 1   |      |       | Ball, Detent Spring                            |
| 59   | 1635 293    | 1   |      |       | KEY, Rev. Idler Gear Shaft Woodruff            |
| 60   | 2464 023    | 1   |      |       | SHAFT, Reverse Idler Gear                      |
| 61   |             |     |      |       | BUSHING, (Serviced w/Gear)                     |
| 62   | 4295 104    | 1   |      |       | GEAR, Reverse Idler                            |
| 63   | 4058 735    | 1   |      |       | PIN, Inner Reverse Lever 1-1/2" Long           |
| 64   | 4058 676    | 1   |      |       | LEVER, w/Shaft And Pin, Inner Reverse          |
| 65   | 1316 849    | 3   |      |       | SEAL, Lever O-Ring                             |
|      | 3515 793    | 3   |      |       | RETAINER, O-Ring Seal                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRANSMISSION, OVERDRIVE 4-SPEED N.P.G. MODEL A833, B1,2 - D1 WITH 225,318 ENGINE  
Figure 21M-100

4321 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 66   | 3743 314    | 1   |      |       | RETAINER, Magnet                               |
| 67   | 3681 601    | 1   |      |       | MAGNET, Case Chip Collector                    |
| 68   | 4031 875    | 1   |      | D1    | LEVER, Operating Reverse                       |
|      | 4030 191    | 1   |      | B1,2  |  |
| 69   | 4058 752    | 1   |      |       | LEVER, w/Shaft, Inner First and Second         |
| 70   | 0121 367    | AR  |      |       | WASHER   |
| 71   |             |     |      |       | BOLT, G/Shift Housing                          |
|      | 4028 723    | 7   |      |       | 5/16"-18 x 7/8"                                |
|      | 4028 724    | 1   |      |       | 5/16"-18 x 1-1/16"                             |
|      | 0181 090    | 2   |      |       | 5/16"-18 x 1-1/4"                              |
|      | 0181 092    | 2   |      |       | 5/16"-18 x 1-1/2"                              |
| 72   | 6028 034    | 3   |      |       | NUT, Lever                                     |
| 73   |             |     |      |       | WASHER   |
| 74   | 4089 065    | 1   |      | D1    | LEVER, Operating Third and Overdrive           |
|      | 4089 067    | 1   |      | B1,2  |  |
| 75   | 4089 064    | 1   |      | D1    | LEVER, Operating First and Second Speed        |
|      | 4089 066    | 1   |      | B1,2  |  |
| 76   | 4295 110    | 1   |      |       | HOUSING, w/Reverse Interlock Link, Gearshift   |
| 77   | 4058 673    | 1   |      |       | GASKET, Gearshift Housing                      |
| 78   | 4130 067    | 2   |      |       | LEVER, G/Shift Interlock                       |
| 79   | 6023 878    | 1   |      |       | E-RING, Interlock Lever Pin                    |
| 80   | 3410 204    | 1   |      |       | SPRING, G/Shift Interlock                      |
| 81   | 4058 752    | 1   |      |       | LEVER, w/Shaft, Inner Third and Overdrive      |
| 82   | 3410 038    | 1   |      |       | FORK, Third and Overdrive                      |
| 83   | 4130 068    | 1   |      |       | FORK, First and Second                         |
| 84   | 1859 127    | 1   |      |       | PLUG, Drain 3/8"-14 Pipe                       |
| 85   | 0117 920    | 1   |      |       | PLUG, Expansion 1-1/16" Dia.                   |
| 86   | 6032 250    | 1   |      |       | PIN, Reverse Interlock Link, 5/16 x 1-5/8" Lg. |
| 87   | 4028 584    | 1   |      |       | LINK, Reverse Interlock                        |
| 88   | 6025 857    | 1   |      |       | E-RING, Reverse Interlock Link Pin             |
| 89   | 6028 630    | 1   |      |       | PIN, G/Shift Interlock, 5/16 x 1-3/8" Lg.      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRANSMISSION, 4 SPEED, N.P.G. MODEL 435 CASE AND GEARS D1,2,3,5,6,7,8  
Figure 21M-200

4321 200



| ITEM | PART NUMBER | QTY | BODY     | MODEL | DESCRIPTION  |
|------|-------------|-----|----------|-------|--|
|      | 3420 071    | 1   |          |       | GASKET and SEAL PACKAGE,<br>Consists of:<br>2 - 2826107 GASKET<br>2 - 0567500 GASKET<br>1 - 2826106 SEAL |
|      |             |     |          |       | 1 - 2508000 GASKET<br>2 - 2909664 GASKET<br>1 - 2205080 OIL SEAL<br>1 - 2508010 GASKET                   |
|      |             |     | D1,2,3   |       | 1 - 2960307 GASKET<br>TRANSMISSION ASSY. AS PURCHASED NO. 4295498 D1,<br>2,3                             |
|      |             |     | D5,6,7,8 |       | TRANSMISSION ASSY. AS PURCHASED NO. 4295501 D5,6,<br>7,8   |
|      | 4295 498    | 1   | D1,2,3   |       | TRANS. ASSY., 435, (6.68 to 1 Ratio in Low) SERVICED, For<br>As Purchased Assy. No. 4295498              |
|      | 4295 501    | 1   | D5,6,7,8 |       | TRANS. ASSY. 435, (6.69 to 1 Ratio in Low) SERVICED, For<br>As Purchased Assy. No. 4295501               |
| 1    | 1920 101    | 4   |          |       | SCREW, M/Drive Gear Brg. Retainer  |
| 2    | 2830 962    | 1   |          |       | RETAINER, M/Drive Gear Bearing   |
| 3    | 2826 107    | 2   |          |       | GASKET, M/Drive Gear Brg. Retainer   |
| 4    |             | 6   |          |       | SCREW, P.T.O. Cover 3/8-16 x 5/8"  |
| 5    | 3497 049    | 4   |          |       | STUD, Extension to Case Mtg.   |
|      | 4167 736    | 4   |          |       | STUD, Trans. to Transfer Case Adapter  |
| 6    |             | 2   |          |       | PLUG, Filler and Drain 3/4"-14 Pipe  |
| 7    | 2508 010    | 1   |          |       | GASKET, Gearshift Cover  |
| 8    | 0137 545    | 4   |          |       | NUT, 1/2"-20   |
| 9    | 4164 029    | 1   | D1,2,3   |       | EXTENSION, Case (Use w/Trans. Service Assy. No. 4295498)   |
|      | 1672 194    | 1   | D1,2,3   |       | BEARING, Extension (Use w/Trans. Service Assy. No.<br>4295498)   |
|      | 4210 977    | 1   | D5,6,7,8 |       | ADAPTER, Case (Use w/Trans. Service Assy. No.4295 501)   |
|      | 4210 514    | 1   | D5,6,7,8 |       | DOWEL, Trans. Adapter  |
| 10   |             |     |          |       | NUT, Yoke (Refer to Group 16)  |
| 11   | 2205 080    | 1   |          |       | OIL SEAL, Case Extension   |
| 12   | 1673 185    | 4   |          |       | SCREW, Co/Shaft Retainer, 3/8-16 x 1"  |
| 13   | 2507 999    | 1   |          |       | RETAINER, Co/Shaft Rear Bearing  |
| 14   | 2508 000    | 1   |          |       | GASKET, Retainer   |
| 15   | 2909 664    | 1   |          |       | GASKET, Extension or Adapter   |
| 16   |             | 1   |          |       | SCREW, Rev. Idler Lock Plate   |
| 17   | 1266 009    | 1   |          |       | PLATE, Rev. Idler Shaft Lock   |
| 18   | 3641 882    | 1   |          |       | CASE, Trans. w/Magnetic Chip Collector   |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



## 4321 200




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

« »

TRANSMISSION, 4 SPEED, N.P.G. MODEL 435 CASE AND GEARS D1,2,3,5,6,7,8  
Figure 21M-200

4321 200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 47   | 2507 995    | 1   |      |       | WASHER, Co/Shaft Front Brg. Thrust            |
| 48   | 4295 520    | 1   |      |       | COUNTERSHAFT, 11-15/16" Lg. (S43-R25-34-S14T) |
| 49   | 2507 996    | 1   |      |       | BEARING, Co/Shaft Rear Thrust                 |
| 50   | 2507 997    | 1   |      |       | RACE, Co/Shaft Rear Thrust Brg.               |
| 51   | 2225 014    | 1   |      |       | BEARING, Co/Shaft Rear                        |
| 52   | 3492 424    | 1   |      |       | GEAR, w/Bushing, Rev. Idler (S17-21T)         |
| 53   | 1266 008    | 1   |      |       | SHAFT, Rev. Idler 5-3/8" Long .9880 Dia.      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CONTROLS, GEARSHIFT, OVERDRIVE 4-SPEED FLOOR SHIFTMANUAL TRANSMISSION, N.P.G. MODEL A833 B1,2 - D1  
Figure 21M-300

4321 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 3575 480    | 1   |      |       | KNOB, Gearshift Lever                     |
| 2    | 6026 132    | 1   |      |       | NUT, G/Shift Lever Knob, 3/8"-24 Thd.     |
| 3    | 4188 416    | 1   | B1,2 |       | LEVER, Gearshift                          |
|      | 4117 088    | 1   | D1   |       |   |
| 4    |             |     |      |       | NUT, 7/16-14                              |
| 5    | 4032 653    | 1   | B1,2 |       | STRAP                                     |
| 6    | 6025 020    | 1   |      |       | NUT, 3/8-16                               |
| 7    | 4030 193    | 1   | B1,2 |       | PLATE, Shifter Assy. Mtg.                 |
|      | 4031 897    | 1   | D1   |       |   |
| 8    | 0181 112    | 3   |      |       | SCREW, 3/8-16 x 1"                        |
| 9    | 4030 194    | 1   | B1,2 |       | ROD, First and Second Shift Control       |
|      | 4031 877    | 1   | D1   |       |   |
| 10   | 2409 408    | 3   |      |       | SWIVEL, G/Shift Rod                       |
| 11   | 2072 643    | 5   |      |       | WASHER, G/Shift Rod Spring                |
| 12   | 6027 983    | 6   |      |       | CLIP, G/Shift Rod Ret. Hair Pin           |
| 13   | 0433 102    | 1   |      |       | BOLT, 3/8-16 x 3-1/4"                     |
| 14   | 4030 196    | 1   | B1,2 |       | ROD, Reverse Shift Control                |
|      | 4031 878    | 1   | D1   |       |   |
| 15   | 0181 151    | 1   |      |       | BOLT, 7/16-14 x 3-1/4"                    |
| 16   | 4030 195    | 1   | B1,2 |       | ROD, Third and Overdrive Shift Control    |
|      | 4031 876    | 1   | D1   |       |   |
| 17   |             | 1   |      |       | FITTING, Grease                           |
| 18   | 4019 122    | 1   |      |       | SHIFTER ASSEMBLY, Gearshift               |
| 19   | 9418 275    | 1   |      |       | SCREW, Strap Ext., 7/16-14 x 1-1/2"       |
| 20   | 4038 863    | 1   | B1,2 |       | SEAL, G/Shift Lever Boot                  |
|      | 4087 367    | 1   | D1   |       | Underbody Trans. Cover to G/Shift Housing |
| 21   | 3467 764    | 1   |      |       | BOOT, G/Shift Lever                       |
| 22   | 2660 393    | 1   |      |       | COVER, G/Shift Lever Boot                 |
| 23   | 4113 507    | 1   | D1   |       | HOUSING, G/Shift Lever Boot               |
| 24   |             | 8   |      |       | SCREW, 10-16 x 3/4"                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROLS, GEARSHIFT, 4-SPEED FLOOR SHIFT MANUAL TRANSMISSION, N.P.G. MODEL 435 D1,2,3,5,6,7,8  
Figure 21M-400

4321-400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4364 775    | 1   |      |       | KNOB PACKAGE, G/Shift Lever                                       |
| 2    |             | 1   |      |       | NUT, G/Shift Lever Knob 3/8-24                                    |
| 3    | 2227 108    | 1   |      |       | BOOT, G/Shift Lever, Rubber 3" Dia.                               |
| 4    | 1936 220    | 1   |      |       | RETAINER, G/Shift Lever Ball Spring                               |
| 5    | 1936 218    | 1   |      |       | CUP, G/Shift Lever Ball Spring                                    |
| 6    | 1936 219    | 1   |      |       | SPRING, G/Shift Lever Ball  |
| 7    | 4431 235    | 1   |      |       | LEVER, G/Shift w/Rattle Isolator                                  |
| -    | 4116 394    | 1   |      |       | SLEEVE, G/Shift Lever   |
| -    | 6031 583    | 2   |      |       | O-RING, G/Shift Lever   |
| 8    | 6023 050    | 2   |      |       | WASHER, Split 3/8   |
| 9    | 0181 112    | 6   |      |       | SCREW, w/Washer, Cover 3/8-16 x 1"                                |
|      | 1664 345    | 2   |      |       | Shouldred 3/8-16 x 1-1/8"   |
| 10   | 3633 461    | 2   |      |       | PIN, Lever Guide  |
| 11   | 3634 686    | 1   |      |       | COVER, G/Shift Lever w/Pins and Plugs                             |
| 12   | 0142 656    | 3   |      |       | PLUG, Rail Hole Expansion 3/4"                                    |
| 13   | 1302 807    | 1   |      |       | GASKET, B/U Light Switch  |
| 14   | 4221 587    | 1   |      |       | SWITCH, B/U Light   |
| 15   | 2508 010    | 1   |      |       | GASKET, G/Shift Cover   |
| 16   | 2508 017    | 1   |      |       | FORK, Reverse Shift   |
| 17   | 1664 355    | 5   |      |       | PIN, Fork to Rail Roll  |
| 18   | 0313 514    | 1   |      |       | SNAP RING, Rev. Latch Plunger                                     |
| 19   | 1933 509    | 1   |      |       | LUG, Reverse Shift Rail   |
| 20   | 2960 304    | 1   |      |       | SPRING, Plunger   |
| 21   | 1500 335    | 1   |      |       | PLUNGER, Reverse Latch  |
| 22   | 2508 011    | 1   |      |       | RAIL, Third and Fourth Speed Shift                                |
| 23   | 1265 694    | 1   |      |       | PIN, Rail Interlock   |
| 24   | 2514 621    | 2   |      |       | INSERT, First and Second Speed Shift Fork                         |
| 25   | 2508 018    | 1   |      |       | LUG, First and Second Speed Shift Rail                            |
| 26   | 2514 619    | 1   |      |       | FORK, First and Second Speed Shift                                |
| 27   | 0147 500    | 3   |      |       | BALL, Spring Poppet 3/8" Dia.                                     |
| 28   | 1409 551    | 3   |      |       | SPRING, Poppet Ball   |
| 29   | 2508 013    | 1   |      |       | RAIL, First and Second Speed Shift                                |
| 30   | 0556 882    | 2   |      |       | PLUNGER, Interlock  |
| 31   | 2508 015    | 1   |      |       | FORK, Third and Fourth Speed Shift                                |
| 32   | 1923 518    | 2   |      |       | INSERT, Third and Fourth Speed Shift Fork                         |
| 33   | 2829 535    | 1   |      |       | RAIL, Reverse Speed Shift   |
| 34   | 2224 187    | 1   |      |       | BOOT, Under Body Trans. Cover Shift Lever, Rubber 6-1/2" x 7-1/2" |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE TRANSFER, AND RELATED PARTS N.P.G. MODEL 205 D7 (Section 1 of 3)  
Figure 21M-500

4321 500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      |             |     |      | D7    | TRANSFER CASE ASSY., AS PURCHASED No. 4202739 w/ 7260 Series, w/131"-149" W.B. |
|      |             |     |      | D7    | TRANSFER CASE ASSY., AS PURCHASED No. 4202740 w/ 5380 Series, w/135" W.B.      |
|      | 4219 099    | 1   |      | D7    | TRANSFER CASE ASSEMBLY, Serviced   |
| 1    | 0575 551    | 1   |      |       | BEARING, Front Input Shaft   |
| 2    | 2124 518    | 1   |      |       | SNAP RING, Input Shaft Bearing   |
| 3    |             |     |      |       | SNAP RING, Input Shaft   |
|      | 6025 754    | AR  |      |       | .086" - .088" Thk.   |
|      | 6025 755    | AR  |      |       | .089" - .091" Thk.   |
|      | 6025 756    | AR  |      |       | .092" - .094" Thk.   |
|      | 6025 757    | AR  |      |       | .095" - .097" Thk.   |
| 4    | 4167 917    | 2   |      |       | OIL SEAL, Adapter  |
| 5    | 4219 108    | 1   |      |       | GASKET, Transfer Case Adapter  |
| 6    | 4202 297    | 1   |      |       | ADAPTER, Transfer Case   |
| 7    | 4167 920    | 1   |      |       | SLEEVE, Transfer Case Adapter  |
| 8    | 4167 921    | 1   |      |       | RING, Sleeve, Retaining  |
| 9    | 4130 678    | 1   |      |       | GASKET, Adapter to Transfer Case   |
| 10   | 4130 675    | 1   |      |       | ADAPTER, Trans. to Transfer Case, w/A727 Trans.                                |
|      | 4210 977    | 1   |      |       | w/435 Trans.   |
| 11   | 4167 922    | 6   |      |       | STUD, Adapter  |
| 12   | 2121 588    | 8   |      |       | SCREW, w/Washer, Adapter   |
| 13   |             | 6   |      |       | SCREW, P.T.O. Cover 3/8-16 x 5/8"  |
| 14   | 0556 875    | 1   |      |       | COVER, P.T.O.  |
| 15   | 0517 351    | 1   |      |       | GASKET, P.T.O. Cover   |
| 16   | 4219 095    | 1   |      |       | CASE, Partial, w/Magnetic Chip Collector                                       |
| -    | 4210 982    | 1   |      |       | DOWEL, Case  |
| 17   | 1798 191    | 1   |      |       | SCREW, Shift Rail Poppet   |
| 18   | 1798 192    | 2   |      |       | SPRING, Ball Poppet  |
| 19   | 0104 919    | 2   |      |       | BALL, Spring Poppet 5/16" Dia., Chrome   |
| 20   | 4210 979    | 1   |      |       | SWITCH, T/Case Four Wh. Drive Indicator Light                                  |
| 21   | 1092 545    | 2   |      |       | GASKET, Poppet Screw   |
| 22   | 2954 135    | 1   |      |       | FORK, Rr. Wheel Shift Rail   |
| 23   | 3732 039    | 1   |      |       | RAIL, Rear Wheel Shift   |
| 24   | 2954 138    | 2   |      |       | PIN, Shift Rail Interlock  |
| 25   | 3732 041    | 1   |      |       | LINK, Shift Rail   |
| 26   |             | 2   |      |       | CLIP, Rail to Link Pin   |
| 27   | 0012 690    | 2   |      |       | PIN, Shift Rail to Link 5/16 x 1"  |
| 28   | 4210 978    | 1   |      |       | RAIL, Front Wheel Shift  |
| 29   | 2954 135    | 1   |      |       | FORK, Frt. Wheel Shift Rail  |
| 30   | 4036 691    | 2   |      |       | PIN, Shift Fork to Rail Lock   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE TRANSFER, AND RELATED PARTS N.P.G. MODEL 205 D7 (Section 1 of 3)  
Figure 21M-500

4321 500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 31   | 4167 904    | 4   |      |       | PLUG, Case Interlock Hole                            |
| 32   |             | 2   |      |       | PLUG, Filler and Drain 1/2" x 14 Pipe (Not Serviced) |
| 33   | 3681 601    | 1   |      |       | MAGNET, Case Chip Collector                          |
| 34   | 3743 314    | 1   |      |       | CLIP, Chip Collector Magnet Holding                  |
| 35   | 3496 234    | 2   |      |       | OIL SEAL, Shift Rail                                 |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>BEHIND THE WAGONS (W.B.)</b>  |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

CASE, TRANSFER, SHAFTS AND GEARS N.P.G. MODEL 205 D7 (Section 2 of 3)  
Figure 21M-600

4321 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 0180 077    | 3   |      |       | SCREW, Idler Shaft End Cover                          |
| 2    | 0927 365    | 1   |      |       | COVER, Idler Shaft End                                |
| 3    | 0927 364    | 1   |      |       | GASKET, Idler Shaft Cover                             |
| 4    | 2954 122    | 1   |      |       | SHAFT, Idler Gear                                     |
| 5    | 0927 375    | 2   |      |       | CONE, Idler Gear Bearing                              |
| 6    | 2910 220    | 2   |      |       | CUP, Idler Gear Bearing                               |
| 7    | 2954 121    | 1   |      |       | SPACER, Idler Gear Bearing                            |
| 8    | 2954 119    | 1   |      |       | GEAR, Idler   |
| 9    |             |     |      |       | SHIM, Idler Gear Spacer,                              |
|      | 0927 368    | AR  |      |       | .004" Thk.  |
|      | 0927 369    | AR  |      |       | .005" Thk.  |
|      | 0930 402    | AR  |      |       | .015" Thk.  |
|      | 3821 561    | AR  |      |       | .042" Thk.  |
|      | 0927 370    | AR  |      |       | .0125" Thk.   |
| 10   | 0578 994    | 1   |      |       | WASHER, Idler Gear Shaft                              |
| 11   | 2954 140    | 1   |      |       | NUT, Idler Shaft Lock                                 |
| 12   | 2952 592    | 1   |      |       | PIN, Low Gear, Front Thrust Washer                    |
| 13   | 3491 281    | 1   |      |       | SHAFT, Front Output                                   |
| 14   | 2954 116    | 1   |      |       | CLUTCH, Frt. Output, Sliding                          |
| 15   | 2954 124    | 1   |      |       | GEAR, Frt. Wheel, High                                |
| 16   | 3491 282    | 1   |      |       | WASHER, Frt. Output High Gear Thrust                  |
| 17   | 3410 048    | 1   |      |       | BEARING, Front Output Shaft                           |
| 18   | 2124 518    | 1   |      |       | SNAP RING, Frt. Output Shaft Bearing                  |
| 19   |             | 1   |      |       | CASE, Transfer (Refer to Illus. 500)                  |
| 20   | 0180 122    | 8   |      |       | SCREW, Retainer 3/8-16 x 1"                           |
| 21   | 1265 674    | 1   |      |       | BEARING, Frt. Output Shaft, Rear                      |
| 22   | 2954 130    | 1   |      |       | RETAINER, Frt. Output, Rear Bearing                   |
| 23   | 4210 976    | 1   |      |       | GASKET, Frt. Output, Rr. Brg. Retainer                |
| 24   | 3732 037    | 1   |      |       | RING, Low Gear, Front Output Retaining                |
| 25   | 2954 113    | 1   |      |       | WASHER, Frt. Output, Thrust 3/16" Thk.                |
| 26   | 2952 589    | 1   |      |       | GEAR, Low Front Output                                |
| 27   | 1949 834    | 32  |      |       | ROLLER, Low Gear, Frt. Output Shaft                   |
| 28   | 2954 112    | 1   |      |       | SPACER, Frt. Output, Roller                           |
| 29   | 1949 834    | 32  |      |       | ROLLER, Low Gear, Frt. Output Shaft                   |
| 30   | 4210 975    | 1   |      |       | GASKET, Frt. Output Shaft Brg. Retainer               |
| 31   | 4167 727    | 1   |      |       | RETAINER, Frt. Output Shaft Bearing                   |
| 32   | 4167 908    | 1   |      |       | SEAL, Frt. Output Shaft Brg. Retainer                 |
| 33   | 4167 912    | 1   |      |       | FLANGE, T/Case Frt. Output Yoke                       |
| 34   | 4210 973    | AR  |      |       | WASHER, Frt. Output Shaft Flange Splined Seal, Rubber |
|      | 0578 994    | AR  |      |       | WASHER, Frt. Output Shaft Flange, Steel               |
| 35   | 4167 924    | 1   |      |       | NUT, Frt. Output Shaft Flange Yoke                    |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, TRANSFER, SHAFTS AND GEARS N.P.G. MODEL 205 D7 (Section 2 of 3)  
Figure 21M-600

4321 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 36   | 4210 611    | 1   |      |       | GUARD, T/Case Frt. Output Shaft Flange |
| 37   | 0180 122    | 4   |      |       | SCREW, Retainer 3/8-16 x 1"            |


|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   |                  |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CASE, TRANSFER, SHAFTS AND GEARS N.P.G. MODEL 205 D7 (Section 3 of 3)  
Figure 21M-700

4321 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 2954 140    | 1   |      |       | NUT, T/Case Rear Yoke                         |
| 2    | 0578 994    | AR  |      |       | WASHER, Rear Output Shaft Yoke, Steel         |
| 3    | 4210 973    | AR  |      |       | WASHER, Yoke Inner Spline, Rubber             |
| 4    | 2909 669    | 1   |      |       | YOKE, T/Case Rr. Output Shaft (7260)          |
|      | 2909 670    | 1   |      |       | YOKE, T/Case Rr. Output Shaft (5380)          |
| 5    | 2954 128    | 1   |      |       | SEAL, Rear Output Shaft Oil                   |
| 6    | 1673 185    | 5   |      |       | SCREW, Oil Seal Retainer                      |
| 7    | 2954 134    | 1   |      |       | RETAINER, Rr. Output Shaft Oil Seal           |
| 8    | 2225 039    | 1   |      |       | GASKET, Rr. Output Shaft Oil Seal Retainer    |
| 9    | 2124 518    | 1   |      |       | SNAP RING, Rear Output Shaft Bearing          |
| 10   | 3410 048    | 1   |      |       | BEARING, Rear Output Shaft                    |
| 11   | 3732 038    | 1   |      |       | GEAR, Speedo. Nylon, 5 Teeth                  |
| 12   | 0180 122    | 8   |      |       | SCREW, Retainer 3/8-16 x 1"                   |
| 13   | 4219 097    | 1   |      |       | RETAINER, Rear Output Shaft Brg.              |
| 14   | 0118 749    | 1   |      |       | CONNECTOR, Vent Tube 5/16" Flared             |
| 15   | 4210 976    | 1   |      |       | GASKET, Rr. Output Shaft Brg. Retainer        |
| 16   | 2225 014    | 1   |      |       | BEARING, Rr. Output Shaft Support             |
| 17   | 3732 037    | 1   |      |       | RING, Low Gear, Rear Output Retaining         |
| 18   | 2954 113    | 1   |      |       | WASHER, Rr. Output Thrust 3/16" Thk.          |
| 19   | 2952 591    | 1   |      |       | WASHER, Rr. Output Thrust 1/16" Thk.          |
| 20   | 1949 834    | 64  |      |       | ROLLER, Low Gear Rr. Output Shaft             |
| 21   | 2954 112    | 1   |      |       | SPACER, Rr. Output Shaft Roller               |
| 22   | 2952 589    | 1   |      |       | GEAR, Low Rear Output Shaft                   |
| 23   | 2952 591    | 1   |      |       | WASHER, Low Gear Roller, Thrust 1/16" Thk.    |
| 24   | 4106 561    | 1   |      |       | SHAFT, w/Gear, Pkg. Speedo. Drive, Rr. Output |
| 25   | 2952 592    | 1   |      |       | PIN, Low Gear, Rear Thrust Washer             |
| 26   | 2954 116    | 1   |      |       | CLUTCH, Sliding Rear Output                   |
| 27   | 2954 109    | 15  |      |       | ROLLER, Rr. Output Shaft Pilot                |
| 28   | 0567 969    | 1   |      |       | WASHER, Rr. Output Shaft Pilot, Thrust        |
| 29   | 3492 986    | 1   |      |       | RING, Pilot Roller Lock                       |
| 30   | 4167 905    | 1   |      |       | SHAFT, w/Gear, Input                          |
| 31   |             | 1   |      |       | CASE, Transfer (Refer to Illus. 500)          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, TRANSFER N.P.G. MODEL 208, SYNCHRONIZED D5,6,7,8  
Figure 21M-800

4321 800

| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
|      |             |     |      | D5,6,7,8 | TRANSFER CASE ASSY., AS PURCHASED No. 4329515 Synchronized, 1984                         |
|      |             |     |      | D5,6,7,8 | TRANSFER CASE ASSY., AS PURCHASED No. 4348250 Synchronized, w/Frt. Axle Disconnect, 1985 |
|      | 4329 515    | 1   |      | D5,6,7,8 | TRANSFER CASE ASSEMBLY, Synchronized, SERVICED, 1984                                     |
|      | 4348 250    | 1   |      | D5,6,7,8 | TRANSFER CASE ASSEMBLY, Synchronized, w/Frt. Axle Disconnect, SERVICED, 1985             |
| 1    | 4329 329    | 1   |      |          | MAINSHAFT, 52-38-32 Teeth, 14.36" Long   |
| 2    | 4210 606    | 1   |      |          | GEAR, Speedometer Drive  |
| 3    | 4167 996    | 1   |      |          | CASE, Rear Half  |
| 4    | 4210 617    | 6   |      |          | BOLT, Case Rear Half Mtg.  |
| 5    | 4210 603    | 1   |      |          | OIL SEAL, Oil Pump Hsg.  |
| 6    | 4210 602    | 1   |      |          | HOUSING, Oil Pump  |
| 7    | 3894 957    | 1   |      |          | PUMP, Oil, 38 Inner Spline, 2-7/32" O.D. (Nylon)   |
| 8    | 1633 718    | 1   |      |          | BEARING, Rear Output Shaft   |
| 9    | 4219 093    | 1   |      |          | RETAINER, Rear Output Shaft Bearing  |
| 10   | 0118 749    | 1   |      |          | CONNECTOR, Vent Tube 5/16 Flared   |
| 11   | 4210 984    | 1   |      |          | RING, Bearing Retaining, 2-31/32" O.D.   |
| 12   | 4167 735    | 1   |      |          | OIL SEAL, Rear Output Shaft  |
| 13   | 3516 495    | 1   |      |          | YOKE, Rear Output Shaft, 32 Spline   |
| 14   | 4210 973    | 1   |      |          | WASHER, Rear Output Shaft Yoke, Splined Seal Rubber                                      |
| 15   | 4167 924    | 1   |      |          | NUT, 7/8" Yoke Lock  |
| 16   | 4210 617    | 4   |      |          | BOLT, Brg. Retainer  |
| 17   | 4210 616    | 1   |      |          | PLUG, w/Gasket, Case Rear Half, Filler   |
|      | 4210 616    | 1   |      |          | DRAIN  |
| 18   | 4210 614    | 3   |      |          | BOLT, Case Alignment Dowel   |
|      | 6501 289    | 1   |      |          | STUD, Threads Both Ends, Hex, M10x61.4, After 1-21-85                                    |
| 19   | 4210 983    | 2   |      |          | WASHER, Case Alignment Dowel   |
| 20   | 4210 982    | 1   |      |          | DOWEL, Case Alignment, 1/2" O.D. x 5/8" Lg.  |
| 21   | 4167 931    | 1   |      |          | PLATE, Low Range Lock, 37 Teeth  |
| 22   | 4329 198    | 1   |      |          | PLANETARY ASSEMBLY, Complete   |
| 23   | 4219 060    | 1   |      |          | GEAR, Annulus  |
| 25   | 4295 115    | 1   |      |          | WEB and HUB ASSEMBLY   |
| 26   | 4219 065    | 1   |      |          | RING, Annulus Gear Retaining 6-3/4" O.D.   |
| 27   | 4219 064    | 1   |      |          | WASHER, Case & Web Hub Thrust  |
| 28   | 3821 372    | 1   |      |          | RING, Web & Hub Retaining, 3" O.D.   |
| 29   | 4219 085    | 1   |      |          | RING, Synchronizer Retaining 2" I.D.   |
| 30   | 4329 516    | 1   |      |          | SYNCHRONIZER ASSEMBLY  |
| 31   | 4329 524    | 2   |      |          | SPRING, Synchronizer   |
| 32   |             | 3   |      |          | STRUT, Synchro. (Serviced In Synchro. Assy.)   |

|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   |                  |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, TRANSFER N.P.G. MODEL 208, SYNCHRONIZED D5,6,7,8  
Figure 21M-800

4321 800


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 33   | 4329 526    | 1   |      |       | RING, Synchro. Stop                                   |
| 34   | 4219 088    | 3   |      |       | SPACER, Sprocket Drive Roller                         |
| 35   | 4329 527    | 1   |      |       | SPROCKET, Drive                                       |
| 36   | 4329 330    | 1   |      |       | WASHER, Sprocket Thrust                               |
| 37   | 4167 987    | 1   |      |       | RING, Sprocket Retaining                              |
| 38   | 0666 927    | 120 |      |       | ROLLER, Sprocket Drive, 1/8" O.D. x 15/16" Long       |
| 39   | 4329 518    | 1   |      |       | FORK, Mode Shift, w/Pads                              |
| 40   | 4219 073    | 1   |      |       | PAD, Mode Shift Fork, Center                          |
| 41   | 4167 969    | 2   |      |       | PAD, Mode Shift Fork, Ends                            |
| 42   | 4167 965    | 1   |      |       | RAIL, Shift, 5/8" O.D. x 8-11/16" Long                |
| 43   |             | 1   |      |       | CUP, Mode Fork Spring                                 |
| 44   | 4329 559    | 1   |      |       | SPRING, Mode Shift Fork                               |
| 45   | 4219 075    | 1   |      |       | RETAINER, Mode Fork Pin And Spring                    |
| 46   | 4219 068    | 1   |      |       | FORK, Shift Range                                     |
| 47   | 4167 968    | 1   |      |       | PIN, Range Shift Fork                                 |
| 48   | 4219 072    | 1   |      |       | PIN, Mode Shift Fork                                  |
| 49   | 4269 182    | 1   |      |       | BEARING, Mainshaft, Nylon Flat w/o Rollers, Thrust    |
| 50   | 4269 187    | 1   |      |       | BEARING, Drive Gear Pilot, Needle Roller, 1-1/2" O.D. |
| 51   | 4167 938    | 1   |      |       | PLUG, Drive Gear Cup                                  |
| 52   | 4167 935    | 1   |      |       | GEAR, w/Pilot Bearing, Drive, 23 Spl., 46 Teeth       |
| 53   | 4167 934    | 1   |      |       | BEARING, Input Gear, Thrust, 1-31/32" I.D.            |
| 54   | 4167 933    | 1   |      |       | WASHER, Input Gear Thrust Bearing                     |
| 55   | 4168 000    | 1   |      |       | SWITCH, Four Wheel Drive Indicator Light, 1984        |
|      | 4169 633    | 1   |      |       | SWITCH, Transfer Case Vacuum, 1985                    |
| 55   | 3515 027    | 1   |      |       | GASKET, Four Wheel Drive Indicator Light Switch       |
| 56   | 4167 927    | 1   |      |       | CASE, Transfer Case Front Half                        |
| -    | 3681 601    | 1   |      |       | MAGNET, Case Chip Collector                           |
| 57   | 4167 922    | 6   |      |       | STUD, T/Case To Adapter                               |
| 58   | 4167 932    | 6   |      |       | BOLT, Lock Plate                                      |
| 59   | 4269 183    | 2   |      |       | OIL SEAL, Case Input                                  |
| 60   | 4269 185    | 2   |      |       | BEARING, Case Input, Needle Roller, 2-9/32 O.D.       |
| 61   |             | 6   |      |       | NUT, Stud   |
| 62   | 4130 678    | 1   |      |       | GASKET, Adapter To Transfer Case                      |
| 63   | 4130 675    | 1   |      |       | ADAPTER, Trans. To Transfer Case, w/A727 Trans.       |
|      | 4210 977    | 1   |      |       | w/435 Trans.  |
|      | 6030 849    | 6   |      |       | SCREW, Adapter to T/Case, w/A727 Trans.               |
| 64   | 4213 356    | 1   |      |       | PLUNGER, Poppet Spring                                |
| 65   | 1798 192    | 1   |      |       | SPRING, Shift Sector Poppet                           |
| 66   | 4213 355    | 1   |      |       | SCREW, Case Poppet                                    |
| 67   | 4167 924    | 1   |      |       | NUT, Yoke Flange, Lock                                |
| 68   | 4210 973    | 1   |      |       | WASHER, Frt. Output Shaft Flange, Splined Seal Rubber |

|                          |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:             | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE               | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL      | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)              | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2) |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   |                  |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, TRANSFER N.P.G. MODEL 208, SYNCHRONIZED D5,6,7,8  
Figure 21M-800

4321 800







| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 69   | 4167 912    | 1   |      |       | FLANGE, Front Output Shaft                                   |
| 70   | 4210 611    | 1   |      |       | SLINGER, Front Output Shaft Flange                           |
| 71   | 4167 735    | 1   |      |       | OIL SEAL, Front Output Shaft                                 |
| 72   | 4269 186    | 1   |      |       | BEARING, Front Output Shaft, Frt. Needle Roller 2-1/8" O.D.  |
| 73   | 4167 963    | 1   |      |       | O-RING, Sector Shift Shaft, 15/16" O.D.                      |
| 74   | 4167 964    | 1   |      |       | RETAINER, Sector Shaft O-Ring Seal (Nylon)                   |
| 75   | 4210 609    | 1   |      |       | LEVER, Mode Shift Operating                                  |
| 76   | 0120 394    | 1   |      |       | WASHER, Operating Lever Locknut                              |
| 77   | 0152 345    | 1   |      |       | NUT, Operating Lever, Lock                                   |
| 78   | 4167 992    | 2   |      |       | WASHER, Front Output Shaft Thrust, 3/32" Tk.                 |
| 79   | 4167 993    | 2   |      |       | BEARING, Front Output Shaft Thrust, 1-3/4" I.D., 2-1/2" O.D. |
| 80   | 4167 994    | 2   |      |       | WASHER, Front Output Shaft Thrust, 1/32" Thick               |
| 81   | 4167 730    | 1   |      |       | SHAFT, Front Output, 6-15/16" Long (32-61T)                  |
| 82   | 4167 728    | 1   |      |       | SPROCKET, Driven, 61-34 Ext. Teeth                           |
| 83   | 4167 991    | 1   |      |       | RING, Driven Sprocket Retaining, 2-11/32 I.D., 5/64" Thick   |
| 84   | 4167 995    | 1   |      |       | CHAIN, Sprocket Drive, 72 Links 1-1/4" Wide                  |
| 85   | 4269 189    | 1   |      |       | BEARING, Front Output Shaft, Rear Needle Roller, 1-7/8" O.D. |
| 86   | 4219 066    | 1   |      |       | SHAFT, Sector, Case Shift                                    |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = SPORT UTILITY (4X4)</del>                                      |  |                              |                   |                  |                  |                  |
| <del>D10 = SPORT UTILITY (4X4)</del>                                     |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 205 D7  
Figure 21M-900

4321 900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 0180 124    | 2   |      |       | BOLT, Lever Mtg. 3/8-16 x 1-1/4"                                  |
| 2    | 0180 122    | 3   |      |       | SCREW, Lever Brkt. Mtg. 3/8-16 x 1-1/8"                           |
| 3    | 4188 434    | 1   |      |       | BRACKET, Shift Lever Mtg.   |
| 4    | 0869 770    | 2   |      |       | WASHER, Spring  |
| 5    |             | 2   |      |       | COTTER PIN  |
| 6    | 0120 395    | 2   |      |       | WASHER, Plain 7/16  |
| 7    | 0118 749    | 1   |      |       | CONNECTOR, Vent Tube 5/16" Flared                                 |
| 8    | 1843 253    | 1   |      |       | TUBING, Breather Vent 5/16" O.D. (25 Ft. Roll)                    |
|      | 1941 667    | 1   |      |       | NUT, Vent Tube Flare  |
|      | 4203 316    | 1   |      |       | HOSE, Breather Vent 5/16" I.D. (50 Ft. Roll)                      |
| 9    | 4188 436    | 1   |      |       | ROD, Shift Control  |
| 10   |             | 1   |      |       | COTTER PIN  |
| 11   | 0930 006    | 1   |      |       | SPACER, Shift Lever   |
| 12   | 4112 970    | 1   |      |       | LEVER, w/Bushing, Shift Control, Lower                            |
|      | 0926 677    | 1   |      |       | BUSHING, Shift Lever  |
| 13   | 0152 344    | 2   |      |       | NUT, Lever Mtg. 3/8-16  |
| 14   | 4210 917    | 1   |      |       | LEVER, Upper Shift  |
| 15   | 0271 506    | 1   |      |       | NUT, Lever Jam 7/16-20  |
| 16   | 4210 906    | 1   |      |       | KNOB, Shift Lever   |
| 17   | 4213 328    | 1   |      |       | VENT, Cap Hose End  |
| 18   | 0271 885    | 2   |      |       | BOLT, 5/8-11 x 3-1/4"   |
| 19   |             | 4   |      |       | WASHER, (Not Serviced)  |
| 20   |             | 2   |      |       | SPACER, (Not Serviced)  |
| 21   | 3820 921    | 2   |      |       | INSULATOR, Upper  |
| 22   | 6028 776    | 2   |      |       | WASHER  |
| 23   | 0152 352    | 2   |      |       | NUT, 5/8-11   |
| 24   | 0152 352    | 2   |      |       | NUT, 5/8-11   |
| 25   |             | 1   |      |       | WASHER, (Not Serviced)  |
| 26   | 4106 710    | 2   |      |       | INSULATOR PACKAGE, Lower  |
| 27   | 4213 374    | 1   |      |       | PLATE, w/Tab Insulator Mtg.                                       |
| 28   | 2224 187    | 1   |      |       | BOOT, Under Body Trans. Cover G/Shift Lever, Rubber 6-1/2 x 7-1/2 |
| 29   | 4113 509    | 1   |      |       | BOOT, Transfer Case Shift Control Lever, Vinyl                    |
| 30   | 4082 056    | 1   |      |       | RETAINER, Boot Hold Down, Bright Finish                           |
| 31   | 0181 138    | 9   |      |       | BOLT, 7/16-14 x 1-1/8"  |
| 32   | 0271 502    | 9   |      |       | NUT, 7/16-14  |
| 33   | 4213 116    | 1   |      |       | PLATE, Transfer Case Skid   |
| 34   | 4213 123    | 2   |      |       | SUPPORT, C/Membr. Skid Plate                                      |
| 35   | 4213 124    | 1   |      |       | CROSSMEMBER, Transfer Case Skid Plate                             |
| 36   | 3821 225    | 1   |      |       | ADAPTER, Crossmember w/7" Rail                                    |
| 37   |             | 6   |      |       | NUT, 7/16-14  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.





SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 205 D7**  
**Figure 21M-900**

4321 900

[illegible]

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

~~D - WING AND WAGONS (1942)~~

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 208 D5,6,7,8  
Figure 21M-1000

4321 1000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4377 248    | 1   |      |       | LABEL, T/Case Four Wheel Drive Shift Procedure, ENGLISH           |
| 2    | 4364 777    | 1   |      |       | KNOB PACKAGE, Shift Lever   |
| 3    | 0152 345    | 1   |      |       | NUT, Lever Jam 3/8-24   |
| 4    | 4340 189    | 1   |      |       | LEVER, Upper Shift, 1984  |
|      | 4340 189    | 1   |      |       | 1985  |
| 5    | 0180 124    | 2   |      |       | BOLT, Lever Mtg. 3/8-16 x 1-1/4"                                  |
| 7    | 4269 841    | 1   |      |       | SHIFTER ASSEMBLY, Gated Shift Control, 1984                       |
|      | 4340 188    | 1   |      |       | 1985  |
| 8    | 0152 344    | 2   |      |       | NUT, Lever Mtg. 3/8-16  |
| 10   | 3467 791    | 2   |      |       | GROMMET, Shift Lever Rod  |
| 11   | 3467 790    | 1   |      |       | SWIVEL, Shift Lever Rod   |
| 12   | 2204 274    | 1   |      |       | CLAMP, Shift Lever Rod Swivel                                     |
| 13   | 0181 082    | 1   |      |       | SCREW, Swivel Clamp 5/16-18 x 1/2"                                |
| 14   | 4117 972    | 1   |      |       | ROD, Shift Lever  |
| 15   | 0180 122    | 3   |      |       | SCREW, Lever Brkt. Mtg. 3/8-16 x 1-1/8"                           |
| 19   | 4210 609    | 1   |      |       | LEVER, Mode Shift Operating                                       |
| 20   | 4082 056    | 1   |      |       | RETAINER, Boot Hold Down, Bright Finish                           |
| 21   |             |     |      |       | SCREW, 10-16 x 3/4" (Not Serviced)                                |
| 22   | 4113 509    | 1   |      |       | BOOT, Transfer Case Shift Control Lever, Vinyl                    |
|      | 4269 843    | 1   |      |       | BOOT, Transfer Case Shifter Assy.                                 |
| 23   | 2224 187    | 1   |      |       | BOOT, Under Body Trans. Cover G/Shift Lever, Rubber 6-1/2 x 7-1/2 |
| 24   | 4213 663    | 2   |      |       | BOLT, Strut Mtg. Brkt.  |
| 25   | 4213 376    | 1   |      |       | BRACKET, T/Case Mtg.  |
| 26   | 6025 020    | 4   |      |       | NUT, w/Washer, 3/8-16   |
| 27   | 4213 375    | 1   |      |       | STRUT, T/Case To Insulator Mtg. Plate                             |
| 28   | 0152 352    | 2   |      |       | NUT, 5/8-11   |
| 29   |             |     |      |       | WASHER, Coned 5/8" (Not Serviced)                                 |
| 30   | 6028 776    | 2   |      |       | WASHER, 3/8"  |
| 31   | 0181 114    | 4   |      |       | BOLT, 3/8-16 x 1-1/4"   |
| 32   |             |     |      |       | BOLT, 5/8-11 x 2-1/2" (Not Serviced)                              |
| 33   | 0271 885    | 2   |      |       | BOLT, 5/8-11 x 3-1/4"   |
| 34   |             | 4   |      |       | WASHER, (Not Serviced)  |
| 35   |             | 2   |      |       | SPACER, (Not Serviced)  |
| 36   | 3820 921    | 2   |      |       | INSULATOR, Upper  |
| 37   | 4213 374    | 1   |      |       | PLATE, w/Tab Insulator Mtg.                                       |
| 38   | 4106 710    | 2   |      |       | INSULATOR PACKAGE, Lower  |
| 39   | 0152 352    | 2   |      |       | NUT, 5/8-11   |
| 40   |             | 2   |      |       | BOLT, 7/16-14 x 1-1/4"  |
| 41   | 0271 502    | 2   |      |       | NUT, 7/16-14  |
| 42   | 4213 123    | 2   |      |       | SUPPORT, C/Membr. Skid Plate                                      |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:



(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROLS AND MOUNTING, TRANSFER CASE N.P.G. MODEL 208 D5,6,7,8  
Figure 21M-1000

4321 1000





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 43   | 0271 502    | 9   |      |       | NUT, 7/16-14                                   |
| 44   |             | 9   |      |       | BOLT, 7/16-14 x 1-1/8" (Not Serviced)          |
| 45   | 4213 124    | 1   |      |       | CROSSMEMBER, Transfer Case Skid Plate          |
| 46   | 4213 116    | 1   |      |       | PLATE, Transfer Case Skid                      |
| 47   | 0118 749    | 1   |      |       | CONNECTOR, Breather Vent Tube 5/16" Flared     |
| 48   | 1843 253    | 1   |      |       | TUBING, Breather Vent 5/16" O.D. (25 Ft. Roll) |
|      | 4203 316    | 1   |      |       | HOSE, Breather Vent 5/16" I.D. (50 Ft. Roll)   |
| 49   | 4213 328    | 1   |      |       | VENT, Cap, Hose End                            |
|      | 1941 667    | 1   |      |       | NUT, Vent Tube Flared                          |
| 50   |             | 1   |      |       | CLIP, Vent Hose Holding (Not Serviced)         |
|      | 6100 129    | 2   |      |       | WASHER, Strut Mtg. Brkt. Bolt                  |
|      | 6100 219    | 2   |      |       | NUT, Strut Mtg. Brkt. Bolt                     |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



CABLE, SPEEDOMETER, w/PINION AND RETAINER B-D (D5,6,7,8 w/208 TRANSFER CASE)  
Figure 21M-1100

4321 1100B




| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
|      | 4057 046    | 1   |      |          | REPAIR PACKAGE, Speedo. Pinion Small Parts   |
| 1    |             |     |      |          | PINION, All Trans.(See Chart, Illus. No. 1200)   |
| 2    | 6031 370    | 1   |      |          | O-RING, Retainer, Outer  |
|      | 6031 370    | 1   |      |          | O-RING, Retainer   |
| 3    | 2538 608    | 1   |      |          | RETAINER, Pinion   |
| 4    | 4057 046    | 1   |      |          | SEAL, Retainer, Inner (Serv. in Above Pkg.)  |
| 5    | 4057 046    | 1   |      |          | RING, Retainer, Inner (Serv. in Above Pkg.)  |
| 6    | 2892 399    | 1   |      |          | CLAMP, Pinion Retainer   |
| 7    | 0181 086    | 1   |      |          | SCREW, 5/16 x 3/4"   |
| 9    | 4216 627    | 1   |      | D1,2,3   | CABLE, Speedometer w/Shaft and Housing, Speedo. To Trans., 64" Long, 5/8 Push,7/8 Female, Up To 12-17-84 |
|      | 4363 026    | 1   |      | D1,2,3   | 64" Long, 1/2" Clip-On,7/8 Female, After 12-17-84  |
|      | 4216 629    | 1   |      | D5,6,7,8 | 80" Long, w/208 T/Case, 5/8 Push,7/8 Female, Up To 12-17-84  |
|      | 4363 027    | 1   |      | D5,6,7,8 | 80" Long, w/208 T/Case, 1/2" Clip-On,7/8 Female, After 12-17-84  |
|      | 4114 414    | 1   |      | B        | 90" Long Cable w/Bracket, 5/8 Push-7/8 Female, Up To 12-17-84  |
|      | 4363 049    | 1   |      | B        | 90" Long Cable w/Bracket, 5/8 Push-7/8 Female, After 12-17-84  |
|      |             |     |      |          | CABLE, Fuel Economy Shift Indicator Light, w/225 Eng., A833 Trans.                                       |
|      | 4312 343    | 1   |      | B1,2     | 26" Speedo. To Sensor, 5/8 Push-5/8 Female   |
|      | 4312 345    | 1   |      | B1,2     | 64" Sensor To Trans., 5/8 Male-7/8 Female  |
|      | 4312 348    | 1   |      | D1       | 26" Speedo. To Sensor, 5/8 Push-5/8 Female   |
|      | 4312 350    | 1   |      | D1       | 36" Sensor To Trans., 5/8 Male-7/8 Female  |
|      | 4312 186    | 1   |      |          | SENSOR, In Line, 5/8 Male-5/8 Female   |
| 10   | 2448 294    | 1   |      | D        | SHAFT, Cable Drive, 80" Long, Universal Shaft Pkg.   |
|      | 2448 295    | 1   |      | B        | 113" Long, Universal Shaft Pkg.  |
| -    | 3593 446    | 1   |      |          | GROMMET, Speedo. Cable   |
| -    | 3593 310    | 1   |      | B        | RETAINER, Speedo. Cable to Speedo.   |
| -    | 2832 449    | 1   |      | B        | BRACKET, Speedo. Cable Holding, w/A833 Trans.  |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>WAGONS AND WAGONS (4X2)</b>   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

CABLE, SPEEDOMETER, w/PINION AND ADAPTER N.P.G. MODEL 205 TRANSFER CASE D7  
Figure 21M-1150

4321 1150

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      | D7    | PINION, 205 T/Case (See Chart, Illus. No. 1400)   |
| 2    |                |     |      | D7    | ADAPTER ASSY. (See Chart, Illus. No. 1400)  |
|      |                | AR  |      |       | 4167564 (A), 1.0263 to 1 Ratio  |
| 3    | 4216 629       | 1   |      | D7    | CABLE, SPEEDOMETER w/SHAFT and HOUSING, Speedo. To<br>T/Case, 80" Long, 5/8 Push-7/8 Female |
| 4    | 2448 294       | 1   |      | D7    | SHAFT, Cable Drive, 80" Long, Universal Shaft Pkg.  |
|      | 3593 446       | 1   |      | D7    | GROMMET, Speedo. Cable  |




N. P. G. 205  
D7

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = WAGON AND WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

PINION CHART, SPEEDOMETER  
Figure 21M-1200

4321 1200




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|-------------|-----|------|-------|---|
| NOTE: Tread Type, HWY = HIGHWAY TREAD, M&S = MUD & SNOW, A/W = ALL-WEATHER INFORMATION BECOMES AVAILABLE.  |             |     |      |       |   |
| NOTE: MFG., GDYR = GOODYEAR, GEN = GENERAL, FSTN = FIRESTONE INFORMATION BECOMES AVAILABLE.                |             |     |      |       |   |
| NOTE: THE LAST 2 DIGITS OF PART NUMBER INDICATES THT NUMBER OF PINION TEETH INFORMATION BECOMES AVAILABLE. |             |     |      |       |   |
|  | 2538 928    |     |      |       | TIRE SIZE MATERIAL THREAD MFR. N N N N<br>LR60-15 Poly-A/R HWY GDYR Y2538928 N2538931<br>N2538934 N |
|  | 2538 931    |     |      |       | LR60-15 Poly-A/R HWY GDYR N2538928 Y2538931<br>N2538934 N   |
|  | 2538 934    |     |      |       | LR60-15 Poly-A/R HWY GDYR N2538928 N2538931<br>Y2538934 N   |
|  | 2538 933    |     |      |       | P195/75R15 Glass-B/R HWY GDYR N2538930 Y2538933<br>N2538936 N2538939                                |
|  | 2538 936    |     |      |       | P195/75R15 Glass-B/R HWY GDYR N2538930 N2538933<br>Y2538936 N2538939                                |
|  | 2538 939    |     |      |       | P195/75R15 Glass-B/R HWY GDYR N2538930 N2538933<br>N2538936 Y2538939                                |
|  | 2538 929    |     |      |       | P195/75R15 Glass-B/R HWY GEN Y2538929 N2538932<br>N2538935 N2538938                                 |
|  | 2538 932    |     |      |       | P195/75R15 Glass-B/R HWY GEN N2538929 Y2538932<br>N2538935 N2538938                                 |
|  | 2538 935    |     |      |       | P195/75R15 Glass-B/R HWY GEN N2538929 N2538932<br>Y2538935 N2538938                                 |
|  | 2538 938    |     |      |       | P195/75R15 Glass-B/R HWY GEN N2538929 N2538932<br>N2538935 Y2538938                                 |
|  |             |     |      |       | P195/75R15 Glass-B/R HWY FSTN N2538930 N2538933<br>N2538936 N2538939                                |
|  |             |     |      |       | P205/75R15 Glass-B/R HWY GDYR N2538929 N2538932<br>N2538935 N2538938                                |
|  |             |     |      |       | P205/75R15 Glass-B/R HWY GEN N2538929 N2538932<br>N2538935 N2538938                                 |
|  |             |     |      |       | P205/75R15 Glass-B/R HWY FSTN N2538929 N2538932<br>N2538935 N2538939                                |
|  |             |     |      |       | P205/75R15 Glass-B/R M&S ALL N2538929 N2538932<br>N2538935 N  |
|  |             |     |      |       | P215/75R15 Glass-B/R HWY GDYR N2538929 N2538931<br>N2538934 N                                       |
|  |             |     |      |       | P215/75R15 Glass-B/R HWY GEN N2538928 N2538931<br>N2538934 N  |

|                            |  |                              |  |                   |                  |
|----------------------------|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:               |  |                              |  |                   |                  |
| TRUCK LINE                 |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL      |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4                |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| P.A.R. = Paint as Required |  |                              |  |                   |                  |

PINION CHART, SPEEDOMETER  
Figure 21M-1200

4321 1200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | P215/75R15 Glass-B/R HWY FSTN N2538928 N2538931   |
|      |             |     |      |       | N2538934 N  |
|      |             |     |      |       | P215/75R15 Glass-B/R M&S ALL N2538928 N2538931    |
|      |             |     |      |       | N2538934 N  |
|      |             |     |      |       | P225/75R15 Glass-B/R HWY GDYR N2538928 N2538931   |
|      |             |     |      |       | N2538934 N2538936                                 |
|      |             |     |      |       | P225/75R15 Glass-B/R HWY GEN N2538928 N2538931    |
|      |             |     |      |       | N2538933 N2538937                                 |
|      |             |     |      |       | P225/75R15 Glass-B/R HWY FSTN N2538928 N2538930   |
|      |             |     |      |       | N2538933 N2538937                                 |
|      |             |     |      |       | P225/75R15 Glass-B/R M&S GDYR N2538928 N2538931   |
|      |             |     |      |       | N2538934 N2538936                                 |
|      |             |     |      |       | P225/75R15 Glass-B/R M&S GEN N2538927 N2538930    |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P225/75R15 Glass-B/R M&S FSTN N2538928 N2538930   |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P235/75B15 Poly/Bias HWY ALL N2538927 N2538930    |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P235/75B15 Poly/Bias M&S GDYR N2538926 N2538929   |
|      |             |     |      |       | N2538932 N  |
|      |             |     |      |       | P235/75B15 Poly/Bias M&S FSTN N2538927 N2538930   |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P235/70R15 Steel-B/R HWY GDYR N2538928 N2538931   |
|      |             |     |      |       | N2538934 N  |
|      |             |     |      |       | P235/70R15 Steel-B/R HWY GEN N2538928 N2538931    |
|      |             |     |      |       | N2538934 N  |
|      |             |     |      |       | P235/75R15 Glass-B/R HWY ALL N2538927 N2538930    |
|      |             |     |      |       | N2538933 N2538936                                 |
|      |             |     |      |       | P235/75R15 Glass-B/R M&S GDYR N2538927 N2538930   |
|      |             |     |      |       | N2538933 N2538936                                 |
|      |             |     |      |       | P235/75R15 Glass-B/R M&S GEN N2538927 N2538930    |
|      |             |     |      |       | N2538933 N2538935                                 |
|      |             |     |      |       | P235/75R15 Glass-B/R M&S FSTN N2539927 N2538930   |
|      |             |     |      |       | N2538933 N2538935                                 |
|      |             |     |      |       | P235/75R15 Steel-B/R HWY ALL N2538927 N2538930    |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P235/75R15 Steel-B/R A/W ALL N2538927 N2538930    |
|      |             |     |      |       | N2538933 N  |
|      |             |     |      |       | P235/75R15-XL Glass-B/R HWY ALL N2538928 N2538930 |
|      |             |     |      |       | N2538933 N2538936                                 |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

PINION CHART, SPEEDOMETER  
Figure 21M-1200

4321 1200



| ITEM     | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|----------|----------------|-----|------|-------|---|
|          |                |     |      |       | P235/75R15-XL Steel-B/R M&S GDYR N2538927 N2538930<br>N2538933 N2538936 |
|          |                |     |      |       | P235/75R15-XL Steel-B/R M&S GEN N2538927 N2538929<br>N2538932 N2538936  |
|          |                |     |      |       | P235/75R15-XL Steel-B/R M&S FSTN N2538927 N2538930<br>N2538933 N2538936 |
|          |                |     |      |       | P235/75R15-XL Glass-B/R M&S FSTN N2538927 N2538930<br>N2538933 N        |
|          |                |     |      |       | P255/70R15 Steel-B/R HWY GDYR N2538927 N2538930<br>N2538933 N           |
|          |                |     |      |       | P255/70R15 Steel-B/R HWY GEN N2538927 N2538929<br>N2538932 N2538935     |
|          |                |     |      |       | 10-15-LT-B Steel-B/R HWY ALL N2538926 N2538928<br>N2538931 N2538934     |
|          |                |     |      |       | 10-15-LT-C Steel-B/R HWY ALL N2538926 N2538928<br>N2538931 N            |
|          |                |     |      |       | 7.00x15-D Nyl/Bias HWY GDYR N2538926 N2538929<br>N2538932 N             |
| 2538 926 |                |     |      |       | 7.00x15-D Nyl/Bias HWY GEN Y2538926 N2538929 N2538932<br>N              |
| 2538 927 |                |     |      |       | 7.00x15-D Nyl/Bias HWY FSTN Y2538927 N2538929<br>N2538932 N             |
|          |                |     |      |       | 7.00x15LT-D Steel-B/R M&S GDYR N2538926 N2538929<br>N2538932 N2538935   |
|          |                |     |      |       | 7.00x15LT-D Steel-B/R M&S GEN N2538926 N2538929<br>N2538931 N2538935    |
|          |                |     |      |       | 7.00x15LT-D Steel-B/R M&S FSTN N2538926 N2538929<br>N2538932 N2538935   |
|          |                |     |      |       | 7.00x15LT-D Steel-B/R M&S MCLN N2538926 N2538929<br>N2538932 N2538935   |
|          |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GDYR N2538929 N2538931<br>N2538932 N2538934    |
|          |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GEN N2538929 N2538931<br>N2538932 N2538934     |
|          |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY FSTN N2538930 N2538931<br>N2538933 N2538934    |
|          |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GDYR N2538929 N2538931<br>N2538932 N2538934    |
| 2538 933 |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GEN N2538929 N2538930<br>N2538932 Y2538933     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PINION CHART, SPEEDOMETER  
Figure 21M-1200

4321 1200




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | 2538 934       |     |      |       | 7.50x16LT-E Nyl/Bias M&S FSTN N2538929 N2538931<br>N2538932 Y2538934<br>8.00x16.5-D Poly/Bias HWY GDYR N2538933 N2538935<br>N2538936 N2538938<br>8.00x16.5-D Poly/Bias HWY GEN N2538932 N2538934<br>N2538936 N2538938<br>8.00x16.5-D Poly/Bias HWY FSTN N2538933 N2538935<br>N2538936 N2538938<br>8.00x16.5-E Poly/Bias HWY GDYR N2538933 N2538935<br>N2538936 N2538938 |
|      | 2538 936       |     |      |       | 8.00x16.5-E Poly/Bias HWY GEN N2538932 N2538934<br>Y2538936 N2538937  |
|      | 2538 937       |     |      |       | 8.00x16.5-E Poly/Bias HWY GEN N2538932 N2538934<br>N2538936 Y2538937<br>8.00x16.5-E Poly/Bias HWY FSTN N2538933 N2538935<br>N2538936 N2538938<br>8.00Rx16.5-E Steel-B/R HWY GDYR N2538933 N2538935 N<br>N2538939  |
|      | 2538 938       |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GEN N2538933 N2538935 N<br>Y2538938  |
|      | 2538 938       |     |      |       | 8.00Rx16.5-E Steel-B/R HWY FSTN N2538933 N2538935 N<br>Y2538938<br>8.00Rx16.5-E Steel-B/R HWY MCLN N2538934 N2538935 N<br>N2538939<br>8.00x16.5-E Poly/Bias M&S GDYR N2538933 N2538935<br>N2538936 N2538938<br>8.00x16.5-E Poly/Bias M&S GEN N2538933 N2538934<br>N2538936 N2538938<br>8.00x16.5-E Poly/Bias M&S FSTN N N N2538937 N                                    |
|      |                |     |      |       | 8.75x16.5-E Poly/Bias HWY GDYR N2538931 N2538933<br>N2538935 N2538936<br>8.75x16.5-E Poly/Bias HWY GEN N2538931 N2538933<br>N2538934 N2538936   |
|      |                |     |      |       | 8.75x16.5-E Poly/Bias HWY FSTN N2538931 N2538934<br>N2538935 N2538937<br>8.75x16.5-E Poly/Bias M&S GDYR N2538931 N2538933<br>N2538935 N2538936  |
|      |                |     |      |       | 8.75x16.5-E Nyl/Bias HWY ALL N2538932 N2538934 N<br>N2538937<br>8.75Rx16.5-E Steel-B/R HWY GDYR N2538932 N2538934<br>N2538935 N2538937  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PINION CHART, SPEEDOMETER  
Figure 21M-1200

4321 1200



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | 8.75Rx16.5-E Steel-B/R HWY GEN N2538932 N2538934 N<br>N2538937   |
|      |                |     |      |       | 8.75Rx16.5-E Steel-B/R HWY FSTN N2538932 N2538933 N<br>N2538937  |
|      |                |     |      |       | 8.75Rx16.5-F Steel-B/R HWY GDYR N2538932 N2538934 N<br>N2538937  |
|      |                |     |      |       | 8.75Rx16.5-F Steel-B/R HWY MCLN N2538932 N2538934 N<br>N2538938  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY GDYR N2538931 N2538932<br>N2538933 N2538935  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY GEN N2538931 N2538933<br>N2538934 N2538936   |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY FSTN N2538932 N2538933<br>N2538935 N2538937  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S GDYR N2538930 N2538932<br>N2538933 N2538935  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S GEN N2538930 N2538932<br>N2538933 N2538935   |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S FSTN N2538930 N2538932<br>N2538934 N2538935  |
|      |                |     |      |       | 9.50Rx16.5-E Steel-B/R HWY ALL N2538931 N2538932 N<br>N2538936   |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GDYR N2538938 N N N<br>7.50x16LT-E Nyl/Bias HWY GEN N2538938 N N N<br>7.50x16LT-E Nyl/Bias HWY FSTN N2538938 N N N                                    |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GDYR N2538937 N N N<br>7.50x16LT-E Nyl/Bias M&S GEN N2538937 N N N<br>7.50x16LT-E Nyl/Bias M&S FSTN N2538938 N N N                                    |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY GDYR N2538942 N N N<br>8.00x16.5-D Poly/Bias HWY GEN N2538942 N N N<br>8.00x16.5-D Poly/Bias HWY FSTN N2538942 N N N                                 |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY GDYR N2538942 N N N<br>8.00x16.5-E Poly/Bias HWY GEN N2538942 N N N<br>8.00x16.5-E Poly/Bias HWY FSTN N2538942 N N N                                 |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GDYR N2538943 N N N<br>8.00Rx16.5-E Steel-B/R HWY GEN N2538943 N N N<br>8.00Rx16.5-E Steel-B/R HWY FSTN N2538944 N N N                              |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY MCLN N2538944 N N N<br>8.00x16.5-E Poly/Bias M&S GDYR N2538943 N N N<br>8.00x16.5-E Poly/Bias M&S GEN N2538942 N N N<br>PINION, SPEEDOMETER N N N N |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

### PINION CHART, SPEEDOMETER Figure 21M-1200

4321 1200



N. P. G. 208

[illegible]

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


~~B - WANG AND WAGGONER (1972)~~

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required



**PINION CHART, SPEEDOMETER WITH N.P.G. MODEL 205 TRANSFER CASE, D7**  
**Figure 21M-1400**

4321 1400



N. P. G. 205  
D7

[illegible]

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


~~B. WANG AND W. SONG (1972)~~

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

| GROUP 21A - TRANSMISSION, AUTO.                   |   |               |
|---|---|---------------|
| ILLUSTRATION TITLE                                | GROUP-FIG. NO.  |               |
| ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION | TRANSMISSION  |               |
|   | AUTOMATIC TRANSMISSION ASSEMBLY, IDENTIFICATION 3 SPEED, A727,A904,A999   | Fig. 21A-100  |
|   | CASE, AND RELATED PARTS AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  | Fig. 21A-200  |
|   | PUMP, OIL, w/REACTION SHAFT AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  | Fig. 21A-250  |
|   | GOVERNOR AND PARKING SPRAG AUTOMATIC TRANSMISSION, A727,A904,A999 B,D   | Fig. 21A-300  |
|   | SERVOS, ACCUMULATOR PISTON AND SPRING AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  | Fig. 21A-400  |
|   | BANDS, REVERSE AND KICKDOWN w/LINKAGE AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  | Fig. 21A-500  |
|   | VALVE BODY AUTOMATIC TRANSMISSION, A727,A904,A999 B,D   | Fig. 21A-600  |
|   | CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A727 B,D   | Fig. 21A-700  |
|   | CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A904,A999 B,D  | Fig. 21A-800  |
|   | GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A727 B,D  | Fig. 21A-900  |
|   | GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A904,A999 B-D1,4  | Fig. 21A-1000 |
|   | GEARSHIFT CONTROLS  |               |
|   | CONTROLS, GEARSHIFT, STEERING COLUMN SHIFT AUTOMATIC TRANSMISSION, A727,A904,A999 B1, 2,3                                     | Fig. 21A-1200 |
|   | CONTROLS, GEARSHIFT STEERING COLUMN SHIFT, WITH AND WITHOUT TILT STEERING COLUMN AUTOMATIC TRANSMISSION, A727,A904,A999 - B,D | Fig. 21A-1300 |
|   | CONTROLS, GEARSHIFT, LOWER AUTOMATIC TRANSMISSION, A727,A904,A999 B,D   | Fig. 21A-1400 |
|   | SPEEDOMETER AND PINION  |               |
|   | CABLE, SPEEDOMETER w/PINION AND RETAINER B,D (D5,6,7,8 w/208 Transfer Case)   | Fig. 21A-1500 |
|   | CABLE, SPEEDOMETER w/PINION AND ADAPTER WITH N.P.G. 205 T/CASE D7   | Fig. 21A-1550 |
|   | PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE   | Fig. 21A-1600 |
|   | PINION CHART, SPEEDOMETER WITH N.P.G. 205 TRANSFER CASE, D7   | Fig. 21A-1800 |

AUTOMATIC TRANSMISSION ASSEMBLY, IDENTIFICATION 3 SPEED, A727,A904,A999  
Figure 21A-100

4351 100




| ITEM   | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|----------------|-----|------|-------|---|
| NOTE: The Seven Digit Transmission Assembly Part Number Is Stamped On The Left Side Of The Transmission Oil Pan Rail<br>INFORMATION BECOMES AVAILABLE. |                |     |      |       |   |
|  | 4058 384       |     |      | D     | A727, w/LONG EXTENSION, D1 w/115"-131" W.B., D2 w/131" W.B., w/225 Eng., w/LOCK-UP (Except CALIF.), H-STALL                     |
|  | 4295 941       |     |      | B-D   | A727, w/LONG EXTENSION, B1,2, w/109"-127" W.B., D1, w/115"-131" W.B., D2 w/131" W.B., w/225 Eng., w/o LOCK-UP (CALIF.), H-STALL |
|  | 4329 438       |     |      | B     | A727, w/LONG EXTENSION, B1,2,3 w/109"-127" W.B., w/318 Eng., L-STALL, Up To 11-19-84  |
|  | 4377 821       |     |      | B     | After 11-19-84  |
|  | 4329 438       |     |      | D     | A727, w/LONG EXTENSION, D1 w/115"-131" W.B., D2,3 w/131" W.B., D4 w/106" W.B., w/318 Eng., L-STALL                              |
|  | 4329 468       |     |      | B     | A727, w/LONG EXTENSION, B2,3 w/109"-127" W.B., w/318, 360 Eng., w/4BBL, H-STALL, Up To 11-19-84                                 |
|  | 4377 822       |     |      | B     | After 11-19-84  |
|  | 4329 468       |     |      | D     | A727, w/LONG EXTENSION, D1 w/115"-131" W.B., D2,3 w/131" W.B., D4 w/106" W.B., w/318,360 Eng., w/4BBL., H-STALL                 |
|  | 4329 482       |     |      | D     | A727, w/SHORT EXTENSION, D3 w/135"-149"-159"-165" W.B., w/318,360 Eng., L-STALL .   |
|  | 4329 458       |     |      | D     | A727, D5,6,7,8 w/318 Eng., L-STALL  |
|  | 4329 488       |     |      | D     | A727, D5,6,7,8 w/318,360 Eng., w/4BBL, H-STALL  |
|  | 4058 383       |     |      | B-D   | A904, w/LONG EXTENSION, B1,2-D1 w/225 Eng., H-STALL   |
|  | 4058 398       |     |      | B-D   | A999, w/LONG EXTENSION, B1,2-D1-D4 w/LOCK-UP, w/318 Eng., L-STALL   |
| CROSS REFERENCE<br>PROD. ASSY. SERVICE ASSY.   |                |     |      |       |   |
| 4058383 4058383  |                |     |      |       |   |
| 4058384 4058384  |                |     |      |       |   |
| 4058398 4058398  |                |     |      |       |   |
| 4295941 4295941  |                |     |      |       |   |
| 4329438 4329438  |                |     |      |       |   |
| 4329458 4329458  |                |     |      |       |   |
| 4329468 4329468  |                |     |      |       |   |
| 4329482 4329482  |                |     |      |       |   |
| 4329488 4329488  |                |     |      |       |   |
| 4377821 4377821  |                |     |      |       |   |
| 4377822 4377822  |                |     |      |       |   |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X4)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

CASE, AND RELATED PARTS AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-200

4351 200



| ITEM | PART NUMBER | QTY | BODY    | MODEL | DESCRIPTION  |
|------|-------------|-----|---------|-------|--|
|      | 4186 864    | 1   |         |       | GASKET and SEAL PACKAGE, A727, w/Long Extension, Complete<br>Consists Of:<br>1 - 4057013 Gasket & Seal Pkg., Valve Body<br>1 - 4057014 Gasket & Seal Pkg., Frt. Pump |
|      |             |     |         |       | 1 - 4106557 Gasket & Seal Pkg., Governor<br>1 - 4106590 Gasket & Seal Pkg., Clutch<br>1 - 2801568 Washer, O/P Shaft Thrust   |
|      | 4186 865    | 1   |         |       | GASKET and SEAL PACKAGE, A727, w/Short Extension, omplete<br>Consists Of:<br>1 - 4057013 Gasket & Seal Pkg., Valve Body<br>1 - 4057014 Gasket & Seal Pkg., Frt. Pump |
|      |             |     |         |       | 1 - 4057016 Gasket & Seal Pkg., Governor<br>1 - 4106590 Gasket & Seal Pkg., Clutch<br>1 - 2801568 Washer, O/P Shaft Thrust   |
|      | 4186 862    | 1   | B-D1,4  |       | GASKET and SEAL PACKAGE, A904,A999 Complete  |
| 1    | 3878 973    | 1   |         |       | COVER, Case Dust Shield, w/225 Eng., A727  |
|      | 4130 503    | 1   |         |       | w/318,360 Eng., A727   |
|      | 1949 767    | 1   | B1,2-D1 |       | w/225 Eng., A904   |
|      | 4295 849    | 1   | B-D1,4  |       | w/318 Eng., A999   |
| 2    | 4130 378    | 1   |         |       | CASE, w/225 Eng., A727   |
|      | 4130 379    | 1   |         |       | w/318,360 Eng., A727   |
|      | 4202 047    | 1   | B1,2-D1 |       | w/225 Eng., A904   |
|      | 4130 977    | 1   | B-D1,4  |       | w/318 Eng., A999   |
|      | 3681 601    | 1   |         |       | MAGNET, Case Chip Collector  |
|      | 0118 749    | 2   |         |       | CONNECTOR, Oil Cooler Tube Trans. End  |
|      | 0137 398    | 2   |         |       | NUT, Cooler Tube, Inverted Flair 5/16"   |
|      | 6027 865    | AR  |         |       | SCREW, Case to Cyl. Block, 3/8-16 x 1-3/8  |
|      | 6027 252    | AR  |         |       | 3/8-16 x 2-5/8   |
|      | 6024 864    | AR  |         |       | Cyl. Block to Case, 3/8-16 x 1-7/8   |
|      | 6027 891    | AR  |         |       | 7/16-14 x 1-5/8  |
|      | 6024 863    | AR  |         |       | 7/16-14 x 2-1/8  |
| 4    | 2466 954    | 1   |         |       | GASKET, Extension or Adapter   |
| 5    | 2466 882    | 1   |         |       | SUPPORT, Output Shaft, A727  |
|      | 2466 881    | 1   | B-D1,4  |       | w/A904,A999  |
|      | 0179 818    | 4   |         |       | SCREW, Support 5/16-18 x 1"  |
| 6    | 4057 750    | 1   |         |       | SWITCH, w/WA. Trans. Neutral Starter and B/U Light, w/3 Prongs   |
|      | 4266 085    | 1   | B       |       | SHIELD, Neutral Starter and B/U Light Switch, w/225 Eng.   |
| 7    | 2408 143    | 1   |         |       | WASHER, B/U Light Switch   |
| 8    | 3878 447    | 1   |         |       | SEAL, Manual Valve Shaft 1-1/4" O.D.   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, AND RELATED PARTS AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-200

4351 200



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
| 9    | 2400 389    | 1   |      |          | SCREW, Kickdown Band Adjusting                           |
| 11   | 6023 092    | AR  |      |          | SCREW, Case Cover 1/4-20 x 1/2"                          |
| 12   | 4202 951    | 1   |      | D        | INDICATOR, Trans. Oil Level, 19" Long, A727              |
|      | 4202 951    | 1   |      | D1,4     | 19" Long, A904,A999                                      |
|      | 4202 952    | 1   |      | B        | 52-3/4" Long, A727,A904,A999                             |
| 13   | 3497 935    | 1   |      | D        | TUBE, Oil Pan Oil Filler, w/225 Eng., A727               |
|      | 4213 533    | 1   |      | D1       | w/225 Eng., A904   |
|      | 4164 207    | 1   |      | B        | w/225 Eng., A727   |
|      | 3894 589    | 1   |      | D        | w/318,360 Eng., A727                                     |
|      | 4213 534    | 1   |      | D1,4     | w/318 Eng., A999   |
|      | 4164 208    | 1   |      | B        | w/318,360 Eng., A727                                     |
|      | 4164 210    | 1   |      | B        | w/225,318 Eng. w/o Electronic Monitor, A904,A999         |
|      | 4167 541    | 1   |      | B        | SUPPORT, Tube, All Engines, All Trans.                   |
|      | 4004 001    | 1   |      | B        | RETAINER, Filler Tube Brkt. Nut                          |
| 14   | 1316 815    | 1   |      |          | SEAL, Oil Filler Tube                                    |
| 15   |             |     |      |          | STRUT, Trans. to Cylinder Block,                         |
|      | 1949 701    | 1   |      | B-D      | Left, w/225 Eng., A727,A904                              |
|      | 4071 089    | 1   |      |          | Left, w/Heat Shield, w/318,360 Eng., A727                |
|      | 4071 089    | 1   |      | B-D1,4   | w/318 Eng., A999   |
|      | 4130 693    | 1   |      |          | Right, w/318,360 Eng., A727,A999                         |
|      | 9416 171    | 2   |      |          | SCREW, Strut to Case 3/8-16 x 1-1/4" w/225 Eng.          |
|      | 6023 143    | 2   |      |          | 7/16-14 x 1-1/8" w/318,360 Eng.                          |
| 16   | 2400 320    | 1   |      |          | SNAP RING, Brg. Outer, w/Long Extension, A727            |
|      | 2400 185    | 1   |      | B-D1,4   | w/A904,A999 Trans.                                       |
| 17   | 4028 190    | 1   |      | D1,2,3   | EXTENSION, Case, Long, w/225, Eng., A727                 |
|      | 4028 190    | 1   |      | B        | Long, w/Lock Up Torque Converter, w/225 Eng., A727       |
|      | 4028 193    | 1   |      | B        | Long, w/o Lock Up Torque Converter, w/318,360 Eng., A727 |
|      | 4028 193    | 1   |      | D1,2,3,4 | Long, w/318,360 Eng., A727                               |
|      | 3780 230    | 1   |      | B-D1,4   | Long, w/A904,A999  |
|      | 3515 246    | 1   |      | D3       | Short, All Eng., A727                                    |
|      | 4130 675    | 1   |      | D5,6,7,8 | ADAPTER, Trans. to Transfer Case, D5,6,7,8               |
|      | 6030 849    | 6   |      | D5,6,7,8 | SCREW, Adapter to Trans. Case, 3/8-16 x 1-3/8"           |
|      | 6027 150    | 6   |      |          | SCREW, w/Washer, Ext. 3/8-16 x 1-1/8"                    |
|      | 6031 229    | 2   |      | B-D1,4   | STUD, w/A904,A999, 3/8-16 x 1-1/8 x 3/4                  |
|      | 6029 531    | 6   |      |          | w/318 Eng. 3/8-16 x 1-1/4"                               |
| 18   | 2801 724    | 1   |      |          | BUSHING, Ext., w/Long Extension, A727                    |
|      | 2801 726    | 1   |      | B-D1,4   | w/Long Extension, A904,A999                              |
| 19   | 3515 383    | 1   |      |          | OIL SEAL, w/Long Extension, A727                         |
|      | 2205 080    | 1   |      | D3       | w/Short Extension, A727                                  |
|      | 4058 047    | 1   |      | B-D1,4   | w/Long Extension, A904,A999                              |
| 20   | 2801 398    | 1   |      |          | GASKET, Cover, w/Long Extension                          |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CASE, AND RELATED PARTS AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-200

4351 200




| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                   |
|------|-------------|-----|------|----------|---|
| 21   | 2466 957    | 1   |      |          | COVER, w/Long Extension                       |
| 22   | 1736 432    | 1   |      | D3       | SNAP RING, Ext. Brg., w/Short Extension       |
| 23   | 1672 194    | 1   |      | D3       | BEARING, Ext., w/Short Extension              |
|      |             | 1   |      | D5,6,7,8 | Output Shaft, w/Adapter (Refer To Illus. 300) |
|      |             | 1   |      |          | w/Long Ext. (Refer to Illus. 300)             |
| 24   | 6023 355    | 14  |      |          | SCREW, w/Washer 5/16-18 x 5/8"                |
| 25   | 4058 997    | 1   |      |          | PAN, Trans. Oil, A727                         |
|      | 4202 005    | 1   |      | B-D1,4   | w/A904,A999 Trans.                            |
| 26   | 2464 324    | 1   |      |          | GASKET, Oil Pan, A727                         |
|      | 4295 875    | 1   |      | B-D1,4   | w/A904,A999 Trans.                            |
| 27   | 3743 891    | 1   |      |          | LEVER, Manual Control, A727                   |
|      | 4028 727    | 1   |      | B-D1,4   | 15/32" Hole At Rod End, A904,A999             |
|      | 2899 370    | 1   |      |          | LEVER, Throttle Control, A727 - 1984          |
|      | 3751 551    | 1   |      |          | w/225 Eng., A727 - 1985                       |
|      | 2899 370    | 1   |      |          | w/318 Eng., A727 - 1985                       |
|      | 4287 967    | 1   |      |          | w/318-4BBL,360 Eng. - 1985                    |
|      | 3751 551    | 1   |      | B-D1,4   | w/A904,A999 Trans.                            |
| 28   | 1882 735    | 1   |      | B        | PLUG, Timing Hole 1" Dia.                     |


|                          |                              |                            |                  |                  |                  |
|--------------------------|------------------------------|----------------------------|------------------|------------------|------------------|
| MODEL CODES:             |                              |                            |                  |                  |                  |
| TRUCK LINE               | BODY STYLE & WHEELBASE VANS: | WAGONS:                    | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.           | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.           | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B.          | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                            | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                            |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                            |                  |                  |                  |
| AR = Use as Required     | - = Non Illustrated Part     | P.A.R. = Paint as Required |                  |                  |                  |

PUMP, OIL, w/REACTION SHAFT AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-250

4351 250



OIL PUMP AND REACTION SHAFT SUPPORT (A-727)



OIL PUMP AND REACTION SHAFT SUPPORT DISASSEMBLED (A904,A999)

| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
|      | 4057 014    | 1   |      |        | SEAL and GASKET PACKAGE, Frt. Pump, A727              |
|      |             |     |      |        | Consists Of:  |
|      |             |     |      |        | 1 - 3515137 SEAL, T/C Impeller Hub                    |
|      |             |     |      |        | 1 - 1942021 SEAL, Oil Pump Hsg.                       |
|      |             |     |      |        | 1 - 4028377 GASKET, Oil Pump Hsg.                     |
|      |             |     |      |        | 2 - 2801054 RING, Seal Input Shaft                    |
|      |             |     |      |        | 2 - 3743689 RING, Seal Reaction Shaft Supt.           |
|      |             |     |      |        | 1 - 81-685-1866 Instruction Sheet                     |
|      | 4131 042    | 1   |      | B-D1,4 | SEAL and GASKET PACKAGE, Frt. Pump, A904,A999         |
|      |             |     |      |        | Consists Of:  |
|      |             |     |      |        | 1 - 4269057 SEAL, T/C Impeller Hub                    |
|      |             |     |      |        | 1 - 2204709 SEAL, Oil Pump                            |
|      |             |     |      |        | 1 - 4028364 GASKET, T/C Reaction Shaft Support        |
|      |             |     |      |        | 2 - 1942389 RING, Seal Reaction Shaft Support         |
|      |             |     |      |        | 1 - 1401221 RING, Seal Input Shaft Frt.               |
|      |             |     |      |        | 1 - 1323593 RING, Seal Rr. Clutch Retainer            |
|      |             |     |      |        | 1 - 4028333 RING, Seal Rr. Clutch Retainer            |
|      |             |     |      |        | 1 - ----- Sheet, Instruction                          |
| 1    | 2466 324    | 1   |      |        | BUSHING, Frt. Pump Housing                            |
| 2    | 1942 021    | 1   |      |        | SEAL, Frt. Pump Housing                               |
| 3    | 4130 193    | 1   |      |        | HOUSING, w/Bushing, Plug and Rotors, Frt. Pump        |
|      | 0179 815    | 6   |      |        | SCREW, Oil Pump Hsg. 5/16-18 x 11/16"                 |
| 4    | 3420 087    | 1   |      |        | BAFFLE, w/Nail, Frt. Pump Hsg. Vent                   |
| 5    | 4028 377    | 1   |      |        | GASKET, Frt. Pump Housing                             |
| 6    |             | 1   |      |        | ROTOR, (Serviced in Hsg. Assy.)                       |
| 7    |             | 1   |      |        | ROTOR, (Serviced in Hsg. Assy.)                       |
| 8    | 4028 273    | 1   |      |        | SHAFT, w/Support Reaction, w/Lock Up Torque Converter |
|      | 4058 929    | 1   |      |        | w/o Lock Up Torque Converter                          |
|      | 2801 348    | 1   |      |        | BUSHING, Reaction Shaft                               |
|      |             | 3   |      |        | BALL, Support, Small 9/32" (Not Serviced)             |
|      | 0147 488    | 4   |      |        | Large 11/32"  |
| 9    |             |     |      |        | WASHER, Frt. Clutch Thrust, Frt., 3-21/64" O.D.       |
|      | 2204 622    | AR  |      |        | Green, .061" Thk.                                     |
|      | 2204 623    | AR  |      |        | Red, .084" Thk.                                       |
|      | 2400 284    | AR  |      |        | Yellow, .102" Thk.                                    |
| 10   | 3743 689    | 2   |      |        | RING, Reaction Shaft Support Seal                     |
| 11   | 6023 943    | 7   |      |        | SCREW, Support Hsg., 5/16-18 x 1/3/8"                 |
|      | 0179 815    | 6   |      |        | BOLT, Support 5/16-18 x 11/16"                        |
| 12   | 2466 796    | 1   |      | B-D1,4 | BUSHING, Frt. Pump Hsg., A904,A999                    |
| -    | 4269 057    | 1   |      | B-D1,4 | SEAL, T/C Impeller Hub, A904,A999                     |
| 13   | 2204 709    | 1   |      | B-D1,4 | SEAL, Frt. Pump Hsg. 8-17/64" O.D., A904,A999         |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PUMP, OIL, w/REACTION SHAFT AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-250

4351 250



OIL PUMP AND REACTION SHAFT SUPPORT (A-727)



OIL PUMP AND REACTION SHAFT SUPPORT DISASSEMBLED (A904,A999)

| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION   |
|------|-------------|-----|------|--------|---|
| 14   | 4130 192    | 1   |      | B-D1,4 | HOUSING, w/Bushing, Rotors, Frt. Pump, A904,A999          |
| 15   |             | 1   |      | B-D1,4 | ROTOR, (Serviced in Hsg. Assy.)                           |
| 16   |             | 1   |      | B-D1,4 | ROTOR, (Serviced in Hsg. Assy.)                           |
| 17   | 4058 413    | 1   |      | B-D1,4 | SHAFT, w/Support, Reaction, A904,A999                     |
|      | 4058 635    | 1   |      | B-D1,4 | BUSHING, Shaft, A904,A999                                 |
| -    | 0104 918    | AR  |      | B-D1,4 | BALL, Reaction Shaft Suppt., 1/4" Dia., A904,A999         |
| 18   |             | 6   |      | B-D1,4 | LOCK WASHER, (Not Serviced)                               |
| 19   | 6023 943    | 6   |      | B-D1,4 | SCREW, Hsg., 5/16-18 x 1-3/8", A904,A999                  |
| -    | 0179 815    | 6   |      | B-D1,4 | BOLT, Support 5/16-18 x 11/16", A904,A999                 |
| 20   | 4028 364    | 1   |      | B-D1,4 | GASKET, Reaction Shaft Support, A904,A999                 |
| 21   | 1942 389    | 2   |      | B-D1,4 | RING, Reaction Shaft Support Seal 2-1/16 I.D., A904,A999  |
| 22   | 3410 572    | 2   |      | B-D1,4 | WASHER, Frt. Clutch Thrust, 2-5/8" O.D., A904,A999        |
| 23   | 4202 089    | 1   |      | B-D1,4 | SUPPORT ASSEMBLY, Oil Pump and Reaction Shaft, A904, A999 |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



GOVERNOR AND PARKING SPRAG AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-300

4351 300




| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION  |
|------|-------------|-----|------|--------|--|
|      | 4186 875    | 1   |      |        | BODY PACKAGE, Governor - A727 Trans.<br>Consists Of:<br>1 - 4130881 BODY, Governor<br>1 - 3743519 FILTER, Gov.<br>2 - 1942109 RING, Support Seal   |
|      |             |     |      |        | 4 - 6031613 BOLT, Body<br>1 - 6027271 SNAP RING, Gov. Body<br>1 - 6025031 SNAP RING, Weight, Outer<br>1 - 3515479 VALVE, Governor  |
|      | 4186 874    | 1   |      | B-D1,4 | 1 - 1556082 SHAFT, Gov. Valve<br>2 - 1638461 SNAP RING, Valve Shaft<br>BODY PACKAGE, Governor - A904,A999  |
|      | 4106 557    | 1   |      |        | SEALS, GASKET and FILTER PACKAGE - A727, w/LONG<br>EXTENSION<br>Consists Of:<br>1 - 4057046 SPEEDO. PINION Small Parts Pkg.<br>1 - 3743519 FILTER, Gov.<br>1 - 3515383 SEAL, Yoke (Large)<br>1 - 2466954 GASKET, Extension<br>1 - 2801398 GASKET, Output Shaft Brg. Cover<br>1 - 1316815 SEAL, Oil Filler Tube   |
|      | 4057 016    | 1   |      |        | 2 - 1942109 RING SEAL, Gov. Support<br>SEAL, GASKET and FILTER PACKAGE - A727, w/SHORT<br>EXTENSION<br>Consists Of:<br>1 - 4057046 SPEEDO. PINION Small Parts Pkg.<br>1 - 3743519 FILTER, Governor<br>1 - 2205080 SEAL, O/P Shaft<br>1 - 2466954 GASKET, Ext.<br>1 - 2801398 GSKT., O/P Shaft Brg. Cover<br>1 - 1316815 SEAL, Oil Filler Tube<br>2 - 1942109 RING, Seal Gov. Supt. |
|      | 4106 556    | 1   |      | B-D1,4 | SEAL, GASKET and FILTER PACKAGE - A904,A999<br>Consists Of:<br>1 - 4057046 SPEEDO. PINION Small Parts Pkg.<br>1 - 3743519 FILTER, Governor<br>1 - 3515384 SEAL, Yoke (Small)<br>1 - 2466954 GASKET, Ext.<br>1 - 2801398 GSKT., O/P Shaft Brg. Cover<br>1 - 1316815 SEAL, Oil Filler Tube<br>2 - 1942109 RING, Seal Gov. Supt.  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

GOVERNOR AND PARKING SPRAG AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-300

4351 300




| ITEM | PART NUMBER | QTY | BODY   | MODEL | DESCRIPTION   |
|------|-------------|-----|--------|-------|---|
|      | 4130 891    | 1   |        |       | WEIGHT PACKAGE, Governor, A727<br>Consists Of:<br>1 - 3515482 WEIGHT, Inner<br>1 - 4130851 WEIGHT, Outer<br>1 - 4202043 SPRING, 3.0 Lb. Spring Load   |
|      | 4202 658    | 1   | B-D1,4 |       | 1 - 1636464 SNAP RING, Weight, Inner<br>WEIGHT PACKAGE, Governor, w/A904,A999 Trans.<br>Consists Of:<br>1 - 3515482 WEIGHT, Inner<br>1 - 4130851 WEIGHT, Outer<br>1 - 4130140 SPRING, 3.8 Lb. Spring Load<br>1 - 1636464 SNAP RING, Weight, Inner |
| 1    | 1942 109    | 2   |        |       | RING, Governor Support Seal, Frt. & Rr.   |
| 2    | 3743 517    | 1   |        |       | SUPPORT, Governor, A727   |
|      | 3743 518    | 1   | B-D1,4 |       | A904,A999   |
| 3    | 1638 461    | 2   |        |       | SNAP RING, Governor Valve Shaft   |
| 4    | 6025 031    | 1   |        |       | SNAP RING, Governor Weight, Outer, A727   |
| 5    | 1636 464    | 1   |        |       | SNAP RING, Governor Weight, Inner   |
| 6    | 4130 891    | 1   |        |       | WEIGHT, Gov. Inner (Serv. in Pkg. Above), A727  |
| 7    | 4130 891    | 1   |        |       | SPRING, Gov. Weight (Serv. in Pkg. Above), A727   |
| 8    | 4130 891    | 1   |        |       | WEIGHT, Gov., Outer (Serv. in Pkg. Above), A727   |
| 9    | 4186 875    | 1   |        |       | BODY PACKAGE, Gov. (Refer to Pkg. Above), A727  |
|      | 4186 874    | 1   | B-D1,4 |       | BODY PACKAGE, Gov. (Refer to Pkg. Above), A904,A999   |
|      | 6031 613    | 4   |        |       | SCREW, Gov. Body Mtg., 1/4-20 x 3/4"  |
| 10   |             | 2   |        |       | LOCK, Gov. Body Bolt, Off-Set Type  |
| 11   | 6022 817    | 1   |        |       | SNAP RING, Governor Body, A727  |
|      | 6027 271    | 1   | B-D1,4 |       | A904,A999   |
| 12   | 1556 082    | 1   |        |       | SHAFT, Governor Valve   |
| 13   | 3515 479    | 1   |        |       | VALVE, Governor   |
| 14   | 1638 461    | 1   |        |       | SNAP RING, Governor Valve Shaft   |
| 15   | 3743 519    | 1   |        |       | FILTER, Governor  |
| 16   | 2466 909    | 1   |        |       | SPRING, Trans. Parking Sprag  |
| 17   | 2801 157    | 1   |        |       | SPRAG, Trans. Parking   |
| 18   | 2538 042    | 1   |        |       | PLUG, Parking Sprag Reaction  |
| -    | 9417 504    | 1   |        |       | PIN, Sprag Plug 5/32 x 7/16" Lg.  |
| 19   | 2538 034    | 1   |        |       | SNAP RING, Reaction Plug  |
| 20   | 2466 892    | 1   |        |       | SHAFT, Trans. Parking Sprag   |
| 21   | 2466 894    | 1   |        |       | ROD ASSEMBLY, Parking Sprag, 8-3/16" Lg., A727  |
|      | 2466 906    | 1   | B-D1,4 |       | 8" Lg., A904,A999   |
| 22   | 1626 749    | 1   |        |       | E-RING, Rod   |
| 23   |             | 1   |        |       | SPRING, (Serviced in Parking Sprag Rod Assy.)   |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**GOVERNOR AND PARKING SPRAG AUTOMATIC TRANSMISSION, A727,A904,A999 B,D**  
**Figure 21A-300**

4351 300



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL    | DESCRIPTION                                     |
|------|----------------|-----|------|----------|---|
| 24   | 6025 570       | 2   |      |          | SNAP RING, Output Shaft Brg., w/Long Ext., A727 |
|      | 6025 570       | 1   |      | D5,6,7,8 | Output Shaft Brg., w/Adapter, A727              |
|      | 6029 675       | 1   |      | B-D1,4   | 1-37/64" O.D., A904,A999                        |
| 25   | 2466 224       | 1   |      |          | BEARING, Output Shaft, w/Long Extension, A727   |
|      | 4202 917       | 1   |      | D5,6,7,8 | Output Shaft, w/Adapter, A727                   |
|      | 3410 465       | 1   |      | B-D1,4   | A904,A999                                       |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

SERVOS, ACCUMULATOR PISTON AND SPRING AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-400


4351 400



Kickdown Servo



Low and Reverse Servo



Accumulator Piston and Spring

| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION  |
|------|-------------|-----|------|---------|--|
| 1    | 1942 130    | 1   |      |         | SNAP RING, Kickdown Servo Guide, A727                                      |
| 2    | 6028 863    | 1   |      | B-D1,4  | 2-3/8" I.D., A904,A999   |
|      | 1942 123    | 1   |      |         | RING, Kickdown Servo Guide Seal, A727                                      |
|      | 3410 372    | 1   |      | B-D1,4  | 2-3/8" I.D., A904,A999   |
| 3    |             |     |      |         | GUIDE, Kickdown Servo,   |
|      | 3410 441    | 1   |      |         | A727   |
|      | 3410 332    | 1   |      | B-D1,4  | A904,A999  |
| 4    | 3410 518    | 1   |      |         | SPRING, K/Down Servo Piston, Outer, 5 Coils, 1-19/64" Lgh., All Eng., A727 |
|      | 4202 653    | 1   |      | B1,2-D1 | w/225 Eng., A904   |
|      | 4058 885    | 1   |      | B-D1,4  | w/318 Eng., A999   |
| 5    | 3410 444    | 1   |      |         | SPRING, Kickdown Servo Piston, Inner, 6 Coils, AllEng., A727               |
| 6    | 4058 780    | 1   |      | B-D1,4  | ROD, Kickdown Servo Piston, A904,A999                                      |
| 7    | 2124 851    | 1   |      |         | RING, Kickdown Servo Piston Seal, Small, A727                              |
|      | 3410 374    | 1   |      | B-D1,4  | 1" O.D., A904,A999   |
|      | 1942 123    | 1   |      |         | Large, A727  |
|      | 3410 372    | 1   |      | B-D1,4  | 2-3/8" O.D., A904,A999   |
| 8    | 3410 440    | 1   |      |         | PISTON, Kickdown Servo, All Eng., A727                                     |
|      | 3410 445    | 1   |      |         | Inner, w/Rod and Seal, A727  |
|      | 4058 777    | 1   |      | B-D1,4  | A904,A999  |
|      | 3410 437    | 1   |      |         | RETAINER, Kickdown Piston, Inner, A727                                     |
|      | 6028 864    | 1   |      |         | SEAL, Inner, 15/16 x 1-1/8" x 3/32"  |
|      | 6024 336    | 1   |      |         | SNAP RING, Inner, 1-1/8" I.D.  |
| 9    | 1942 130    | 1   |      |         | SNAP RING, Reverse Servo Piston Spring Retainer, A727                      |
|      | 2464 464    | 1   |      | B-D1,4  | A904,A999  |
| 10   | 1942 150    | 1   |      |         | RETAINER, Reverse Servo Piston Spring, A727                                |
|      | 2464 463    | 1   |      | B-D1,4  | A904,A999  |
| 11   | 2801 241    | 1   |      |         | SPRING, Reverse Servo Piston, A727   |
|      | 2801 274    | 1   |      | B-D1-D4 | A904,A999  |
| 12   | 3743 353    | 1   |      |         | PLUG, Reverse Servo Piston, 1-53/64" Lgh.                                  |
| 13   | 3743 580    | 1   |      |         | SPRING, Reverse Servo Cushion, A727  |
|      | 4130 824    | 1   |      | B-D1,4  | A904,A999  |
| 14   | 4058 741    | 1   |      |         | SEAL, Reverse Servo Piston, Rubber, A727                                   |
|      | 2464 462    | 1   |      | B1,2-D1 | w/225 Eng., A904   |
|      | 4202 864    | 1   |      | B-D1,4  | w/318 Eng., A999   |
| 15   | 2801 281    | 1   |      |         | PISTON, Reverse Servo, A727  |
|      | 2801 271    | 1   |      | B-D1,4  | A904,A999  |
| 16   | 6027 153    | 1   |      |         | RING, Reverse Servo Piston Plug, 7/16" I.D.                                |
| 17   | 3515 079    | 1   |      |         | SPRING, Accumulator, Lower   |
| 18   | 3743 013    | 1   |      |         | RING, Accumulator Piston Seal, Large                                       |
| 19   | 3410 908    | 1   |      |         | PISTON, Accumulator  |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:




(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**SERVOS, ACCUMULATOR PISTON AND SPRING AUTOMATIC TRANSMISSION, A727,A904,A999 B,D**  
**Figure 21A-400**

4351 400



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|----------------|-----|------|-------|--------------------------------------|
| 20   | 3743 010       | 1   |      |       | RING, Accumulator Piston Seal, Small |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



VALVE BODY AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-600

4351 600




| ITEM | PART NUMBER | QTY | BODY    | MODEL | DESCRIPTION  |
|------|-------------|-----|---------|-------|--|
|      | 4057 013    | 1   |         |       | SEAL and GASKET PACKAGE, A727, Valve Body And Servo Recondition<br>Consists Of:<br>1 - 3878313 SCREEN, Regulator Valve<br>1 - 3878447 SEAL, Manual Valve Shaft<br>1 - 6028864 SEAL, K/Dn. Inner Piston<br>1 - 6030910 SEAL, Rev. Band Lvr. Shaft<br>1 - 2464481 SEAL, Rev. Servo Piston<br>1 - 2466548 SEAL, Throttle Lever Shaft  |
|      | 4205 872    | 1   | B-D1,4  |       | 1 - 2464324 GASKET, Trans. Oil Pan<br>1 - 2124851 RING, Seal K/Dn. Servo Piston Small<br>2 - 1942123 RING, Seal K/Dn. Servo Piston and Guide<br>1 - 1941831 RING, Seal Accumulator Piston Small<br>1 - 1315158 RING, Seal Accumulator Piston Large<br>1 - 3515996 FILTER, Trans. Oil<br>SEAL and GASKET PACKAGE, A904,A999, Valve Body And Servo Recondition<br>Consists Of:<br>1 - 3878313 SCREEN, Regulator Valve<br>1 - 3878447 SEAL, Manual Valve Shaft<br>1 - 6028864 SEAL, K/Dn. Inner Piston<br>1 - 1556385 SEAL, Rev. Band Lvr. Shaft<br>1 - 2464462 SEAL, Rev. Servo Piston<br>1 - 2466548 SEAL, Throttle Lever Shaft<br>1 - 4295875 GASKET, Trans. Oil Pan<br>1 - 1824541 RING, Seal K/Dn. Servo Piston Small<br>1 - 3410374 RING, Seal K/Dn. Servo Piston Small- A999<br>1 - 6031410 SEAL, K/Dn. Servo Inner Piston<br>2 - 1636470 RING, Seal K/Dn. Servo Piston Large<br>2 - 3410372 RING, Seal K/Dn. Servo Piston Large- A999<br>1 - 1941831 RING, Seal Accumulator Piston Small<br>1 - 1315158 RING, Seal Accumulator Piston Large<br>1 - 3515996 FILTER, Trans. Oil |
| 1    | 4202 632    | 1   | B-D     |       | VALVE BODY ASSEMBLY, w/Lock-Up Valve, w/225 Eng., A727, Yellow   |
|      | 4202 631    | 1   | B1,2-D1 |       | w/225 Eng., w/o Lock-Up Valve Body, w/225 Eng., A727 (CALIF.), Yellow  |
|      | 4202 636    | 1   | B1,2-D1 |       | w/225 Eng., w/Lock-Up Valve, A904, Green   |
|      | 4202 633    | 1   |         |       | w/318,360 Eng., w/o Lock-Up Valve, A727, Black   |
|      | 4202 634    | 1   | B-D1,4  |       | w/318 Eng., w/Lock-Up Valve, A999, Olive   |
| 2    | 6030 888    | 2   |         |       | SCREW, 10-24 x 7/16"   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

VALVE BODY AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-600

4351 600




| ITEM | PART NUMBER | QTY | BODY    | MODEL | DESCRIPTION  |
|------|-------------|-----|---------|-------|--|
|      | 6030 889    | AR  |         |       | SCREW, 10-24 x 1"  |
| 3    |             | 1   |         |       | PLATE, Lock-Up Module End (Serv. in Valve Body Assy.)      |
|      | 6030 366    | 2   |         |       | SCREW, Lock-Up Valve Body To Transfer Plate 10-24 x 1-1/2" |
| 4    | 4202 672    | 1   | B1,2-D1 |       | SPRING, w/Lock-Up Valve, w/225 Eng., A904                  |
|      | 4202 642    | 1   | B1,2-D1 |       | w/318 Eng., A904   |
|      | 4202 642    | 1   | B-D     |       | w/225 Eng., A727   |
| 5    | 4202 209    | 1   | B-D1,4  |       | BODY, Lock-Up Valve, A904,A999                             |
|      | 4202 209    | 1   | B-D     |       | w/225 Eng., A727   |
| 6    | 4202 474    | 1   |         |       | VALVE, Trans. Switch, A727                                 |
|      | 4202 474    | 1   | B-D1,4  |       | w/A904,A999  |
| 7    | 0147 488    | 1   |         |       | BALL, Manual Lever Detent                                  |
| 8    | 6025 857    | 1   |         |       | E-RING, Throttle Valve Lever Shaft                         |
| 9    | 2538 062    | 1   |         |       | WASHER, Throttle Valve Lever Shaft                         |
| 10   | 2466 548    | 1   |         |       | SEAL, Throttle Lever Shaft, Rubber, 5/8" O.D.              |
| 11   | 3410 484    | 1   |         |       | LEVER, w/Insulator, Manual Valve                           |
| 12   | 3878 447    | 1   |         |       | SEAL, Manual Valve Shaft, 1-1/4" O.D.                      |
| 13   | 3681 227    | 1   |         |       | LEVER, Throttle Valve                                      |
| 14   | 3878 313    | 1   |         |       | SCREEN, Regulator Valve                                    |
| 15   | 3515 996    | 1   |         |       | FILTER, Trans. Oil   |
| 16   | 6030 895    | 3   |         |       | SCREW, Oil Filter, 10-24 x 1-1/4"                          |
| 17   | 4130 492    | 1   |         |       | SPRING, Switch Valve                                       |
| 18   | 3743 840    | 1   |         |       | BRACKET, Throttle Pressure Adj. Screw                      |
| 19   | 6030 609    | 1   |         |       | SCREW, Throttle Pressure Adjusting                         |
|      | 3515 480    | 1   |         |       | COVER, First and Second Shift Control Valve                |
|      | 0104 918    | AR  |         |       | BALL, Check Valve 1/4" Dia.                                |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A727 B,D  
Figure 21A-700

4351 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4106 590    | 1   |      |       | SEAL and GASKET PACKAGE, A727, Front And Rear Clutch Repair<br>Consists Of:<br>1 - 3410226 SEAL, Frt. Clutch Piston, Inner<br>1 - 3743237 SEAL, Frt. Clutch Piston, Outer<br>1 - 1942054 SEAL, Rear Clutch Piston, Inner<br>1 - 2124835 SEAL, Rear Clutch Piston, Outer<br>1 - 3681688 WASHER, O/P Shaft Thrust<br>1 - 4058946 PLATE, O/P Shaft Thrust |
| 1    | 4058 437    | 1   |      |       | RETAINER, w/Bushing, Front Clutch<br>w/4058384,4295941,4329438,458,4377821 Trans.  |
|      | 4058 648    | 1   |      |       | w/4329482,468,488,4377822 Trans.   |
| -    | 4058 647    | 1   |      |       | BUSHING, Frt. Clutch Retainer  |
| 2    | 3410 226    | 1   |      |       | SEAL, Frt. Clutch Piston, Inner  |
| 3    | 4058 484    | 1   |      |       | SEAL, Frt. Clutch Piston, Outer  |
| 4    | 2464 651    | 1   |      |       | PISTON, Frt. Clutch  |
|      | 0147 483    | 1   |      |       | BALL, 3/16"  |
| 5    | 2801 243    | 13  |      |       | SPRING, Frt. Clutch Piston, w/4058384,4295941 Trans.   |
|      | 2801 243    | 11  |      |       | w/4329438,458,4377821 Trans.   |
|      | 2801 243    | 9   |      |       | w/4329482,468,488,4377822 Trans.   |
| 6    | 2801 949    | 1   |      |       | RETAINER, Frt. Clutch Piston Spring  |
|      | 0147 483    | 1   |      |       | BALL, 3/16"  |
| 7    | 2124 824    | 1   |      |       | SNAP RING, Frt. Clutch, Inner, .060" Thk., 3" I.D.   |
| 8    | 2124 826    | 3   |      |       | PLATE, Frt. Clutch, w/4058384,4295941,4329438,458,4377821 Trans.   |
|      | 2124 826    | 4   |      |       | w/4329482,468,488,4377822 Trans.   |
| 9    | 3410 570    | 1   |      |       | SNAP RING, Frt. Clutch, .050" Thk., 7-8/64" O.D.   |
| 10   | 2801 961    | 1   |      |       | PLATE, Frt. Clutch Pressure  |
| 11   | 2801 167    | 3   |      |       | DISC, Frt. Clutch, w/4058384,4295941,4329438,458,4377821 Trans.  |
|      | 2801 167    | 4   |      |       | w/4329482,468,488,4377822 Trans.   |
| 12   | 3743 624    | 1   |      |       | PISTON, Rr. Clutch   |
|      | 0147 483    | 1   |      |       | BALL, 3/16"  |
| 13   | 1942 054    | 1   |      |       | SEAL, Rr. Clutch Piston, Inner   |
| 14   | 2124 835    | 1   |      |       | SEAL, Rr. Clutch Piston, Outer   |
| 15   | 4028 299    | 1   |      |       | RETAINER, Rr. Clutch Piston  |
|      | 4058 443    | 1   |      |       | RING, Piston Ret. Oil Seal Lock, 1-7/8" O.D.   |
| 16   | 2204 622    | 1   |      |       | WASHER, Frt. Clutch Thrust, Rear   |
| 17   | 4058 665    | 1   |      |       | SHAFT, Input, All Eng. w/o Lock Up Torque Converter  |
|      | 4058 035    | 1   |      |       | w/225 Eng., w/Lock Up Torque Converter   |
|      | 3681 709    | 1   |      |       | BUSHING  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A727 B,D  
Figure 21A-700

4351 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 0147 488    | 1   |      |       | BALL, 11/32"   |
| 18   | 2801 054    | 2   |      |       | RING, Input Shaft Seal 1-3/16" O.D.                              |
| 19   | 2124 872    | 1   |      |       | SNAP RING, Rr. Clutch Piston Retainer, .060" Thk., 1-31/64" O.D. |
| 20   | 3743 622    | 1   |      |       | RETAINER, Rr. Clutch   |
|      | 4058 443    | 1   |      |       | SNAP RING, Rr. Clutch Piston Ret. Seal                           |
| 21   | 2801 992    | 4   |      |       | DISC, Rr. Clutch   |
| 22   | 3743 621    | 1   |      |       | SPRING, Rr. Clutch Piston  |
| 23   | 3515 077    | 1   |      |       | SPACER, Rr. Clutch Piston Spring, Plastic, 6-13/16" O.D.         |
| 24   | 2466 806    | 1   |      |       | SPRING, Rr. Clutch Wave  |
| 25   | 2466 803    | 1   |      |       | PLATE, Rr. Clutch Pressure, Frt.                                 |
| 26   | 2124 826    | 3   |      |       | PLATE, Rr. Clutch  |
| 27   | 2801 961    | 1   |      |       | PLATE, Rr. Clutch Pressure, Rr.                                  |
| 28   | 1942 063    | AR  |      |       | SNAP RING, Rr. Clutch Retainer, 7" O.D., .060" Thk.              |
|      | 1942 064    | AR  |      |       | .074" Thk.   |
|      | 1942 065    | AR  |      |       | .088" Thk.   |
|      | 2466 811    | AR  |      |       | .106" Thk.   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (TRUCK) 4X4

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A904,A999 B,D  
Figure 21A-800

4351 A000




| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION  |
|------|-------------|-----|------|---------|--|
|      | 4186 058    | 1   |      |         | SEAL and WASHER PACKAGE, Front and Rear Clutch<br>Consists Of:<br>1 - 3515176 SEAL, Frt. Clutch Piston, Inner<br>1 - 4058487 SEAL, Frt. Clutch Piston, Outer<br>1 - 2538510 SEAL, Rear Clutch Piston, Inner<br>1 - 2538695 SEAL, Rear Clutch Piston, Outer<br>1 - 4130077 WASHER, Output Shaft Thrust<br>1 - 4130078 WASHER, Output Shaft Thrust |
| 1    | 3621 476    | 1   |      | B1,2-D1 | RETAINER and SEAL PACKAGE, Front Clutch, w/225 Eng., A904  |
|      | 3743 382    | 1   |      | B-D1,4  | RETAINER, w/Bushing, Front Clutch, w/318 Eng., A999  |
|      | 2801 727    | 1   |      |         | BUSHING, Frt. Clutch Retainer  |
| 2    | 3515 176    | 1   |      |         | SEAL, Frt. Clutch Piston, Rubber, Inner  |
| 3    | 4058 487    | 1   |      |         | SEAL, Frt. Clutch Piston, Outer  |
| 4    | 3743 090    | 1   |      | B1,2-D1 | PISTON, Frt. Clutch, w/225 Eng., A904  |
|      | 3743 384    | 1   |      | B-D1,4  | w/318 Eng., A999   |
|      | 0147 483    | 1   |      |         | BALL, 3/16" Dia.   |
| 5    | 2801 844    | 1   |      | B1,2-D1 | SPRING, Frt. Clutch Piston, Orange w/225 Eng., A904  |
|      | 3515 054    | 1   |      | B-D1,4  | Yellow, w/318 Eng., A999   |
| 6    | 1942 399    | 1   |      |         | RETAINER, Frt. Clutch Piston Spring  |
|      | 0147 483    | 1   |      |         | BALL, Check Valve 3/16"  |
| 7    | 1942 400    | 1   |      |         | SNAP RING, Frt. Clutch 2-7/16" O.D., .060" Thk., Inner   |
| 8    | 4329 805    | 4   |      | B1,2-D1 | DISC, Frt. Clutch, w/225 Eng., A904  |
|      | 4329 805    | 5   |      |         | w/318 Eng., A999   |
| 9    | 3410 571    | 1   |      |         | SNAP RING, Frt. Clutch, Outer  |
| 10   | 2801 969    | 1   |      |         | PLATE, Frt. Clutch Pressure  |
| 11   | 1942 403    | 4   |      | B1,2-D1 | PLATE, Frt. Clutch, w/225 Eng., A904   |
|      | 1942 403    | 5   |      | B-D1,4  | w/318 Eng., A999   |
| 12   | 4186 879    | 1   |      |         | RETAINER, Rear Clutch  |
|      | 0147 483    | 1   |      |         | BALL, Check Valve 3/16"  |
| 13   | 6022 859    | 1   |      |         | SNAP RING, Input Shaft 57/64", .059" Thk.  |
| 14   | 2538 695    | 1   |      |         | SEAL, Rr. Clutch Piston, Rubber, Outer   |
|      | 4028 333    | 1   |      |         | Rr. Clutch Retainer Ring 1-1/2" O.D., .009" Thk.   |
| 15   | 3410 572    | 2   |      |         | WASHER, Frt. Clutch Thrust 2-5/8" O.D.   |
| 16   | 1401 221    | 1   |      |         | RING, Input Shaft Seal, Front  |
|      | 1401 221    | 1   |      |         | Rear   |
| 17   | 4130 194    | 1   |      |         | SHAFT, Input 26T,23 Teeth  |
| 17A  | 4058 982    | 1   |      |         | PLATE, Input Shaft Thrust  |
| 18   | 3780 285    | 4   |      |         | DISC, Rear Clutch  |
| 19   |             |     |      |         | SNAP RING, Rr. Clutch Retainer 5-11/32" O.D.   |
|      | 4130 761    | AR  |      |         | .060" Thk.   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CLUTCH, FRONT AND REAR, w/GEAR TRAIN AUTOMATIC TRANSMISSION, A904,A999 B,D  
Figure 21A-800

4351 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
|      | 4130 762    | AR  |      |       | .076" Thk.                             |
|      | 4130 763    | AR  |      |       | .098" Thk.                             |
| 20   | 2801 969    | 1   |      |       | PLATE, Rr. Clutch Pressure, Rear       |
| 21   | 1942 403    | 3   |      |       | PLATE, Rr. Clutch                      |
| 22   | 2466 281    | 1   |      |       | PLATE, Rr. Clutch Pressure, Front      |
| 23   | 2466 283    | 1   |      |       | SPRING, Rr. Clutch Wave                |
| 24   | 1942 414    | 1   |      |       | SPRING, Rr. Clutch Piston              |
| 25   | 2538 510    | 1   |      |       | SEAL, Rr. Clutch Piston, Rubber, Inner |
| 26   | 3515 716    | 1   |      |       | PISTON, Rr. Clutch                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A727 B,D  
Figure 21A-900

4351-900



| ITEM | PART NUMBER | QTY | BODY | MODEL      | DESCRIPTION  |
|------|-------------|-----|------|------------|--|
|      | 2808 673    | 1   |      |            | ROLLER and SPRING PACKAGE, "O" Running Clutch<br>Consists Of:<br>12 - ----- ROLLER<br>12 - 1942187 SPRING  |
|      | 3420 100    | 1   |      |            | RACE, ROLLER and SPRING PACKAGE<br>Consists Of :<br>1 - ----- RACE, "O" Running Clutch<br>12 - ----- ROLLER, "O" Running Clutch<br>12 - 1942187 SPRING, "O" Running Clutch |
| 1    | 6030 982    | AR  |      |            | SNAP RING, Output Shaft, .048-.052" Thk.   |
|      | 6024 311    | AR  |      |            | .055-.059" Thk.  |
|      | 6024 312    | AR  |      |            | .062-.066" Thk.  |
| 2    | 4028 110    | 1   |      |            | CARRIER, w/Pinion & WA., Frt., Planet Pinion, w/3 Pinion, w/<br>4058384,4295941,4329438,458,4377821 Trans.   |
|      | 4028 120    | 1   |      |            | w/4 Pinion, w/4329482,468,488,4377822 Trans.   |
| 3    | 1942 081    | 1   |      |            | WASHER, Frt. Carrier Thrust, w/3 Tabs, 3-13/32" O.D., w/<br>4058384,4295941,4329438,458,4377821 Trans.   |
|      | 2801 060    | 1   |      |            | w/4329482,468,488,4377822 Trans.   |
| 4    | 2892 656    | 1   |      |            | GEAR, w/Support, Frt. Annulus, 2-1/2" I.D. Center Hole   |
| 5    | 1942 081    | 1   |      |            | WASHER, Sun Gear Driving Shell Thrust, w/3 Outside Tabs  |
| 6    | 1736 521    | 2   |      |            | RING, Sun Gear Driving Shell Lock  |
| 7    | 2801 311    | 1   |      |            | GEAR, w/Bushing, Sun   |
| 8    | 2400 662    | 1   |      |            | SHELL, Sun Gear Driving  |
| 9    |             |     |      |            | SHAFT PACKAGE, Output Consists of: Output Shaft, Thrust<br>Washer, Thrust Plate  |
|      | 4106 594    | 1   |      | B-D1,2,3,4 | w/Long Extension   |
|      | 4106 595    | 1   |      | D3         | w/Short Extension  |
|      | 4130 677    | 1   |      | D5,6,7,8   | w/Adapter, D5,6,7,8  |
|      | 4058 946    | 1   |      |            | PLATE, Output Shaft Thrust .030" Thk.  |
| -    | 6032 739    | 1   |      |            | O-RING, Output Shaft Brg. Anti-Rotation  |
| 10   | 3681 688    | 1   |      |            | WASHER, Output Shaft Thrust, w/Three Point Bronze Face, .062"<br>Thk.  |
| 11   | 1942 080    | 1   |      |            | PLATE, Sun Gear Driving Shell Thrust, w/4 Inside Tongs   |
| 12   | 1736 521    | 1   |      |            | RING, Sun Gear Driving Shell Lock  |
| 13   | 1942 081    | 1   |      |            | WASHER, Carrier Thrust, Rear,  |
| 14   | 2466 539    | 1   |      |            | CARRIER, w/Pinions, Rollers, Rings, Shaft, Pin and Washers,<br>Rear Planet Pinion  |
| 15   | 2400 580    | 1   |      |            | PLATE, Rear Annulus Gear Thrust, w/31 Inside Teeth, 3-23/64"<br>O.D.   |
| 16   | 2538 185    | 1   |      |            | GEAR, w/Support Rear Annulus, 3-1/2" I.D., Center Hole   |
| 17   | 3515 451    | 1   |      |            | DRUM, Reverse (Also Specify 1 of 3420100 Race Pkg.)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A727 B,D  
Figure 21A-900

4351-900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 18   | 6024 666    | AR  |      |       | PIN, Frt. and Rr. Planet Pinion Shaft                      |
| 19   | 2464 178    | AR  |      |       | SHAFT, Frt. and Rr. Planet Pinion                          |
| 20   | 2801 315    | AR  |      |       | WASHER, Frt. and Rr. Planet Pinion                         |
| 21   | 2204 649    | AR  |      |       | RING, Frt. and Rr. Pinion Roller Thrust                    |
| 22   | 2400 667    | AR  |      |       | PINION, Frt. and Rr. Planet                                |
| 23   | 2204 647    | AR  |      |       | ROLLER, Frt. and Rr. Pinion                                |
| 24   |             | 12  |      |       | SPRING, "O" Running Clutch Roller (Served in 2808673 Pkg.) |
| 25   | 2808 673    | 1   |      |       | ROLLER and SPRING PACKAGE, "O" Running Clutch              |
| 26   | 3420 100    | 1   |      |       | RACE, Roller and Spring Pkg., "O" Running Clutch, 26 Teeth |
| 27   | 1942 095    | 1   |      |       | CAM, "O" Running Clutch                                    |
| 28   | 2801 426    | 1   |      |       | RETAINER, "O" Running Clutch Spring                        |
|      | 0125 735    | 1   |      |       | SET SCREW, Cam Retaining 1/4-20 x 5/16"                    |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A904,A999 B-D1,4  
Figure 21A-1000

4351 1000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 3420 023    | 1   |      |       | RACE, ROLLER and SPRING PACKAGE, "O" Running Cl.<br>Consists Of :<br>1 - ----- RACE, "O" Running Clutch<br>10 - 2464888 ROLLER, "O" Running Clutch<br>10 - 2464446 SPRING, "O" Running Clutch  |
|      | 3780 221    | 1   |      |       | CAM, RETAINER, SCREW and WA. PKG., "O" Running Cl.<br>Consists Of :<br>1 - ----- RETAINER, "O" Running Clutch Spring<br>1 - ----- CAM, "O" Running Clutch<br>7 - ----- SCREW, "O" Running Clutch Cam<br>7 - 1559489 WASHER, "O" Running Clutch Screw |
| 1    | 6026 289    | AR  |      |       | SNAP RING, Output Shaft, .946" I.D., .040" Thk.  |
|      | 6030 938    | AR  |      |       | .910" I.D., .062" Thk., Green  |
|      | 6030 404    | AR  |      |       | .906" I.D., .084" Thk., White  |
| 2    | 6030 576    | 1   |      |       | SNAP RING, Frt. Annulus Gear Support, 1-3/8" I.D.  |
| 2A   | 3681 969    | 1   |      |       | WASHER, Frt. Annulus Gear Support, Thrust w/Lip, Steel Backed<br>Bronze 2-1/8" O.D.  |
| 3    | 4130 510    | 1   |      |       | SUPPORT, w/Bushing, Frt. Annulus Gear  |
| -    | 6030 576    | 1   |      |       | SNAP RING, Frt., 1-3/8" I.D.   |
| 4    | 1942 444    | 1   |      |       | SNAP RING, Rr. Annulus Gear, 4-1/16" O.D.  |
|      | 4130 513    | 1   |      |       | Front, 4-5/8" O.D.   |
| 5    | 3681 935    | 2   |      |       | WASHER, Rr. Planet Pinion Carrier Thrust, 2" I.D., w/3 Tabs,<br>O.D.<br>Front, 2-5/8" I.D., w/4 Tabs I.D.  |
|      | 4130 518    | 2   |      |       |  |
| 6    | 3743 184    | 1   |      |       | GEAR, Rear Annulus   |
|      | 4130 512    | 1   |      |       | Front, Annulus   |
| 7    | 4130 514    | 1   |      |       | CARRIER, w/Pinions,Shafts,Rollers,Rings,Pins and Washers, Frt.<br>Planet Pinion<br>RING, Frt. and Rr. Planet Pinion Roller Thrust  |
|      | 3681 949    | AR  |      |       |  |
| 8    | 1942 439    | 1   |      |       | LOCK RING, Sun Gear Driving Shell, 1-41/64" O.D.   |
| 9    | 4130 600    | 2   |      |       | PLATE, Sun Gear Driving Shell, Thrust  |
| 10   | 4130 685    | 1   |      |       | GEAR, w/Bushing, Sun (38T-28T)   |
| 11   | 4130 509    | 1   |      |       | SHELL, Sun Gear Driving  |
| 12   | 4269 196    | AR  |      |       | WASHER, Output Shaft Thrust, 7/8" O.D., .052" Thk. Steel<br>Backed Bronze, Gray<br>.068" Thk., Red<br>.083" Thk., Green  |
|      | 4269 197    | AR  |      |       |  |
|      | 4269 198    | AR  |      |       |  |
| 13   | 4186 093    | 1   |      |       | SHAFT, w/Plug, Output  |
|      | 3410 465    | 1   |      |       | BEARING, Output Shaft  |
|      | 6029 675    | 1   |      |       | SNAP RING, Bearing, 1-37/64" O.D.  |
|      | 2400 185    | 1   |      |       | Bearing, Outer, 2-21/64" I.D.  |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GEAR TRAIN AND OUTPUT SHAFT AUTOMATIC TRANSMISSION, A904,A999 B-D1,4  
Figure 21A-1000

4351 1000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 14   | 3681 988    | 1   |      |       | CARRIER, w/Pinions,Shafts,Rollers and Washers, Rr. Planet Pinion |
| 15   | 3515 501    | 1   |      |       | SUPPORT, Rr. Annulus Gear, 62T, 28T, 4" O.D.                     |
| 16   | 4130 867    | 1   |      |       | DRUM, Reverse  |
| 17   | 2464 446    | 10  |      |       | SPRING, "O" Running Clutch Roller                                |
| 18   | 2464 888    | 10  |      |       | ROLLER, "O" Running Clutch                                       |
| 19   | 3420 023    | 1   |      |       | RACE, Roller and Spring Pkg., "O" Running Clutch                 |
| 20   | 3780 221    | 1   |      |       | CAM, Retainer, Screw and Washer Pkg., "O" Running Clutch         |
| 21   |             | 1   |      |       | RETAINER, (Serviced in 3780221 Package)                          |
| 22   | 1559 489    | 7   |      |       | WASHER, "O" Running Clutch Cam Screw 7/16" O.D.                  |
| 23   | 4130 736    | 1   |      |       | SPACER, Sun Gear, 4 Inner Teeth, 2" O.D.                         |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



## Figure 21A-1200

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    | 2996 786       | 1   |      |       | SPRING, G/Shift Lever                                     |
| 2    | 4147 163       | 1   |      |       | LEVER, w/Knob, Column G/Shift, 1984                       |
|      | 4147 324       | 1   |      |       | 1985  |
| 3    | 9412 281       | 1   |      |       | PIN, Lever 1/4" x 1"                                      |
|      | 0125 735       | 1   |      |       | SCREW, Lever Set 1/4-20 x 3/8"                            |
| 4    |                |     |      |       | HOUSING, (Refer to Group 19)                              |
| 5    | 4188 572       | 1   |      |       | GATE, Lever   |
| 6    |                | 2   |      |       | SCREW, Gate 12-24 x 7/8"                                  |
| 7    | 3467 176       | 1   |      |       | BRACKET, Indicator Brkt.                                  |
| 8    | 6027 976       | 2   |      |       | RIVET, Bracket  |
| 9    | 4034 476       | 1   |      |       | BRACKET, Indicator Adjusting                              |
| 10   | 0152 442       | 1   |      |       | NUT, Brkt. Adjusting                                      |
| 11   | 4075 237       | 1   |      |       | Indicator ASSEMBLY, Shift (Also Shown Instrument Cluster) |
| 12   | 2883 402       | 1   |      |       | KNOB, G/Shift Lever, Black, 1984                          |





**« RETURN TO GROUP INDEX**

CONTROLS, GEARSHIFT STEERING COLUMN SHIFT, WITH AND WITHOUT TILT STEERING COLUMN AUTOMATIC TRANSMISSION, A727,A904,A999 - B,D

Figure 21A-1300

4351 1300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4075 148    | 1   |      | D     | INDICATOR ASSEMBLY, Shift   |
| 2    | 4147 163    | 1   |      | D     | LEVER, w/Knob Column G/Shift, Except Tilt Wheel, 1/4" Mtg. Hole, 1984 |
|      | 4147 324    | 1   | D    |       | 1/4" Mtg. Hole, 1985  |
|      | 4188 197    | 1   | B    |       | w/Tilt Steering Wheel, 3/16" Mtg. Hole, Up To 10-17-1983              |
|      | 4147 360    | 1   | B    |       | 1/4" Mtg. Hole, After 10-17-1983                                      |
|      | 4188 197    | 1   | D    |       | 3/16" Mtg. Hole, Up To 10-3-1983                                      |
|      | 4147 360    | 1   | D    |       | 1/4" Mtg. Hole, After 10-3-1983                                       |
|      | 4147 375    | 1   | B-D  |       | 1/4" Mtg. Hole, 1985  |
| 3    | 2996 786    | 1   | D    |       | SPRING, Lever, Except Tilt Steering Wheel                             |
|      | 2880 284    | 1   | B-D  |       | w/Tilt Steering Wheel   |
| 4    | 0125 735    | 1   | D    |       | SCREW, Lever Set 1/4-20 x 3/8"  |
| 5    | 9412 281    | 1   | D    |       | PIN, Lever 1/4" x 1", Except Tilt Steering Wheel                      |
|      | 0152 233    | 1   | B    |       | w/Tilt Steering Wheel, 3/16 x 7/8", Up To 10-17-1983                  |
|      | 9412 281    | 1   | B    |       | 1/4" x 1", After 10-17-1983   |
|      | 0152 233    | 1   | D    |       | w/Tilt Steering Wheel, 3/16 x 7/8", Up To 10-3-1983                   |
|      | 9412 281    | 1   | D    |       | 1/4" x 1", After 10-3-1983  |
|      | 9412 281    | 1   | B-D  |       | 1/4" x 1", 1985   |
| 6    | 4188 572    | 1   | D    |       | GATE, Lever, Except Tilt Steering Wheel                               |
|      | 3748 497    | 1   | B-D  |       | w/Tilt Steering Wheel   |
| 7    |             |     |      |       | SCREW, 12-24 x 7/8"   |
| 8    | 6027 976    | 2   | D    |       | RIVET, Brkt. Mtg.   |
| 9    | 4164 408    | 1   | D    |       | BRACKET, G/Shift Tube Indicator                                       |
| 10   | 2883 402    | 1   | B-D  |       | KNOB, G/Shift Lever, Black, 1984                                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CONTROLS, GEARSHIFT, LOWER AUTOMATIC TRANSMISSION, A727,A904,A999 B,D  
Figure 21A-1400

4351 1400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 3575 333    | 4   |      |       | GROMMET, Control Rod, Frt. and Rr.                  |
| 2    | 4269 496    | 1   |      | B     | ROD, G/Shift Control, Front                         |
| 3    | 3575 354    | 1   |      |       | SPRING, Control Rod Adjusting                       |
| 4    | 3467 800    | 2   |      |       | BUSHING, Torque Shaft                               |
| 5    | 9417 098    | 2   |      |       | WASHER, Torque Shaft Retaining, Plain               |
| 6    | 0905 206    | 1   |      |       | WASHER, Torque Shaft Retaining, Spring              |
| 7    | 2534 513    | 1   |      | B     | BRACKET, Torque Shaft Mtg. Trans. End, A727 Trans.  |
|      | 4112 222    | 1   |      | B     | w/A904,A999 Trans.                                  |
| 8    | 6028 114    | 1   |      |       | NUT, Bracket Mtg. Lock 7/16-14                      |
| 9    | 4115 682    | 1   |      | B     | ROD, G/Shift Control, Rear                          |
| 10   | 0181 082    | 1   |      |       | SCREW, 5/16-18 x 1/2"                               |
| 11   | 0181 112    | 2   |      | B     | SCREW, Brkt. Mtg. 3/8-16 x 1"                       |
| 12   | 4115 683    | 1   |      | B     | BRACKET, Torque Shaft, Frame End                    |
| 13   | 0148 150    | 1   |      |       | RETAINER, Torque Shaft, Spring                      |
| 14   | 2204 274    | 1   |      |       | CLAMP, Control Rod                                  |
| 15   | 3575 334    | 1   |      |       | SWIVEL, Control Rod                                 |
| 16   | 4269 495    | 1   |      | B     | TORQUE SHAFT, All Engines                           |
| 17   | 4116 419    | 1   |      | D     | ROD, G/Shift Control, Front                         |
| 18   | 4117 639    | 1   |      | D     | TORQUE SHAFT, All Engines                           |
| 19   | 4116 420    | 1   |      | D     | ROD, G/Shift Control, Rear                          |
| 20   | 3497 025    | 1   |      | D     | BRACKET, Torque Shaft Mtg., Trans. End, A727 Trans. |
|      | 4112 262    | 1   |      | D1,4  | w/A904,A999 Trans.                                  |
| 21   | 3893 788    | 1   |      | D     | BRACKET, Torque Shaft, Frame End                    |
| 22   | 6025 020    | 2   |      | D     | NUT, Brkt. Mounting Screw, 3/8-16                   |
| 23   | 0181 112    | 2   |      | D     | SCREW, Ext. Brkt., 3/8-16 x 1"                      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CABLE, SPEEDOMETER w/PINION AND RETAINER B,D (D5,6,7,8 w/208 Transfer Case)  
Figure 21A-1500

4351 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL    | DESCRIPTION  |
|------|-------------|-----|------|----------|--|
|      | 4057 046    | 1   |      |          | REPAIR PACKAGE, Speedo. Pinion Small Parts   |
|      |             |     |      |          | Consists Off:  |
|      |             |     |      |          | 1 - 4058156 RETAINER, Speedo. Cable  |
|      |             |     |      |          | 1 - 6025752 "O" RING, Retainer Outer   |
|      |             |     |      |          | 1 - 2538571 RING, Retainer Inner   |
|      |             |     |      |          | 1 - 2538588 SEAL, Retainer Inner   |
|      |             |     |      |          | 1 - 4057047 SEAL, Pinion   |
| 1    |             |     |      |          | PINION, A727,A904,A999 Trans., N.P.G. 208 Transfer Case (See Chart, Illus. No. 1600)                     |
| 2    | 6031 370    | 1   |      |          | O-RING, Retainer, Outer  |
| 3    | 2538 608    | 1   |      |          | RETAINER, Pinion   |
| 4    | 4057 046    | 1   |      |          | SEAL, Retainer, Inner (Serv. in Above Pkg.)  |
| 5    | 4057 046    | 1   |      |          | RING, Retainer, Inner (Serv. in Above Pkg.)  |
| 6    | 2892 399    | 1   |      |          | CLAMP, Pinion Retainer   |
| 7    | 0181 086    | 1   |      |          | SCREW, 5/16"-18 x 3/4"   |
| 9    | 4216 627    | 1   |      | D1,2,3,4 | CABLE, Speedometer w/Shaft and Housing, Speedo. to Trans., 64" Long, 5/8 Push,7/8 Female, Up To 12-17-84 |
|      | 4363 026    | 1   |      | D1,2,3,4 | 64" Long, 1/2" Clip-On,7/8 Female, After 12-17-84  |
|      | 4216 629    | 1   |      | D5,6,7,8 | 80" Long, w/208 T/Case, 5/8 Push,7/8 Female, Up To 12-17-84  |
|      | 4363 027    | 1   |      | D5,6,7,8 | 80" Long, w/208 T/Case, 1/2" Clip-On,7/8 Female, After 12-17-84  |
|      | 4114 414    | 1   |      | B        | 90" Long Cable w/Bracket, 5/8 Push-7/8 Female, Up To 12-17-84  |
|      | 4363 049    | 1   |      | B        | 90" Long Cable w/Bracket, 5/8 Push-7/8 Female, After 12-17-84  |
| 10   | 2448 294    | 1   |      | D        | SHAFT, Cable Drive, 80" Long, Universal Shaft Pkg.   |
|      | 2448 295    | 1   |      | B        | 113" Long, Universal Shaft Pkg.  |
| -    | 3593 446    | 1   |      |          | GROMMET, Speedo. Cable   |
| -    | 3593 310    | 1   |      | B        | RETAINER, Cable to Speedo., Cable  |
| -    | 6015 377    | AR  |      | B        | CLIP, Speedo. Cable  |
| -    | 6015 756    | 1   |      | B        | CLIP, Strap Speedo. Cable To Trans. Holding  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CABLE, SPEEDOMETER w/PINION AND ADAPTER WITH N.P.G. 205 T/CASE D7  
Figure 21A-1550

4351 1-250




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      | D7    | PINION, 205 T/Case (See Chart, Illus. No. 1800)  |
| 2    |             |     |      | D7    | ADAPTER, (See Chart, Illus. No. 1800)  |
| 3    | 4216 629    | 1   |      |       | CABLE, Speedometer w/Shaft and Housing, 80" Long, Speedo. To T/Case, 5/8 Push-7/8 Female |
| 4    | 2448 294    | 1   |      |       | SHAFT, Cable Drive, 80" Long, Universal Shaft Pkg.                                       |
| -    | 3593 446    | 1   |      |       | GROMMET, Speedo. Cable   |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE  
Figure 21A-1600

4351 1600



A727  
A904,A999




N.P.G. 208

| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| NOTE: Tread Type, HWY = HIGHWAY TREAD, M&S = MUD & SNOW, A/W = ALL-WEATHER INFORMATION BECOMES AVAILABLE.    |             |     |      |       |  |
| NOTE: MFG., GDYR = GOODYEAR, GEN = GENERAL, FSTN = FIRESTONE, MCLN = MICHELIN INFORMATION BECOMES AVAILABLE. |             |     |      |       |  |
| NOTE: THE LAST 2 DIGITS OF PART NUMBER INDICATES THE NUMBER OF PINION TEETH INFORMATION BECOMES AVAILABLE.   |             |     |      |       |  |
|  |             |     |      |       | TIRE SIZE MATERIAL THREAD MFR. N N N N<br>LR60-15 Poly-A/R HWY GDYR N2538928 N2538931<br>N2538934 N  |
|  |             |     |      |       | P195/75R15 Glass-B/R HWY GDYR N2538930 N2538933<br>N2538936 N2538939<br>P195/75R15 Glass-B/R HWY GEN N2538929 N2538932<br>N2538935 N2538938  |
|  |             |     |      |       | P195/75R15 Glass-B/R HWY FSTN N2538930 N2538933<br>N2538936 N2538939<br>P205/75R15 Glass-B/R HWY GDYR N2538929 N2538932<br>N2538935 N2538938 |
|  |             |     |      |       | P205/75R15 Glass-B/R HWY GEN N2538929 N2538932<br>N2538935 N2538938<br>P205/75R15 Glass-B/R HWY FSTN N2538929 N2538932<br>N2538935 N2538939  |
|  |             |     |      |       | P205/75R15 Glass-B/R M&S ALL N2538929 N2538932<br>N2538935 N<br>P215/75R15 Glass-B/R HWY GDYR N2538929 N2538931<br>N2538934 N                |
|  |             |     |      |       | P215/75R15 Glass-B/R HWY GEN N2538928 N2538931<br>N2538934 N<br>P215/75R15 Glass-B/R HWY FSTN N2538928 N2538931<br>N2538934 N                |
|  |             |     |      |       | P215/75R15 Glass-B/R M&S ALL N2538928 N2538931<br>N2538934 N<br>P225/75R15 Glass-B/R HWY GDYR N2538928 N2538931<br>N2538933 N2538936         |
|  |             |     |      |       | P225/75R15 Glass-B/R HWY GEN N2538928 N2538931<br>N2538933 N2538937<br>P225/75R15 Glass-B/R HWY FSTN N2538928 N2538930<br>N2538933 N2538937  |
|  |             |     |      |       | P225/75R15 Glass-B/R M&S GDYR N2538928 N2538930<br>N2538933 N2538936<br>P225/75R15 Glass-B/R M&S GEN N2538927 N2538930<br>N2538933 N         |


|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE  
Figure 21A-1600

4351 1600



A727  
A904,A999




N.P.G. 208

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
|      |                |     |      |       | P225/75R15 Glass-B/R M&S FSTN N2538928 N2538930    |
|      |                |     |      |       | N2538933 N   |
|      |                |     |      |       | P235/75B15 Poly/Bias HWY ALL N2538927 N2538930     |
|      |                |     |      |       | N2538933 N   |
|      | 2538 926       |     |      |       | P235/75B15 Poly/Bias M&S GDYR Y2538926 N2538929    |
|      |                |     |      |       | N2538932 N   |
|      | 2538 932       |     |      |       | P235/75B15 Poly/Bias M&S GDYR N2538926 N2538929    |
|      |                |     |      |       | Y2538932 N   |
|      |                |     |      |       | P235/75B15 Poly/Bias M&S FSTN N2538927 N2538930    |
|      |                |     |      |       | N2538933 N   |
|      |                |     |      |       | P235/70R15 Steel-B/R HWY GDYR N2538928 N2538931    |
|      |                |     |      |       | N2538934 N   |
|      |                |     |      |       | P235/70R15 Steel-B/R HWY GEN N2538928 N2538931     |
|      |                |     |      |       | N2538934 N   |
|      |                |     |      |       | P235/75R15 Glass-B/R HWY ALL N2538927 N2538930     |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15 Glass-B/R M&S GDYR N2538927 N2538929    |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15 Glass-B/R M&S GEN N2538927 N2538929     |
|      |                |     |      |       | N2538932 N2538935                                  |
|      |                |     |      |       | P235/75R15 Glass-B/R M&S FSTN N2538927 N2538929    |
|      |                |     |      |       | N2538932 N2538935                                  |
|      |                |     |      |       | P235/75R15 Steel-B/R HWY ALL N2538927 N2538930     |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15 Steel-B/R A/W ALL N2538927 N2538930     |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15-XL Glass-B/R HWY ALL N2538928 N2538930  |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15-XL Steel-B/R M&S GDYR N2538927 N2538930 |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15-XL Steel-B/R M&S GEN N2538927 N2538929  |
|      |                |     |      |       | N2538932 N2538936                                  |
|      |                |     |      |       | P235/75R15-XL Steel-B/R M&S FSTN N2538927 N2538930 |
|      |                |     |      |       | N2538933 N2538936                                  |
|      |                |     |      |       | P235/75R15-XL Glass-B/R M&S FSTN N2538927 N2538930 |
|      |                |     |      |       | N2538933 N   |
|      |                |     |      |       | P255/70R15 Steel-B/R HWY GDYR N2538927 N2538930    |
|      |                |     |      |       | N2538933 N   |
|      |                |     |      |       | P255/70R15 Steel-B/R HWY GEN N2538927 N2538929     |
|      |                |     |      |       | N2538932 N2538935                                  |


|                            |  |                              |  |                   |                  |
|----------------------------|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:               |  |                              |  |                   |                  |
| TRUCK LINE                 |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL      |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4                |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| P.A.R. = Paint as Required |  |                              |  |                   |                  |

PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE  
Figure 21A-1600

4351 1600



A727  
A904,A999



N.P.G. 208


| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | 10-15-LT-B Steel-B/R HWY ALL N2538926 N2538928        |
|      |                |     |      |       | N2538931 N2538934                                     |
|      |                |     |      |       | 10-15-LT-C Steel-B/R HWY ALL N2538926 N2538928        |
|      |                |     |      |       | N2538931 N  |
|      |                |     |      |       | 7.00x15-D Nyl/Bias HWY GDYR N2538926 N2538929         |
|      |                |     |      |       | N2538932 N  |
|      |                |     |      |       | 7.00x15-D Nyl/Bias HWY GEN N2538926 N2538929 N2538932 |
|      |                |     |      |       | N   |
|      |                |     |      |       | 7.00x15-D Nyl/Bias HWY FSTN N2538927 N2538929         |
|      |                |     |      |       | N2538932 N  |
|      |                |     |      |       | 7.00x15LT-D Steel-B/R M&S GDYR N2538928 N2538929      |
|      |                |     |      |       | N2538932 N2538935                                     |
|      |                |     |      |       | 7.00x15LT-D Steel-B/R M&S GEN N2538926 N2538929       |
|      |                |     |      |       | N2538931 N2538935                                     |
|      |                |     |      |       | 7.00x15LT-D Steel-B/R M&S FSTN N2538926 N2538929      |
|      |                |     |      |       | N2538932 N2538935                                     |
|      |                |     |      |       | 7.00x15LT-D Steel-B/R M&S MCLN N2538927 N2538929      |
|      |                |     |      |       | N2538932 N2538935                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GDYR N2538929 N2538931       |
|      |                |     |      |       | N2538932 N2538934                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GEN N2538929 N2538931        |
|      |                |     |      |       | N2538932 N2538934                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY FSTN N2538930 N2538931       |
|      |                |     |      |       | N2538933 N2538934                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GDYR N2538929 N2538931       |
|      |                |     |      |       | N2538932 N2538934                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GEN N2538929 N2538930        |
|      |                |     |      |       | N2538932 N2538933                                     |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S FSTN N2538929 N2538931       |
|      |                |     |      |       | N2538932 N2538934                                     |
|      | 2538 935       |     |      |       | 8.00x16.5-D Poly/Bias HWY GDYR N2538933 Y2538935      |
|      |                |     |      |       | N2538936 N2538938                                     |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY GEN N2538932 N2538934       |
|      |                |     |      |       | N2538936 N2538938                                     |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY FSTN N2538933 N2538935      |
|      |                |     |      |       | N2538936 N2538938                                     |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY GDYR N2538933 N2538935      |
|      |                |     |      |       | N2538936 N2538938                                     |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY GEN N2538932 N2538934       |
|      |                |     |      |       | N2538936 N2538937                                     |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |




PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE  
Figure 21A-1600

4351 1600



A727  
A904,A999




N.P.G. 208

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY FSTN N2538933 N2538935    |
|      |                |     |      |       | N2538936 N2538938                                   |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GDYR N2538933 N2538935 N |
|      |                |     |      |       | N2538939  |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GEN N2538933 N2538935 N  |
|      |                |     |      |       | N2538938  |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY FSTN N2538933 N2538935 N |
|      |                |     |      |       | N2538938  |
|      | 2538 934       |     |      |       | 8.00Rx16.5-E Steel-B/R HWY MCLN Y2538934 N2538935 N |
|      |                |     |      |       | N2538939  |
|      | 2538 935       |     |      |       | 8.00Rx16.5-E Steel-B/R HWY MCLN N2538934 Y2538935 N |
|      |                |     |      |       | N2538939  |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S GDYR N2538933 N2538935    |
|      |                |     |      |       | N2538936 N2538939                                   |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S GEN N2538933 N2538934     |
|      |                |     |      |       | N2538936 N2538938                                   |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S GEN N2538933 N2538935     |
|      |                |     |      |       | N2538937 N2538938                                   |
|      |                |     |      |       | 8.75x16.5-E Poly/Bias HWY GDYR N2538931 N2538933    |
|      |                |     |      |       | N2538935 N2538936                                   |
|      | 2538 933       |     |      |       | 8.75x16.5-E Poly/Bias HWY GEN N2538931 Y2538933     |
|      |                |     |      |       | N2538934 N2538936                                   |
|      |                |     |      |       | 8.75x16.5-E Poly/Bias HWY FSTN N2538931 N2538934    |
|      |                |     |      |       | N2538935 N2538937                                   |
|      |                |     |      |       | 8.75x16.5-E Poly/Bias M&S GDYR N2538931 N2538933    |
|      |                |     |      |       | N2538935 N2538936                                   |
|      |                |     |      |       | 8.75x16.5-E Nyl/Bias HWY ALL N2538932 N2538934 N    |
|      |                |     |      |       | N2538937  |
|      |                |     |      |       | 8.75Rx16.5-E Steel-B/R HWY GDYR N2538932 N2538934   |
|      |                |     |      |       | N2538935 N2538937                                   |
|      |                |     |      |       | 8.75Rx16.5-E Steel-B/R HWY GEN N2538932 N2538934 N  |
|      |                |     |      |       | N2538937  |
|      |                |     |      |       | 8.75Rx16.5-E Steel-B/R HWY FSTN N2538932 N2538933 N |
|      |                |     |      |       | N2538937  |
|      |                |     |      |       | 8.75Rx16.5-F Steel-B/R HWY GDYR N2538932 N2538934 N |
|      |                |     |      |       | N2538937  |
|      |                |     |      |       | 8.75Rx16.5-F Steel-B/R HWY MCLN N2538932 N2538934 N |
|      |                |     |      |       | N2538938  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY GDYR N2538931 N2538932    |
|      |                |     |      |       | N2538933 N2538935                                   |


|                            |  |                              |  |                   |                  |
|----------------------------|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:               |  |                              |  |                   |                  |
| TRUCK LINE                 |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL        |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)                |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL      |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4                |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| P.A.R. = Paint as Required |  |                              |  |                   |                  |

PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE  
Figure 21A-1600

4351 1600



A727  
A904,A999




N.P.G. 208

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY GEN N2538931 N2538933<br>N2538934 N2538936  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias HWY FSTN N2538932 N2538933<br>N2538935 N2538937 |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S GDYR N2538930 N2538932<br>N2538933 N2538935 |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S GEN N2538930 N2538932<br>N2538933 N2538935  |
|      |                |     |      |       | 9.50x16.5-E Poly/Bias M&S FSTN N2538930 N2538932<br>N2538934 N2538935 |
|      |                |     |      |       | 9.50Rx16.5-E Steel-B/R HWY ALL N2538931 N2538932 N<br>N2538936        |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GDYR N2538938 N N N                          |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY GEN N2538938 N N N                           |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias HWY FSTN N2538938 N N N                          |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GDYR N2538937 N N N                          |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S GEN N2538937 N N N                           |
|      |                |     |      |       | 7.50x16LT-E Nyl/Bias M&S FSTN N2538938 N N N                          |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY GDYR N2538942 N N N                         |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY GEN N2538942 N N N                          |
|      |                |     |      |       | 8.00x16.5-D Poly/Bias HWY FSTN N2538942 N N N                         |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY GDYR N2538942 N N N                         |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY GEN N2538942 N N N                          |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias HWY FSTN N2538942 N N N                         |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GDYR N2538943 N N N                        |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY GEN N2538943 N N N                         |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY FSTN N2538944 N N N                        |
|      |                |     |      |       | 8.00Rx16.5-E Steel-B/R HWY MCLN Y2538944 N N N                        |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S GDYR N2538943 N N N                         |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S GEN N2538942 N N N                          |
|      |                |     |      |       | 8.00x16.5-E Poly/Bias M&S FSTN N2538943 N N N                         |
|      |                |     |      |       | PINION, SPEEDOMETER N N N N   |
|      |                |     |      |       | 2538926 - 26 Th.! 2538927 - 27 Th. N N N N                            |
|      |                |     |      |       | 2538928 - 28 Th.! 2538929 - 29 Th. N N N N                            |
|      |                |     |      |       | 2538930 - 30 Th.! 2538931 - 31 Th. N N N N                            |
|      |                |     |      |       | 2538932 - 32 Th.! 2538933 - 33 Th. N N N N                            |
|      |                |     |      |       | 2538934 - 34 Th.! 2538935 - 35 Th. N N N N                            |
|      |                |     |      |       | 2538936 - 36 Th.! 2538937 - 37 Th. N N N N                            |
|      |                |     |      |       | 2538938 - 38 Th.! 2538939 - 39 Th. N N N N                            |
|      |                |     |      |       | 2538940 - 40 Th.! 2538941 - 41 Th. N N N N                            |
|      |                |     |      |       | 2538942 - 42 Th.! 2538943 - 43 Th. N N N N                            |


|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**PINION CHART, SPEEDOMETER, A727,A904,A999 TRANS. AND N.P.G. 208 TRANSFER CASE**  
**Figure 21A-1600**

4351 1600



A727  
A904,A999



N.P.G. 208

[illegible]

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL  
TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

~~B - VANS AND WAGONS (1942)~~

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

### Figure 21A-1800

A detailed line drawing of a rear differential assembly. A dashed line points from a specific pin on the differential housing to a separate, enlarged view of the pin at the bottom left of the page.

D7

| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b>5 - VANS AND WAGONS (4X2)</b>   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |




GROUP 22 - WHEELS

| ILLUSTRATION TITLE                      | GROUP-FIG. NO. |
|---|----------------|
| CAPS AND COVERS, WHEEL .....            | Fig. 22-100    |
| WHEELS AND HARDWARE LIGHT DUTY .....    | Fig. 22-200    |
| CARRIER, SPARE WHEEL D MODELS .....     | Fig. 22-300    |
| TIRE CARRIER, UNDERSLUNG D MODELS ..... | Fig. 22-400    |
| CARRIER, SPARE WHEEL B MODELS .....     | Fig. 22-500    |
| JACK STOWAGE (1984) B 1,2,3 .....       | Fig. 22-600    |
| JACK STOWAGE (1985) B 1,2,3 .....       | Fig. 22-700    |
| JACK STOWAGE (1984) D MODEL .....       | Fig. 22-800    |
| JACK STOWAGE (1985) D MODEL .....       | Fig. 22-900    |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

CAPS AND COVERS, WHEEL  
Figure 22-100

4322 100




| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION                           |
|------|-------------|-----|------|-----------|---------------------------------------|
| 1    | 3461 450    | AR  |      | B12-D1458 | CAP, Hub w/ 15" Wheels, 1984          |
|      | 4089 167    | AR  |      | B12-D1458 | CAP, Hub w/ 15" Wheels, 1985          |
|      | 4089 168    | 2   | D    | 5,8       | CAP, Hub w/ 15" Wheels w/ Center Hole |
|      | 4032 548    | 4   |      | B3-D2367  | CAP, Hub w/ 16", 16.5" Wheels         |
| 2    | 3880 966    | 4   |      |           | COVER, w/o Center Hole                |
|      | 4089 170    | AR  |      |           | COVER, w/ Center Hole                 |
| 3    | 4026 533    | 4   |      |           | RING, w/ 16.5 X 6.00 Wheels           |
|      | 4026 532    | 4   |      |           | RING, w/ 16.5 X 6.75 Wheels           |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| B - VANS AND WAGONS (11E)  |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

WHEELS AND HARDWARE LIGHT DUTY  
Figure 22-200

4322 200



| ITEM                         | PART<br>NUMBER | QTY | BODY | MODEL   | DESCRIPTION                                       |
|------------------------------|----------------|-----|------|---------|---|
| 1984 WHEELS                  |                |     |      |         |   |
| WHEEL STEEL DISC TYPE ***    |                |     |      |         |   |
| 1                            | 4126 960       | 4   |      |         | 15 X 6.5, 4.5 B.C., 5 Stud                        |
|                              | 4112 028       | 4   |      |         | 16 X 6, 6.5 B.C., 8 Stud w/ Single Rear Wheels    |
|                              | 4112 029       | 4   |      |         | 16 X 6, 6.5 B.C., 8 Stud w/ Dual Rear Wheels      |
|                              | 4026 537       | 4   |      |         | 16.5 X6.5, 6.5 B.C., 8 Stud w/ Single Rear Wheels |
|                              | 2909 277       | 4   |      |         | 16.5 X6.5, 6.5 B.C., 8 Stud w/ Dual Rear Wheels   |
|                              | 4284 446       | 4   |      |         | 16.5 X 6.75, 6.5 B.C., 8 Stud                     |
|                              | 4284 446       | 4   |      |         | 16.5 X6.75,6.5 B.C., 8 Stud                       |
| WHEEL STEEL SPOKE TYPE ***   |                |     |      |         |   |
| 2                            | 4284 110       | 4   |      |         | 15 X 7, 5.5 B.C., 5 Stud                          |
|                              | 4213 324       | 4   |      | B12-D14 | CAP, Center                                       |
|                              | 4164 412       | 2   | D    | 2,6,8   | CAP, Center w/ Hole                               |
|                              | 4164 411       | 2   | D    | 2,6,8   | CAP, Center w/o Hole                              |
|                              | 4284 098       | 4   |      |         | TRIM RING, 15"                                    |
| WHEEL STEEL SLOTTED TYPE *** |                |     |      |         |   |
| 3                            | 4284 112       | 4   |      |         | 15 X 7, 5.5 B.C., 5 Stud                          |
|                              | 4213 324       | 4   |      | B12-D14 | CAP, Center                                       |
|                              | 4164 412       | 2   | D    | 2,6,8   | CAP, Center w/ Hole                               |
|                              | 4164 411       | 2   | D    | 2,6,8   | CAP, Center w/o Hole                              |
|                              | 4284 098       | 4   |      |         | TRIM RING, 15"                                    |
| WHEEL ALUMINUM TYPE          |                |     |      |         |   |
| 4                            | 4167 836       | 4   |      | B12-D14 | 15 X 7, 4.5 B.C., 5 Stud                          |
|                              | 4213 324       | 4   |      | B12-D14 | CAP, Center                                       |
|                              | 4116 237       | 4   | D    | 2,6,8   | 15 X 7, 5.5 B.C., 5 Stud                          |
|                              | 4164 412       | 2   | D    | 2,6,8   | CAP, Center w/ Hole                               |
|                              | 4164 411       | 2   | D    | 2,6,8   | CAP, Center w/o Hole                              |
| 1985 WHEELS                  |                |     |      |         |   |
| WHEEL STEEL DISC TYPE ***    |                |     |      |         |   |
| 1                            | 4284 345       | 4   |      |         | 15 X 6.5, 5.5 B.C., 5 Stud                        |
|                              | 4284 347       | 4   |      |         | 15 X 7, 5.5 B.C., 5 Stud                          |
|                              | 4284 367       | 4   |      |         | 16 X 6, 6.5 B.C., 8 Stud                          |
|                              | 4284 381       | 6   |      |         | 16 X 6, 6.5 B.C., 8 Stud w/ Dual Rear Wheels      |
|                              | 3640 278       | 4   |      |         | 16.5 X 6, 6.5 B.C., 8 Stud                        |
|                              | 4284 289       | 6   |      |         | 16.5 X 6, 6.5 B.C., 8 Stud w/ Dual Rear Wheels    |
|                              | 4284 446       | 4   |      |         | 16.5 X 6.75, 6.5 B.C., 8 Stud                     |
| WHEEL STEEL SPOKE TYPE ***   |                |     |      |         |   |
| 2                            | 4284 110       | 4   |      |         | 15 X 7, 5.5 B.C., 5 Stud                          |
|                              | 4164 412       | 2   |      |         | CAP, Center w/ Hole                               |
|                              | 4164 411       | AR  |      |         | CAP, Center w/o Hole                              |
| WHEEL STEEL SLOTTED TYPE *** |                |     |      |         |   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WHEELS AND HARDWARE LIGHT DUTY  
Figure 22-200

4322 200



HARDWARE

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 3    | 4284 112    | 4   |      |       | 15 x 7, 5.5 B.C., 5 Stud                       |
|      | 4164 412    | 2   |      |       | CAP, Center w/ Hole                            |
|      | 4164 411    | AR  |      |       | CAP, Center w/o Hole                           |
|      | 4284 098    | 4   |      |       | TRIM RING, 15"                                 |
|      |             |     |      |       | WHEEL ALUMINUM TYPE                            |
| 4    | 4116 237    | 4   |      |       | 15 X 7, 5.5 B.C., 5 Stud                       |
|      | 4164 412    | 2   |      |       | CAP, Center w/ Hole                            |
|      | 4164 411    | AR  |      |       | CAP, Center w/o Hole                           |
|      |             |     |      |       | HARDWARE                                       |
| 5    | 2409 826    | 20  |      |       | NUT, Wheel 1/2" w/ 5 Stud STD.                 |
|      | 4115 216    | 20  |      |       | NUT, Wheel 1/2" w/ 5 Stud Chrome               |
|      | 6031 535    | 20  |      |       | NUT, Wheel 1/2" w/ 5 Stud w/ Alum. Wheel       |
|      | 2909 542    | 32  |      |       | NUT, Wheel 5/8" w/ 8 Stud                      |
|      | 1273 556    | 32  |      |       | NUT, Wheel 5/8" w/ 8 Stud w/ 60 H.D. & 70 Axle |
|      | 3637 720    | 32  |      |       | NUT, Wheel 5/8" w/ 8 Stud w/ Dual Rear Wheels  |
| 6    | 1615 349    | AR  |      |       | WEIGHT, 1/2 oz.                                |
|      | 1615 350    | AR  |      |       | WEIGHT, 1 oz.                                  |
|      | 1615 351    | AR  |      |       | WEIGHT, 1 1/2 oz.                              |
|      | 1615 352    | AR  |      |       | WEIGHT, 2 oz.                                  |
|      | 1615 353    | AR  |      |       | WEIGHT, 2 1/2 oz.                              |
|      | 1615 354    | AR  |      |       | WEIGHT, 3 oz.                                  |
| 7    | 3461 079    | AR  |      |       | EXTENSION, w/ 15" Wheels                       |
|      | 4026 524    | AR  |      |       | EXTENSION, w/ 16" & 16.5" Wheels               |
| 8    | 2073 355    | AR  |      |       | STEM, w/ 15" Wheels                            |
|      | 3496 887    | AR  |      |       | STEM, w/ 16" & 16.5" Wheels                    |
| 9    | 3496 888    | AR  |      |       | CAP, Stem                                      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CARRIER, SPARE WHEEL D MODELS  
Figure 22-300

4322 300 A


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 6030 247    | 1   |      |       | STUD, 1/2"-13 x 5-1/8"                                    |
| 2    | 0219 467    | 1   |      |       | NUT, 1/2-13   |
| 3    | 3494 093    | 1   |      |       | BRACKET, Tire Carrier                                     |
| -    | 2976 714    | 1   |      |       | SUPPORT, Tire Carrier Brkt. (6-1/2 Foot Utiline Box Only) |
| 4    | 0118 615    | 4   |      |       | NUT, 3/8-16   |
| 5    | 9416 171    | 4   |      |       | SCREW AND WASHER, 3/8-16 x .875 ***                       |
| 6    | 0128 051    | 1   |      |       | PLAIN WASHER  |
| 7    | 3893 707    | 1   |      |       | WING NUT, 1/2-13  |
| 8    | 4168 103    | 1   |      |       | BRACKET, "J" Bolt   |
| 9    | 3899 812    | 1   |      |       | BRACKET, Floor  |
| 10   | 3899 869    | 1   |      |       | HOOK BOLT   |
| 11   | 3498 235    | 1   |      |       | BAR   |
| 12   | 1239 880    | 1   |      |       | WASHER  |
| 13   | 6032 004    | 1   |      |       | WING NUT, 3/8-16  |
| -    | 2979 773    | 1   |      |       | LOCK PKG. ***   |



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = WAGON (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

TIRE CARRIER, UNDERSLUNG D MODELS  
Figure 22-400

4322 400A





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION         |
|------|-------------|-----|------|-------|---------------------|
| 1    | 3497 536    | 1   |      |       | HANGER              |
| 2    | 3893 707    | 1   |      |       | NUT                 |
| 3    | 3497 538    | 1   |      |       | ROD                 |
| 4    | 6032 891    | 1   |      |       | BOLT, 1/2-13 x 8    |
| 5    | 0219 467    | 2   |      |       | NUT, 1/2-13         |
| 6    | 0123 174    | 1   |      |       | LOCK WASHER, 1/2"   |
| 7    | 0219 467    | 2   |      |       | NUT, 1/2-13         |
| 8    | 0182 774    | 2   |      |       | BOLT                |
| 9    | 6025 022    | 4   |      |       | NUT, 1/2-13         |
| 10   | 0181 063    | 2   |      |       | BOLT, 1/4-20 x 3/4" |
| 11   | 3497 540    | 1   | D    | 3     | EXTENSION           |
| 12   | 4213 495    | 1   |      |       | BRACKET             |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

CARRIER, SPARE WHEEL B MODELS  
Figure 22-500

4322 500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|-------------|-----|------|-------|------------------------------------|
| 1    | 4087 449    | 1   |      |       | CHANNEL, Side Mount                |
| 2    | 6029 839    | 1   |      |       | BOLT, Wheel Retaining, 3/8-16 x 9" |
|      | 6022 801    | 1   |      |       | 3/8-16 x 10-3/4"                   |
| 3    | 6026 648    | 1   |      |       | RETAINER, Bolt                     |
| 4    | 1239 880    | 1   |      |       | LOCKWASHER, Wingnut                |
| 5    | 6032 619    | 1   |      |       | WING NUT, Bolt 3/8-16              |
| 6    | 2909 542    | 1   |      |       | SPACER NUT, Bolt 1/2-20            |
| 7    | 4215 633    | 1   |      |       | CHANNEL, Floor Mount Brkt.         |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

JACK STOWAGE (1984) B 1,2,3  
Figure 22-600

4322 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                 |
|------|-------------|-----|------|-------|-----------------------------|
| 1    |             | 1   |      |       | WING NUT, (Not Serv.)       |
| 2    | 2957 980    | 1   |      |       | BRACKET                     |
| 3    | 3820 971    | 1   |      |       | JACK, Screw Type            |
| 4    | 0126 373    | 1   |      |       | BOLT, 5/16-18 x 1-1/2"      |
| 5    | 3498 235    | 1   |      |       | BAR, Lock                   |
| 6    | 3464 976    | 1   | B    | 1,2   | WRENCH, Lug 1/2-20, 3/4 Hex |
| 7    | 3636 252    | AR  |      |       | CLIP                        |
| 8    | 6029 839    | AR  |      |       | BOLT, 3/8-16 x 9"           |
| 9    | 3492 148    | 1   |      |       | LOAD MEMBER                 |
| 10   |             | 1   |      |       | BASE, (Serv. Bar And Base)  |
| 11   | 2963 999    | 1   | B    | 1,2   | SPRING                      |
| 12   | 6032 619    | 1   |      |       | WING NUT, 3/8-16            |
| 13   | 6026 648    | 1   |      |       | RETAINER                    |
| 14   | 2507 675    | 1   |      |       | HANDLE                      |
| 15   | 3636 663    | 1   |      |       | CLIP                        |
| 16   | 3735 529    | 1   | B    | 3     | WRENCH, 5/8-18, 1-1/8 Hex   |
| 17   | 3634 409    | 1   | B    | 3     | WRENCH, 1/2-20, 13/16 Hex   |
| 18   | 2954 150    | 1   | B    | 3     | HANDLE, Wheel Socket Wrench |
| 19   | 3621 396    | 1   | B    | 1,2   | BAR And BASE ***            |
|      | 0219 462    | 1   |      |       | NUT w/Washer, 1/4-20 ***    |
| 20   | 3739 912    | 1   |      |       | CLAMP                       |
|      | 0120 375    | 1   |      |       | NUT, 1/4-20                 |
|      | 6028 585    | 1   |      |       | BOLT, 1/4-20                |
|      | 2120 609    | 1   |      |       | SPACER                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

JACK STOWAGE (1985) B 1,2,3  
Figure 22-700

4322 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 6032 744    | 1   |      |       | BOLT, Side Mounted Tire 3/8-16 x 8-1/2" |
|      |             | 1   |      |       | BOLT, Floor Mounted Tire (Not Serv.)    |
| 2    | 6026 648    | 1   |      |       | RETAINER                                |
| 3    | 2507 675    | 1   |      |       | HANDLE                                  |
| 4    | 3464 976    | 1   |      |       | WRENCH, 3/4" Hex                        |
|      | 3634 409    | 1   |      |       | WRENCH, 13/16" Hex                      |
|      | 4352 111    | 1   |      |       | WRENCH, 1" Hex                          |
| 5    | 5208 7912   | 1   |      |       | JACK, Screw Type                        |
| 6    |             | 1   |      |       | WASHER, Lock (Not Serv.)                |
| 7    | 6032 619    | 1   |      |       | WING NUT, 3/8-16                        |
| 8    |             | 1   |      |       | SCREW, (Not Serv.)                      |
| 9    | 6031 609    | 1   |      |       | WING NUT, 1/4-20                        |
| 10   | 2120 609    | AR  |      |       | SPACER                                  |
| 11   | 3739 912    | 1   |      |       | CLAMP                                   |
| 12   | 0219 462    | AR  |      |       | NUT, w/Washer 1/4-20                    |
| 13   |             | 1   |      |       | PAD, (Not Serv.)                        |
| 14   | 3621 396    | 1   |      |       | BAR And BASE PKG.                       |
| 15   | 6032 744    | 1   |      |       | BOLT, Side Mounted Tire 3/8-16 x 8-1/2" |
|      |             | 1   |      |       | BOLT, Floor Mounted Tire (Not Serv.)    |
| 16   | 6026 648    | 1   |      |       | RETAINER                                |
| 17   |             | 1   |      |       | BASE, (Serv. in item No. 14)            |
| 18   | 2963 999    | 1   |      |       | SPRING                                  |
| 19   | 2909 542    | 1   |      |       | SPACER NUT, Floor Mounted Tire          |
| 20   |             | 1   |      |       | WASHER, (Not Serv.)                     |
| 21   | 0219 462    | 2   |      |       | NUT, w/Washer 1/4-20                    |
| 22   | 3739 908    | 1   |      |       | CLAMP                                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

JACK STOWAGE (1984) D MODEL  
Figure 22-800

4322 800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION              |
|------|-------------|-----|------|-------|--------------------------|
| 1    | 2507 675    | 1   |      |       | HANDLE, Screw Jack       |
|      | 2954 150    | 1   |      |       | HANDLE, Wheel Wrench     |
| 2    | 9428 274    | 1   |      |       | SCREW, 3/4-24 x 10"      |
| 3    |             | 1   |      |       | CLIP, (Not Serv.)        |
| 4    | 0219 462    | 2   |      |       | NUT, w/Washer 1/4-20     |
| 5    | 3634 003    | 1   |      |       | JACK, Screw Type 6100lb. |
|      | 3634 004    | 1   |      |       | JACK, Screw Type 8100lb. |
|      | 3634 005    | 1   |      |       | JACK, Screw Type 9000lb. |
| 6    | 3739 913    | 1   |      |       | BRACKET                  |
| 7    |             | 2   |      |       | WING NUT, 1/4-20         |
| 8    | 6027 055    | 2   |      |       | SCREW, 1/4-20            |
| 9    | 3739 908    | 1   |      |       | CLAMP                    |
| 10   | 3464 976    | 1   |      |       | WRENCH, 3/4" Hex         |
|      | 3634 409    | 1   |      |       | WRENCH, 13/16" Hex       |
|      | 4352 111    | 1   |      |       | WRENCH, 1" Hex           |
|      | 3735 529    | 1   |      |       | WRENCH, 1-1/8" Hex       |
| 11   | 3739 612    | 1   |      |       | BRACKET                  |
| 12   | 0219 462    | 1   |      |       | NUT, w/Washer 1/4-20     |

|  |  |                              |  |                   |  |
|--|--|------------------------------|--|-------------------|--|
| MODEL CODES:   |  |                              |  |                   |  |
| TRUCK LINE   |  |                              |  |                   |  |
| D123 = CONVENTIONAL  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           |  |
| TRUCK (4X2)  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  |  |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  |  |
| D5,6,7 = CONVENTIONAL  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. |  |
| (TRUCK) 4X4  |  |                              |  | CONVENTIONAL:     |  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  | (61) = 115" W.B.  |  |
| D9 = SPORT UTILITY (4X4)   |  |                              |  | (62) = 131" W.B.  |  |
|  |  |                              |  | (63) = 135" W.B.  |  |
|  |  |                              |  | (64) = 159" W.B.  |  |
|  |  |                              |  | SPORT UTILITY:    |  |
|  |  |                              |  | (71) = 106" W.B.  |  |
|  |  |                              |  | CREW CAB:         |  |
|  |  |                              |  | (82) = 149" W.B.  |  |
|  |  |                              |  | (83) = 165" W.B.  |  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |  |

JACK STOWAGE (1985) D MODEL  
Figure 22-900

4322 900



| ITEM | PART NUMBER | QTY | BODY | MODEL   | DESCRIPTION          |
|------|-------------|-----|------|---------|----------------------|
| 1    | 3464 976    | 1   |      |         | WRENCH, 3/4" Hex     |
|      | 3634 409    | 1   |      |         | WRENCH, 13/16" Hex   |
|      | 3735 529    | 1   |      |         | WRENCH, 1-1/8" Hex   |
| 2    | 0148 312    | AR  |      |         | WING NUT, 1/4-20     |
| 3    | 4215 903    | 2   |      |         | BRACKET              |
| 4    | 2954 150    | 1   |      |         | HANDLE, w/Dual Rears |
| 5    | 4215 717    | 1   |      |         | DECAL                |
| 6    | 0219 462    | AR  |      |         | NUT, w/Washer 1/4-20 |
| 7    | 0153 070    | 2   |      |         | BOLT                 |
| 8    | 3739 912    | 1   |      |         | BRACKET, Frt.        |
| 9    | 3739 913    | 1   |      |         | BRACKET, Rear        |
| 10   | 3739 908    | 1   |      |         | CLAMP                |
| 11   | 4293 226    | 1   | D    | 1,4     | JACK, Screw Type     |
|      | 4293 227    | 1   | D    | 2,5,6,8 | JACK, Screw Type     |
|      | 4293 228    | 1   | D    | 3,7     | JACK, Screw Type     |
| 12   | 2507 675    | 1   |      |         | HANDLE, Screw Jack   |
| 13   |             | 1   |      |         | SCREW, (Not Serv.)   |
| 14   |             | 1   |      |         | CLIP, (Not Serv.)    |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

GROUP 23 - BODY - EXTERIOR ORNAMENTATION


| ILLUSTRATION TITLE   | GROUP-FIG. NO. |
|--|----------------|
| MOULDINGS AND NAME PLATES - EXTERIOR VIEW B-1,2,3 .....          | Fig. 23-100    |
| TAPE STRIPES AND DECALS - EXTERIOR VIEW B - 1,2,3 .....          | Fig. 23-200    |
| MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-4,8 .....             | Fig. 23-300    |
| MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-1,2,3,5,6,7 .....     | Fig. 23-400    |
| TAPES STRIPES AND DECALS - EXTERIOR VIEW D-1,2,3,4,5,6,7,8 ..... | Fig. 23-500    |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



MOULDINGS AND NAME PLATES - EXTERIOR VIEW B-1,2,3  
Figure 23-100

4368 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4113 068    | 1   |      |       | MOULDING, Frt. Fndr. Panel Lwr.                            |
|      | 6028 674    | AR  |      |       | SCREW  |
|      | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 4081 364    | 1   |      |       | MOULDING, Frt. Door Outer Panel Lwr.                       |
| 2    | 4084 237    | 2   |      |       | RETAINER, Moulding   |
|      | 6003 921    | 1   |      |       | RETAINER w/STUD ASSEMBLY, Moulding ***                     |
|      | 4081 049    | 1   |      |       | MOULDING, Side Lock Frt. Door Pillar Lwr., Rt.             |
|      | 6028 674    | AR  |      |       | SCREW  |
| 3    | 4081 020    | 1   |      |       | MOULDING, Side Cargo Dr., Front Lwr.                       |
|      | 4081 021    | 1   |      |       | MOULDING, Side Cargo Door Rear Lwr.                        |
|      | 6025 665    | AR  |      |       | NUT  |
|      | 6003 931    | AR  |      |       | RETAINER, Moulding   |
| 4    | 4081 368    | 1   |      |       | MOULDING, Side Cargo Door Lwr. Sliding                     |
|      | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 4081 354    | 1   |      |       | MOULDING, Side Panel Lwr. Frt., w/109" W.B.                |
|      | 4081 358    | 1   |      |       | MOULDING, Side Pnl. Lwr. Frt., w/127" and 127" Ext. W.B.   |
| 5    | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 4084 237    | AR  |      |       | SCREW, (Not Serv.)   |
|      | 4084 262-3  | 1   |      |       | MOULDING, Side Pnl. and Rear Corner Lwr., 109", 127" W.B.  |
|      | 4084 264-5  | 1   |      |       | MOULDING, Side Pnl. and Rear Corner Lwr., w/127" Ext. W.B. |
| 6    | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                                 |
|      | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 4084 237    | AR  |      |       | SCREW, (Not Serv.)   |
|      | 4106 443    | 2   |      |       | MOULDING PACKAGE, Dual CARGO Doors Lwr.                    |
| 7    | 4106 435    | 1   |      |       | MOULDING PACKAGE, Single Cargo Door Lwr.                   |
|      | 6003 922    | AR  |      |       | RETAINER ASSEMBLY, Moulding ***                            |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                                 |
|      | 4113 069    | 1   |      |       | Moulding, Side Frt. Fender Lwr.                            |
| 8    | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 6028 674    | AR  |      |       | SCREW  |
|      | 4081 365    | 1   |      |       | MOULDING, Frt. Door Lwr.                                   |
|      | 4084 237    | AR  |      |       | RETAINER, Moulding   |
| 9    | 6003 921    | AR  |      |       | RETAINER w/STUD ASSEMBLY, Moulding ***                     |
|      | 6026 335    | AR  |      |       | NUT  |
|      | 4081 355    | 1   |      |       | MOULDING, Side Pnl. Lwr. Frt., w/109" W.B.                 |
|      | 4081 359    | 1   |      |       | MOULDING, Side Pnl. Lwr. Frt., w/127" and 127" Ext. W.B.   |
| 10   | 6025 665    | AR  |      |       | NUT  |
|      | 4084 237    | AR  |      |       | RETAINER, Moulding   |
|      | 4131 850    | 1   |      |       | MOULDING PACKAGE, Frt. Fndr. Up.                           |
|      | 6003 185    | AR  |      |       | RETAINER, Moulding   |
| 11   | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                                 |
|      |             |     |      |       |  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOULDINGS AND NAME PLATES - EXTERIOR VIEW B-1,2,3  
Figure 23-100

4368 10uA



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 12   | 4106 438    | 1   |      |       | MOULDING PACKAGE, Frt. Door Upr.                   |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6025 665    | AR  |      |       | NUT  |
|      | 6003 920    | AR  |      |       | RETAINER and STUD                                  |
|      | 4081 343    | 1   |      |       | MOULDING, Side Lock, Frt. Door Pillar Upr., Rt.    |
| 13   |             |     |      |       | SCREW, (Not Serv.)                                 |
|      | 4106 437    | 2   |      |       | MOULDING PACKAGE, Side Cargo Doors Upr.            |
|      | 4106 442    | 1   |      |       | MOULDING PACKAGE, Sliding Door Upr.                |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6003 920    | AR  |      |       | RETAINER and STUD                                  |
| 14   | 6026 335    | AR  |      |       | NUT  |
|      | 4106 432    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Upr., Rt., w/109" W.B. |
|      | 4106 434    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Upr., Rt., w/127" W.B. |
|      | 4106 436    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Upr., Rt., w/127" W.B. |
|      | 6025 665    | AR  |      |       | NUT  |
| 15   | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                |
|      | 4081 024-5  | 1   |      |       | MOULDING, Side Rr. Cnr. Outer Pnl. Upr.            |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6003 920    | AR  |      |       | RETAINER and STUD                                  |
| 16   | 4081 338-9  | 1   |      |       | MOULDING, Side Rr. Cnr. Inr. Pnl. Upr.             |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE                                   |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                |
|      | 4106 437    | 2   |      |       | MOULDING PACKAGE, Rear Cargo Doors Upr.            |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
| 17   | 6026 335    | AR  |      |       | NUT  |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                |
|      | 4106 442    | 1   |      |       | MOULDING PACKAGE, Single Rear Cargo Door Upr.      |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                |
| 18   | 6026 335    | AR  |      |       | NUT  |
|      | 4131 851    | 1   |      |       | BEZEL, Tail Lamp (Refer to Group 8)                |
|      | 4106 438    | 1   |      |       | MOULDING PACKAGE, Frt. Fndr. Upr.                  |
|      | 6003 185    | AR  |      |       | RETAINER, Moulding                                 |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
| 19   | 4106 438    | 1   |      |       | MOULDING PACKAGE, Frt. Door                        |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                         |
|      | 6025 665    | AR  |      |       | NUT  |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                |
|      | 4106 432    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Upr. Frt., w/109" W.B. |
| 20   | 4106 434    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Upr. Frt., w/127" W.B. |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOULDINGS AND NAME PLATES - EXTERIOR VIEW B-1,2,3  
Figure 23-100

4368 10uA



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4106 436    | 1   |      |       | MOULDING PACKAGE, Side Pnl. Uprr. Frt., w/127" W.B. |
|      | 6025 665    | AR  |      |       | NUT   |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                 |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                          |
| 23   | 4106 433    | 1   |      |       | MOULDING PACKAGE, Side Pnl Rear Uprr.               |
|      | 6025 665    | AR  |      |       | NUT   |
|      | 6003 920    | AR  |      |       | RETAINER w/STUD ***                                 |
|      | 3780 434    | AR  |      |       | RETAINER PACKAGE, Moulding                          |
| 24   | 4260 261    | 1   |      |       | NAMEPLATE, Rear Cargo Door, "DODGE RAM"             |
| 25   | 4260 259    | 2   |      |       | NAMEPLATE, Frt. Door, "RAM"                         |
| 26   | 4176 401    | 1   |      |       | MOULDING, Hood Panel                                |
|      | 6003 185    | AR  |      |       | RETAINER, Moulding                                  |
|      | 6026 335    | AR  |      |       | NUT   |
|      | 6003 915    | AR  |      |       | RETAINER ASSEMBLY, Moulding ***                     |
| 27   | 4260 256    | 1   |      |       | NAMEPLATE, Hood, "DODGE", Use Up to 7-1-85          |
|      | 4357 050    | 1   |      |       | NAMEPLATE, Hood, "DODGE", Use After 7-1-85          |
|      |             | AR  |      |       | NUT, (Not Serv.)                                    |
| 28   | 4114 000    | 2   |      |       | NAMEPLATE, Side Pnl, "PROSPECTOR"                   |
| 29   | 4260 062-3  | 1   |      |       | BASE, Frt. Dr. Ram Medallion - 1984 Model           |
|      | 4260 352-3  | 1   |      |       | BASE, Frt. Dr. Ram Medallion - 1985 Model           |
|      | 6003 808    | AR  |      |       | FASTENER  |
| 30   | 4214 391    | 2   |      |       | INSERT, Frt. Dr. Medallion, "Custom 150"            |
|      | 4214 392    | 2   |      |       | "Custom 250"  |
|      | 4214 393    | 2   |      |       | "Custom 350"  |
|      | 4214 399    | 2   |      |       | "Royal 150"   |
|      | 4214 400    | 2   |      |       | "Royal 250"   |
|      | 4214 401    | 2   |      |       | "Royal 350"   |
|      | 4214 403    | 2   |      |       | "Royal SE 150"                                      |
|      | 4214 404    | 2   |      |       | "Royal SE 250"                                      |
|      | 4214 405    | 2   |      |       | "Royal SE 350"                                      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TAPE STRIPES AND DECALS - EXTERIOR VIEW B - 1,2,3  
Figure 23-200

4368 200A


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4260 110-1  | 1   |      |       | TAPE, Front Fender, Gold - 1984 Model                  |
|      | 4357 014-5  | 1   |      |       | TAPE, Front Fender, Gold - 1985 Model                  |
| 2    | 4260 114-5  | 1   |      |       | TAPE, Front Door Lower, Gold - 1984 Model              |
|      | 4357 012-3  | 1   |      |       | TAPE, Front Door Lower, Gold - 1985 Model              |
| 3    | 4271 694    | 1   |      |       | TAPE, Body Side & Rear Door (30 Ft. Roll) - 1984 Model |
|      | 4364 088    | 1   |      |       | TAPE, Body Side & Rear Door (30 Ft. Roll) - 1985 Model |
| 4    | 4260 112-3  | 1   |      |       | TAPE, Body Side Pnl. Wheel Opng. - 1984 Model          |
|      | 4357 032-3  | 1   |      |       | TAPE, Body Side Pnl. Wheel Opng. - 1985 Model          |



|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRUMS AND WHEELS (R&L)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-4,8  
 Figure 23-300

4388 300A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1    | 4260 256    | 1   |      |       | NAMEPLATE, Hood, "Dodge", Use Up to 7-1-85      |
|      | 4357 050    | 1   |      |       | NAMEPLATE, Hood, "Dodge", Use After 7-1-85      |
|      | 6000 050    | AR  |      |       | RETAINER  |
| 2    | 4260 189    | 1   |      |       | ORNAMENT, Hood, Complete                        |
|      | 3672 672    | 1   |      |       | Spring, Hood Ornament                           |
| 3    | 3672 780    | 1   |      |       | RETAINER, Hood Ornament Spring                  |
|      | 3494 578-9  | 1   |      |       | MOULDING, Roof Pnl. Frt. Drip                   |
|      | 3494 576-7  | 1   |      |       | MOULDING, Roof Side Drip                        |
| 4    | 4205 718-9  | 2   |      |       | MOULDING PACKAGE, Fndr., Upr.                   |
|      | 6025 665    | AR  |      |       | NUT   |
|      | 6002 013    | AR  |      |       | RETAINER  |
| 5    | 4267 860-1  | 2   |      |       | MOULDING PACKAGE, Frt. Door Upr.                |
|      | 6003 141    | AR  |      |       | RETAINER  |
|      | 6003 762    | AR  |      |       | RETAINER  |
| 6    | 4205 760    | 2   |      |       | MOULDING PACKAGE, Side Pnl. Upr.                |
|      | 6003 141    | AR  |      |       | RETAINER  |
|      | 4057 555    | AR  |      |       | RETAINER PACKAGE                                |
| 7    | 3744 367    | AR  |      |       | RETAINER PACKAGE                                |
|      | 4205 758-9  | 1   |      |       | EXTENSION PACKAGE, Side Pnl. Upr. Mldg., Rear   |
|      | 4057 555    | AR  |      |       | RETAINER PACKAGE                                |
|      | 3744 367    | AR  |      |       | RETAINER PACKAGE                                |
| 8    | 4211 692-3  | 1   |      |       | MOULDING, Fndr. Frt. Lwr., w/Insert             |
|      |             |     |      |       | SCREW, (Not Serv.)                              |
| 9    | 4160 372-3  | 1   |      |       | MOULDING, Fndr. Wheel Opng.                     |
|      |             |     |      |       | SCREW, (Not Serv.)                              |
| 10   | 4205 726-7  | 1   |      |       | MOULDING PACKAGE, Fndr. Rear Lwr., w/Insert     |
|      | 6003 519    | AR  |      |       | RETAINER  |
| 11   | 4260 262    | 2   |      |       | NAMEPLATE, Fndr., "RAM CHARGER"                 |
|      | 4260 062-3  | 2   |      |       | BASE, Fndr. Ram Charger - 1984 Model            |
|      | 4260 352-3  | 2   |      |       | BASE, Fndr. Ram Charger - 1985 Model            |
|      | 4214 391    | 2   |      |       | INSERT, Fndr. Medallion, "CUSTOM 150"           |
|      | 4214 403    | 2   |      |       | INSERT, Fndr. Medallion, "Royal S.E. 150"       |
|      | 6003 698    | AR  |      |       | RETAINER  |
| 12   | 4205 728-9  | 1   |      |       | MOULDING PACKAGE, Frt. Door Lwr., w/Insert      |
|      | 6003 519    | AR  |      |       | RETAINER  |
|      | 6003 295    | AR  |      |       | RETAINER  |
|      | 9420 867    | AR  |      |       | NUT   |
| 13   | 4205 730-1  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Frt. Lwr., w/Insert |
|      | 6003 519    | AR  |      |       | RETAINER  |
| 14   | 4160 380-1  | 1   |      |       | MOULDING, Rear Wheel Opng.                      |
| 15   | 4205 732-3  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Rear Lwr., w/Insert |

MODEL CODES:  
 TRUCK LINE  
 D123 = CONVENTIONAL  
           TRUCK (4X2)  
 D4 = SPORT UTILITY (4X2)  
 D5,6,7 = CONVENTIONAL  
           (TRUCK) 4X4  
 D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
 (51) = 109" W.B.  
 (52) = 127" W.B.  
 (53) = 127X" W.B.

CONVENTIONAL:  
 (61) = 115" W.B.  
 (62) = 131" W.B.  
 (63) = 135" W.B.  
 (64) = 159" W.B.


SPORT UTILITY:  
 (71) = 106" W.B.

CREW CAB:  
 (82) = 149" W.B.  
 (83) = 165" W.B.

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-4,8  
 Figure 23-300

4388 300A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
|      | 6003 519    | AR  |      |       | RETAINER   |
| 16   | 4114 000    | 2   |      |       | NAMEPLATE, "PROSPECTOR"                          |
| 17   | 4168 742-3  | 1   |      |       | MOULDING, Side Qtr. Wdo. Opng., Upr.             |
| 18   | 4168 736-7  | 1   |      |       | MOULDING, Side Qtr. Wdo. Opng., Frt. Upr. Corner |
| 19   | 4211 806-7  | 1   |      |       | MOULDING, Side Qtr. Wdo. Opng, Lwr.              |
| 20   | 4214 040-1  | 1   |      |       | MOULDING, Side Qtr. Wdo. Opng., Lwr. Rear Corner |
| 21   | 6003 753    | AR  |      |       | RETAINER   |
| 22   |             |     |      |       | RETAINER and STUD, (Not Serv.)                   |
| 23   | 4212 390    | 1   |      |       | ROLL BAR, Roof Inner, Complete                   |
|      | 4212 408-9  | 1   |      |       | REINFORCEMENT, Roll Bar Strut to W/Hsg., Mtg.    |
|      | 4212 404    | 2   |      |       | REINFORCEMENT, Roll Bar to U/Body Pnl. Mtg.      |
| 24   | 6030 792    | AR  |      |       | SCREW  |
| 25   | 4087 642    | AR  |      |       | CAP, Rear Seat Safety Belt, Mtg.                 |
| 26   | 4205 737    | 1   |      |       | MOULDING PACKAGE, H/Gate Upr.                    |
| 27   | 4205 717    | 1   |      |       | MOULDING PACKAGE, H/Gate Upr.                    |
| 28   | 4205 703    | 1   |      |       | APPLIQUE PACKAGE, H/Gate Pnl., Dodge Ram         |
| 29   | 4205 717    | 1   |      |       | MOULDING PACKAGE, H/Gate Lwr.                    |
| 30   | 3744 367    | AR  |      |       | RETAINER PACKAGE                                 |
| 31   | 6003 926    | AR  |      |       | RETAINER   |
| 32   | 4205 642    | AR  |      |       | RETAINER PACKAGE                                 |
| 33   | 9420 867    | AR  |      |       | NUT  |
| 34   | 6003 924    | AR  |      |       | RETAINER   |
| 35   | 6003 141    | AR  |      |       | RETAINER   |
| 36   | 4260 261    | 1   |      |       | NAMEPLATE, H/Gate, "DODGE RAM"                   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-1,2,3,5,6,7  
Figure 23-400

4368 400C



| ITEM | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION                                 |
|------|-------------|-----|------|-----------|---|
| 1    | 4260 256    | 1   |      |           | NAME PLATE, Hood "Dodge", Use Up to 7-1-85  |
|      | 4357 050    | 1   |      |           | NAME PLATE, Hood "Dodge", Use After 7-1-85  |
|      | 6000 050    | AR  |      |           | RETAINER                                    |
| 2    | 4260 189    | 1   |      |           | ORNAMENT, Hood, Complete                    |
|      | 3672 672    | 1   |      |           | SPRING, Hood Ornament                       |
|      | 3672 780    | 1   |      |           | RETAINER, Hood Ornament Spring              |
| 3    | 3494 578-9  | 1   |      |           | MOULDING, Roof Frt. Drip                    |
| 4    | 3494 576-7  | 1   |      |           | MOULDING, Roof Side Drip                    |
|      | 4038 548-9  | 1   |      |           | MOULDING, Roof Drip Center, Crew Cab        |
| 5    | 4205 718-9  | 1   |      |           | MOULDING PACKAGE, Fndr. Upr.                |
|      | 6025 665    | AR  |      |           | NUT   |
|      | 6003 141    | AR  |      |           | RETAINER                                    |
|      | 6002 013    | AR  |      |           | RETAINER                                    |
| 6    | 4160 372-3  | 1   |      |           | MOULDING, Wheel Opng.<br>SCREW, (Not Serv.) |
| 7    | 4260 259    | 2   |      | D-1,2,3   | NAMEPLATE, Fndr., "RAM"                     |
|      | 4057 555    | AR  |      |           | RETAINER PACKAGE                            |
| 8    | 4260 260    | 2   |      | D-5,6,7   | NAMEPLATE, Fndr., "POWER RAM"               |
|      | 4260 062-3  | 1   |      |           | BASE, Fndr. Ram Medallion - 1984 Model      |
|      | 4260 352-3  | 1   |      |           | BASE, Fndr. Ram Medallion - 1985 Model      |
|      | 4260 128    | 2   |      |           | INSERT, Fndr. Medallion, "CUSTOM 100"       |
|      | 4214 391    | 2   |      |           | INSERT, Fndr. Medallion, "CUSTOM 150"       |
|      | 4214 392    | 2   |      |           | INSERT, Fndr. Medallion, "CUSTOM 250"       |
|      | 4214 393    | 2   |      |           | INSERT, Fndr. Medallion, "CUSTOM 350"       |
|      | 4214 403    | 2   |      |           | INSERT, Fndr. Medallion, "ROYAL S.E. 150"   |
| 9    | 4214 404    | 2   |      |           | INSERT, Fndr. Medallion, "ROYAL S.E. 250"   |
|      | 4214 405    | 2   |      |           | INSERT, Fndr. Medallion, "ROYAL S.E. 350"   |
|      | 6003 698    | AR  |      |           | RETAINER                                    |
|      | 4267 860-1  | 1   |      |           | MOULDING PACKAGE, Frt. Door Upr.            |
|      | 6025 665    | AR  |      |           | NUT   |
|      | 6003 141    | AR  |      |           | RETAINER                                    |
|      | 6003 923    | AR  |      |           | RETAINER                                    |
|      | 4205 721    | 2   |      |           | MOULDING PACKAGE, Rear Door Upr.            |
| 10   | 6025 665    | AR  |      |           | NUT   |
|      | 6003 141    | AR  |      |           | RETAINER                                    |
|      | 6003 923    | AR  |      |           | RETAINER                                    |
|      | 4205 724-5  | 1   |      | D-1,2,5,6 | MOULDING PACKAGE, Rear Pnl. Upr.            |
| 11   | 3495 796-7  | 1   |      | D-3,7     | MOULDING PACKAGE, Rear Pnl. Upr.            |
|      | 9420 867    | AR  |      |           | NUT   |
|      | 6003 924    | AR  |      |           | RETAINER                                    |
| 12   | 4160 380-1  | 1   |      |           | MOULDING, Rear Wheel Opng.                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-1,2,3,5,6,7  
Figure 23-400

4368 400C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | SCREW, (Not Serv.)  |
| 11   | 4205 752    | 2   |      |       | MOULDING PACKAGE, Side Pnl. Upr., w/6.5 Ft. Box                             |
|      | 4205 753    | 2   |      |       | MOULDING PACKAGE, Side Pnl. Upr., w/8 Ft. Box                               |
|      | 4057 555    | AR  |      |       | NUT PACKAGE   |
|      | 3744 367    | AR  |      |       | RETAINER PACKAGE  |
| 12   | 6003 141    | AR  |      |       | RETAINER  |
|      | 4205 754-5  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Ext. Rear                                       |
|      | 4057 555    | AR  |      |       | NUT PACKAGE   |
|      | 3744 367    | AR  |      |       | RETAINER PACKAGE  |
| 13   | 4211 692-3  | 1   |      |       | MOULDING, Fndr. Frt. Lwr., w/Insert<br>SCREW, (Not Serv.)                   |
| 14   | 4205 726-7  | 1   |      |       | MOULDING PACKAGE, Fndr. Rear Lwr., w/Insert                                 |
|      | 6003 519    | AR  |      |       | RETAINER  |
| 15   | 4205 728-9  | 1   |      |       | MOULDING PACKAGE, Frt. Door Lwr., w/Insert                                  |
|      | 6025 665    | AR  |      |       | NUT   |
|      | 6003 519    | AR  |      |       | RETAINER  |
|      | 6003 913    | AR  |      |       | RETAINER  |
| 16   | 4205 736    | 2   |      |       | MOULDING PACKAGE, Rear Door Lwr., w/Insert                                  |
|      | 6003 519    | AR  |      |       | RETAINER  |
|      | 6003 295    | AR  |      |       | RETAINER  |
| 17   | 4205 738-9  | 1   |      |       | MOULDING PACKAGE, Rear Qtr. Pnl Lwr., w/Insert                              |
|      | 0116 000    | AR  |      |       | NUT   |
|      | 6003 913    | AR  |      |       | RETAINER  |
| 18   | 4205 740-1  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Frt. Lwr., w/Insert, w/6.5 Ft. Box              |
|      | 4205 742-3  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Frt. Lwr., w/Insert, w/8 Ft. Box                |
|      | 4205 744-5  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Frt. Lwr., w/Insert, w/Duel Wheels, w/8 Ft. Box |
| 19   | 6003 519    | AR  |      |       | RETAINER  |
|      | 4205 746-7  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Rear Lwr., w/Insert, w/6.5 Ft. Box              |
|      | 4205 748-9  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Rear Lwr., w/Insert, w/8 Ft. Box                |
|      | 4205 750-1  | 1   |      |       | MOULDING PACKAGE, Side Pnl. Rear Lwr., w/Insert, w/Duel Wheels, w/8 Ft. Box |
| 20   | 6003 519    | AR  |      |       | RETAINER  |
|      | 4114 000    | 2   |      |       | NAMEPLATE, "PROSPECTOR"   |
|      | 4205 716    | 2   |      |       | MOULDING PACKAGE, T/Gate Upr. Handle  |
|      | 4205 737    | 1   |      |       | MOULDING, T/Gate Panel Upr.   |
| 23   | 4205 703    | 1   |      |       | APPLIQUE PACKAGE, T/Gate Pnl, Dodge Ram                                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



MOULDINGS AND NAMEPLATES - EXTERIOR VIEW D-1,2,3,5,6,7  
Figure 23-400


4368 400C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 24   | 4205 717    | 1   |      |       | MOULDING PACKAGE, T/Gate Lwr.          |
| 25   | 4260 261    | 1   |      |       | NAMEPLATE, "DODGE RAM"                 |
| 26   | 6025 665    | AR  |      |       | RETAINER                               |
| 27   |             |     |      |       | STUD, (Not Serv.)                      |
| 28   | 3744 367    | AR  |      |       | RETAINER PACKAGE                       |
| 29   | 6003 925    | AR  |      |       | RETAINER                               |
| 30   | 4205 642    | AR  |      |       | RETAINER PACKAGE                       |
| 31   | 6025 665    | AR  |      |       | NUT                                    |
| 32   | 4057 555    | AR  |      |       | NUT PACKAGE                            |
| 33   | 3744 367    | AR  |      |       | RETAINER PACKAGE                       |
| 34   | 4106 516    | 1   |      |       | SPORT BAR PACKAGE, Use on 6.5 Foot Box |
|      | 4106 517    | 1   |      |       | SPORT BAR PACKAGE, Use on 8 Foot Box   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

TAPES STRIPES AND DECALS - EXTERIOR VIEW D-1,2,3,4,5,6,7,8  
Figure 23-500



| ITEM | PART NUMBER                   | QTY | BODY | MODEL        | DESCRIPTION   |
|------|-------------------------------|-----|------|--------------|---|
| 1    | TAPE PACKAGE, Body Side       |     |      |              |   |
|      | 4293 566-7                    | 1   |      | D-Except 4,8 | Gold - 1984 Model   |
|      | 4364 086-7                    | 1   |      | D-Except 4,8 | Gold - 1985 Model   |
|      | 4339 292-3                    | 1   |      | D-1,5        | TAPE PACKAGE, Body Side, Silver, Marksman 1000 - 1984 Model |
| 2    | TAPE PACKAGE, Hood Outer Pnl. |     |      |              |   |
|      | 4293 500                      | 1   |      | D-All        | Gold - 1984 Model   |
|      | 4364 083                      | 1   |      | D-All        | Gold - 1985 Model   |
|      | 4339 294                      | 1   |      | D-1,5        | TAPE PACKAGE, Hood, Silver, Marksman 1000 - 1984 Model      |
| 3    | TAPE, Tailgate, Sweptline     |     |      |              |   |
|      | 4260 118                      | 1   |      | D-Except 4,8 | Gold - 1984 Model   |
|      | 4357 038                      | 1   |      | D-Except 4,8 | Gold - 1985 Model   |
|      | 4260 119                      | 1   |      | D-Except 4,8 | Utiline, Gold - 1984 Model                                  |
|      | 4357 011                      | 1   |      | D-Except 4,8 | Utiline, Gold - 1985 Model                                  |
|      | E003 BW3                      | 1   |      | D-Except 4,8 | DECAL, T/Gate, "DODGE RAM", White, Swepline                 |
|      | E003 BX9                      | 1   |      | D-Except 4,8 | Black, Sweptline  |
|      | E003 BY3                      | 1   |      | D-Except 4,8 | Gold, Sweptline - 1984 Model                                |
|      | E003 DY1                      | 1   |      | D-Except 4,8 | Gold, Sweptline - 1985 Model                                |
|      | E002 BW3                      | 1   |      | D-Except 4,8 | White, Utiline  |
|      | E002 BX9                      | 1   |      | D-Except 4,8 | Black, Utiline  |
|      | 4149 602                      | 1   |      | D-1,5        | TAPE, T/Gate, "DODGE RAM", Silver, Marksman - 1984 Model    |
| 4    | TAPE PACKAGE, Body Side       |     |      |              |   |
|      | 4293 564-5                    | 1   |      | D-4,8        | Gold - 1984 Model   |
|      | 4364 084-5                    | 1   |      | D-4,8        | Gold - 1985 Model   |
| 5    | TAPE, Liftgate                |     |      |              |   |
|      | 4260 118                      | 1   |      | D-4,8        | Gold - 1984 Model   |
|      | 4357 038                      | 1   |      | D-4,8        | Gold - 1985 Model   |
| 6    | 4149 603                      | 2   |      | D-1,5        | DECAL, "Marksman 1000" - 1984 Model                         |
|      | 4149 627                      | 2   |      | D-1,5        | DECAL, "MARKSMAN" - 1984 Model                              |
|      | 4260 014                      | 2   |      | D-Except 4,8 | DECAL, "SNO COMMANDER"                                      |

NOTE: Dodge Truck Division continues to offer special equipment body options. Repair parts unique to these applications are not available through the Chrysler Service & Parts Division. These parts can be obtained by contacting the following companies: The above suppliers also maintain repair centers throughout the continental United States which should be able to assist you. Refer to the yellow pages of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

GROUP 23A - BODY - SHEET METAL EXCEPT DOORS

ILLUSTRATION TITLEGROUP-FIG. NO.

B TRUCK

|   |               |
|---|---------------|
| FENDER, FRONT B1,2,3  | Fig. 23A-100  |
| HOOD B1,2,3   | Fig. 23A-200  |
| CAB, FRONT B1,2,3   | Fig. 23A-300  |
| FLOOR PAN B1,2,3  | Fig. 23A-400  |
| HOUSING, ENGINE B1,2,3  | Fig. 23A-500  |
| PANELS, ROOF HEADER AND ROOF RAILS B1,2,3                     | Fig. 23A-600  |
| PANELS, PILLARS, REINFORCEMENTS, EXTENSIONS, & FILLERS B1,2,3 | Fig. 23A-700  |
| TRACK COVERS & STEPWELL-SLIDING DOOR B1,2,3                   | Fig. 23A-800  |
| SUPPORTS AND CHANNELS (RIGHT) B1,2,3                          | Fig. 23A-900  |
| SUPPORTS , STRAINERS , RETAINERS AND FUEL FILLER DOOR B1,2,3  | Fig. 23A-1000 |
| GLASS AND WEATHERSTRIPS B1,2,3                                | Fig. 23A-1100 |
| WINDOWS , VENTED B1,2,3                                       | Fig. 23A-1200 |


D TRUCK

|  |               |
|--|---------------|
| FENDER, FRONT D1-8                                   | Fig. 23A-1400 |
| HOOD ASSEMBLY D1-8                                   | Fig. 23A-1500 |
| HOOD LATCH RELEASE ASSEMBLY (IN CAB) D1-8            | Fig. 23A-1600 |
| BODY PANELS , ROOF PANEL & REAR QUARTER GLASS D4 & 8 | Fig. 23A-1800 |
| ROOF VENT D4 & 8                                     | Fig. 23A-1900 |
| HATCH GATE AND ATTACHING PARTS D4 & 8                | Fig. 23A-2000 |
| GLASS, WEATHERSTRIP AND STRIKER (H/GATE) D4 & 8      | Fig. 23A-2100 |
| BODY PANELS, CONVENTIONAL CAB D1-3 & 5-7             | Fig. 23A-2200 |
| BODY PANELS - CREW CAB D3 & 7                        | Fig. 23A-2300 |
| EXPRESS BOX - SWEPTLINE D1-3 & 5-7                   | Fig. 23A-2500 |
| EXPRESS BOX - UTILINE D1-3 & 5-7                     | Fig. 23A-2600 |
| REAR FENDER AND RUNNING BOARD D1-3 & 5-7             | Fig. 23A-2700 |
| TAILGATE D1-3 & 5-7                                  | Fig. 23A-2800 |
| WINDSHIELD AND BACKLITE D1-8                         | Fig. 23A-2900 |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

FENDER, FRONT B1,2,3  
Figure 23A-100

4369 100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    | 4166 924    | 1   |      |       | PANEL, Cowl Side, w/o A/C, Right              |
|      | 4166 920    | 1   |      |       | w/A/C, Right                                  |
|      | 4166 921    | 1   |      |       | Left  |
| 2    | 4080 444-5  | 1   |      |       | BEAM, Cowl Side, Impact                       |
| 3    | 4113 921    | 1   |      |       | SHIELD, Cowl Side, Horizontal Water, Right    |
|      | 4113 919    | 1   |      |       | SHIELD, Cowl Side, Right, 1984                |
| 4    | 4212 556-7  | 1   |      |       | EXTENSION, Front Wheelhouse Inner, Upper Rear |
| 5    | 2956 526    | 1   |      |       | REINFORCEMENT, Side Stepsill Front, Right     |
|      | 4084 913    | 1   |      |       | Left  |
| 6    | 4113 914-5  | 1   |      |       | PANEL, Side Front Wheelhouse, Inner           |
| 7    | 4166 916-7  | 1   |      |       | PANEL, Front Fender, Side                     |
| 8    | 4211 980-1  | 1   |      |       | EXTENSION, Front Fender to Headlamp Support   |
| 9    | 4087 518-9  | 1   |      |       | EXTENSION, Front Fender to Hinge Pillar Outer |
| 10   | 4211 982-3  | 1   |      |       | PANEL, Rear Fender, Side                      |
| 11   | 4113 900    | 1   |      |       | SHIELD, Alternator Splash, Right              |
| 12   | 6029 886    | 6   |      |       | RETAINER                                      |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGONS AND WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

HOOD B1,2,3  
Figure 23A-200

4369 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4106 537    | 1   |      |       | LATCH PACKAGE, Hood Inside Release                    |
| 1    | 4215 820    | 1   |      |       | PANEL, Hood   |
| 2    | 4087 801    | 1   |      |       | STRIKER, Hood Safety                                  |
| 3    | 4087 802    | 1   |      |       | STRIKER, Hood Lock                                    |
| 3a   | 4087 521    | 1   |      |       | REINFORCEMENT, Hood Lock Striker                      |
| 4    | 0181 063    | 6   |      |       | SCREW and WASHER                                      |
| 5    | 0181 088    | 4   |      |       | SCREW and WASHER                                      |
| 6    | 4084 636    | 2   |      |       | ARM, Hood Hinge                                       |
|      | 4103 278    | 2   |      |       | BUMPER, Hinge to Cowl Side Panel, Anti-Rattle         |
| 7    | 6029 924    | 2   |      |       | BUSHING, Hood Hinge                                   |
| 8    | 5207 387    | 1   |      |       | SPRING, Hood Pop-Up                                   |
| 9    |             | 1   |      |       | SUPPORT, Hood Lock (See Group 7 Illustrations)        |
| 10   | 4087 800    | 1   |      |       | CATCH, Hood Safety                                    |
| 11   | 4080 322    | 1   |      |       | PROP, Hood Panel                                      |
| 12   | 6023 531    | 2   |      |       | SCREW   |
| 13   | 3788 362    | 2   |      |       | BUMPER, Hood Panel                                    |
| 14   |             | 1   |      |       | SCREW, #10-16 x .375" (Not Serviced)                  |
| 15   |             | 1   |      |       | RETAINER, Hood Prop (Not Serviced)                    |
| 16   | 5207 088    | 1   |      |       | LATCH, Hood   |
| 17   | 0181 063    | 2   |      |       | SCREW and WASHER                                      |
| 18   | 4113 845    | 1   |      |       | SHIELD, Latch Release, Upper Support                  |
| 19   | 4160 870    | 1   |      |       | RELEASE, Hood Latch & Cable Assy.                     |
|      |             | 1   |      |       | CLIP, Hood Latch Release Cable Routing (Not Serviced) |
| 20   |             | 2   |      |       | SCREW, #10-16 x .75" (Not Serviced)                   |
| 21   | 9414 722    | 2   |      |       | SCREW and WASHER                                      |
| 22   | 3695 100    | 1   |      |       | GROMMET, Hood Latch Release                           |
| 23   | 3495 003    | 1   |      |       | RETAINER, Hood Panel Prop                             |
| 24   |             |     |      |       | BRACE, Hood Latch Release Support                     |
|      | 4114 675    | 1   |      |       | Up to 2-4-85  |
|      | 4359 032    | 1   |      |       | After 2-4-85  |
| 25   | 4113 435    | 2   |      |       | BRACKET, Cowl Side Panel Hood Bumper                  |
| 26   | 4359 032    | 1   |      |       | BRACE, Hood Hatch Support                             |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |


CAB, FRONT B1,2,3  
Figure 23A-300

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4215 883    | 1   |      |       | PANEL, Dash, w/o A/C, 1984  |
|      | 4351 077    | 1   |      |       | 1985  |
|      | 4262 007    | 1   |      |       | w/A/C, 1984   |
|      | 4335 572    | 1   |      |       | 1985, Up to 10-22-84  |
|      | 4351 076    | 1   |      |       | 1985, After 10-22-84  |
|      | 4113 265    | 1   |      |       | INSULATION, Dash Panel  |
|      | 4113 502    | 1   |      |       | INSULATION, Dash Panel, Upper                                     |
|      | 6030 441    | 1   |      |       | PLUG, Cowl Plenum Reinforcement Wiper Motor Mounting P/ Nut, 1985 |
| 2    | 4211 938    | 1   |      |       | EXTENSION, Dash Panel to Engine Housing                           |
|      | 4113 264    | 1   |      |       | INSULATION, Dash Panel Extension                                  |
| 3    | 2956 620    | 1   |      |       | BRACKET, Dash Panel Engine Housing Extension to Instrument Panel  |
| 4    | 4087 528    | 1   |      |       | RETAINER, Engine Housing Cover Seal                               |
| 5    | 4087 508    | 1   |      |       | PANEL, Cowl Plenum Grille   |
| 6    | 4215 909    | 1   |      |       | PANEL, Cowl Plenum, 1984  |
|      | 4335 309    | 1   |      |       | Up To 7-1-85  |
|      | 4351 108    | 1   |      |       | After 7-1-85  |
| 7    |             |     |      |       | PILLAR, Cowl Hinge, Outer   |
|      | 4087 594-5  | 1   |      |       | UP To 4-1-85  |
|      | 4360 046-7  | 1   |      |       | After 4-1-85  |
| 8    | 4335 238-9  | 1   |      |       | PILLAR, Cowl Hinge, Inner   |
| 9    | 4080 466-7  | 1   |      |       | REINFORCEMENT, Lower Hinge  |
| 10   | 4087 509    | 1   |      |       | PANEL, Filler, Inner to Outer Hinge Pillar                        |
| 11   | 4211 650-1  | 1   |      |       | PANEL, Windshield Frame   |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

FLOOR PAN B1,2,3  
Figure 23A-400

4369 400 A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4212 518-9  | 1   |      |       | FILLER, Side Panel to Rear Floor Pan, w/o 127 Ext.W.B. |
|      | 4212 548-9  | 1   |      |       | w/127 Ext. W.B.  |
| 2    | 4262 111    | 1   |      |       | PANEL, Floor Pan, Front                                |
|      | 4081 657    | 1   |      |       | PANEL, Side Panel to Floor Pan Front, Left, w/109 W.B. |
|      | 4080 271    | 1   |      |       | w/127 & 127 Ext. W.B.                                  |
|      | 4084 480    | 1   |      |       | Side Panel to Floor Pan Rear, Right                    |
|      | 4262 033    | 1   |      |       | Left   |
| 3    | 4211 803    | 1   |      |       | PANEL, Floor Pan, Center, w/109 W.B.,w/o Holes         |
|      | 4211 804    | 1   |      |       | w/127 & 127 Ext. W.B., w/o Holes                       |
| 4    | 4080 143    | 1   |      |       | EXTENSION, Center Floor Pan, w/127 Ext. W.B.           |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGON (W.B.)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

HOUSING, ENGINE B1,2,3  
Figure 23A-500

4389 500 11




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 4166 686    | 1   |      |       | SEAL, Engine Housing                    |
| 2    | 4087 528    | 1   |      |       | RETAINER, Engine Housing Seal           |
| 3    | 4211 938    | 1   |      |       | EXTENSION, Dash Panel to Engine Housing |
| 4    | 2501 937    | 2   |      |       | LATCH, Engine Housing                   |
| 5    | 3636 083    | 2   |      |       | T-PLATE, Engine Housing Latch           |
| 6    | L501 BT8    | 1   |      |       | HOUSING ,Engine (w/o Carpet)            |
|      | L503 BC9    | 1   |      |       | HOUSING and CARPET, Eng. Dark Blue      |
|      | L503 BM6    | 1   |      |       | Red                                     |
|      | L503 BT8    | 1   |      |       | Brown, 1984                             |
|      | L503 DT5    | 1   |      |       | Tan, 1985                               |
| 7    | 4080 464    | 3   |      |       | BRACKET, Engine Housing Hold-Down       |
| 8    | 6028 589    | 3   |      |       | NUT, Hold-Down Bracket                  |
| 9    | 6028 931    | 3   |      |       | SCREW, Hold-Down Bracket                |
| 10   | L500 BT8    | 1   |      |       | ASH RECEIVER, Engine Housing            |
| 11   | 9420 867    | 2   |      |       | NUT, Ash Receiver                       |
| 12   | 4087 607    | 1   |      |       | PANEL, Engine Housing Heat Shield, Left |
| 13   | 6022 202    | 2   |      |       | SCREW                                   |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WAGON (4X2)  |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



# PANELS, ROOF HEADER AND ROOF RAILS B1,2,3 Figure 23A-600

4369 600



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|-------------|-----|------|-------|--|
| 1   | 4084 121    | 1   |      |       | PANEL, Roof, w/109 W.B.  |
|   | 4084 122    | 1   |      |       | w/127 W.B.   |
|   | 4080 140    | 1   |      |       | w/127 Ext. W.B.  |
| 2   | 4113 918    | 1   |      |       | PANEL, Windshield Header   |
| 3   | 2956 082-3  | 1   |      |       | PANEL, Front Door Header, Up To 4/2/84                               |
|   | 4335 208-9  | 1   |      |       | After 4/2/84   |
| 4   | 4113 536    | 1   |      |       | PANEL, Roof Side Rail Header, Right, w/109 W.B., 1984                |
|   | 4113 536    | 1   |      |       | Right, w/109" W.B., w/Sliding Door, 1985                             |
|   | 4335 224    | 1   |      |       | Right, w/109" W.B., w/Hinged Doors, 1985                             |
|   | 4084 685    | 1   |      |       | Left, w/109" W.B.  |
|   | 4113 536    | 1   |      |       | Right, w/127" & 127" Ext. W.B., w/Hinged Doors, Up To 5/21/84        |
|   | 4335 224    | 1   |      |       | After 5/21/84  |
|   | 4084 215    | 1   |      |       | Right Front, w/127" & 127" Ext. W.B., w/Sliding Door                 |
|   | 4080 144    | 1   |      |       | Right Rear, w/127" & 127" Ext. W.B., w/Sliding Door                  |
|   | 4084 689    | 1   |      |       | Left, w/127" & 127" Ext. W.B.  |
| 5   | 4335 210    | 1   |      |       | PANEL, Rear Door Header, w/Dual Rear Doors                           |
|   | 3824 271    | 1   |      |       | w/Single Rear Door, Use Up To 2/13/84                                |
|   | 4335 212    | 1   |      |       | Use After 2/13/84  |
| 6   | 4080 208    | 1   |      |       | RAIL, Roof Side, w/109 W.B. Rt.                                      |
|   | 4081 585    | 1   |      |       | w/109 W.B. Lt.   |
|   | 4080 210    | 1   |      |       | w/127 W.B. Rt.   |
|   | 4081 587    | 1   |      |       | w/127 W.B. Lt.   |
|   | 4080 146-7  | 1   |      |       | w/127" Ext. W.B., 1984-85  |
| 7   | 3498 927    | 1   |      |       | RAIL, Roof Rear  |
| 8   | 4081 522    | 2   |      |       | RAIL, Roof Rear Corner   |
| 9   | 4212 697    | AR  |      |       | CLIP, Roof Rail, Front, Side & Rear                                  |
| 10  | 3729 425    | AR  |      |       | WEATHERSTRIP, Side & Rear Door Header (Repair)                       |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |  |
|   | 2956 940    | 2   |      |       | RETAINER, Side & Rear Door Header, Slam Bolt Striker                 |
|   | 2956 943    | 2   |      |       | T-PLATE, Side & Rear Door Header, Slam Bolt Striker                  |
|   | 3767 433    | 2   |      |       | REINFORCEMENT and NUT, Roof Side Rail Header Shoulder Belt           |
|   | 4081 773    | 1   |      |       | BRACKET, Roof Side Rail Header Shoulder Belt, Right, w/ Sliding Door |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PANELS, PILLARS, REINFORCEMENTS, EXTENSIONS, & FILLERS B1,2,3  
Figure 23A-700

4369 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4335 605    | 1   |      |       | PANEL, Side, Left ,w/109 W.B., w/o Windows                                 |
|      | 4335 607    | 1   |      |       | w/Windows  |
|      | 4262 021    | 1   |      |       | w/127 & 127 Ext. W.B., w/o Windows, Up To 8/29/83                          |
|      | 4215 889    | 1   |      |       | After 8/29/83  |
|      | 4262 025    | 1   |      |       | w/Windows  |
| 2    | 4212 998    | 1   |      |       | PANEL, Rear Corner, w/109 & 127 W.B., Right                                |
|      | 4212 997    | 1   |      |       | Left   |
|      | 4215 884    | 1   |      |       | W/127 Ext. W.B., w/o Windows, Right, w/Dual Rear Doors, Up To 2/13/84      |
|      | 4335 234    | 1   |      |       | From 2/13/84 To 5/16/84  |
|      | 4352 050    | 1   |      |       | After 5/16/84  |
|      | 4080 152    | 1   |      |       | w/Single Rear Door, Up To 2/13/84  |
|      | 4352 048    | 1   |      |       | After 2/13/84  |
|      | 4080 151    | 1   |      |       | Left, w/Single or Dual Rear Doors, Up To 2/13/84                           |
|      | 4352 049    | 1   |      |       | After 2/13/84  |
|      | 4215 846    | 1   |      |       | w/Windows, Right, w/Dual Rear Doors  |
| 3    | 4087 214    | 1   |      |       | w/Single Rear Door   |
|      | 4087 215    | 1   |      |       | Left, w/Single or Dual Rear Doors  |
|      | 4080 164    | 1   |      |       | PANEL, Side, Right, w/109 W.B., w/o Windows, 1984                          |
|      | 4335 610    | 1   |      |       | 1985   |
|      | 4080 158    | 1   |      |       | w/Windows, w/Hinged Doors  |
|      | 4080 162    | 1   |      |       | w/Windows, w/Sliding Door, 1984  |
|      | 4335 608    | 1   |      |       | 1985   |
|      | 4080 168    | 1   |      |       | w/127 & 127 Ext. W.B., w/o Windows, Up To 1/3/84                           |
|      | 4335 606    | 1   |      |       | After 1/3/84   |
|      | 4080 154    | 1   |      |       | w/Windows, w/Hinged Doors, Up To 12/5/83                                   |
| 4    | 4215 854    | 1   |      |       | After 12/5/83  |
|      | 4080 156    | 1   |      |       | w/Sliding Door, Up To 1/16/84  |
|      | 4335 604    | 1   |      |       | After 1/16/84  |
|      | 4081 599    | 1   |      |       | REINFORCEMENT, Side Panel to Floor Pan, Left, w/109 W.B.                   |
|      | 4081 659    | 1   |      |       | w/127 & 127 Ext. W.B.  |
|      | 4212 539    | 1   |      |       | EXTENSION, Side Door Rear Pillar to Step Sill, w/109 W.B., w/ Hinged Doors |
|      | 4212 535    | 1   |      |       | w/Sliding Door   |
|      | 4212 541    | 1   |      |       | w/127 & 127 Ext. W.B., w/Hinged Doors                                      |
|      | 4212 533    | 1   |      |       | w/Sliding Door   |
|      | 4080 167    | 1   |      |       | EXTENSION, Side Door Front Pillar to Step Sill, w/Sliding Door             |
| 6    | 2956 413    | 1   |      |       | EXTENSION, Step Sill to Side Panel, Left                                   |
| 7    | 2956 526    | 1   |      |       | REINFORCEMENT, Side Step Sill, Front, Right                                |
|      | 4084 913    | 1   |      |       | Left   |
|      | 4212 560    | 1   |      |       | Rear, Right  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**PANELS, PILLARS, REINFORCEMENTS, EXTENSIONS, & FILLERS B1,2,3**  
**Figure 23A-700**

4369 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4081 418    | 1   |      |       | Intermediate, Right  |
|      | 4084 917    | 1   |      |       | Left   |
|      | 4033 768    | 2   |      |       | Floor Pan Rear Sill, Outer Rear Bumper Mounting                  |
| 8    | 4084 333    | 1   |      |       | BRACKET, Floor Pan Side Rail Reinforcement to Side Panel, Left   |
|      | 3636 217    | 1   |      |       | Floor Pan Rear Spring Front Mounting Support, Left               |
|      | 4360 037    | 1   |      |       | Single Door, After 1-10-85                                       |
|      | 3636 217    | 2   |      |       | Floor Pan Rear Spring Rear Mounting Support, w/127 Ext. W.B.     |
| 9    | 2956 095    | 1   |      |       | PANEL, Step Sill, Left   |
|      | 4113 125    | 1   |      |       | Right, w/Hinged Doors, w/109 W.B.                                |
|      | 4113 123    | 1   |      |       | w/127 & 127 Ext. W.B.  |
|      | 4080 282    | 1   |      |       | w/Sliding Door, w/109 W.B.                                       |
|      | 4080 184    | 1   |      |       | w/127 & 127 Ext. W.B.  |
|      | 2480 957    | AR  |      |       | PLUG, Step Sill Drain Hole                                       |
| 10   | 4080 161    | 1   |      |       | REINFORCEMENT, Side Door, w/109 W.B.                             |
|      | 4080 306    | 1   |      |       | w/127 & 127 Ext. W.B.  |
| 11   | 4080 157    | 1   |      |       | PILLAR, Side Door Rear, w/Hinged Doors                           |
|      | 4080 159    | 1   |      |       | w/Sliding Door   |
| 12   | 4335 593    | 1   |      |       | PILLAR, Front Door Lock, Left                                    |
|      |             |     |      |       | RIGHT, w/Hinged Doors  |
|      | 4352 030    | 1   |      |       | Up To 3-8-85   |
|      | 4360 035    | 1   |      |       | After 3-8-85   |
|      | 4360 038    | 1   |      |       | W/Sliding Door Up To 11-4-85                                     |
|      | 4352 210    | 1   |      |       | After 11-4-85  |
| 13   | 4080 959    | 1   |      |       | FILLER, Side Door Pillar Upper, Rear                             |
|      | 2956 880-1  | 1   |      |       | Rear Door Pillar to Header Panel                                 |
|      | 2956 415    | 1   |      |       | Front Door Pillar to Step Sill Reinforcement, Left               |
| 14   |             |     |      |       | PILLAR, Rear Door Hinge  |
|      | 4360 042    | 1   |      |       | Dual Doors Hinge Rt.   |
|      | 4360 037    | 1   |      |       | Dual Doors Hinge Lt.   |
|      | 4360 037    | 1   |      |       | Single Door Hinge Lt.  |
|      | 4087 939    | 1   |      |       | Rear Door Lock, w/Single Rear Door Rt.                           |
|      | 4166 722-3  | 1   |      |       | FILLER, Rear Door Pillar Lower Close-Off                         |
| 15   | 4168 434-5  | 1   |      |       | REINFORCEMENT, Rear Door Pillar                                  |
| 16   | 4212 542    | 1   |      |       | PANEL, Side Panel to Floor Pan Inner Rear, w/127 & 127 Ext. W.B. |
|      | 4212 540    | 1   |      |       | Rear Outer to Floor Pan Side Panel Right, w/127 & 127 Ext. W.B.  |
| 17   | 4212 836-7  | 1   |      |       | PANEL, Wheelhouse & Side Assembly                                |
| 18   |             |     |      |       | PANEL, Floor Pan Rear Sill, Lower, w/109 & 127 W.B.              |
|      | 4215 644    | 1   |      | B1,2  | Up To 12-12-84   |
|      | 4351 109    | 1   |      | B1,2  | After 12-12-84   |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# PANELS, PILLARS, REINFORCEMENTS, EXTENSIONS, & FILLERS B1,2,3 Figure 23A-700

4369 700



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
|   |             |     |      |       | w/127 W.B.  |
|   | 4215 645    | 1   |      | B3    | Up To 12-12-84  |
|   | 4351 110    | 1   |      | B3    | After 12-12-84  |
|   |             |     |      |       | w/127 Ext. W.B.   |
|   | 4215 647    | 1   |      |       | Up To 1-4-85  |
|   | 4351 111    | 1   |      |       | After 1-4-85  |
|   | 4215 642    | 1   |      |       | PANEL, Floor Pan Rear Sill, Inner   |
|   | 4168 432    | 1   |      |       | Outer, w/Dual Rear Doors  |
|   | 4084 856    | 1   |      |       | w/Single Rear Door  |
| 19  | 4084 552-3  | 1   |      |       | REINFORCEMENT, Rear Spring Rear Mounting Bracket to Side Panel, w/127 Ext. W.B.           |
|   | 4081 526-7  | 1   |      |       | EXTENSION, Rear Spring Rear Mounting Bracket to Side Panel Reinforcement, w/127 Ext. W.B. |
| 20  | 4083 458    | 1   |      |       | EXTENSION, Wheelhouse Rear Panel Front, Right, w/Hinged Doors                             |
|   | 4083 460    | 1   |      |       | w/Sliding Door  |
|   | 2956 275    | 1   |      |       | Left  |
| 21  | 3639 148-9  | 1   |      |       | REINFORCEMENT, Side Rear Corner Panel Rear Bumper Mounting                                |
| 22  | 2956 284-5  | 1   |      |       | REINFORCEMENT, Rear Door Hinge Pillar to Rear Sill Inner                                  |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |   |
|   | 2480 957    | 2   |      |       | PLUG, Rear Spring Rear Mounting Bracket to Side Panel Reinforcement                       |
|   | 2956 081    | 1   |      |       | EXTENSION, Front Door Lock Pillar Reinforcement to Side Sill                              |
|   |             |     |      |       | Panel Reinforcement, Left   |
|   | 4168 427    | 1   |      |       | RETAINER, Side Step Sill Door Slam Bolt Striker   |
|   | 2956 943    | 2   |      |       | T-PLATE, Side & Rear Sill Cargo Door Slam Bolt Striker                                    |
|   | 2480 957    | AR  |      |       | PLUG, Side Sill Reinforcement Drain Hole, Left  |
|   | 4168 427    | 1   |      |       | RETAINER, Rear Sill Cargo Door Slam Bolt Striker  |
|   | 3760 482    | 2   |      |       | PLUG, Side Door Pillar Filler Guage Hole  |
|   | 3824 601    | 1   |      |       | RETAINER, Single Rear Cargo Door Lock Striker T/Plate                                     |
|   | 3824 601    | 2   |      |       | RETAINER, Front Door Lock Striker T/Plate   |
|   | 3824 601    | 1   |      |       | RETAINER, Dual Side or Rear Cargo Door Lock Striker Support T/Plate                       |
|   | 3739 768    | 1   |      |       | T-PLATE, Sliding Cargo Door Rear Pillar Lock Striker                                      |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRACK COVERS & STEPWELL-SLIDING DOOR B1,2,3  
Figure 23A-800

4369 800 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4084 099    | 1   |      |       | TRACK, Sliding Door Hinge, Outer                         |
|      | 4084 100    | 1   |      |       | REINFORCEMENT, Hinge Outer Track                         |
|      | 4084 143    | 1   |      |       | Rear, w/109 W.B.   |
|      | 4084 142    | 1   |      |       | Front, w/109 W.B.  |
|      | 4084 926    | 1   |      |       | Rear, w/127 & 127 Ext. W.B.                              |
| 2    |             | 1   |      |       | SCREW, Not Serviced                                      |
| 3    | 4084 105    | 1   |      |       | COVER  |
|      |             |     |      |       | SCREW, Not Serviced                                      |
| 5    | 4084 101    | 1   |      |       | COVER, Side Rail Hinge, Outer                            |
|      | 3756 357    | 1   |      |       | BUMPER, Side Rail Hinge Outer Track Cover                |
|      |             |     |      |       | BOLT, Not Serviced                                       |
| 7    | 9414 722    | 1   |      |       | SCREW  |
| 8    | 4080 144    | 1   |      |       | PANEL, Roof Side Rail Header, Rear                       |
| 9    | 4084 107    | 1   |      |       | SUPPORT, Roof Side Rail Upper Roller Track               |
| 10   | 4084 215    | 1   |      |       | PANEL, Side Rail Header, Front                           |
| 11   | 4087 399    | 1   |      |       | TRACK, Roof Header Upper Roller                          |
| 12   | 4080 278    | 1   |      |       | PANEL, Roof Side Header, Outer                           |
| 13   | 4083 140    | 1   |      |       | PANEL, Side to Floor Pan, w/109 W.B.                     |
|      | 4083 141    | 1   |      |       | w/127 & 127 Ext. W.B.                                    |
| 14   |             |     |      |       | BRACKET, Not Serviced                                    |
| 15   | 3636 980    | 1   |      |       | BRACKET  |
| 16   | 4080 192    | 1   |      |       | PANEL, Step Well   |
| 17   | 4080 282    | 1   |      |       | SILL, Side, w/109 W.B.                                   |
|      | 4080 184    | 1   |      |       | w/127 & 127 Ext. W.B.                                    |
|      | 2956 048    | 2   |      |       | BRACKET, u/Body Long Rail                                |
| 18   | 4083 143    | 1   |      |       | FILLER, Side Step Sill to Step Well, w/109 W.B.          |
|      | 4083 144    | 1   |      |       | w/127 & 127 Ext. W.B.                                    |
|      | 4080 309    | 1   |      |       | REINFORCEMENT, Step Well Panel to Step Sill, w/109" W.B. |
|      |             |     |      |       | (Step Well For Dual Doors Refer to 23A 700               |

NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|          |   |   |
|----------|---|---|
| 3636 872 | 1 | T-PLATE, Cargo Door Hinge Outer Track Housing Striker |
| 2276 749 | 1 | BUMPER, Roof Side Rail Header Panel Side Cargo Door   |

Upper Pillar Track, Rear


NOTE: Stepwell for dual doors see Ill. 23a-700. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SUPPORTS AND CHANNELS (RIGHT) B1,2,3  
Figure 23A-900

4389 900



FLOOR MOUNTED SPARE WHEEL  
127" W.B.(TYPICAL OF 127" EXT.W.B.)



SIDE MOUNTED SPARE WHEEL


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 4084 328    | 1   |      |       | RETAINER, Floor                             |
| 2    | 4084 325    | 1   |      |       | RETAINER, Lower Corner                      |
| 3    | 4084 350    | 2   |      |       | RETAINER, Rear Lower Corner                 |
| 4    | 4084 328    | 2   |      |       | RETAINER, Side Wheelhouse                   |
| 5    | 4084 328    | 2   |      |       | RETAINER, Top Wheelhouse                    |
| 6    | 4084 902    | 1   |      |       | SUPPORT, Upper Right                        |
| 7    | 4262 096    | 1   |      |       | CHANNEL                                     |
| 8    | 4081 504    | 1   |      |       | SUPPORT, Upper, Horizontal, w/109 W.B. Rt.  |
|      | 4081 506    | 1   |      |       | SUPPORT, Upper, Horizontal, w/127 W.B. Rt.  |
| 9    | 3729 241    | 1   |      |       | RETAINER, Jack                              |
| 10   | 4084 902    | 1   |      |       | SUPPORT, Channel                            |
| 11   | 4081 508    | 1   |      |       | SUPPORT, Horizontal, Upper. w/127 Ext. W.B. |
| 12   | 4262 096    | 1   |      |       | CHANNEL, Spare Wheel Mounting               |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| P.A.R. = PAINT AS REQUIRED   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |


# SUPPORTS , STRAINERS , RETAINERS AND FUEL FILLER DOOR B1,2,3

## Figure 23A-1000


4369 1000A



109" W.B.(LEFT)



127" W.B.(LEFT)



127" EXT.W.B.(LEFT)

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1    | 4081 505    | 1   |      |       | SUPPORT, Upper Rear, Left, w/109 W.B.           |
|      | 4081 507    | 1   |      |       | w/127 W.B.                                      |
|      | 4081 509    | 1   |      |       | w/127 Ext. W.B.                                 |
| 2    | 4084 350    | 1   |      |       | RETAINER,Lwr.Corner                             |
| 3    | 4084 328    | 2   |      |       | RETAINER,Top Wheelhouse                         |
| 4    | 4084 325    | 1   |      |       | RETAINER,Rear Corner Lower                      |
| 5    | 4084 328    | 3   |      |       | RETAINER,Side Wheelhouse & Floor                |
| 6    | 4084 350    | 1   |      |       | RETAINER,Vert.Strainer                          |
| 7    | 4084 328    | 1   |      |       | RETAINER,Center Floor                           |
| 8    | 4084 328    | 1   |      |       | RETAINER,Front Floor                            |
| 9    | 4084 350    | 1   |      |       | RETAINER,Lwr.Frt.Door Lock Pillar               |
| 10   | 4087 331    | 1   |      |       | SUPPORT,Lwr.Pillar                              |
| 11   | 4084 328    | 1   |      |       | RETAINER,Frt.Floor                              |
| 12   | 3490 853    | 1   |      |       | SUPPORT, Side Frt. Lwr. Lt.                     |
| 13   | 4087 331    | 1   |      |       | SUPPORT,Upper Frt.                              |
| 14   | 4084 350    | 1   |      |       | RETAINER,Corner Lwr.                            |
| 15   | 4081 509    | 1   |      |       | SUPPORT,Rear Up. w/127 Ext. W.B.                |
| 16   | 4084 328    | 1   |      |       | RETAINER,Rear Floor                             |
| 17   | 4212 603    | 1   |      |       | SUPPORT, Vent Window Latch                      |
| 18   | 4262 024    | 1   |      |       | COVER,Side Rr.Corner,Filler Tube Inner          |
|      | 4262 022    | 1   |      |       | COVER, Outer                                    |
|      | 4116 878    | 1   |      |       | SHIELD, F/Filler Tube                           |
|      | 4262 110    | 1   |      |       | BRACKET, Floor to F/Filler Tube                 |
|      | 3636 231    | 1   |      |       | SEAL,Cover                                      |
|      | 4262 097    | 1   |      |       | GASKET, Fuel Filler Tube Mtg. Reinf.to Cover    |
| 19   | 4081 420    | 1   |      |       | STRAINER, Side Pnl.Vert.Short, w/o Window, Left |
|      | 4080 121    | 1   |      |       | w/Window, Left                                  |
|      | 4084 117    | 2   |      |       | Side Pnl.To W/House Long,w/o Windows            |
|      | 4080 125    | 2   |      |       | Side Pnl.To W/House Short, w/Windows            |
|      | 2956 502    | 2   |      |       | GUSSET, Strainer to U/Body Side Pnl., Left      |
| 20   | 4084 116    | AR  |      |       | STRAINERS,Side Pnl.Vert., Approx. 57" Long      |
|      | 4087 213    | AR  |      |       | Side Pnl. Vert. w/Windows Rt. & Lt.             |
|      | 4084 118    | AR  |      |       | Side Pnl. Vert. Approx. 47.75" Long             |
| 21   | 4262 026    | 1   |      |       | DOOR, Fuel Filler, w/o Woodgrain                |
| 22   |             | 1   |      |       | SPRING, Fuel Filler Door (Served in Item 21)    |
|      | 4262 081    | 2   |      |       | SPACER, Fuel Filler Door Hinge                  |
|      | 4262 089    | 1   |      |       | SEAL, Fuel Filler Door Reinforcement            |
| 23   |             | 2   |      |       | SCREW, Not Served                               |
| 24   | 5220 250    | 2   |      |       | BUMPER, Fuel Filler Door                        |
| 25   | 4262 020    | 1   |      |       | REINFORCEMENT,Fuel Filler Tube Door Opening     |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

Figure 23A-1000

4369 1000A





SUPPORTS , STRAINERS , RETAINERS AND FUEL FILLER DOOR B1,2,3  
Figure 23A-1000

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|

NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|          |   |  |  |  |   |
|----------|---|--|--|--|---|
| 4081 421 | 1 |  |  |  | REINFORCEMENT, Side W/Hse. Rear to Vert. Strainer, Left, w/109 W.B. |
|----------|---|--|--|--|---|


|                          |                   |                              |                   |                  |                  |
|--------------------------|-------------------|------------------------------|-------------------|------------------|------------------|
| MODEL CODES:             |                   |                              |                   |                  |                  |
| TRUCK LINE               |                   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| D123 = CONVENTIONAL      | (11) = 109" W.B.  |                              | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.  |                              | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B. |                              | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL    |                   |                              |                   | (64) = 159" W.B. |                  |
| (TRUCK) 4X4              |                   |                              |                   |                  |                  |
| D8 = SPORT UTILITY (4X4) |                   |                              |                   |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# GLASS AND WEATHERSTRIPS B1,2,3

## Figure 23A-1100

4369 1100



4369 1100

| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|-------------|-----|------|-------|--|
| 1   |             |     |      |       | GLASS, Rear Corner, Curved, w/127" Ext. W.B.                 |
|   | 4087 022-3  | 1   |      |       | Tinted   |
|   | 4087 024-5  | 1   |      |       | Privacy  |
|   | 4084 625    | 2   |      |       | WEATHERSTRIP, Low Line                                       |
|   | 4084 624    | 2   |      |       | Except Low Line  |
| 2   |             |     |      |       | GLASS, Side Panel, w/109" W.B.                               |
|   | 4084 516-7  | 1   |      |       | Tinted   |
|   | 4084 518-9  | 1   |      |       | Privacy  |
|   | 4084 621    | 2   |      |       | WEATHERSTRIP, Low Line, w/109" W.B.                          |
|   | 4084 626    | 2   |      |       | Except Low Line  |
|   |             |     |      |       | GLASS, Side Panel, w/127" & 127" Ext. W.B.                   |
|   | 4084 522-3  | 1   |      |       | Tinted   |
|   | 4084 524-5  | 1   |      |       | Privacy  |
|   | 4084 620    | 2   |      |       | WEATHERSTRIP, Low Line, w/127"-127X" W.B.                    |
|   | 4084 619    | 2   |      |       | Except Low Line  |
| 3   |             |     |      |       | GLASS, Front Door (See Group 23C-Illustrations)              |
| 4   |             |     |      |       | GLASS, Windshield (See Note "1")                             |
|   | 4330 444    | 1   |      |       | Tinted   |
|   | 4330 445    | 1   |      |       | Tint Shaded  |
|   | 4160 572    | 1   |      |       | WEATHERSTRIP, Windshield                                     |
| NOTE "1": Order From Your Local "MOPAR" Glass Distributor. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |  |
| 5   |             |     |      |       | GLASS, Front Door Vent (See Group 23C-Illustrations)         |
| 6   |             |     |      |       | GLASS, Side & Rear Cargo Doors (See Group 23C-Illustrations) |
| 7   |             |     |      |       | GLASS, Sliding Cargo Door (See Group 23C-Illustrations)      |
| 8   |             |     |      |       | GLASS, Side Panel Front, Left, Fixed                         |
|   | 4081 253    | 1   |      |       | Tinted   |
|   | 4081 254    | 1   |      |       | Privacy  |
|   | 4084 622    | 1   |      |       | WEATHERSTRIP, Side Panel Front, Left, Fixed                  |
|   |             |     |      |       | GLASS and MOULDING, Side Panel Front Lt. Vented              |
|   | 4160 121    | 1   |      |       | Tinted   |
|   | 4160 122    | 1   |      |       | Privacy  |
|   | 4160 127    | 1   |      |       | WEATHERSTRIP, Side Panel Front, Left, Vented                 |
| 9   |             |     |      |       | GLASS, Single Rear Cargo Door (See Group 23C-Illustrations)  |
| 10  | 4106 863    | AR  |      |       | LOCKSTRIP, Windshield, Bright (16' Roll)                     |
|   | 4084 911    | AR  |      |       | LOCKSTRIP, Side & Rear Glass, Bright (16' Roll)              |
|   | 4057 107    | AR  |      |       | Black (16' Roll)   |
| 11  | 3794 247    | AR  |      |       | CAP, Lockstrip or Retainer                                   |
| 12  |             |     |      |       | GLASS, Sliding Cargo Door (See Group 23C-Illustrations)      |
| 13  | 6026 815    | 4   |      |       | SCREW, 1/4"-20 x .500"                                       |
| 14  | 4084 614    | 4   |      |       | RETAINER, Rear Corner Panel Glass Inside                     |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GLASS AND WEATHERSTRIPS B1,2,3  
Figure 23A-1100

4369 1100




4369 1100

| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| 15  | 2504 566    | 4   |      |       | WASHER  |
| 16  | 3788 265    | 4   |      |       | SPACER, Rear Corner Panel Glass                     |
| 17  | 3788 266    | 4   |      |       | GASKET, Rear Corner Panel Glass                     |
| 18  | 4084 615    | 4   |      |       | RETAINER, Rear Corner Panel Glass Outside           |
| NOTE: The following items are not shown on illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |   |
|   | 4054 066    | 1   |      |       | BUTTON, Inside Rear View Mirror Windshield Mounting |


|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

WINDOWS , VENTED B1,2,3  
Figure 23A-1200

4360 1200



DUAL SIDE AND REAR CARGO DOOR



SINGLE REAR DOOR, SLIDING DOOR  
AND SIDE PANEL, LEFT

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4084 110    | 2   |      |       | HINGE, Body Half, w/Dual Vented Window w/Moulding   |
|      | 4160 140    | 2   |      |       | w/Single Vented Window, w/Moulding                  |
| 2    |             |     |      |       | GLASS, See Glass & Weatherstrip Illustration        |
| 3    | 6030 650    | 2   |      |       | BOLT, 1/4"-20 x .875"                               |
| 4    |             | 2   |      |       | SCREW, Self Tapping (Not Serviced)                  |
| 5    |             |     |      |       | WEATHERSTRIP, See Glass & Weatherstrip Illustration |
| 6    | 6025 004    | 3   |      |       | NUT and WASHER                                      |
| 7    | 4081 574    | 2   |      |       | LATCH, Vented Window                                |
|      | 4212 603    | 2   |      |       | SUPPORT, Vented Window Latch Mounting               |
| 8    | 4084 167    | 2   |      |       | NUT   |
| 9    | 4084 164    | 2   |      |       | GROMMET   |
| 10   | 4084 438    | 4   |      |       | WASHER, Fiber                                       |
| 11   | 4081 578    | 2   |      |       | RETAINER  |
| 12   |             | 2   |      |       | T-PLATE, Not Serviced                               |
| 13   | 0152 842    | 6   |      |       | SCREW   |
| 14   | 9411 579    | 2   |      |       | PIN, Latch  |
| 15   | 4166 520    | 4   |      |       | HINGE, w/Dual Vented Window w/o Moulding            |
|      | 4166 521    | 3   |      |       | w/Single Vented Window w/o Moulding                 |
| 16   |             | 3   |      |       | GROMMET, Hinge Not Serviced                         |
| 17   | 2504 566    | 3   |      |       | WASHER, Hinge                                       |
| 18   | 6030 819    | 3   |      |       | SCREW, w/Washer 1/4"-20 x .500"                     |
| 19   | 6030 650    | 3   |      |       | BOLT, 1/4"-20 x .875"                               |
| 20   |             |     |      |       | WEATHERSTRIP, See Glass & Weatherstrip Illustration |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

FENDER, FRONT D1-8  
Figure 23A-1400

4369 1400




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|-------------|-----|------|-------|--|
| 1   | 4335 568-9  | 1   |      |       | PANEL ASSEMBLY, Frt. Fender                                      |
|   | 4211 918-9  | 1   |      |       | GUSSET, Frt. Fndr. Hsg. to Rad. Grl. Supt.                       |
|   | 3731 328-9  | 1   |      |       | REINFORCEMENT, Fndr. Hsg. Rr. Flange Lwr. Reinf.                 |
|   | 4215 608-9  | 1   |      |       | REINFORCEMENT, Frt. Fender W/Opening To Upper Flange             |
|   | 4215 610-1  | 1   |      |       | REINFORCEMENT, Frt. Fender Panel Frt. Flange, Lower              |
|   | 4215 616-7  | 1   | D5-8 |       | REINFORCEMENT, Fndr. Hsg. RR. Lwr. Reinf. to Whl. Opening Flange |
| 2   | 4215 536    | 1   |      |       | EXTENSION, Splash Shield, Right                                  |
| 3   | 6003 351    | AR  |      |       | RETAINER, Frt. Fndr. Hsg. s/Shield Ext.                          |
| 4   | 6031 390    | AR  |      |       | RETAINER   |
| 5   | 6029 652    | 2   |      |       | BOLT, Battery, 1984  |
|   | 6032 818    | 2   |      |       | 1985   |
| 6   | 3906 801    | 1   |      |       | STRAP, Battery   |
| 7   | 0152 360    | 2   |      |       | NUT and WASHER   |
| 8   | 4211 597    | 1   |      |       | TRAY, Battery  |
| 9   | 0152 454    | 3   |      |       | U-NUT  |
| 10  | 0181 063    | 3   |      |       | SCREW, w/Washer  |
| 11  | 0181 063    | 3   |      |       | SCREW, w/Washer  |
| 12  |             | AR  |      |       | WASHER, Not Serviced   |
| 13  | 0219 462    | 3   |      |       | NUT, w/Washer  |
| 14  | 4215 665    | 1   |      |       | EXTENSION, Splash Shield, Left                                   |
| 15  | 0271 023    | 1   |      |       | C-NUT  |
| 16  | 3636 612    | 1   |      |       | BRACE, Battery Tray  |
| 17  | 6025 325    | 2   |      |       | SCREW, w/Washer  |
| 18  | 4211 926-7  | 1   |      |       | SPLASH SHIELD  |
|   | 3731 604-5  | 1   |      |       | REINFORCEMENT, Frt. Fndr. Hsg. S/Shield Lower Frt.               |
| 19  | 2898 588    | 4   |      |       | BUMPER, Fender to Hood   |
| 20  |             | 2   |      |       | SUPPORT, (Serviced in Fender Hsg.)                               |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |  |
|   | 0153 070    | 2   |      |       | BOLT, Frt. Fndr. Hsg. Side Supt. Brkt. Mtg.                      |
|   | 0153 294    | 2   |      |       | U-NUT, Cowl Side Pnl. to Fndr. Reinf.                            |
|   | 3731 324    | 1   |      |       | REINFORCEMENT, Frt. Fndr. Hsg. Side Supt.                        |
|   | 4083 856    | 1   |      |       | BRACKET, Frt. Fndr. Hsg. S/Shld. to Batt. Hold-Down, 1984        |
|   | 4351 010    | 1   |      |       | BRACKET, Frt. Fndr. Hsg. S/Shld. to Batt. Hold-Down, 1985        |
|   | 0180 077    | 6   | D4,8 |       | BOLT, w/Washer Frt. Fndr. Hsg. Reinf.                            |
|   | 6024 574    | 2   |      |       | STUD, Frt. Fndr. Hsg. Rr. Flg. Upr. Reinf. to Cowl Plenum        |
|   | 0118 614    | 4   |      |       | NUT, w/Washer Frt. Fndr. Hsg. Side Supt. to Grille Supt.         |
|   | 0120 376    | 2   |      |       | NUT, w/Washer Frt. Fndr. Hsg. Rr. Flg. Reinf. to Cowl Stud       |
|   | 6010 031    | AR  |      |       | SHIM, Fender Mounting  |
|   | 0180 077    | 1   |      |       | SCREW, w/Washer Batt. Tray Supt. Brkt. Mtg.                      |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

**FENDER, FRONT D1-8**  
**Figure 23A-1400**

4369 1400

[illegible]

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

HOOD ASSEMBLY D1-8  
Figure 23A-1500

4369 1500A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | HOOD  |
|      | 4215 794    | 1   |      |       | Up To 3/20/85                                   |
|      | 4351 070    | 1   |      |       | After 3/20/85                                   |
| 2    | 0181 088    | 10  |      |       | SCREW, Hinge                                    |
| 3    |             |     |      |       | SUPPORT (Served in Fender Hsg.)                 |
| 4    | 4351 362-3  | 1   |      |       | HINGE, Hood                                     |
|      | 3454 937    | 2   |      |       | Spring Hinge Hood                               |
| 5    |             |     |      |       | BUMPER  |
|      | 2842 869    | AR  |      |       | Hood Panel Inner to Cowl                        |
|      | 2898 762    | AR  |      |       | Front Fender Housing to Hood                    |
|      | 2898 762    | AR  |      |       | Cowl Bracket to Hood                            |
|      | 2898 588    | AR  |      |       | Front Fender Housing to Hood Panel              |
| 6    | 0181 063    | 2   |      |       | SCREW, Hood Catch                               |
| 7    | 3739 874    | 1   |      |       | CATCH, Hood Auxiliary Safety                    |
|      | 3636 357    | 1   |      |       | SPRING, Auxiliary Safety                        |
| 8    | 4168 965    | 1   |      |       | STRIKER, Hood Lock                              |
|      | 2957 481    | 2   |      |       | RETAINER, Striker Hood Lock                     |
| 9    | 2935 375    | 1   |      |       | SPRING, Hood Pop Up                             |
| 10   | 6023 531    | AR  |      |       | SCREW, Bumper Front Fender to Grille            |
| 11   | 3788 362    | 2   |      |       | BUMPER, Front Fender Housing to Radiator Grille |
| 12   | 4168 967    | 1   |      |       | LATCH   |
|      | 5207 447    | 1   |      |       | SPRING, Outside Release Lever Return            |
| 13   |             |     |      |       | SUPPORT, (Refer to group 7)                     |
| 14   | 6003 351    | 27  |      |       | FASTENER, Hood Inner Panel Insulation Pad       |
| 15   | 4215 523    | 1   |      |       | PAD, Hood Inner Panel Insulation                |
| 16   | 0181 063    | 2   |      |       | SCREW, w/Washer Up To 6/18/84                   |
|      | 6032 869    | 2   |      |       | From 6/18/84 To 10/1/84                         |
|      | 6032 915    | 2   |      |       | After 10/1/84                                   |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

HOOD LATCH RELEASE ASSEMBLY (IN CAB) D1-8  
Figure 23A-1600

4369 1600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 4168 969    | 1   |      |       | RELEASE, Hood Latch                     |
|      | 3695 100    | 1   |      |       | GROMMET, Hood Lock Release              |
|      | 4166 233    | 1   |      |       | SHIELD, Hood Lock Release               |
| 2    | 0152 767    | 1   |      |       | SCREW                                   |
| 3    |             |     |      |       | SCREW, 10 - 16 x 3/4 (DNS)              |
| 4    | 4084 640    | 1   |      |       | CLIP, Hood Lock Release to Shield       |
| 5    |             |     |      |       | SCREW, 10 - 16 x 1/2 (DNS)              |
| 6    | 5207 088    | 1   |      |       | LATCH, Hood Lock Release                |
|      | 3495 773    | 1   |      |       | PLATE, Radiator Grille Support to Latch |
|      | 5207 447    | 1   |      |       | SPRING, Inside Release Lever Return     |
| 7    | 0181 063    | 2   |      |       | SCREW, w/Washer Up To 6/18/84           |
|      | 6032 869    | 2   |      |       | From 6/18/84 To 10/1/84                 |
|      | 6032 915    | 2   |      |       | After 10/1/84                           |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>B - TRUCKS AND WAGONS (W.B.)</b>                                      |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |



# **BODY PANELS , ROOF PANEL & REAR QUARTER GLASS D4 & 8** **Figure 23A-1800**

4369 1800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 1    | 4335 630    | 1   |      |       | PILLAR, Frt. Dr. Lock, Right                     |
|      | 4335 631    | 1   |      |       | Left   |
| 2    | 4215 748-9  | 1   |      |       | PILLAR, Side Lk. Outer Lwr.                      |
|      | 4168 004-5  | 1   |      |       | Side Lk. Inner                                   |
| 3    | 4168 174-5  | 1   |      |       | FILLER, Plr., Lwr. Inner                         |
| 4    | 4212 312-3  | 1   |      |       | PANEL, U/Body Side Sill                          |
|      | 4168 084-5  | 1   |      |       | Extension Side Sill Reinf.                       |
| 5    | 4168 006-7  | 1   |      |       | PANEL, Ext. To Side Pnl. Inr.                    |
| 6    | 3824 601    | 2   |      |       | RETAINER, Side Lk. Frt. Dr. Plr. Striker T/Plate |
| 7    | 2893 939    | 2   |      |       | T-PLATE, Side Lk. Frt. Dr. Plr. Striker          |
| 8    | 3737 464-5  | 1   |      |       | EXTENSION, W/House Pnl. Frt.                     |
| 9    | 4212 224    | 2   |      |       | PANEL, W/House                                   |
| 10   | 4212 612-3  | 1   |      |       | EXTENSION, W/House Pnl. Rear                     |
| 11   | 4168 012-3  | 1   |      |       | PANEL, Side Rr. Lower Close Off                  |
| 12   | 4168 018    | 1   |      |       | EXTENSION, Rr. Plr. Inr. To Side Inner, Right    |
|      | 4212 875    | 1   |      |       | Left   |
| 13   | 4168 103    | 1   |      |       | BRACKET, Side Pnl. I/Side Spare Whl. Mtg.        |
| 14   | 4168 062-3  | 1   |      |       | PILLAR, Rr. Corner Outer                         |
|      | 4211 626-7  | 1   |      |       | Rear Corner Inner                                |
| 15   | 4166 222-3  | 1   |      |       | PANEL, Side Qtr., Outer                          |
|      | 4166 226-7  | 1   |      |       | Inner  |
| 16   | 4168 008-9  | 1   |      |       | EXTENSION, Otr. Pnl. Rear                        |
| 17   | 4168 034-5  | 1   |      |       | PANEL, T/Lamp Close off                          |
| 18   | 4168 091    | 1   |      |       | SILL, U/Body Rr. Flr. Cross                      |
|      | 4212 946    | 1   |      |       | Filler, rr. Sill To Bumper                       |
|      | 4168 092    | 1   |      |       | Reinf. U/Body Rr. Cross Sill, Lwr.               |
|      | 4212 944    | 2   |      |       | Gusset, U/Body Rr. Sill To Plr. Outer            |
| 19   | 4168 064-5  | 1   |      |       | DRIP RAIL, Roof Rear                             |
|      |             | 1   |      |       | CAP, Drip Moulding (4168061 Not Serviced)        |
| 20   | 4166 225    | 1   |      |       | PANEL, Roof Inner                                |
|      | 4168 100    | 1   |      |       | Reinf. - Roof Inner Rr. To Roof Ext.             |
| 21   | 4166 220    | 1   |      |       | PANEL, Roof Outer                                |
|      | 4168 060    | 1   |      |       | Extension, Roof Outer Pnl. Rr.                   |
|      | 4168 996    | 2   |      |       | Reinf. - Roof Ext. Hinge Mtg.                    |
| 22   | 4168 104-5  | 1   |      |       | GLASS, Rr. Qtr. Wdo.- Tinted                     |
|      | 4168 106-7  | 1   |      |       | Privacy  |
| 23   | 5220 250    | 2   |      |       | BUMPER, Fuel Filler Door                         |
| 24   | 4278 911    | 1   |      |       | DOOR, Qtr. Pnl. Fuel Filler                      |
| 25   | 4168 015    | 1   |      |       | PANEL, Side Inr. Pnl. Fuel Filler Hsg.           |
| 26   | 4168 088-9  | 1   |      |       | PANEL, Rear Floor Outer                          |

## **MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

Figure 23A-1800

4369 1800



BODY PANELS , ROOF PANEL & REAR QUARTER GLASS D4 & 8  
Figure 23A-1800


| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|

NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|  |            |    |  |  |  |
|--|------------|----|--|--|--|
|  | 2480 957   | 4  |  |  | PLUG, Side Sill Reinf. Drain Hole                    |
|  | 2480 957   | 4  |  |  | PLUG, U/Body Pnl. Hole                               |
|  | 2480 957   | 2  |  |  | PLUG, Pnl. Side Rr. Lwr.                             |
|  | 6030 773   | 2  |  |  | PLUG, Cowl Hinge Outer Pillar                        |
|  | 2480 957   | 2  |  |  | PLUG, Side Sill Reinf. Ext. Drain Hole               |
|  | 2782 818   | 2  |  |  | REINFORCEMENT, Shoulder Belt                         |
|  | 3494 306-7 | 1  |  |  | PANEL, Frt. Door Header Upr.                         |
|  | 3494 811   | 2  |  |  | PLUG, Cowl Side Hinge Access Hole                    |
|  | 3494 901   | 2  |  |  | STRIKER, Frt. Door Lock Pillar                       |
|  | 3729 268-9 | 1  |  |  | DRIP RAIL, Roof Side Door Header                     |
|  | 3731 396-7 | 1  |  |  | REINFORCEMENT, U/Body Pnl. Frt. Hold-Down            |
|  | 3738 367   | 1  |  |  | REINFORCEMENT and NUT, Cowl Wiper Motor Mtg., 1984   |
|  | 4335 183   | 1  |  |  | REINFORCEMENT and NUT, Cowl Wiper Motor Mtg., 1985   |
|  | 3767 196   | AR |  |  | SHIM, Rr. Qtr. Wdo. Lwr. Spacer                      |
|  | 3767 767   | AR |  |  | SHIM, Rr. Qtr. Wdo. Lwr. Spacer                      |
|  | 3794 032   | 1  |  |  | SEAL, Cowl Side Otr. Drain Hole                      |
|  | 3794 247   | 2  |  |  | CAP, Qtr. Wdo. Retainer                              |
|  | 4161 232   | 2  |  |  | BRACKET, U/Body Seat Anchor                          |
|  | 4168 010-1 | 1  |  |  | PANEL, U/Body to Floor Close-Off Side                |
|  | 4168 073   | 1  |  |  | SILL, U/Body Rr. Cross Body Hold-Down                |
|  | 4168 075   | 2  |  |  | REINFORCEMENT, U/Body Frt. Seat Belt Mtg.            |
|  | 4212 310-1 | 1  |  |  | REINFORCEMENT, U/Body Side Sill Pnl.                 |
|  | 4211 908   | 1  |  |  | PANEL, W/Shield Header                               |
|  | 4212 692   | 1  |  |  | DRIP RAIL, Roof Frt. Header                          |
|  | 4212 974   | 1  |  |  | SHELL, W/Shield Cowl                                 |
|  | 4211 915   | 1  |  |  | PANEL, Cowl Plenum Grille                            |
|  | 4262 032   | 4  |  |  | SPACER, Side Otr. Pnl. Glass Lwr.                    |
|  | 4168 001   | 2  |  |  | PANEL, Qtr. Otr. to Side Inr.                        |
|  | 4084 000   | 2  |  |  | PLUG, Side Sill Panel Reinforcement Guage Hole       |
|  | 4084 000   | 2  |  |  | PLUG, Cowl Hinge Outer Pillar                        |
|  | 4084 000   | 2  |  |  | PLUG, Side Sill Reinforcement Extension Guage Hole   |
|  | 1774 076   | 2  |  |  | PLUG, Side Sill Panel Reinforcement Extension        |
|  | 1774 076   | 1  |  |  | PLUG, Bench Seat Riser Hole                          |
|  | 2860 332   | 2  |  |  | PLUG, U/Body Rear Seat Belt Reinforcement            |
|  | 4262 069   | 2  |  |  | PLUG, U/Body Rear Seat Hinge Reinforcement           |
|  | 3731 334   | 2  |  |  | REINFORCEMENT, U/Body Rear Cross Sill Rear Hold-Down |
|  | 2860 332   | 1  |  |  | PLUG, Radio Antenna Cable Hole                       |
|  | 4168 036-7 | 1  |  |  | REINFORCEMENT, Front Seat Uni-Belt Mounting          |
|  | 3824 601   | 2  |  |  | RETAINER, Front Door Lock Striker T/Plate            |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIP RAIL W/SHIELD (N/A)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

## 4369 1900




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**

HATCH GATE AND ATTACHING PARTS D4 & 8  
Figure 23A-2000

4369 2000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4166 232    | 1   |      |       | HATCH GATE ASSEMBLY  |
| 2    | 4168 053    | 2   |      |       | HINGE ASSEMBLY, H/Gate   |
|      | 4168 996    | 2   |      |       | REINF. ASSY., Roof Ext. Hinge Mtg.                               |
| 3    | 4168 673    | 1   |      |       | WEATHERSTRIP, H/Gate Aux. Opening.                               |
| 4    | 4212 360    | 2   |      |       | LIFT ROD, H/Gate   |
| 5    | 6031 915    | 4   |      |       | SCREW, Lift Rod Assy. To Body                                    |
| 6    | 4212 415    | 1   |      |       | PLUG, H/Gate Seal  |
| 7    | 6031 883    | 2   |      |       | NUT  |
| 8    | 4212 379    | 1   |      |       | COVER, H/Gate Latch Mtg.   |
| 9    | 4168 069    | 1   |      |       | LATCH, H/Gate  |
|      | 5209 922    | 1   |      |       | SWITCH,H/Gate Ajar   |
|      | 4216 027    | 1   |      |       | STOP, H/Gate Latch Overtravel, 1984                              |
|      | 4335 525    | 1   |      |       | 1985   |
| 10   |             | 1   |      |       | BRACKET, Latch Mtg. (DNS)  |
| 11   | 4217 650-1  | 1   |      |       | TUBE, H/Gate Locking, 1984                                       |
|      | 4354 020-1  | 1   |      |       | 1985   |
| 12   | 6028 419    | 4   |      |       | J-NUT  |
| 13   | 4212 382    | 1   |      |       | RETAINER, Key Cyl. & Hsg. Push Button                            |
| 14   |             | 1   |      |       | PUSH BUTTON, H/Gate Locking Refer to CYI & Key Pkg. Illustration |
|      |             | 1   |      |       | KEY, H/Gate Lock Cyl.(Refer to CYL & KEY PKG. Illustration)      |
| 15   |             | 2   |      |       | REINFORCEMENT, H/Gate Locking Tube Mtg. Serviced In Item #1      |
| 16   | 6032 758    | 5   |      |       | SCREW, (10 - 24x5/8)   |
| 17   | 6031 846    | AR  |      |       | SCREW, (5/16 - 18x1.25)  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GLASS, WEATHERSTRIP AND STRIKER (H/GATE) D4 & 8  
Figure 23A-2100

4369 2100





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    | 4166 232    | 1   |      |       | HATCH GATE ASSEMBLY                   |
| 2    | 4168 677    | 1   |      |       | WEATHERSTRIP, H/Gate Glass (Low-Line) |
|      | 4168 948    | 1   |      |       | (Hi-LINE)                             |
| 3    | 4168 070    | 1   |      |       | GLASS, H/Gate - Clear                 |
|      | 4168 101    | 1   |      |       | Tinted                                |
|      | 4168 102    | 1   |      |       | Privacy                               |
| 4    | 4084 911    | 1   |      |       | RETAINER, Glass w/Strip (HI-LINE)     |
| 5    | 3794 247    | 1   |      |       | CAP, Rr. H/Gate Retainer (HI-LINE)    |
| 6    | 6031 916    | 2   |      |       | STABILIZER ASSEMBLY, H/Gate           |
|      | 6025 012    | 2   |      |       | NUT, w/Washer Stabilizer, 1984        |
|      | 6032 759    | 2   |      |       | 1985                                  |
| 7    | 5230 376    | 2   |      |       | BUMPER, U/Body Rr. Flr. Cross Sill    |
| 8    | 4217 660    | 1   |      |       | WEATHERSTRIP, H/Gate Opening - Body   |
| 9    | 6032 086    | 2   |      |       | STRIKER, H/Gate Lock To Ext.Qtr.Pnl.  |
|      | 4212 362    | 2   |      |       | T/PLATE, H/Gate Striker Mtg.          |
|      | 4212 363    | 2   |      |       | Retainer, H/Gate Striker T/Plate      |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

BODY PANELS, CONVENTIONAL CAB D1-3 & 5-7  
Figure 23A-2200

2300 2200A





| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| 1   | 4212 161    | 1   |      |       | PANEL, Roof Inner   |
| 2   | 4166 212    | 1   |      |       | PANEL, Roof Outer   |
| 3   | 4335 183    | 1   |      |       | REINFORCEMENT, w/Nut Cowl Plenum Up. w/Shield Wiper Mtr. Mtg.   |
| 4   | 4215 905    | 2   |      |       | BRACKET, U/Body Tool Stowage, Dual Wheels                       |
| 5   | 3494 306-7  | 1   |      |       | PANEL, Front Dr. Header   |
| 6   | 4335 630-1  | 1   |      |       | PILLAR, Side Lock, Frt.   |
| 7   | 4212 194    | 1   |      |       | PANEL, Rear, Outer, w/o Hole                                    |
| 8   | 3494 811    | 2   |      |       | PLUG, Cowl Hinge Access Hole                                    |
| 9   | 4212 312-3  | 1   |      |       | PANEL, U/Body Side Sill   |
| 10  | 4212 974    | 1   |      |       | SHELL, w/Shield Cowl  |
|   | 4211 908    | 1   |      |       | PANEL, w/Shield Header  |
|   | 4351 006    | 1   |      |       | PANEL ASSEMBLY, Dash L.H.D.                                     |
|   | 4166 524-5  | 1   |      |       | PANEL ASSEMBLY, Side, Left Hand Drive                           |
| 11  | 4211 915    | 1   |      |       | PANEL, Cowl Plenum Grille                                       |
| 12  | 3731 653    | 1   |      |       | SILL, u/Body Rear Cross   |
|   | 4033 722    | 2   |      |       | REINFORCEMENT,u/Body Rr. Cross Sill Rear Hold Down              |
| 13  | 4212 310-1  | 1   |      |       | REINFORCEMENT, u/Body Side Sill Pnl.                            |
|   | 2480 957    | 2   |      |       | PLUG, u/Body Side Sill Pnl.                                     |
| 14  | 3731 396-7  | 1   |      |       | REINFORCEMENT, u/Body Pnl. Frt. Hold Down                       |
|   | 3731 334    | 2   |      |       | u/Body Rear Cross Sill Hold Down                                |
| 15  |             | 1   |      |       | PANEL, u/Body (Order By Discription)                            |
| 16  | 4215 718    | 1   |      |       | PANEL, Rear Inside Upper, 1984                                  |
|   | 4335 181    | 1   |      |       | 1985  |
| 17  | 3729 268-9  | 1   |      |       | DRIP RAIL, Mldg. Roof Side                                      |
| 18  | 4212 692    | 1   |      |       | DRIP RAIL, Mldg. Windshield Header                              |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |   |
|   | 2480 957    | 4   |      |       | PLUG, Side Sill Reinf. Drain Hole                               |
|   | 2480 957    | 4   |      |       | PLUG, U/Body Panel Hole   |
|   | 2502 719    | 2   |      |       | REINFORCEMENT, Frt. Seat Belt Inboard Mtg.                      |
|   | 2893 939    | 2   |      |       | T-PLATE, Side Lock Frt. Door Pillar Striker                     |
|   | 3639 195    | 2   |      |       | RETAINER, Frt. Door Lock Pillar Striker T/Plate                 |
|   | 3794 032    | 1   |      |       | SEAL, Cowl Side Otr. Drain Hole                                 |
|   | 4038 744    | 2   |      |       | REINFORCEMENT, Frt. Door Lock Pillar Shldr. Belt Hgr. Mtg.      |
|   | 4215 898-9  | 1   |      |       | REINFORCEMENT, Side Lock Frt. Door Pillar Shldr. Belt Retractor |
|   | 4084 000    | 2   |      |       | PLUG, Side Sill Reinforcement Guage Hole                        |
|   | 4084 000    | 2   |      |       | PLUG, Cowl Hinge Outer Pillar                                   |
|   | 1774 076    | 2   |      |       | PLUG, Side Sill Panel Reinforcement Extension                   |
|   | 6030 773    | 2   |      |       | PLUG, Cowl Hinge Outer Pillar                                   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

### Figure 23A-2200

2102 2200A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 4166 252-3  | 1   |      |       | PILLAR, Cowl Hinge Outer, Up To 5-27-85            |
|      | 4351 234-5  | 1   |      |       | After 5-27-85                                      |
|      | 2480 957    | 2   |      |       | PLUG, Side Sill Reinforcement Extension Drain Hole |
|      | 2860 332    | 1   |      |       | PLUG, Radio Antenna Cable Hole                     |
|      | 4038 753    | 2   |      |       | PANEL, U/Body Rear Floor to Sill Close-Off         |

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required



# BODY PANELS - CREW CAB D3 & 7

## Figure 23A-2300

4369 2300



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|---|-------------|-----|------|-------|--|
| 1   | 3494 418    | 1   |      |       | PANEL, Roof, Outer   |
|   | 4212 161    | 1   |      |       | Inner, Front   |
|   | 3494 419    | 1   |      |       | EXTENSION, Roof Inner, Rear  |
|   | 3494 420    | 1   |      |       | SPACER, Inner to Outer Panel                                       |
| 2   | 4212 194    | 1   |      |       | PANEL, Rear, Outer, w/o Hole                                       |
| 3   | 4215 718    | 1   |      |       | PANEL, Rear Inside,Upper, 1984                                     |
|   | 4335 181    | 1   |      |       | 1985   |
| 4   | 4335 630-1  | 1   |      |       | PILLAR, Rear Door Lock   |
|   | 3639 195    | 2   |      |       | RETAINER, Door Pillar Striker                                      |
| 5   | 3498 952-3  | 1   |      |       | PILLAR, Center   |
|   | 3639 195    | 2   |      |       | RETAINER, Door Pillar Striker                                      |
|   | 4038 744    | 4   |      |       | REINFORCEMENT, Shoulder Belt Mounting, Frt. & Rr. Door Lock Pillar |
|   | 4215 898-9  | 1   |      |       | REINFORCEMENT, Shoulder Belt Retractor                             |
|   | 3899 354    | 2   |      |       | REINFORCEMENT, Ctr. Plr. Seat Belt Anchor                          |
| 6   | 3494 440-1  | 1   |      |       | PANEL, Door Header   |
| 7   | 4212 974    | 1   |      |       | SHELL, W/Shield Cowl   |
|   | 4211 908    | 1   |      |       | PANEL, w/Shield Header   |
| 8   | 4211 915    | 1   |      |       | GRILLE, Cowl Plenum  |
| 9   | 4212 312-3  | 1   |      |       | PANEL, Sill, Front   |
| 10  | 3899 411    | 2   |      |       | PANEL, Sill, Center  |
| 11  | 4212 312-3  | 1   |      |       | PANEL, Sill, Rear  |
| 12  | 3731 653    | 1   |      |       | SILL, Rear Cross   |
| 13  | 4212 310-1  | 1   |      |       | REINFORCEMENT, Side Sill   |
| 14  | 3494 434-5  | 1   |      |       | EXTENSION, Side Sill Reinforcement                                 |
| 15  | 4033 722    | 2   |      |       | REINFORCEMENT, Rear Cross Sill                                     |
| 16  |             |     |      |       | STRIKER, Frt. & Rr. Door (See Group 23C-Illustrations)             |
| 17  | 3729 270-1  | 1   |      |       | DRIP RAIL, Roof Pnl. Side  |
| 18  | 4038 750-1  | 1   |      |       | PANEL, Center Pillar, Inner  |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |  |
|   | 1774 076    | 2   |      |       | PLUG, Side Sill Reinf. Extension                                   |
|   | 2480 957    | 2   |      |       | PLUG, Side Sill Reinf. Ext. Drain Hole                             |
|   | 2480 957    | 4   |      |       | PLUG, Side Sill Reinf. Drain Hole                                  |
|   | 6030 773    | 2   |      |       | PLUG, Cowl Hinge Outer Pillar                                      |
|   | 2480 957    | 4   |      |       | PLUG, U/Body Pnl. Hole   |
|   | 2502 719    | 4   |      |       | REINFORCEMENT, Seat Belt Inboard Mtg., Frt. & Rr.                  |
|   | 2893 939    | 4   |      |       | T-PLATE, Side Lock Frt. & Rr. Door Pillar Striker                  |
|   | 3494 811    | 2   |      |       | PLUG, Cowl Side Hinge Access Hole                                  |
|   | 3639 195    | 4   |      |       | RETAINER, Frt. & Rr. Door Lock Plr. Striker T/Plate                |
|   | 3731 334    | 2   |      |       | REINFORCEMENT, U/Body Rr. Cross Sill Rr. Hold-Down                 |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BODY PANELS - CREW CAB D3 & 7  
Figure 23A-2300

4369 2300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | 3731 396-7  | 1   |      |       | REINFORCEMENT, U/Body Panel Frt. Hold-Down         |
|      | 3738 367    | 1   |      |       | REINFORCEMENT and NUT, Cowl Wiper Motor Mtg., 1984 |
|      | 4335 183    | 1   |      |       | REINFORCEMENT and NUT, Cowl Wiper Motor Mtg., 1985 |
|      | 3794 032    | 1   |      |       | SEAL, Cowl Side Otr. Drain Hole                    |
|      | 4212 692    | 1   |      |       | DRIP RAIL, Roof Frt. Header                        |
|      | 4084 000    | 2   |      |       | PLUG, Side Sill Reinforcement Gauge Hole           |
|      | 4084 000    | 2   |      |       | PLUG, Cowl Hinge Outer Pillar                      |
|      | 4084 000    | 2   |      |       | PLUG, Side Sill Reinforcement Extension Gauge Hole |
|      | 6031 043    | 2   |      |       | PLUG, Side Lock Pillar                             |
|      | 2860 332    | 1   |      |       | PLUG, Radio Antenna Cable Hole                     |
|      | 4038 753    | 2   |      |       | PANEL, U/Body Rear Floor to Sill Close-Off         |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**EXPRESS BOX - SWEPTLINE D1-3 & 5-7**  
**Figure 23A-2500**

**4369 2500B**



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|---|-------------|-----|------|-------|---|
| NOTE: Any Items Not Listed For 6 1/2 Ft. Express Box , Order By Description. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |       |   |
| 1   |             | 2   |      |       | SILL (Order by Description)                         |
| 2   | 4212 224    | 2   |      |       | PANEL , Wheelhouse                                  |
| 3   | 3899 802    | 1   |      |       | COVER, Fuel Filler Tube                             |
| 4   | 4215 990-1  | 1   |      |       | PANEL, Frt. Floor Outer, w/8' Box                   |
| 5   | 4264 865    | 2   |      |       | SILL, Front & #1 Floor Cross                        |
| 6   |             |     |      |       | REINFORCEMENT, (Order by Description)               |
| 7   | 3494 001    | 1   |      |       | PANEL, Express Box Front, Center                    |
|   | 1882 735    | 4   |      |       | PLUG, Express Box Frt. Ctr. Pnl. (Not Shown)        |
| 8   | 4087 093    | 1   |      |       | PANEL, Floor Center, 8 ft. Box                      |
| 9   | 3495 034    | 1   |      |       | BRACE, Side Panel, Right                            |
|   | 4033 777    | 1   |      |       | Left  |
| 10  | 4166 216    | 1   |      |       | PANEL,Side Outer,w/6-1/2 ft. Box, Rt.               |
|   | 4166 217    | 1   |      |       | Left  |
|   | 4166 218    | 1   |      |       | w/8 Ft. Box, Right                                  |
|   | 4166 219    | 1   |      |       | Left  |
|   | 4166 750-1  | 1   |      |       | w/8 Ft. Box,w/Dual Wheels                           |
|   | 4262 008-9  | 1   |      |       | PANEL ASSEMBLY, 6-1/2 Ft. Box                       |
|   | 4262 010-1  | 1   |      |       | w/8 Ft. Box   |
|   | 4262 012-3  | 1   |      |       | w/8 Ft. Box & Dual Wheels                           |
|   | 4262 112    | 2   |      |       | REINFORCEMENT, Rr. Stake Pocket To Side Inner Panel |
| 11  |             |     |      |       | PANEL, Rear Corner (Contained in Item #10)          |
| 12  | 4087 105    | 1   |      |       | SILL, U/Body Rr. Floor Cross                        |
|   | 4033 193    | 2   |      |       | REINFORCEMENT, Rr. Cross Sill                       |
| 13  | 4215 688-9  | 1   |      |       | PANEL, Rr. Floor Outer, 8 Ft. Box                   |
| 15  | 4278 911    | 1   |      |       | DOOR, Side Pnl. Fuel Filler                         |
| 15A   | 4212 496    | 2   |      |       | BUMPER, Fuel Filler Door                            |
|   | 4211 412    | 1   |      |       | HOUSING,Fuel Tank Filler Tube,Left                  |
|   | 2480 957    | 1   |      |       | PLUG, S/Pnl. Fuel Filler Tube Vent Hole             |
| 16  | 4211 126-7  | 1   |      |       | REINFORCEMENT, Includes T/Gate Pivot Pin            |
|   | 6031 954    | 2   |      |       | SCREW, w/Washer Striker S/Pnl. Rr. Cnr. Pnl.        |
|   | 6032 049    | 2   |      |       | RETAINER, Rr. Corner Reinf. (Square)                |
| 17  | 4264 865    | 1   |      |       | SILL, Floor Cross #4                                |
| 18  |             |     |      |       | PANEL, Side Inner (Serv.in Item #10,Panel Assy)     |
| 19  | 4212 612-3  | 1   |      |       | EXTENSION, Wheelhouse Panel                         |
| 20  |             |     |      |       | ROLL BAR PACKAGE                                    |
|   | 4106 516    | 1   |      |       | 6 1/2 Ft. Box                                       |
|   | 4106 517    | 1   |      |       | 8 Ft. Box   |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EXPRESS BOX - UTILINE D1-3 & 5-7  
Figure 23A-2600

4369 2600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4215 944-5  | 1   |      |       | PANEL ASSEMBLY, 6-1/2 Ft. Box                                |
|      | 4215 946-7  | 1   |      |       | w/8 ft. Box  |
| 2    |             |     |      |       | EXTENSION (Order by Description)                             |
| 3    | 4211 654-5  | 1   |      |       | ANGLE, Side Panel To Flr., Front (6.5' Box)                  |
|      | 2503 196-7  | 1   |      |       | (8' Box)   |
|      | 1097 482    | 2   |      |       | Side Panel To Flr. - Center                                  |
|      | 4262 048-9  | 1   |      |       | Side Panel To Flr., Rear (6.5' Box)                          |
|      | 4262 050-1  | 1   |      |       | (8' Box)   |
| 4    |             |     |      |       | SILLS, Order by Description                                  |
| 5    | 4262 041    | 1   |      |       | PANEL, Front   |
| 6    | 1783 912    | 1   |      |       | ROD, Side Panel Tie  |
| 7    |             |     |      |       | SUPPORT (Order by Description)                               |
| 8    |             |     |      |       | ATTACHING PARTS, Refer to Rear Fender & Running Board Illus. |
| 9    | 4262 053    | 1   |      |       | PANEL, Floor Center (8' Box)                                 |
|      | 4262 140-1  | 1   |      |       | PANEL, Front Floor Outer (8' Box)                            |
|      | 4262 142-3  | 1   |      |       | PANEL, Rear Floor, Outer (8' Box)                            |
| 10   | 1780 718    | 2   |      |       | BRACE, Fender to Body  |
| 11   | 4262 047    | 1   |      |       | SILL ASSEMBLY, Rear  |
|      | 4038 753    | 2   |      |       | PANEL, u/Body Rr. Flr. to Close Off                          |
| 12   | 4264 870    | 1   |      |       | SILL, Floor Cross  |

NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|  |          |   |  |  |  |
|--|----------|---|--|--|--|
|  | 4262 066 | 1 |  |  | SILL, Floor Cross, Front                         |
|  | 4033 193 | 2 |  |  | REINFORCEMENT, Flr. Cross Sill Rr. Body Mounting |
|  | 0126 373 | 4 |  |  | BOLT, Side Panel Floor Angle to Floor            |
|  | 0121 367 | 8 |  |  | LOCKWASHER, Side Panel to Front Panel Screw      |
|  | 0181 086 | 8 |  |  | SCREW, Side Panel to Front Panel                 |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# REAR FENDER AND RUNNING BOARD D1-3 & 5-7 Figure 23A-2700

4369 2700



| ITEM  | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION  |
|---|-------------|-----|------|-----------|--|
| 1   | 3739 012    | 2   |      | SWEPTLINE | WELT, Rear Fender to Side Panel, Outer                     |
| 2   | 0152 454    | 38  |      | SWEPTLINE | U-NUT, Fender to Side Panel                                |
| 3   | 3739 772-3  | 1   |      | SWEPTLINE | FENDER, Rear, w/Dual Rear Wheels                           |
| 4   | 0181 063    | 38  |      | SWEPTLINE | BOLT, Fender to Side Panel,(1/4-20x3/4)                    |
| 5   | 0118 615    | AR  |      | UTILINE   | NUT, Support Bolt, (3/8-16)                                |
| 6   | 1781 546    | AR  |      | UTILINE   | BRACE, Express Body Running Board Support                  |
| 7   |             | AR  |      | UTILINE   | SCREW, w/Washer (Not Serviced)                             |
| 8   | 0181 665    | AR  |      | UTILINE   | SCREW, w/Washer,Running Board to Support                   |
| 9   | 0120 375    | AR  |      | UTILINE   | NUT, Running Board to Support, (1/4-20)                    |
| 10  | 6031 632    | AR  |      | UTILINE   | BOLT, Running Board to Support, (3/8-16)                   |
| 11  | 4211 660-1  | 1   |      | UTILINE   | RUNNING BOARD, 6.5' Box                                    |
|   | 4212 802-3  | 1   |      | UTILINE   | (8' Box)   |
|   | 4087 173    | 1   |      | UTILINE   | SUPPORT, R/Board Stop Brkt., Left                          |
|   | 4211 659    | 1   |      | UTILINE   | BRACKET, R/Board Supt. Stop                                |
| 12  | 1781 544    | AR  |      | UTILINE   | SPACER, Running Board Support                              |
| 13  | 6013 072    | AR  |      | UTILINE   | LOCKWASHER, Support Bolt                                   |
| 14  | 0120 394    | 4   |      | UTILINE   | WASHER, Plain, Fender to Running Board Bolt                |
| 15  | 4262 044-5  | 1   |      | UTILINE   | SUPPORT,Running Board                                      |
| 16  | 2221 103    | 4   |      | UTILINE   | SPACER, Running Board to Fender                            |
| 17  | 0181 112    | 4   |      | UTILINE   | BOLT, Fender to Running Board, (3/8-16)                    |
| 18  | 0118 614    | 4   |      | UTILINE   | NUT, Brace   |
| 19  | 6013 038    | 4   |      | UTILINE   | LOCKWASHER, Brace  |
| 20  | 0118 614    | 18  |      | UTILINE   | NUT, w/Washer, Fender to Side Panel Screw                  |
| 21  | 2221 103    | 18  |      | UTILINE   | SPACER, Fender to Side Panel                               |
| 22  | 6022 282    | 14  |      | UTILINE   | SCREW, Fender to Side Panel, (5/16-18)                     |
| 23  | 0181 088    | 4   |      | UTILINE   | BOLT, Fender to Side Panel, (5/16-18)                      |
| 24  | 0181 086    | 4   |      | UTILINE   | SCREW, Brace, (5/16-18)                                    |
| 25  | 0446 363    | 2   |      | UTILINE   | FLAT WASHER, brace   |
| 26  | 1780 718    | 2   |      | UTILINE   | BRACE, Rear Fender to Body                                 |
| 27  | 4212 706-7  | 1   |      | UTILINE   | FENDER, Rear   |
|   | 1398 694    | AR  |      | UTILINE   | FILLER, Rear Fender to Body, Lwr. & Up.                    |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |           |  |
|   | 2221 103    | 2   |      | UTILINE   | SPACER, Side Pnl. Angle Rr. to Angle Ctr.                  |
|   | 1095 537    | AR  |      | UTILINE   | SUPPORT, Express Body Running Board                        |
|   | 0219 462    | AR  |      | UTILINE   | NUT, Express Body Running Board to Side Panel Screw        |
|   | 0121 367    | 2   |      | UTILINE   | LOCKWASHER, Side Panel Tie Rod                             |
|   |             | AR  |      |           | BOLT, Express Body Running Board to Support (Not Serviced) |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TAILGATE D1-3 & 5-7  
Figure 23A-2800

4369 2800



| ITEM  | PART NUMBER | QTY | BODY | MODEL     | DESCRIPTION  |
|---|-------------|-----|------|-----------|--|
| 1   | 4212 834    | 1   |      | SWEPTLINE | TAILGATE, w/o Embossed "Dodge Ram"                       |
|   | 4212 891    | 1   |      | SWEPTLINE | TAILGATE, w/Embossed "Dodge Ram"                         |
|   | 3494 077    | 2   |      | SWEPTLINE | ARM, Tailgate Check                                      |
|   | 3730 812    | 4   |      | SWEPTLINE | RETAINER, Tailgate Check Arm                             |
|   | 4215 696    | 2   |      | SWEPTLINE | BUMPER, Tailgate Check Arm                               |
| 2   | 4262 069    | 2   |      | SWEPTLINE | Rear Corner Panel Tailgate LATCH, T/Gate (Caliper Lock)  |
|   | 4168 176-7  | 1   |      | SWEPTLINE | Up To 6-3-85   |
|   | 4352 134-5  | 1   |      | SWEPTLINE | After 6-3-85   |
| 3   | 6031 954    | 2   |      | SWEPTLINE | SCREW, w/Washer T/Gate Latch Striker                     |
|   | 4212 877    | 2   |      | SWEPTLINE | STOP, Caliper Latch                                      |
|   | 4168 302    | 1   |      | SWEPTLINE | BUSHING, Pivot Pin, Right                                |
|   | 3494 075    | 1   |      | SWEPTLINE | Left   |
| 4   | 2945 108-9  | 2   |      | SWEPTLINE | CLIP, Tailgate Lock Bolt Rod                             |
| 5   | 4211 133    | 2   |      | SWEPTLINE | ROD, Tailgate Lock Bolt                                  |
| 6   | 4211 542    | 1   |      | SWEPTLINE | HANDLE, Tailgate Lock                                    |
|   | 3498 238    | 1   |      | SWEPTLINE | HOUSING, Handle  |
|   | 2828 376    | 1   |      | SWEPTLINE | CUP, Tailgate Handle, Sweptline, Serviced in P/N 4211542 |
| 7   | 1097 926    | 1   |      | UTILINE   | TAILGATE, Upline   |
| 8   | 4212 703    | 2   |      | UTILINE   | HINGE, Tailgate, Outer                                   |
|   | 4262 068    | 1   |      | UTILINE   | Center   |
|   | 0181 112    | 6   |      | UTILINE   | SCREW and WASHER, Hinge                                  |
| 9   | 4212 698-9  | 1   |      | UTILINE   | BRACKET, T/Gate Chain Side Pnl. Flare Brd. Rr. Support   |
| 10  | 4212 819    | 2   |      | UTILINE   | CHAIN, Tailgate  |
| NOTE: The Following Items Are Not Shown On Illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |      |           |  |
|   | 0181 088    | 4   |      | SWEPTLINE | SCREW, w/Washer T/Gate Lock Mounting                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WINDSHIELD AND BACKLITE D1-8  
Figure 23A-2900

4369 2900



| ITEM  | PART NUMBER | QTY | BODY        | MODEL | DESCRIPTION   |
|---|-------------|-----|-------------|-------|---|
| 1   |             | 1   |             |       | GLASS, Windshield, Clear (See Note)                 |
|   | 4160 596    | 1   |             |       | Tinted (See Note)                                   |
|   | 4168 694    | 1   |             |       | Tint Shaded (See Note)                              |
| 2   | 4212 495    | 1   |             |       | WEATHERSTRIP, Windshield Glass                      |
|   | 4106 862    | 1   |             |       | RETAINER, W/Shield Weatherstrip,Bright (16 Ft.Roll) |
| 3   | 4057 107    | 1   |             |       | Plain (16 ft. Roll)                                 |
|   | 3794 247    | 1   |             |       | CAP, Locking Strip w/Mldg.                          |
|   | 4160 654    | 1   | exc. D4 & 8 |       | GLASS, Rear Window, Clear (See Note)                |
|   | 4160 655    | 1   | exc. D4 & 8 |       | Tinted (See Note)                                   |
|   |             |     |             |       |   |
| 4   |             |     | exc. D4 & 8 |       | WEATHERSTRIP, Rear Window                           |
|   | 4160 652    | 1   | exc. D4 & 8 |       | Used w/4106862 Ret.                                 |
|   | 4160 653    | 1   | exc. D4 & 8 |       | Plain   |
|   | 4084 911    | 1   | exc. D4 & 8 |       | RETAINER, Rear Wdo. w/Strip.                        |
|   | 3794 247    | 1   | exc. D4 & 8 |       | CAP, Rear Window W/Strip Retainer                   |
| NOTE: Order Windshields & Backlites from your local "MOPAR" Glass Distributor. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |             |     |             |       |   |
| 5   | 3899 790    | 1   | exc. D4 & 8 |       | GLASS and FRAME, Up To 4/2/84 (See Note "1")        |
|   | 4335 282    | 1   | exc. D4 & 8 |       | After 4/2/84 (See Note "1")                         |
| 6   | 3731 078    | 1   | exc. D4 & 8 |       | LATCH and KEEPER                                    |
| NOTE "1": The following items are required to install Item #5: s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.                 |             |     |             |       |   |

Up To 4/2/84:  
1 - 3494598 Weatherstrip  
1 - 4057107 Retainer (16' Roll)  
After 4/2/84:  
1 - 4335283 Weatherstrip  
1 - 4335284 Retainer  
1 - 4335285 Cap

|   |          |   |  |  |   |
|---|----------|---|--|--|---|
| NOTE: The following items are not shown on illustration. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you. |          |   |  |  |   |
|   | 4054 066 | 1 |  |  | BUTTON, Inside Rear View Mirror Windshield Mounting |
|   | 4335 283 | 1 |  |  | WEATHERSTRIP, R/R Window Assy. Mounting             |
|   | 4335 284 | 1 |  |  | RETAINER, R/R Window Assy., Black Mylar             |
|   | 4335 285 | 1 |  |  | CLIP, R/R Sliding Window Assy.,Retainer             |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

GROUP 23C - BODY - DOORS AND RELATED PARTS


| ILLUSTRATION TITLE  | GROUP-FIG. NO. |
|---|----------------|
| <b>B BODY</b>   |                |
| DOOR, FRONT COMPLETE B 1,2,3 .....                                      | Fig. 23C-100   |
| DOOR, SLIDING SHELL, GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3 .....    | Fig. 23C-200   |
| DOOR, SLIDING HANDLE AND LATCH B 1,2,3 .....                            | Fig. 23C-300   |
| DOOR, HINGED CARGO B 1,2,3 .....  | Fig. 23C-400   |
| DOOR, CARGO CHECK ARM B 1,2,3 .....                                     | Fig. 23C-500   |
| DOOR, SINGLE REAR CARGO GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3 ..... | Fig. 23C-600   |
| MIRRORS, EXTERIOR B 1,2,3 .....   | Fig. 23C-700   |
| <b>D BODY</b>   |                |
| DOOR, FRONT COMPLETE D 1,2,3,4,5,6,7,8 .....                            | Fig. 23C-800   |
| DOOR, REAR COMPLETE D 3,7 .....   | Fig. 23C-900   |
| MIRRORS, EXTERIOR D,W .....   | Fig. 23C-1000  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



DOOR, FRONT COMPLETE B 1,2,3  
Figure 23C-100

4371 100 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4217 552-3  | 1   |      |       | WEATHERSTRIP, Front Door                            |
|      | 4240 920    | AR  |      |       | RETAINER, Front Door Weatherstrip                   |
|      | 2405 049    | 2   |      |       | CLIP, Front Door Weatherstrip                       |
|      | 4082 007    | 2   |      |       | RUN, Front Door Glass                               |
| 2    | 2956 614    | 1   |      |       | Lower   |
|      |             |     |      |       |   |
|      |             |     |      |       |   |
|      |             |     |      |       |   |
| 3    |             |     |      |       | GLASS, Front Door                                   |
|      | 4160 576-7  | 1   |      |       | Tinted  |
|      | 4160 580-1  | 1   |      |       | Tinted w/Band                                       |
|      | 4365 683    | 1   |      |       | DECAL, Seat Belt Safety                             |
| 4    | 4161 674-5  | AR  |      |       | WEATHERSTRIP, Front Door Glass                      |
|      | 2217 508    | AR  |      |       | CLIP, Front Door Glass Weatherstrip                 |
| 5    |             |     |      |       | GLASS and BASE, Vent Wing                           |
|      | 4330 180-1  | 1   |      |       | Tinted, Up to 2-28-84                               |
|      | 4330 192-3  | 1   |      |       | Tinted, After 2-28-84                               |
|      | 4330 192-3  | 1   |      |       | 1985  |
| 6    | 4217 988-9  | 1   |      |       | Tinted, w/Band                                      |
|      |             |     |      |       |   |
|      |             |     |      |       |   |
|      |             |     |      |       |   |
| 7    |             |     |      |       | PIVOT, Upper Vent Wing (Served in Item #5)          |
|      | 4467 351    | 2   |      |       | RIVET PACKAGE, Vent Glass                           |
|      | 3759 080    | 2   |      |       | WASHER, Vent Glass, Upper Pivot                     |
|      | 3759 079    | 2   |      |       | GASKET, Vent Wing Upper Pivot                       |
| 8    | 3759 081    | AR  |      |       | SPACER, Front Door Vent Wing Upper Pivot            |
|      | 4217 936    | 2   |      |       | CLAMP, Front Door Vent Wing Lower Pivot Tension     |
|      | 0137 948    | 8   |      |       | RIVET, Vent Wing Lower                              |
|      |             |     |      |       |   |
| 9    |             |     |      |       | WEATHERSTRIP, Vent Wing Glass                       |
|      | 4166 496-7  | 1   |      |       | 1984  |
|      | 4330 144-5  | 1   |      |       | 1985  |
|      | 4240 998-9  | 1   |      |       | HANDLE PACKAGE, Vent Wing                           |
| 10   | 9409 633    | 2   |      |       | PIN, Vent Wing Handle                               |
|      | 3788 265    | 2   |      |       | SPACER, Front Door Vent Wing Handle                 |
|      | 3788 266    | 2   |      |       | GASKET, Front Door Vent Wing Handle                 |
|      | 4330 482-3  | 1   |      |       | CHANNEL w/FRAME, Vent Wing                          |
| 11   | 4330 182-3  | 1   |      |       | w/School Bus Pkg.                                   |
|      | 4212 354-5  | 1   |      |       | STRIKER, Latch Front Door Vent Wing Div. Channel    |
|      | 6031 264    | 2   |      |       | SNAP NUT, Vent Wing tp Front Door Inner Panel Upper |
|      |             |     |      |       |   |
| 12   |             |     |      |       | ROD, Vent Wing Adjusting                            |
|      | 2894 475    | 2   |      |       | Up to 6-10-85                                       |
|      | 4354 171    | 2   |      |       | After 6-10-85                                       |
|      |             |     |      |       |   |
| 13   |             |     |      |       | REGULATOR, Front Door Window                        |
|      | 4080 946-7  | 1   |      |       | SLIDE, Window Reg. Arm                              |
|      | 4339 301    | 2   |      |       | PLATE, Regulator                                    |
|      | 4083 074-5  | 1   |      |       | SCREW, Window Regulator                             |
| 14   | 6027 221    | 2   |      |       |   |
|      |             |     |      |       |   |
|      |             |     |      |       |   |
|      |             |     |      |       |   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, FRONT COMPLETE B 1,2,3  
Figure 23C-100

4371 100 B



ELECTRIC DOOR LOCK

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 13   | 4310 824    | 2   |      |       | HANDLE, Front Door Window Regulator     |
|      | 4160 852    | 2   |      |       | SPACER, Window Regulator                |
| 14   | 4118 678-9  | 1   |      |       | HANDLE, Front Door Remote Control       |
|      | 0181 063    | 1   |      |       | SCREW, Remote Control Handle            |
| 15   | 3670 808-9  | 1   |      |       | REMOTE CONTROL, Front Door              |
|      | 2862 052-3  | 1   |      |       | BUMPER, Remote Control Lever            |
| 16   | 3636 034-5  | 1   |      |       | LINK, Remote Control Lock, 1984         |
|      | 4330 270    | 1   |      |       | Right, 1985                             |
|      | 4330 269    | 1   |      |       | Left, 1985                              |
| 17   | 2956 168-9  | 1   |      |       | LINK, Lock to Locking Knob, 1984        |
|      | 4330 262-3  | 1   |      |       | 1985                                    |
| 18   |             |     |      |       | LATCH, Front Door                       |
|      | 4217 706    | 1   |      |       | Right, 1984                             |
|      | 4217 705    | 1   |      |       | Left, 1984                              |
|      | 4330 264-5  | 1   |      |       | 1985                                    |
|      | 3760 130-1  | 1   |      |       | CLIP, Front Door Lock                   |
| 19   | 2945 108-9  | 1   |      |       | CLIP, Remote Control Lever to Lock Link |
| 20   |             | AR  |      |       | RETAINER, Lock Cylinder (Refer to 23D)  |
| 21   | 3419 209    | 2   |      |       | KNOB, Locking                           |
| 22   | 4330 256-7  | 2   |      |       | LINK, Front Door Outside Handle to Lock |
| 23   |             | 1   |      |       | CYLINDER w/KEY, Refer to 23D            |
| 24   | 4217 710-1  | 1   |      |       | HANDLE, Front Door Exterior             |
|      | 4267 925    | 2   |      |       | REPAIR PACKAGE, Outside Handle          |
| 25   | 4038 757    | 2   |      |       | GASKET, Handle                          |
|      | 4038 756    | 2   |      |       | Handle, Front                           |
|      | 2216 279    | 2   |      |       | Handle, Push Button                     |
| 26   | 4161 650-1  | 1   |      |       | CHANNEL, Front Door Glass Lower         |
|      |             | AR  |      |       | EVERSEAL (NPN 1836141)                  |
| 27   |             | 2   |      |       | GASKET, Lock Cylinder (Refer to 23D)    |
| 28   | 2945 108-9  | 1   |      |       | CLIP, Remote Control to Lock Link       |
| 29   |             | 2   |      |       | T/Plate, Serviced in Door Shell         |
| 30   | 4082 009    | 2   |      |       | RUN, Front Door Division Channel        |
|      | 4082 007    | 2   |      |       | RUN, Front Door Glass                   |
| 31   | 2956 442-3  | 1   |      |       | PLATE, Front Door Access                |
| 32   |             | AR  |      |       | SCREW, Front Door Access Plate (DNS)    |
| 33   |             |     |      |       | DOOR SHELL                              |
|      | 4217 770-1  | 1   |      |       | Low Line w/o Speakers, 1984             |
|      | 4335 504-5  | 1   |      |       | Low Line w/o Speakers, 1985             |
|      | 4330 282-3  | 1   |      |       | Except Low Line, w/Speakers             |
|      | 4335 506-7  | 1   |      |       | Except Low Line, w/Speakers, 1985       |
|      | 4217 654-5  | 1   |      |       | BRACKET, Front Door Lower Ice Breaker   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

# DOOR, FRONT COMPLETE B 1,2,3 Figure 23C-100

4371 100 B



**ELECTRIC DOOR LOCK**

| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|-------|-------------|-----|------|-------|---|
|       | 4335 508-9  | 1   |      |       | PANEL, Front Door Repair                          |
|       | 4087 840-1  | 1   |      |       | REINFORCEMENT, Front Door Inner Panel             |
| 34    | 4330 002-3  | 1   |      |       | HINGE, Front Door Upper, 1984                     |
|       | 4354 226-7  | 1   |      |       | 1985  |
| 35    | 4330 226    | 2   |      |       | HINGE, Front Door Lower, 1984                     |
|       | 4354 224-5  | 1   |      |       | 1985  |
|       | 2583 568    | 2   |      |       | BAR, Front Door Lower Hinge Torsion               |
|       | 6500 976    | 2   |      |       | PIN, Front Door Upper Hinge                       |
|       | 6500 975    | 2   |      |       | PIN, Front Door Lower Hinge                       |
| 36-37 | 0181 112    | AR  |      |       | SCREW, Hinge                                      |
| 38    | 3861 518    | 2   |      |       | KNOB, Locking                                     |
|       | 3419 209    | 2   |      |       | w/o Door Locks                                    |
|       | 4038 693    | 2   |      |       | GROMMET, Locking Knob                             |
| 39    | 4113 188-9  | 1   |      |       | LINK, Door to Electric Switch                     |
| 40    | 0629 792    | 2   |      |       | CLIP, Switch to Door Lock Link                    |
|       | 4330 288-9  | 1   |      |       | BRACKET w/SWITCH, Power Door Lock                 |
| 41    | 2661 746    | 1   |      |       | SWITCH, Door Lock                                 |
| 42    | 4113 518-9  | 1   |      |       | LINK and CLIP, Lock to Lock Cylinder, 1984        |
|       | 4330 258-9  | 1   |      |       | 1985  |
| 43    | 4113 188-9  | 2   |      |       | BRACKET LEVER and LINK, Front Door Electric Latch |
| 44    |             |     |      |       | LOCK, Front Door                                  |
|       | 4217 706    | 1   |      |       | Right, 1984                                       |
|       | 4217 705    | 1   |      |       | Left, 1984  |
|       | 4330 264-5  | 1   |      |       | 1985  |
| 45    | 4113 292-3  | 1   |      |       | LINK, Solenoid to Lock, 1984                      |
|       | 4330 260-1  | 1   |      |       | 1985  |
| 46    | 0612 492    | 1   |      |       | CLIP, Solenoid to Lock Link, Left                 |
|       | 0629 792    | 1   |      |       | Right   |
| 47    |             |     |      |       | SOLENOID, Door Lock                               |
|       | 3861 748-9  | 1   |      |       | Up to 2-20-84                                     |
|       | 4330 280-1  | 1   |      |       | After 2-20-84                                     |
|       | 4330 448-9  | 1   |      |       | 1985  |
|       | 6030 649    | 4   |      |       | SCREW, Solenoid Mtg.                              |
| 48    | 2661 572    | 2   |      |       | BOOT, Power Door Lock                             |
| 49    | 2661 118    | 2   |      |       | SPRING, Front Door Return Switch                  |
| 50    |             |     |      |       | STRIKER, Front Door Lock                          |
|       | 3454 485    | 2   |      |       | 1984  |
|       | 4330 255    | 2   |      |       | 1985  |
| 51    | 4166 894-5  | 1   |      |       | REGULATOR, Front Door Electric Window             |
|       | 4113 498    | 2   |      |       | SPRING, Front Door Electric Window                |
| 52    | 4212 628-9  | 1   |      |       | MOTOR and GEAR BOX, Front Door Electric Window    |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, FRONT COMPLETE B 1,2,3  
Figure 23C-100

4371 100 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                       |
|------|-------------|-----|------|-------|---|
|      | 4162 597    | 2   |      |       | RELAY w/BRACKET, Window Lift Safety               |
|      |             | 1   |      |       | SCREW, Relay w/Bracket Mtg. (DNS)                 |
|      | 4240 474    | 1   |      |       | GEAR w/PINION, Front Door Electric Window Motor   |
|      | 1316 863    | 1   |      |       | O-RING, Front Door Electric Window Motor          |
|      | 9416 992    | 1   |      |       | NUT, Front Door Electric Window Motor             |
| 53   | 4160 340-1  | 1   |      |       | BRACKET, Front Door Electric Window Downstop      |
| 54   | 3759 910    | 2   |      |       | BUMPER, Front Door Electric Window Glass Downstop |
| 55   | 4160 846    | 1   |      |       | BEZEL, Front Door Electric Window Switch, Right   |
| 56   | 4160 847    | 1   |      |       | BEZEL, Front Door Electric Window Switch, Left    |
| 57   | 3882 758    | 2   |      |       | SLIDE, Window Regulator Arm                       |
|      | 6029 940    | AR  |      |       | PLUG, Door  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**DOOR, SLIDING SHELL, GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3**  
**Figure 23C-200**

4-71 200A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
|      | 4267 885    | 1   |      |       | HARDWARE PACKAGE, Sliding Cargo Door Hinge |
|      |             |     |      |       | Consists Of :                              |
|      | 4113 853    | 1   |      |       | GUIDE                                      |
|      | 4211 424    | 1   |      |       | CATCH, Lower                               |
|      | 4211 425    | 1   |      |       | CATCH, Upper                               |
|      | 3636 934    | 2   |      |       | SPRING                                     |
|      | 3636 931    | 1   |      |       | PLATE                                      |
|      | 4084 129    | 2   |      |       | SPACER                                     |
|      | 6030 085    | 1   |      |       | SCREW, Shoulder                            |
|      |             | 1   |      |       | SCREW, Flat (DNS)                          |
| 1    | 4217 653    | 1   |      |       | HINGE, Door Half                           |
| 2    | 4217 695    | 1   |      |       | HINGE, Body Half                           |
|      | 4113 853    | 1   |      |       | GUIDE, Hinge Body Half                     |
| 3    | 4080 276    | 1   |      |       | BRACKET                                    |
| 4    | 4081 970    | 1   |      |       | ROLLER                                     |
|      | 4084 108    | 1   |      |       | SPACER, Upper Roller                       |
| 5    | 3636 942    | 1   |      |       | SPRING                                     |
|      | 9414 118    | 1   |      |       | PIN, Hinge Pivot Arm Cam Stop              |
| 6    |             |     |      |       | GLASS, Sliding Door                        |
|      |             |     |      |       | One Piece Fixed                            |
|      | 4081 253    | 1   |      |       | Tinted                                     |
|      | 4081 254    | 1   |      |       | Privacy                                    |
|      | 4084 622    | 1   |      |       | Weatherstrip, Lowline                      |
|      | 4166 696    | 1   |      |       | Exc. Lowline                               |
|      |             |     |      |       | One Piece Vented, w/Moulding               |
|      | 4160 121    | 1   |      |       | Tinted                                     |
|      | 4160 122    | 1   |      |       | Privacy                                    |
|      | 4160 127    | 1   |      |       | WEATHERSTRIP                               |
| 7    | 3636 946    | 1   |      |       | PLATE                                      |
| 8    | 4084 769    | 1   |      |       | BUMPER, Hinge Outer Track                  |
| 9    | 4084 130    | 1   |      |       | STRIKER                                    |
| 10   | 4217 570    | 1   |      |       | STRIKER                                    |
| 11   | 3729 426    | 1   |      |       | BRACKET w/ROLLER                           |
| 12   | 3729 540    | 1   |      |       | BRACKET                                    |
| 13   | 3729 539    | 1   |      |       | BUMPER                                     |
|      | 3729 936    | 1   |      |       | BUMPER, Rear Pillar                        |
|      | 3739 768    | 1   |      |       | PLATE, Rear Pillar Lock Striker Tapping    |
| 14   | 3636 870    | 1   |      |       | SPACER                                     |
| 15   | 4166 923    | 1   |      |       | WEATHERSTRIP, Sliding Door                 |
| 16   | 3731 480    | 1   |      |       | BUMPER                                     |
| 17   | 3729 406    | 1   |      |       | SPACER                                     |

**MODEL CODES:**

**TRUCK LINE**

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.

**CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, SLIDING SHELL, GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3  
Figure 23C-200

4-71 200A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|-------------|-----|------|-------|------------------------------------|
| 18   | 3636 877    | 1   |      |       | SPACER                             |
| 19   |             | 1   |      |       | NUT (DNS)                          |
| 20   | 9416 171    | 1   |      |       | BOLT                               |
| 21   | 0118 614    | 1   |      |       | NUT                                |
| 22   | 6022 202    | 1   |      |       | BOLT                               |
| 23   | 0181 086    | 1   |      |       | BOLT                               |
| 24   | 6030 613    | 1   |      |       | SCREW                              |
| 25   | 3730 000    | 1   |      |       | SCREW w/WASHER                     |
| 26   |             | 1   |      |       | SCREW (DNS)                        |
| 27   |             | 1   |      |       | SCREW (DNS)                        |
| 28   |             | 1   |      |       | SCREW (DNS)                        |
| 29   | 4211 425    | 1   |      |       | CATCH, Upper                       |
|      | 3636 934    | 1   |      |       | SPRING                             |
| 30   | 4211 424    | 1   |      |       | CATCH, Lower                       |
|      | 4084 129    | 1   |      |       | SPACER, Hinge Striker Catch        |
| 31   | 4217 644    | 1   |      |       | ARM, Hinge                         |
|      | 4217 566    | 4   |      |       | BEARING, Hinge Pivot Arm           |
|      | 4217 567    | 4   |      |       | WASHER, Hinge Pivot Arm Bearing    |
|      | 3636 929    | 1   |      |       | WASHER, Pivot Arm                  |
|      | 4211 642    | 1   |      |       | CAM, Door Half Pivot Arm           |
|      | 4084 128    | 1   |      |       | CAM, Body Half Pivot Arm           |
|      | 4211 422    | 1   |      |       | BUSHING, Door Half Pivot Arm Upper |
| 32   |             |     |      |       | SHELL, Sliding Door                |
|      | 4212 801    | 1   |      |       | w/Window                           |
|      | 4212 800    | 1   |      |       | w/o Window                         |
|      | 4113 273    | 1   |      |       | PANEL, Repair                      |
|      | 4160 142    | 1   |      |       | w/o Window                         |
|      | 4113 855    | 1   |      |       | w/Window                           |
| 33   |             |     |      |       | ROLLER, Hinge                      |
|      | 3731 495    | 1   |      |       | SHAFT, Upper Roller                |
| 34   | 4038 836    | 1   |      |       | STRIKER                            |
|      | 4168 427    | 1   |      |       | RETAINER, Side Step Sill Panel     |
| 35   | 3636 931    | 1   |      |       | PLATE, Hinge Striker Catch         |
| 36   | 6030 085    | 1   |      |       | BOLT                               |
| 37   | 4217 647    | 1   |      |       | STRIKER, Front                     |
|      | 3729 419    | 1   |      |       | BUMPER, Striker                    |
| 38   | 4160 140    | AR  |      |       | HINGE, Vented Window               |
| 39   |             | 2   |      |       | SCREW, Self Tapping (DNS)          |
| 40   | 4081 574    | 1   |      |       | LATCH, Vented Window               |
|      | 4212 603    | 1   |      |       | SUPPORT, Latch Mtg.                |
| 41   | 4084 167    | 1   |      |       | NUT                                |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, SLIDING SHELL, GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3  
Figure 23C-200

4-71 200A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION           |
|------|-------------|-----|------|-------|-----------------------|
| 42   | 4084 164    | 1   |      |       | GROMMET               |
| 43   | 4084 438    | 1   |      |       | WASHER, Fiber         |
| 44   | 4081 578    | 1   |      |       | RETAINER              |
| 45   |             | 1   |      |       | PLATE, Tapping (DNS)  |
| 46   | 0152 842    | 3   |      |       | SCREW, Latch to Plate |
| 47   | 9411 579    | 1   |      |       | PIN, Latch            |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, SLIDING HANDLE AND LATCH B 1,2,3  
Figure 23C-300

4371 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | HANDLE, Outside                                |
|      | 4217 723    | 1   |      |       | 1984   |
|      | 4354 045    | 1   |      |       | 1985   |
|      | 4084 126    | 1   |      |       | ESCUTCHEON, Outside Handle                     |
|      | 4084 125    | 1   |      |       | SEAL, Outside Handle                           |
| 2    | 3419 209    | 1   |      |       | KNOB   |
| 3    | 4081 654    | 1   |      |       | LINK   |
| 4    |             |     |      |       | LATCH  |
|      | 4318 440    | 1   |      |       | 1984   |
|      | 4354 039    | 1   |      |       | 1985   |
| 5    | 3731 304    | 1   |      |       | LINK   |
|      | 3731 626    | 1   |      |       | RETAINER, Lock Cylinder to Front Latch Link    |
| 6    | 3731 307    | 1   |      |       | ROD  |
| 7    | 3731 306    | 1   |      |       | ROD  |
| 8    | 3731 619    | 1   |      |       | CLIP, Anti Rattle                              |
| 9    | 4038 837    | 1   |      |       | LOCK, Remote Control                           |
| 10   | 3731 384    | 1   |      |       | HANDLE, Inside                                 |
| 11   | 3639 081    | 1   |      |       | SPACER   |
| 12   | 2950 491    | 1   |      |       | SPACER, Anti Rattle                            |
| 13   | 4081 417    | 1   |      |       | COVER  |
| 14   | 3731 618    | 1   |      |       | ROD  |
| 15   | 3731 492    | 1   |      |       | GUIDE  |
| 16   | 4217 571    | 1   |      |       | SUPPORT  |
| 17   | 0181 063    | 1   |      |       | BOLT   |
| 18   |             | 1   |      |       | NUT (DNS)                                      |
| 19   |             | 1   |      |       | SCREW (DNS)                                    |
| 20   |             | 1   |      |       | SCREW (DNS)                                    |
| 21   | 6030 145    | 1   |      |       | SCREW  |
| 22   | 0181 112    | 1   |      |       | BOLT   |
| 23   |             | 1   |      |       | SCREW (DNS)                                    |
| 24   |             | 1   |      |       | NUT (DNS)                                      |
|      | 6030 138    | 1   |      |       | CLIP, Latch to Catch Rod Upper                 |
|      | 6030 139    | 1   |      |       | CLIP, Front Latch to Rear Lock Upper Rod, Rear |
|      | 6030 117    | 1   |      |       | CLIP, Front Latch to Locking Knob Link         |
| 25   | 3861 518    | 2   |      |       | KNOB, Locking                                  |
| 26   | 4038 693    | 2   |      |       | GROMMET, Knob                                  |
| 27   | 4081 654    | 2   |      |       | LINK, Lock to Knob                             |
| 28   |             |     |      |       | LATCH, Remote Control, See item 4              |
| 29   | 6030 117    | 2   |      |       | CLIP, Link to Latch                            |
| 30   | 4113 266    | 2   |      |       | LINK, Solenoid to Lock                         |
| 31   | 0612 492    | 2   |      |       | CLIP, Link to Solenoid                         |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

D11 = SPORT UTILITY (4X4)

D12 = SPORT UTILITY (4X4)

D13 = SPORT UTILITY (4X4)

D14 = SPORT UTILITY (4X4)

D15 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



**Figure 23C-300**

**ELECTRIC DOOR LOCK**


[illegible]

| TRUCK LINE                      | BODY STYLE & WHEELBASE VANS:         | WAGONS:                              | CONVENTIONAL:                        | SPORT UTILITY:   | CREW CAB:                            |
|---------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------|--------------------------------------|
| D123 = CONVENTIONAL TRUCK (4X2) | (11) = 109" W.B.<br>(12) = 127" W.B. | (51) = 109" W.B.<br>(52) = 127" W.B. | (61) = 115" W.B.<br>(62) = 131" W.B. | (71) = 106" W.B. | (82) = 149" W.B.<br>(83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)        | (13) = 127X" W.B.                    | (53) = 127X" W.B.                    | (63) = 135" W.B.                     |                  |                                      |
| D5,6,7 = CONVENTIONAL           |                                      |                                      | (64) = 159" W.B.                     |                  |                                      |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, HINGED CARGO B 1,2,3  
Figure 23C-400

4371 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 3729 159    | 1   |      |       | HANDLE, Inside  |
| 2    | 0180 018    | 3   |      |       | SCREW   |
| 3    | 3670 808    | 1   |      |       | REMOTE CONTROL  |
|      | 2956 689    | 1   |      |       | SUPPORT, Side Cargo Door Front Remote Control             |
| 4    | 4084 914    | 1   |      |       | LINK, Remote Control                                      |
| 5    | 3419 209    | 1   |      |       | KNOB  |
|      | 4038 693    | 2   |      |       | GROMMET, Locking Knob                                     |
| 6    | 4083 640    | 1   |      |       | LINK, Lock to Locking Knob                                |
| 7    | 4217 710    | 1   |      |       | HANDLE, Outside   |
|      | 4038 757    | 1   |      |       | GASKET, Outside Handle, Rear                              |
|      | 2216 279    | 1   |      |       | Outside Handle Push Button                                |
|      | 4038 756    | 1   |      |       | Front   |
| 8    |             |     |      |       | CYLINDER w/KEY, Refer to 23D                              |
| 9    |             |     |      |       | GASKET, Refer to 23D                                      |
| 10   |             |     |      |       | RETAINER, Refer to 23D                                    |
| 11   | 4083 639    | 1   |      |       | LINK, Outside Handle to Lock                              |
| 12   | 4113 520    | 1   |      |       | LINK, Lock to Lock Cylinder                               |
| 13   | 6028 007    | 3   |      |       | SCREW   |
| 14   | 4083 620    | 1   |      |       | LATCH   |
| 15   |             | 1   |      |       | Plate, Serviced in Door Shell                             |
| 16   | 4113 108    | 4   |      |       | WEAR PLATE, Upper and Lower                               |
|      | 3829 857    | 2   |      |       | GASKET, Wear Plate Upper                                  |
| 17   | 6029 044    | 8   |      |       | SCREW, Wear Plate   |
| 18   | 3498 968    | 1   |      |       | HANDLE, Slam Bolt   |
| 19   | 3498 969    | 1   |      |       | LOCK, Slam Bolt   |
|      | 4113 107    | 1   |      |       | STRIKER, Underbody Rear Sill Slam Bolt                    |
|      | 3685 552    | 2   |      |       | LOCK PACKAGE, Consists of 3498969 Lock and 3498968 Handle |
|      | 4113 110    | 1   |      |       | RETAINER, Side Cargo Door                                 |
|      | 4113 111    | 1   |      |       | Rear Cargo Door Slam Bolt Lower                           |
| 20   | 4113 104    | 2   |      |       | ROD and BOLT, Upper                                       |
| 21   | 4113 105    | 1   |      |       | ROD and BOLT, Side Hinged Door Lower                      |
|      | 4113 110    | 1   |      |       | RETAINER, Side Cargo Door Slam Bolt Lock Lower            |
|      | 4113 106    | 1   |      |       | ROD and BOLT, Rear Door Lower                             |
|      | 4113 111    | 1   |      |       | RETAINER, Rear Cargo Door Lower                           |
| 22   |             | AR  |      |       | WASHER (DNS)  |
| 23   | 4083 637    | 1   |      |       | SHIELD, Lock Striker                                      |
| 24   | 4083 643    | 1   |      |       | SPRING, Side Cargo Door Lock Latch Striker                |
| 25   | 3454 485    | 1   |      |       | STRIKER, Door Latch                                       |
|      | 4168 427    | 1   |      |       | RETAINER, Side Step Sill Panel Slam Bolt Striker          |
| 26   |             |     |      |       | SPACER  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, HINGED CARGO B 1,2,3  
Figure 23C-400

4371 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 27   | 6026 361    | 1   |      |       | 1984   |
|      | 4184 105    | 1   |      |       | 1985   |
|      | 4212 724    | 2   |      |       | HINGE, Upper Left                              |
|      | 4330 277    | 2   |      |       | Up to 1-3-84                                   |
|      | 4330 277    | 2   |      |       | After 1-3-84                                   |
|      | 4330 276    | 2   |      |       | 1985   |
|      | 4330 277    | 2   |      |       | HINGE, Lower Left                              |
|      | 4354 277    | 2   |      |       | Except 109"W.B                                 |
|      | 4330 275    | 2   |      |       | 1985, Up to 3-29-85                            |
|      | 4354 275    | 2   |      |       | 1985, After 3-29-85                            |
| 28   | 4330 276    | 2   |      |       | Lower Left, w/109" W.B                         |
|      | 4330 276    | 2   |      |       | 1985, Up to 4-17-85                            |
|      | 4354 276    | 2   |      |       | 1985, After 4-17-85                            |
|      | 4330 276    | 2   |      |       | HINGE, Upper Right                             |
|      | 4330 276    | 2   |      |       | 1985, Up to 4-2-85                             |
|      | 4354 276    | 2   |      |       | 1985, After 4-2-85                             |
|      | 4212 724    | 2   |      |       | HINGE, Lower Right                             |
|      | 4330 276    | 2   |      |       | 1984   |
|      | 6028 993    | 1   |      |       | 1985   |
|      | 6028 993    | 1   |      |       | PIN, Side Cargo Door Hinge                     |
|      | 4033 711    | AR  |      |       | Rear Cargo Door Hinge                          |
|      | 4087 124-5  | 4   |      |       | BUSHING, Hinge                                 |
|      | 4087 122-3  | 1   |      |       | HINGE BRACKET, Cargo Doors Upper               |
|      |             |     |      |       | Lower  |
|      |             |     |      |       | SHELL, Side Hinged Doors                       |
|      | 4217 535    | 1   |      |       | Front w/Window, Up to 2-11-85                  |
|      | 4354 209    | 1   |      |       | After 2-11-85                                  |
|      | 4354 210    | 1   |      |       | Front w/o Window                               |
|      | 4217 532    | 1   |      |       | Rear, w/Window                                 |
|      | 4217 531    | 1   |      |       | Rear, w/o Window                               |
|      | 4217 626    | 1   |      |       | Rear Cargo, Right, w/Window, Up to 2-4-85      |
|      | 4354 212    | 1   |      |       | Rear Cargo, Right, w/Window, After 2-4-85      |
|      | 4330 421    | 1   |      |       | Left, 1984                                     |
|      | 4330 421    | 1   |      |       | Left, 1985                                     |
|      | 4217 627    | 1   |      |       | Rear Cargo, Right, w/o Window, Up to 2-25-85   |
|      | 4354 214    | 1   |      |       | Rear Cargo, Right, w/o Window, After 2-25-85   |
|      | 4217 607    | 1   |      |       | Left, 1984                                     |
|      | 4330 423    | 1   |      |       | Left, 1985                                     |
|      | 4217 533    | 1   |      |       | PANEL, Repair, Side Cargo Door Front, w/Window |
|      | 4217 534    | 1   |      |       | w/o Window                                     |
|      | 4217 530    | 1   |      |       | Side Cargo Rear, w/Window                      |
|      |             |     |      |       |  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, HINGED CARGO B 1,2,3  
Figure 23C-400

4371 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
|      | 4217 529    | 1   |      |       | w/o Window                                       |
|      | 4217 580    | 1   |      |       | Rear Cargo Door, w/Window, Right                 |
|      | 4166 731    | 1   |      |       | Left, 1984                                       |
|      | 4330 425    | 1   |      |       | Left, 1985                                       |
|      | 4217 582    | 1   |      |       | w/o Window, Right                                |
|      | 4166 735    | 1   |      |       | Left, 1984                                       |
|      | 4330 427    | 1   |      |       | Left, 1985                                       |
| 29   | 4217 629    | 2   |      |       | PANEL, Cargo Doors, Lower                        |
|      | 9414 722    | 5   |      |       | SCREW, Lower Trim Extension Att.                 |
|      |             |     |      |       | Consists of:                                     |
|      |             |     |      |       | 3495040 Extension                                |
|      |             |     |      |       | 3731614 Upper Bracket                            |
|      |             |     |      |       | 3731615 Lower Bracket                            |
|      | 4087 034    | 1   |      |       | PANEL, Rear Cargo Door Lower Left Trim Extension |
|      |             |     |      |       | Consists of:                                     |
|      |             |     |      |       | 3495041 Extension                                |
|      |             |     |      |       | 3731614 Upper Bracket                            |
|      |             |     |      |       | 3731615 Lower Bracket                            |
|      | 9414 722    | 3   |      |       | SCREW, Rear Cargo Door Lower Left Trim Att.      |
| 30   | L654 BW3    | 2   |      |       | EXTENSION, Cargo Doors                           |
| 31   | 3861 518    | 2   |      |       | KNOB, Locking                                    |
| 32   | 4038 693    | 2   |      |       | GROMMET, Knob                                    |
| 33   | 4083 640    | 2   |      |       | LINK, Lock to Lock                               |
| 34   | 4083 620    | 1   |      |       | LOCK, Side and Rear Doors                        |
| 35   | 3454 221    | 2   |      |       | CLIP, Link to Lock                               |
| 36   | 4113 260    | 2   |      |       | LINK, Solenoid to Lock                           |
| 37   | 0629 792    | 2   |      |       | CLIP, Link to Solenoid                           |
| 38   | 4330 280    | 2   |      |       | SOLENOID, Door Lock                              |
| 39   | 4083 818    | 2   |      |       | SUPPORT, Rear Door Inside Handle                 |
| 40   | 3636 720    | 1   |      |       | WEDGE, Rear Cargo Door Upper                     |
| 41   |             | 1   |      |       | SPACER, Rear Cargo Door Wedge (DNS)              |
| 42   | 6028 440    | 1   |      |       | RETAINER, Side Cargo Door Hold Open Catch Pin    |
| 43   | 6027 221    | AR  |      |       | SCREW  |
| 44   |             |     |      |       | WEATHERSTRIP, Hinged Door                        |
|      | 4087 141    | 1   |      |       | Side Cargo Door, Front, Up to 1-7-85             |
|      | 4354 113    | 1   |      |       | After 1-7-85                                     |
|      | 4087 142    | 1   |      |       | Rear Cargo Door, Right, Up to 1-7-85             |
|      | 4354 114    | 1   |      |       | After 1-7-85                                     |
|      | 4081 598    | 1   |      |       | Side Cargo Door, Rear, Up to 1-7-85              |
|      | 4354 112    | 1   |      |       | After 1-7-85                                     |
|      | 4087 143    | 1   |      |       | Rear Cargo Door, Left, Up to 1-7-85              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (WAGON)  
D10 = SPORT UTILITY (4X4) (WAGON)  
D11 = SPORT UTILITY (4X4) (WAGON)  
D12 = SPORT UTILITY (4X4) (WAGON)  
D13 = SPORT UTILITY (4X4) (WAGON)  
D14 = SPORT UTILITY (4X4) (WAGON)  
D15 = SPORT UTILITY (4X4) (WAGON)  
D16 = SPORT UTILITY (4X4) (WAGON)  
D17 = SPORT UTILITY (4X4) (WAGON)  
D18 = SPORT UTILITY (4X4) (WAGON)  
D19 = SPORT UTILITY (4X4) (WAGON)  
D20 = SPORT UTILITY (4X4) (WAGON)  
D21 = SPORT UTILITY (4X4) (WAGON)  
D22 = SPORT UTILITY (4X4) (WAGON)  
D23 = SPORT UTILITY (4X4) (WAGON)  
D24 = SPORT UTILITY (4X4) (WAGON)  
D25 = SPORT UTILITY (4X4) (WAGON)  
D26 = SPORT UTILITY (4X4) (WAGON)  
D27 = SPORT UTILITY (4X4) (WAGON)  
D28 = SPORT UTILITY (4X4) (WAGON)  
D29 = SPORT UTILITY (4X4) (WAGON)  
D30 = SPORT UTILITY (4X4) (WAGON)  
D31 = SPORT UTILITY (4X4) (WAGON)  
D32 = SPORT UTILITY (4X4) (WAGON)  
D33 = SPORT UTILITY (4X4) (WAGON)  
D34 = SPORT UTILITY (4X4) (WAGON)  
D35 = SPORT UTILITY (4X4) (WAGON)  
D36 = SPORT UTILITY (4X4) (WAGON)  
D37 = SPORT UTILITY (4X4) (WAGON)  
D38 = SPORT UTILITY (4X4) (WAGON)  
D39 = SPORT UTILITY (4X4) (WAGON)  
D40 = SPORT UTILITY (4X4) (WAGON)  
D41 = SPORT UTILITY (4X4) (WAGON)  
D42 = SPORT UTILITY (4X4) (WAGON)  
D43 = SPORT UTILITY (4X4) (WAGON)  
D44 = SPORT UTILITY (4X4) (WAGON)  
D45 = SPORT UTILITY (4X4) (WAGON)  
D46 = SPORT UTILITY (4X4) (WAGON)  
D47 = SPORT UTILITY (4X4) (WAGON)  
D48 = SPORT UTILITY (4X4) (WAGON)  
D49 = SPORT UTILITY (4X4) (WAGON)  
D50 = SPORT UTILITY (4X4) (WAGON)  
D51 = SPORT UTILITY (4X4) (WAGON)  
D52 = SPORT UTILITY (4X4) (WAGON)  
D53 = SPORT UTILITY (4X4) (WAGON)  
D54 = SPORT UTILITY (4X4) (WAGON)  
D55 = SPORT UTILITY (4X4) (WAGON)  
D56 = SPORT UTILITY (4X4) (WAGON)  
D57 = SPORT UTILITY (4X4) (WAGON)  
D58 = SPORT UTILITY (4X4) (WAGON)  
D59 = SPORT UTILITY (4X4) (WAGON)  
D60 = SPORT UTILITY (4X4) (WAGON)  
D61 = SPORT UTILITY (4X4) (WAGON)  
D62 = SPORT UTILITY (4X4) (WAGON)  
D63 = SPORT UTILITY (4X4) (WAGON)  
D64 = SPORT UTILITY (4X4) (WAGON)  
D65 = SPORT UTILITY (4X4) (WAGON)  
D66 = SPORT UTILITY (4X4) (WAGON)  
D67 = SPORT UTILITY (4X4) (WAGON)  
D68 = SPORT UTILITY (4X4) (WAGON)  
D69 = SPORT UTILITY (4X4) (WAGON)  
D70 = SPORT UTILITY (4X4) (WAGON)  
D71 = SPORT UTILITY (4X4) (WAGON)  
D72 = SPORT UTILITY (4X4) (WAGON)  
D73 = SPORT UTILITY (4X4) (WAGON)  
D74 = SPORT UTILITY (4X4) (WAGON)  
D75 = SPORT UTILITY (4X4) (WAGON)  
D76 = SPORT UTILITY (4X4) (WAGON)  
D77 = SPORT UTILITY (4X4) (WAGON)  
D78 = SPORT UTILITY (4X4) (WAGON)  
D79 = SPORT UTILITY (4X4) (WAGON)  
D80 = SPORT UTILITY (4X4) (WAGON)  
D81 = SPORT UTILITY (4X4) (WAGON)  
D82 = SPORT UTILITY (4X4) (WAGON)  
D83 = SPORT UTILITY (4X4) (WAGON)  
D84 = SPORT UTILITY (4X4) (WAGON)  
D85 = SPORT UTILITY (4X4) (WAGON)  
D86 = SPORT UTILITY (4X4) (WAGON)  
D87 = SPORT UTILITY (4X4) (WAGON)  
D88 = SPORT UTILITY (4X4) (WAGON)  
D89 = SPORT UTILITY (4X4) (WAGON)  
D90 = SPORT UTILITY (4X4) (WAGON)  
D91 = SPORT UTILITY (4X4) (WAGON)  
D92 = SPORT UTILITY (4X4) (WAGON)  
D93 = SPORT UTILITY (4X4) (WAGON)  
D94 = SPORT UTILITY (4X4) (WAGON)  
D95 = SPORT UTILITY (4X4) (WAGON)  
D96 = SPORT UTILITY (4X4) (WAGON)  
D97 = SPORT UTILITY (4X4) (WAGON)  
D98 = SPORT UTILITY (4X4) (WAGON)  
D99 = SPORT UTILITY (4X4) (WAGON)  
D100 = SPORT UTILITY (4X4) (WAGON)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, HINGED CARGO B 1,2,3  
Figure 23C-400

4371 400A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                 |
|------|-------------|-----|------|-------|-----------------------------|
| 45   | 4354 115    | 1   |      |       | After 1-7-85                |
|      | 3759 944    | AR  |      |       | RETAINER, Plastic           |
|      | 4084 511    | 4   |      |       | GLASS, Hinged Cargo Door    |
|      | 4084 512    | 4   |      |       | Fixed Tinted                |
|      | 4084 628    | 4   |      |       | Fixed Privacy               |
|      | 4160 721    | 4   |      |       | Weatherstrip                |
|      | 4160 722    | 4   |      |       | GLASS, Vented, w/Moulding   |
|      |             |     |      |       | Tinted                      |
| 46   | 4081 665    | 4   |      |       | WEATHERSTRIP                |
|      | 4330 510    | 4   |      |       | Up to 6-4-84                |
|      | 4330 510    | 4   |      |       | After 6-4-84                |
|      |             |     |      |       | 1985                        |
| 47   | 6025 004    | AR  |      |       | HINGE, Vented Window        |
| 48   | 6030 650    | 2   |      |       | NUT and WASHER              |
| 49   |             | 2   |      |       | BOLT, Hex Head              |
| 50   | 4081 574    | AR  |      |       | SCREW (DNS)                 |
| 51   | 4212 603    | AR  |      |       | LATCH, Vented Window        |
| 52   | 4084 167    | AR  |      |       | SUPPORT, Latch              |
| 53   | 4084 164    | AR  |      |       | NUT                         |
| 54   | 4084 438    | AR  |      |       | GROMMET                     |
| 55   | 4081 578    | AR  |      |       | WASHER, Fiber               |
| 56   | 0152 842    | AR  |      |       | RETAINER                    |
| 57   | 9411 579    | AR  |      |       | PLATE (DNS)                 |
| 58   | 4217 694    | 2   |      |       | SCREW                       |
|      |             |     |      |       | PIN, Latch                  |
|      |             |     |      |       | CLIP, Latch Bolt Antirattle |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, CARGO CHECK ARM B 1,2,3  
Figure 23C-500

4371 500

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                     |
|------|----------------|-----|------|-------|---------------------------------|
| 1    | 3498 804       | AR  |      |       | ARM, Cargo Door Check           |
| 2    | 4113 490       | AR  |      |       | BRACKET, Check Arm Pivot (Door) |
|      | 4083 773       | 1   |      |       | w/Single Rear Door (Door)       |
| 3    |                | AR  |      |       | SCREW (DNS)                     |
| 4    |                | AR  |      |       | RIVET (DNS)                     |



MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:





(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, SINGLE REAR CARGO GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3  
Figure 23C-600

1371 6000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    | 4083 621    | 1   |      |       | LOCK, Door                             |
| 2    | 6028 007    | 3   |      |       | SCREW, Lock                            |
| 3    | 4083 647    | 1   |      |       | LINK, Outside Handle to Lock           |
| 4    |             |     |      |       | RETAINER, Lock Cylinder (Refer to 23D) |
| 5    |             |     |      |       | GASKET, Lock Cylinder (Refer to 23D)   |
| 6    | 4083 477    | 1   |      |       | HANDLE, Single Rear Door Outside       |
|      | 4038 756    | 1   |      |       | GASKET, Outside Handle                 |
|      | 2216 279    | 1   |      |       | Outside Handle Push Button             |
| 7    | 3419 209    | 1   |      |       | KNOB, Locking                          |
|      | 4038 693    | 1   |      |       | GROMMET, Locking Knob                  |
| 8    | 4083 648    | 1   |      |       | LINK, Lock to Locking Knob             |
| 9    | 6025 004    | 2   |      |       | NUT, Outside Handle                    |
| 10   | 3670 809    | 1   |      |       | REMOTE CONTROL                         |
|      | 4083 818    | 1   |      |       | Support, Remote Control, Right         |
| 11   | 0180 018    | AR  |      |       | SCREW                                  |
| 12   | 3729 159    | 1   |      |       | HANDLE, Remote Control                 |
| 13   | 0180 018    | AR  |      |       | SCREW                                  |
| 14   |             |     |      |       | PLATE, Serviced in Door Shell          |
| 15   | 4084 915    | 1   |      |       | LINK, Remote Control                   |
| 16   |             |     |      |       | HINGE, Upper                           |
|      | 4212 724    | 1   |      |       | Up to 1-3-84                           |
|      | 4330 277    | 1   |      |       | After 1-3-84                           |
|      | 4330 277    | 1   |      |       | 1985                                   |
| 17   | 0181 086    | AR  |      |       | SCREW                                  |
| 18   | 4330 276    | 1   |      |       | HINGE, Lower                           |
|      | 4330 276    | 1   |      |       | 1985                                   |
|      | 6028 993    | 2   |      |       | PIN, Hinge                             |
|      | 4033 711    | 2   |      |       | BUSHING, Hinge                         |
| 19   |             | 1   |      |       | SCREW (DNS)                            |
| 20   | 3454 485    | 1   |      |       | STRIKER                                |
| 21   |             |     |      |       | DOOR SHELL                             |
|      | 4330 417    | 1   |      |       | 1984                                   |
|      | 4354 026    | 1   |      |       | 1985                                   |
|      | 4330 419    | 1   |      |       | PANEL, Repair                          |
| 22   | 4217 699    | 1   |      |       | WEATHERSTRIP, Door                     |
| 23   | 4113 521    | 1   |      |       | LINK, Lock to Lock Cylinder            |
| 24   | 3861 518    | 1   |      |       | KNOB, Locking                          |
| 25   | 4038 693    | 1   |      |       | GROMMET, Knob                          |
| 26   | 4083 648    | 1   |      |       | LINK, Lock Cylinder to Lock            |
|      | 3454 220    | 1   |      |       | CLIP, Link to Lock                     |
| 27   | 4083 621    | 1   |      |       | LOCK                                   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

D11 = SPORT UTILITY (4X4)

D12 = SPORT UTILITY (4X4)

D13 = SPORT UTILITY (4X4)

D14 = SPORT UTILITY (4X4)

D15 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:





(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, SINGLE REAR CARGO GLASS, HARDWARE AND WEATHERSTRIPS B 1,2,3  
Figure 23C-600

1371 6000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                  |
|------|-------------|-----|------|-------|------------------------------|
| 28   | 4113 267    | 1   |      |       | LINK, Solenoid to Lock       |
| 29   | 4330 281    | 1   |      |       | SOLENOID, Door Lock          |
| 30   | 0612 492    | 1   |      |       | CLIP, Link to Solenoid       |
| 31   | 0181 063    | 1   |      |       | SCREW                        |
| 32   | 3824 493    | 1   |      |       | BUMPER, License Plate        |
| 33   |             |     |      |       | GLASS, Door                  |
|      | 4081 253    | 1   |      |       | Fixed Tinted                 |
|      | 4084 723    | 1   |      |       | Fixed Tinted, Heated         |
|      | 4081 254    | 1   |      |       | Fixed Privacy                |
|      | 4084 725    | 1   |      |       | Fixed Privacy, Heated        |
|      | 4084 622    | 1   |      |       | WEATHERSTRIP, Lowline        |
|      | 4166 696    | 1   |      |       | Exc. Lowline                 |
|      |             |     |      |       | Vented, w/Moulding           |
|      | 4160 121    | 1   |      |       | Tinted                       |
|      | 4160 122    | 1   |      |       | Privacy                      |
|      | 4361 077    | 1   |      |       | Privacy Heated, 1985         |
|      | 4361 076    | 1   |      |       | Tinted Heated, 1985          |
|      | 4160 127    | 1   |      |       | Weatherstrip                 |
|      | 4084 911    | 1   |      |       | Lockstrip (144" Long) Bright |
|      | 4057 107    | 1   |      |       | Black                        |
|      | 4055 775    | 1   |      |       | Terminal, Heated Glass       |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGON (W.B. 109")  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



MIRRORS, EXTERIOR B 1,2,3  
Figure 23C-700

4371 700




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    | 4083 557    | 2   |      |       | HEAD, 5x7 Bright                      |
|      | 4267 886    | AR  |      |       | REPLACEMENT GLASS PACKAGE, 5X7        |
| 2    | 4216 042-3  | 1   |      |       | BASE, Bright                          |
| 3    |             | 1   |      |       | SCREW (DNS)                           |
| 4    |             | 1   |      |       | WASHER (DNS)                          |
| 5    | 4354 326    | 2   |      |       | MIRROR PACKAGE, 6x9 Low Mount, Bright |
|      | 4354 327    | 2   |      |       | HEAD PACKAGE, Mirror                  |
| 6    |             | AR  |      |       | SCREW w/WASHER (DNS)                  |
| 7    |             | 2   |      |       | SCREW w/WASHER (DNS)                  |
| 8    | 4354 329    | 2   |      |       | COVER PACKAGE, Mirror Base            |
| 9    | 4354 330    | 2   |      |       | BASE PACKAGE, Mirror                  |
| 10   | 4330 478-9  | 1   |      |       | BRACE, Mirror                         |
| 11   |             | 8   |      |       | SCREW w/WASHER (DNS)                  |
| 12   |             | 2   |      |       | SCREW w/WASHER (DNS)                  |
| 13   | 4216 039    | 2   |      |       | MIRROR PACKAGE, Bright                |
|      | 4216 011    | 2   |      |       | Painted                               |
|      | 4216 038    | 1   |      |       | HEAD, Bright                          |
|      | 6032 470    | 2   |      |       | SCREW, Upper Mirror Att.              |
| 14   | 4216 031    | 2   |      |       | ARM, Bright                           |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**DOOR, FRONT COMPLETE D 1,2,3,4,5,6,7,8**  
**Figure 23C-800**

4371 800 C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | CYLINDER w/KEY, Refer to 23D                         |
| 2    |             |     |      |       | RETAINER, Door Lock Cylinder, Refer to 23D           |
| 3    |             |     |      |       | LINK, Front Door Lock Cylinder to Lock               |
|      | 4106 722-3  | 1   |      |       | 1984   |
|      | 4330 408-9  | 1   |      |       | 1985   |
| 4    | 4330 152-3  | 1   |      |       | FRAME and CHANNEL, Vent Wing                         |
| 5    |             |     |      |       | BASE AND GLASS, Front Door Vent Wing                 |
|      | 4217 990-1  | 1   |      |       | Clear  |
|      | 4330 250-1  | 1   |      |       | Tinted   |
|      | 4083 716-7  | 1   |      |       | WEATHERSTRIP, Front Door Vent Wing                   |
| 6    |             |     |      |       | WEATHERSTRIP, Front Door Glass                       |
|      | 4161 678    | 1   |      |       | Inner Right and Outer Left                           |
|      | 4161 679    | 1   |      |       | Inner Left and Outer Right                           |
|      | 2839 442    | 4   |      |       | CLIP, Weatherstrip                                   |
| 7    | 4217 938-9  | 1   |      |       | PIVOT, Front Door Vent Wing , Upper                  |
|      | 2932 436-7  | 1   |      |       | VENT WING UPPER PIVOT PACKAGE                        |
|      | 3759 079    | 2   |      |       | GASKET, Vent Wing Upper Pivot                        |
|      | 3759 080    | 2   |      |       | WASHER, Vent Wing Upper Pivot                        |
|      | 3759 081    | 2   |      |       | SPACER, Vent Wing Upper Pivot                        |
|      | 1708 996    | 2   |      |       | GROMMET, Vent Wing Pivot                             |
|      | 6030 262    | 2   |      |       | SCREW, Vent Wing Upper Pivot                         |
|      | 4217 936    | 2   |      |       | CLAMP, Front Door Vent Wing Lower Pivot              |
|      | 0137 948    | AR  |      |       | RIVET, Vent Wing                                     |
| 9    | 4330 152-3  | 1   |      |       | DIVISION CHANNEL, Front Door Vent Wing               |
| 10   |             |     |      |       | RUN, Front Door Glass                                |
|      | 4113 848    | 2   |      |       | 1984   |
|      | 4354 047    | 2   |      |       | 1985   |
|      | 4083 831    | 2   |      |       | Front Door Vent Wing Division Channel Glass          |
| 11   | 4217 994-5  | 1   |      |       | REGULATOR, Front Door Window                         |
|      | 4113 498    | 2   |      |       | SPRING, Front Door Window Regulator                  |
|      | 4113 893    | 2   |      |       | GUIDE, Front Door Regulator Pivot Arm to Inner Panel |
|      | 3882 758    | 2   |      |       | SLIDE, Window Regulator Arm                          |
| 12   |             |     |      |       | DOOR SHELL   |
|      | 4330 390-1  | 1   |      |       | 1984   |
|      | 4354 714-5  | 1   |      |       | 1985, w/o Speaker Hole, w/o Louver                   |
|      | 4335 514-5  | 1   |      |       | 1985, Up to 2-1-85                                   |
|      | 4354 234-5  | 1   |      |       | 1985, After 2-1-85                                   |
|      | 4217 516-7  | 1   |      |       | REPAIR PANEL, Front Door                             |
|      | 3899 371    | 2   |      |       | WEATHERSTRIP, Front Door (On Body)                   |
|      | 2217 508    | AR  |      |       | CLIP, Door Weatherstrip                              |
|      | 3879 351    | 1   |      |       | WEATHERSEAL and SILICONE PACKAGE                     |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, FRONT COMPLETE D 1,2,3,4,5,6,7,8  
Figure 23C-800

4371 800 C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 13   | 2945 108-9  | 1   |      |       | CLIP   |
| 14   | 3739 876-7  | 1   |      |       | REMOTE CONTROL, Front Door                           |
| 15   |             |     |      |       | LINK, Remote Control Front Door Lock                 |
|      | 3731 962-3  | 1   |      |       | 1984   |
|      | 4330 402-3  | 1   |      |       | 1985   |
| 16   |             |     |      |       | GLASS, Front Door                                    |
|      | 4160 614-5  | 1   |      |       | Clear  |
|      | 4160 616-7  | 1   |      |       | Tinted   |
|      | 4365 683    | 1   |      |       | DECAL, Seat Belt Safety                              |
| 17   | 4160 156-7  | 2   |      |       | CHANNEL, Door Glass, Lower                           |
|      |             | 2   |      |       | EVERSEAL, Lower Channel (Purchase Locally)           |
| 18   | 3419 209    | 2   |      |       | KNOB, Front Door Lock Locking Control, Chrome        |
|      | 4038 693    | 2   |      |       | GROMMET, Locking Control                             |
| 19   | 4161 226-7  | 1   |      |       | HANDLE, Front Door Lock Remote Control               |
|      | 0181 063    | 2   |      |       | SCREW, Front Door Lock Remote Control                |
| 20   | 4310 824    | 2   |      |       | HANDLE, Front Door Window Regulator                  |
|      | 6027 221    | 2   |      |       | SCREW, Front Door Window Regulator                   |
| 21   |             |     |      |       | HINGE, Front Door                                    |
|      | 4330 220    | 2   |      |       | Upper, Door and Body Half, 1984                      |
|      | 4330 220    | 2   |      |       | 1985   |
|      | 4354 218-9  | 1   |      |       | 1985   |
|      | 4217 720-1  | 1   |      |       | Lower, Door and Body Half, 1984                      |
|      | 4330 216    | 2   |      |       | 1985, Up to 10-15-84                                 |
|      | 4354 222-3  | 1   |      |       | 1985, After 10-15-84                                 |
|      | 6500 975    | 2   |      |       | PIN, Lower Hinge                                     |
|      | 6500 976    | 2   |      |       | PIN, Upper Hinge                                     |
|      | 2583 568    | 2   |      |       | BAR, Lower Hinge Torsion                             |
| 22   | 4240 998-9  | 1   |      |       | HANDLE PACKAGE, Vent Wing                            |
|      | 3788 265    | 2   |      |       | SPACER, Front Door Vent Wing Handle                  |
|      | 3788 266    | 2   |      |       | GASKET, Front Door Vent Wing Handle                  |
|      | 9409 633    | 2   |      |       | PIN, Front Door Vent Wing Handle                     |
|      | 4212 342-3  | 1   |      |       | STRIKER, Front Door Vent Wing Division Channel Latch |
| 23   |             |     |      |       | LOCK, Front Door                                     |
|      | 4217 706    | 1   |      |       | Right, 1984  |
|      | 4217 705    | 1   |      |       | Left, 1984   |
|      | 4330 264-5  | 1   |      |       | 1985   |
|      |             |     |      |       | STRIKER, Lock Pillar                                 |
|      | 3494 901    | 2   |      |       | 1984   |
|      | 4330 255    | 2   |      |       | 1985   |
|      | 5200 880    | 1   |      |       | SPRING, Lock Lever, Right                            |
|      | 3760 130-1  | 1   |      |       | CLIP, Door Lock                                      |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, FRONT COMPLETE D 1,2,3,4,5,6,7,8  
Figure 23C-800

4371 800 C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 24   |             |     |      |       | LINK, Latch to Lock Cylinder                  |
|      | 4106 722-3  | 1   |      |       | 1984  |
|      | 4330 408-9  | 1   |      |       | 1985  |
| 25   |             |     |      |       | GASKET, Lock Cylinder, Refer to 23D           |
| 26   | 4217 710-1  | 1   |      |       | HANDLE, Front Door Outside                    |
|      | 2945 108-9  | 1   |      |       | CLIP, Front Outside Handle                    |
|      | 2216 279    | 1   |      |       | GASKET, Outside Handle Push Button            |
|      | 4267 925    | 2   |      |       | REPAIR PACKAGE, Outside Handle                |
|      | 4038 757    | 2   |      |       | GASKET, Door Outside Handle to Panel Rear     |
|      | 4038 756    | 2   |      |       | Front Door Outside Handle, Front              |
|      | 3498 988    | 2   |      |       | Front Door Latch Remote Control Lever Bracket |
| 27   | 4160 852    | 2   |      |       | SPACER, Window Regulator Handle               |
| 28   | 3861 518    | 2   |      |       | KNOB, Locking                                 |
|      | 3419 209    | 2   |      |       | w/o Door Locks                                |
|      | 4038 693    | 2   |      |       | GROMMET, Locking Knob                         |
| 29   | 4113 304    | 2   |      |       | LINK, Front Door Locking Switch Push Rod      |
| 30   | 2661 746    | 1   |      |       | SWITCH, Door Lock                             |
| 31   |             |     |      |       | BRACKET LEVER and LINK, Electric Latch        |
|      | 4114 662-3  | 1   |      |       | 1984  |
|      | 4330 400-1  | 1   |      |       | 1985  |
| 32   | 4106 722-3  | 1   |      |       | LINK, Lock To Lock Cyl.                       |
| 33   |             |     |      |       | LOCK, Front Door                              |
|      | 4217 706    | 1   |      |       | Right, 1984                                   |
|      | 4330 264    | 1   |      |       | Right, 1985                                   |
|      | 4217 705    | 1   |      |       | Left, 1984                                    |
|      | 4330 265    | 1   |      |       | Left, 1985                                    |
| 34   |             |     |      |       | LINK, Solenoid To Lock                        |
|      | 4113 302-3  | 1   |      |       | Up to 3-4-85                                  |
|      | 4354 236    | 2   |      |       | After 3-4-85                                  |
|      | 3454 220-1  | 1   |      |       | CLIP, Solenoid To Lock                        |
| 35   |             |     |      |       | SOLENOID, Door Lock                           |
|      | 3861 748-9  | 1   |      |       | Up to 2-20-84                                 |
|      | 4330 280-1  | 1   |      |       | After 2-20-84                                 |
|      | 4330 280-1  | 1   |      |       | 1985  |
|      | 6030 649    | 4   |      |       | SCREW, Solenoid Mtg.                          |
| 36   | 2661 572    | 1   |      |       | BOOT, Power Door Lock                         |
| 37   | 2661 118    | 1   |      |       | SPRING, Switch Return                         |
| 38   |             |     |      |       | LINK, Outside Handle to Latch                 |
|      | 4082 070    | 2   |      |       | 1984  |
|      | 4330 406    | 2   |      |       | 1985  |
| 39   |             |     |      |       | LINK, Lock to Locking Knob                    |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, FRONT COMPLETE D 1,2,3,4,5,6,7,8  
Figure 23C-800

4371 800 C



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
|      | 3494 532-3  | 1   |      | 1984  |   |
|      | 4330 414-5  | 1   |      | 1985  |   |
| 40   |             | 2   |      |       | RIVET (DNS)                                 |
| 41   | 4082 017    | 2   |      |       | CLIP, Remote Control Link to Inside Panel   |
| 42   | 4166 896-7  | 1   |      |       | REGULATOR, Front Door Electric Window       |
|      | 4339 301    | 2   |      |       | SLIDE, Window Regulator Arm                 |
|      | 4113 498    | 2   |      |       | SPRING, Regulator Assist                    |
| 43   | 4166 124-5  | 1   |      |       | MOTOR and GEAR BOX, Electric Window Lift    |
|      | 4240 474    | 1   |      |       | GEAR and PINION, Electric Window Lift Motor |
|      | 1316 863    | 1   |      |       | O-RING, Electric Window Lift Motor          |
| 44   | 4160 312    | 2   |      |       | BRACKET, Electric Window Downstop           |
| 45   | 3759 910    | 2   |      |       | BUMPER, Electric Window Glass Downstop      |
| 46   | 4160 846    | 1   |      |       | BEZEL, Electric Window Lift Switch, Right   |
| 47   | 4160 847    | 1   |      |       | BEZEL, Electric Window Lift, Left           |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, REAR COMPLETE D 3,7  
Figure 23C-900

4371 900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 4113 848    | 2   |      |       | RUN, Rear Door Glass                        |
| 2    | 4160 630    | 2   |      |       | WEATHERSTRIP, Rear Door Glass               |
|      | 3899 371    | 2   |      |       | WEATHERSTRIP, Rear Door                     |
| 3    |             |     |      |       | GLASS, Rear Door Stationary                 |
|      | 3494 528-9  | 1   |      |       | Clear                                       |
|      | 3494 530-1  | 1   |      |       | Tinted                                      |
| 4    | 3824 010-1  | 1   |      |       | HANDLE, Remote Control                      |
| 5    | 3639 081    | 2   |      |       | SPACER, Window Regulator Handle             |
|      | 2950 491    | 2   |      |       | SPACER, Window Regulator Handle Anti Rattle |
| 6    | 4310 824    | 2   |      |       | HANDLE, Window Regulator                    |
| 7    | 6027 221    | 2   |      |       | SCREW                                       |
| 8    |             |     |      |       | GLASS, Rear Door Movable                    |
|      | 4160 632-3  | 1   |      |       | Clear                                       |
|      | 4160 634-5  | 1   |      |       | Tinted                                      |
| 9    | 3498 586    | 2   |      |       | WEATHERSEAL, Rear Door Stationary Glass     |
|      | 2217 508    | 2   |      |       | CLIP, Rear Door Glass Weatherstrip          |
| 10   | 4217 710-1  | 1   |      |       | HANDLE, Exterior                            |
|      | 6025 004    | 2   |      |       | NUT, Exterior Handle                        |
|      | 4038 757    | 2   |      |       | GASKET, Handle Hole                         |
|      | 4038 756    | 2   |      |       | GASKET, Handle Front                        |
|      | 2216 279    | 2   |      |       | GASKET, Push Button                         |
|      | 2945 108-9  | 1   |      |       | CLIP, Exterior Handle                       |
|      | 4267 925    | 2   |      |       | REPAIR PACKAGE, Exterior Handle             |
| 11   | 4217 706-7  | 1   |      |       | LOCK, Door                                  |
|      | 3494 901    | 2   |      |       | STRIKER, Lock Pillar                        |
| 12   | 4082 034-5  | 1   |      |       | REGULATOR, Window                           |
|      | 4339 301    | 2   |      |       | SLIDE, Window Regulator Arm                 |
| 13   | 3419 209    | 2   |      |       | KNOB, Locking                               |
|      | 4038 693    | 2   |      |       | GROMMET, Locking Knob                       |
| 14   | 4082 036-7  | 1   |      |       | CONTROL, Latch                              |
|      | 3454 220    | 1   |      |       | CLIP, Latch Retainer                        |
| 15   | 4166 998-9  | 1   |      |       | CHANNEL, Window                             |
| 16   |             |     |      |       | EVERSEAL (NPN 1836141)                      |
| 17   | 3494 692-3  | 1   |      |       | LINK  |
| 18   | 4082 070    | 2   |      |       | LINK  |
| 19   |             |     |      |       | HINGE, Upper and Lower                      |
|      | 4330 224    | 4   |      |       | 1984  |
|      | 4354 220-1  | 2   |      |       | 1985  |
|      | 6500 976    | 2   |      |       | PIN, Hinge Upper                            |
|      | 6500 975    | 2   |      |       | PIN, Hinge Lower                            |
| 20   | 3739 876-7  | 1   |      |       | REMOTE CONTROL                              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR, REAR COMPLETE D 3,7  
Figure 23C-900

4371 900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 3498 988    | 1   |      |       | SEAL, Latch   |
| 21   | 3498 026-7  | 1   |      |       | CHANNEL, Window Rear                                |
|      | 4083 831    | 2   |      |       | RUN, Window   |
|      | 3494 558    | 4   |      |       | BRACKET, Glass Channel Front                        |
|      | 3494 802    | 2   |      |       | Glass Run Division Channel Mtg. Lower               |
| 22   | 3494 560    | 2   |      |       | Glass Run Division Channel to Door Inner Panel Mtg. |
|      | 4212 828-9  | 1   |      |       | DOOR SHELL, Rear                                    |
|      | 4217 598-9  | 1   |      |       | REPAIR PANEL  |
| 23   | 4217 949    | 2   |      |       | ARM, Door Check                                     |
|      | 4217 951    | 2   |      |       | BRACKET, Check Arm                                  |
|      | 2222 652    | 2   |      |       | RETAINER w/GUIDE                                    |
|      | 1476 900    | 2   |      |       | GUIDE, Arm Retainer                                 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MIRRORS, EXTERIOR D,W  
Figure 23C-1000


4371 1000E




STATIONARY SHORT ARM



WEST COAST



EXTENDED



NON-EXTENDED

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                    |
|------|-------------|-----|------|-------|--------------------------------|
| 1    | 4083 557    | 1   |      |       | HEAD, 5x7 Bright               |
|      | 4267 886    | 1   |      |       | REPLACEMENT GLASS PACKAGE, 5x7 |
| 2    | 4168 286-7  | 1   |      |       | BASE, 5x7 Bright               |
| 3    | 4211 766-7  | 1   |      |       | TAPPING PLATE                  |
| 4    | 4216 028    | 2   |      |       | PACKAGE, Mirror                |
|      | 4216 030    | 1   |      |       | HEAD, Low Mount Bright         |
| 5    | 6031 438    | AR  |      |       | NUT, Insert                    |
| 6    | 4212 766    | 2   |      |       | REINFORCEMENT                  |
| 7    | 4216 040    | 2   |      |       | PACKAGE, Mirror, Bright        |
| 8    | 4216 031    | 1   |      |       | ARM, Mirror                    |
| 9    |             |     |      |       | PACKAGE, Mirror                |
|      | 4083 118-9  | 1   |      |       | Bright                         |
|      | 4168 296-7  | 1   |      |       | Painted                        |
|      | 6013 120    | 6   |      |       | Bolt, Mtg ***                  |
|      | 0153 615    | 8   |      |       | SCREW                          |
| 10   | 4083 115    | 2   |      |       | HEAD, Mirror, Painted          |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |




GROUP 23D - WIPER & WASHER AND CYLINDER & KEYS

| ILLUSTRATION TITLE                              | GROUP-FIG. NO. |
|---|----------------|
| <b>ALL MODELS</b>                               |                |
| LOCK CYLINDERS AND KEYS .....                   | Fig. 23D-100   |
| <b>B BODY</b>                                   |                |
| WINDSHIEL WIPER AND WASHER B 1,2,3 .....        | Fig. 23D-200   |
| <b>D BODY</b>                                   |                |
| WINDSHIELD WIPER SYSTEM D 1,2,3,4,5,6,7,8 ..... | Fig. 23D-300   |
| WINDSHIELD WASHER D 1,2,3,4,5,6,7,8 .....       | Fig. 23D-400   |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

# LOCK CYLINDERS AND KEYS Figure 23D-100

4372 100A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      | D     | CYLINDER w/KEY, Glove Box, w/o Console                   |
|      | 4085 458    | 1   |      |       | 1984-85  |
|      | 4354 158    | 1   |      | B     | 1985   |
| 2    | 4162 775    | 1   |      |       | CYLINDER w/KEY, Console, Complete                        |
| 3    | 3454 327    | AR  |      |       | KEY BLANK, Door and Ignition                             |
| 4    | 2999 041    | AR  |      |       | KEY BLANK, Console and Glove Box                         |
| 5    | 2583 860    | AR  |      |       | GASKET, Door Lock Cylinder                               |
| 6    | 2583 377    | AR  |      |       | RETAINER, Door Lock Cylinder                             |
| 7    | 5207 203    | 1   |      |       | CYLINDER w/KEY, Ignition and Door, w/o Tilt              |
|      | 4335 488    | 1   |      | B     | Ignition and Hinged Cargo Doors, w/o Tilt, 1985          |
|      | 4335 490    | 1   |      | B     | Ignition and Sliding Door, w/o Tilt, 1985                |
|      | 4335 489    | 1   |      | B     | Sliding Door, 1985                                       |
|      | 4335 493    | 1   |      | B     | Hinged Cargo Door, 1985                                  |
|      | 4335 490    | 1   |      | B     | Ignition and Sliding Door, 1985                          |
| 8    | 3548 955    | 1   |      |       | CYLINDER w/KEY, Ignition and Door, w/Tilt                |
| 9    | 3861 793    | 1   |      | B     | CYLINDER w/KEY, Ignition, w/Tilt                         |
| 10   | 4212 386    | 1   |      | D-4,8 | PUSH BUTTON and KEY PACKAGE, L/Gate                      |
|      | 4212 388    | 1   |      | D-4,8 | KEY, L/Gate Lock Cylinder                                |
| 11   | 4106 399    | AR  |      |       | CYLINDER, Front Door and Cargo Doors                     |
| 12   |             |     |      |       | PACKAGE, Door Lock Cylinder Tumbler Driver               |
| 12   | 4094 448    | AR  |      |       | Code #1  |
|      | 4094 449    | AR  |      |       | Code #2  |
|      | 4106 348    | AR  |      |       | Code #3  |
|      | 4106 349    | AR  |      |       | Code #4  |
|      | 4106 350    | AR  |      |       | Code #5  |
|      | 4106 351    | AR  |      |       | Code #6  |
| 13   | 2765 073    | AR  |      |       | SPRING PACKAGE, Lock Cylinder                            |
| 14   | 2765 069    | AR  |      |       | RETAINER PACKAGE, Lock Cylinder                          |
| 15   | 2802 124    | AR  |      |       | LEVER PACKAGE, Lock Cylinder                             |
| 16   | 6026 125    | AR  |      |       | RETAINER PACKAGE, Lock Cylinder Lever                    |
| 17   | 4049 398    | 1   |      |       | TEMPLATE, Lock Cylinder, Key Tumbler and Driver Decoding |
| 18   | 3895 783    | AR  |      |       | LOCK TUMBLER PIN PACKAGE, Ignition Retainer              |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

## BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

## WAGONS:

(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

## CONVENTIONAL:

(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

## SPORT UTILITY:

(71) = 106" W.B.


## CREW CAB:

(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WINDSHIEL WIPER AND WASHER B 1,2,3  
Figure 23D-200

4372 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | MOTOR, Wiper                           |
|      | 4205 998    | 1   |      |       | Two Speed, 1984                        |
|      | 4205 956    | 1   |      |       | Intermittent Wipe, 1984                |
|      | 4339 449    | 1   |      |       | w/Seal, 1985                           |
|      | 3799 087    | 1   |      |       | Armature, Motor, 1984                  |
|      |             |     |      |       | SEAL                                   |
|      | 2926 168    | 1   |      |       | Motor Mtg., 1984                       |
|      | 4270 855    | 1   |      |       | Motor Mtg., 1985                       |
|      | 3431 974    | 1   |      |       | Motor Output Shaft, 1984               |
|      |             |     |      |       | GROMMET and SPACER PACKAGE, Motor Mtg. |
|      | 2932 708    | 1   |      |       | 1984                                   |
|      | 4339 452    | 1   |      |       | 1985                                   |
|      | 4339 446    | 1   |      |       | BRACKET, Motor Mtg., 1985              |
|      | 4270 813    | 1   |      |       | COVER, Motor Gear Box, 1985            |
|      | 4270 869    | 1   |      |       | COVER, Motor Terminal, 1985            |
|      | 4342 226    | 1   |      |       | SUPPRESSOR, Motor Radio Noise, 1985    |
| 2    | 3730 949    | 1   |      |       | ARM, Motor Crank                       |
| 3    | 6031 096    | 1   |      |       | NUT, Crank Arm                         |
| 4    | 9422 041    | 3   |      |       | SCREW                                  |
| 5    |             |     |      |       | ARM w/NOZZLE, Wiper                    |
|      | 4169 568    | 2   |      |       | Up to 10-1-83                          |
|      | 4169 583    | 2   |      |       | After 10-1-83                          |
|      | 3799 695    | 2   |      |       | Nozzle, Washer                         |
| 6    |             |     |      |       | LINK                                   |
|      | 3730 954    | 1   |      |       | Pivot to Pivot                         |
|      | 3730 953    | 1   |      |       | Motor Drive                            |
| 7    |             |     |      |       | BLADE, Wiper                           |
|      | 4186 979    | 2   |      |       | Anco                                   |
|      | 3799 653    | 2   |      |       | Trico                                  |
|      |             |     |      |       | REFILL                                 |
|      | 5211 132    | 2   |      |       | Trico                                  |
|      | 5211 129    | 2   |      |       | Anco                                   |
| 8    | 4169 571    | 2   |      |       | GUARD                                  |
| 9    | 3895 644    | 2   |      |       | CONNECTOR                              |
| 10   | 0181 084    | 4   |      |       | SCREW                                  |
| 11   |             |     |      |       | BEZEL, Wiper Switch                    |
|      | 4114 235    | 1   |      |       | w/Air                                  |
|      | 4114 233    | 1   |      |       | w/o Air, 1984                          |
|      | 4261 042    | 1   |      |       | w/o Air, 1985                          |
| 12   |             |     |      |       | SWITCH, Wiper and Washer               |
|      | 3747 321    | 1   |      |       | 1984                                   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WINDSHIEL WIPER AND WASHER B 1,2,3  
Figure 23D-200

4372 200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4360 004    |     |      |       | 1985  |
|      |             |     |      |       | w/Intermittent Wipe   |
|      | 3747 322    | 1   |      |       | 1984  |
|      | 4360 005    | 1   |      |       | 1985  |
|      | 3799 339    | 1   |      |       | DWELL SWITCH, Wiper, w/Intermittent Wipe, 1984                    |
| 13   | 3747 244    | 1   |      |       | KNOB, Wiper Switch  |
| 14   |             |     |      |       | INSERT, Switch  |
|      | 4114 368    | 1   |      |       | w/o Intermittent Wipe   |
|      | 4114 369    | 1   |      |       | w/Intermittent Wipe   |
| 15   | 6032 456    | AR  |      |       | SCREW   |
| 16   | 4169 570    | 2   |      |       | PIVOT   |
| 17   | 3799 062    | 1   |      |       | CONNECTOR, Hose Tee   |
| 18   | 3799 089    | 4   |      |       | BUSHING, Drive and Connecting Link                                |
| 19   | 3780 798    | AR  |      |       | HOSE, Washer  |
| 20   | 4222 060    | 1   |      |       | CONTROL, Intermittent Wipe  |
| 21   | 4114 394    | 1   |      |       | WIRE, Wipe Control(1984)1985 Serviced in Instrume nt Panel Wiring |
| 22   |             |     |      |       | RESERVOIR w/CAP and SEAL, Washer                                  |
|      | 4169 554    | 1   |      |       | w/o Level Sensor  |
|      | 4216 829    | 1   |      |       | w/Level Sensor  |
|      | 3799 174    | 1   |      |       | CAP, Reservoir  |
|      | 3799 324    | 1   |      |       | FILTER, Reservoir   |
|      | 4339 418    | 1   |      |       | SENSOR, Fluid Level   |
| 23   | 4762 319    | 1   |      |       | PUMP, Washer  |
| 24   | 3837 036    | AR  |      |       | HOSE, Washer  |
| 25   |             |     |      |       | GEAR HOUSING and COVER, Motor                                     |
|      | 4205 954    | 1   |      |       | w/o Intermittent Wipe, 1984                                       |
|      | 4205 955    | 1   |      |       | w/Intermittent Wipe, 1984   |
| 26   |             |     |      |       | HOUSING, Motor  |
|      | 3431 509    | 1   |      |       | w/o Intermittent Wipe, 1984                                       |
|      | 3799 275    | 1   |      |       | w/Intermittent Wipe, 1984   |
| 27   | 4034 484    | 1   |      |       | BRACKET, Wipe and Wash Switch                                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

WINDSHIELD WIPER SYSTEM D 1,2,3,4,5,6,7,8  
Figure 23D-300

4372 300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    | 4114 240-1  | 1   |      |       | PIVOT, Wiper                          |
|      | 6022 202    | 6   |      |       | SCREW w/WASHER, Pivot Mtg.            |
| 2    | 4169 537    | 2   |      |       | BLADE w/REFILL, Wiper                 |
|      | 3799 654    | 2   |      |       | REFILL, Blade                         |
| 3    | 4334 102-3  | 1   |      |       | ARM, Wiper                            |
| 4    | 3730 960    | 1   |      |       | CRANK, Wiper Arm                      |
|      | 4169 533    | 1   |      |       | LINK w/BUSHING, Motor Drive           |
| 5    |             |     |      |       | MOTOR, Wiper                          |
|      | 4205 998    | 1   |      |       | w/o Intermittent Wipe, 1984           |
|      | 4205 956    | 1   |      |       | w/Intermittent Wipe, 1984             |
|      | 4339 449    | 1   |      |       | w/Seal, 1985                          |
|      |             |     |      |       | SEAL, Motor                           |
|      | 3431 974    | 1   |      |       | Output Shaft, 1984                    |
|      | 2926 168    | 1   |      |       | Mounting, 1984                        |
|      | 4270 855    | 1   |      |       | Mounting, 1985                        |
|      | 3799 087    | 1   |      |       | ARMATURE PACKAGE, Motor, 1984         |
|      | 4169 534    | 1   |      |       | HOUSING, Motor, 1984                  |
|      |             |     |      |       | HOUSING, Motor                        |
|      | 4162 515    | 1   |      |       | w/o Intermittent Wipe, 1984           |
|      | 4162 516    | 1   |      |       | w/Intermittent Wipe, 1984             |
|      |             |     |      |       | GEAR HOUSING and COVER                |
|      | 4205 954    | 1   |      |       | w/o Intermittent Wipe, 1984           |
|      | 4186 955    | 1   |      |       | w/Intermittent Wipe, 1984             |
|      | 4270 813    | 1   |      |       | COVER, Motor Gear Box, 1985           |
|      | 4270 869    | 1   |      |       | COVER, Motor Terminal, 1985           |
|      | 4342 226    | 1   |      |       | SUPPRESSOR, Motor Radio Noise, 1985   |
|      | 4339 446    | 1   |      |       | BRACKET, Motor Mtg., 1985             |
|      |             |     |      |       | SWITCH, Wiper                         |
|      | 4162 001    | 1   |      |       | w/o Intermittent Wipe, 1984           |
|      | 4360 006    | 1   |      |       | w/o Intermittent Wipe, 1985           |
|      | 3747 333    | 1   |      |       | w/Intermittent Wipe, 1984             |
|      | 2906 022    | 1   |      |       | NUT, Switch Mtg.                      |
|      | 4222 060    | 1   |      |       | CONTROL, Intermittent Wipe            |
|      | 4222 060    | 1   |      |       | CONTROL, Intermittent Wipe            |
|      | 3799 618    | 1   |      |       | DWELL, Wiper Switch, 1984             |
|      | 4162 007    | 1   |      |       | PLATE, Switch Ground                  |
|      | 3747 244    | 1   |      |       | KNOB, Wiper Switch                    |
| 6    |             |     |      |       | REINFORCEMENT, Cowl Plenum Motor Mtg. |
|      | 3738 367    | 1   |      |       | 1984                                  |
|      | 4335 183    | 1   |      |       | 1985                                  |
|      | 6030 441    | 1   |      |       | PLUG                                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



WINDSHIELD WASHER D 1,2,3,4,5,6,7,8  
Figure 23D-400

4372 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                        |
|------|-------------|-----|------|-------|------------------------------------|
| 1    | 3635 057    | 1   |      |       | NOZZLE w/BRACKET, Washer           |
| 2    | 3837 036    | AR  |      |       | HOSE, Washer                       |
| 3    |             | AR  |      |       | CLIP, Washer Hose Routing (DNS)    |
| 4    | 3780 798    | AR  |      |       | HOSE, Reservoir to Connector       |
| 5    | 3635 134    | 1   |      |       | CONNECTOR, Hose                    |
| 6    | 6031 951    | 2   |      |       | SCREW, Reservoir Mtg.              |
| 7    | 3799 174    | 1   |      |       | CAP, Reservoir                     |
| 8    | 4169 554    | 1   |      |       | RESERVOIR w/SEALING WASHER and CAP |
|      | 3799 324    | 1   |      |       | FILTER, Reservoir                  |
| 9    | 4762 319    | 1   |      |       | PUMP, Washer                       |
| 10   |             | 2   |      |       | SCREW (DNS)                        |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

GROUP 24 - HEATER AND AIR CONDITIONING

| ILLUSTRATION TITLE  | GROUP-FIG. NO. |
|---|----------------|
| CONTROL HEATER B MODELS .....                                     | Fig. 24-100    |
| CONTROLS, HEATER D MODELS .....                                   | Fig. 24-200    |
| HEATER UNIT B MODELS .....  | Fig. 24-300    |
| PLUMBING HEATER AUXILIARY B MODELS .....                          | Fig. 24-400    |
| HEATER UNIT D MODELS .....  | Fig. 24-500    |
| PLUMBING, HEATER D MODELS .....                                   | Fig. 24-600    |
| CONTROL AIR CONDITIONER B MODELS .....                            | Fig. 24-700    |
| CONTROL AIR CONDITIONER D MODELS .....                            | Fig. 24-800    |
| AIR CONITIONER AND HEATER UNIT B MODELS .....                     | Fig. 24-900    |
| AIR CONDITIONER AND HEATER, REAR B MODEL .....                    | Fig. 24-1000   |
| AIR CONDITIONER AND HEATER D MODELS .....                         | Fig. 24-1100   |
| PLUMBING, AIR CONDITIONER AND HEATER B MODEL .....                | Fig. 24-1200   |
| PLUMBING, AIR CONDITIONER AND HEATER AUXILIARY REAR B MODEL ..... | Fig. 24-1300   |
| PLUMBING, AIR CONDITIONER D MODELS .....                          | Fig. 24-1400   |
| COMPRESSOR, AIR CONDITIONER ALL MODELS .....                      | Fig. 24-1500   |
| MOUNTINGS, AIR CONDITIONER COMPRESSOR B-D MODELS .....            | Fig. 24-1600   |
| AIR DUCTS AND OUTLETS B MODELS .....                              | Fig. 24-1700   |
| AIR DUCTS AND OUTLETS D MODELS .....                              | Fig. 24-1800   |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION



CONTROL HEATER B MODELS  
Figure 24-100



4324 100A

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 4114 419    | 1   |      |       | CABLE, Heater Temp. Control                    |
| 2    | 2820 453    | 1   |      |       | CLIP, Heater Control Lever                     |
|      | 3503 326    | 1   |      |       | PIN, Heater Control Lever                      |
| 3    | 4261 013    | 1   |      |       | LEVER, Temperature Control                     |
| 4    | 4131 388    | 1   |      |       | SOCKET, Illumination                           |
| 5    | 4261 306    | 1   |      |       | SWITCH, Heater & Aux. Heater Control Blower    |
| 6    | 3846 082    | 1   |      |       | KNOB, Heater Control Lever                     |
| 7    | 3846 082    | 1   |      |       | KNOB, Mode Control Lever                       |
| 8    | 3848 001    | 1   |      |       | CONTROL BASE, w/o A/C., w/Bi Level             |
|      | 3848 635    | 1   |      |       | DECAL, Heater Control Lens                     |
| 9    | 6003 464    | 2   |      |       | CLIP, Control Cable Holding                    |
| 10   | 4261 014    | 1   |      |       | LEVER, Control Mode                            |
| 11   | 4114 730    | 1   |      |       | CABLE, Heater & Defroster Door Control         |
| 12   | 4085 643    | 1   |      |       | CABLE, Air Vent Control                        |
|      | 4085 645    | 1   |      |       | BRACKET, Air Vent Control Cable Mounting       |
| 13   | 4085 456    | 1   |      |       | HOSE, w/Grommet, Heater & Aux. Heater          |
| 14   | 3846 895    | 1   |      |       | SWITCH, Heater & Aux. Heater Control Vac.      |
|      | 3780 794    | AR  |      |       | HOSE, Control Vac. Switch 1/8" O.D. Roll Stock |
|      | 6028 201    | 2   |      |       | NUT, Htr. & Aux. Htr. Control Vac. Switch Mtg. |
| 15   | 4085 827    | 1   |      |       | BEZEL, Rear Htr. A/C. Control C/Ltr. 1984      |
|      | 4169 618    | 1   |      |       | 1985   |
|      | 4085 978    | 1   |      |       | BEZEL, Cigar Ltr. & Rear Defroster 1984        |
|      | 4169 617    | 1   |      |       | 1985   |
|      | 4085 979    | 1   |      |       | BEZEL, Htr. A/C. Cont. Cigar w/Rr. Defr. 1984  |
|      | 4169 616    | 1   |      |       | 1985   |
|      | 4085 978    | 1   |      |       | BEZEL, Ltr., Rear Defroster, 1984              |
|      | 4169 617    | 1   |      |       | 1985   |
|      | 4085 821    | 1   |      |       | BEZEL, Heater, A/C. w/Cigar Ltr., 1984         |
|      | 4169 619    | 1   |      |       | 1985   |
|      | 4085 979    | 1   |      |       | BEZEL, A/C. Cont., Ltr., Rear Defroster, 1984  |
|      | 4169 616    | 1   |      |       | 1985   |
|      | 4085 489    | 1   |      |       | PLATE, Heater Control Hole Cover               |
| 16   | 6032 456    | AR  |      |       | SCREW  |
| 17   | 4034 364    | 1   |      |       | SWITCH, Blower Aux. Heater                     |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

CONTROLS, HEATER D MODELS  
Figure 24-200

4J24 200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 6029 889    | 1   |      |       | CLIP  |
| 2    | 4163 953    | 1   |      |       | CABLE, Temperature                          |
| 3    | 4131 388    | 1   |      |       | SOCKET ASSY. ***                            |
| 4    | 4163 954    | 1   |      |       | CABLE, Mode                                 |
| 5    | 4261 306    | 1   |      |       | SWITCH, Heater Control Blower               |
| 6    | 3846 082    | 1   |      |       | KNOB, Heater Control Lever                  |
| 7    | 3848 001    | 1   |      |       | CONTROL, Base w/Bi Level                    |
| 8    | 3503 317    | 1   |      |       | PIN   |
|      | 2820 453    | 1   |      |       | CLIP  |
| 9    | 3846 895    | 1   |      |       | SWITCH, Heater Control Vac. Bi Level        |
| 10   | 4163 955    | 1   |      |       | CABLE, Heater Control Temperature           |
| 11   | 3847 510    | 1   |      |       | SWITCH, Heater Control, 4 Button            |
| 12   | 3848 002    | 1   |      |       | CONTROL, Base, Heater                       |
| 13   | 4261 301    | 1   |      |       | VACUUM EXTENSION, Hose Heater Control       |
| 14   | 4114 417    | 1   |      |       | LEVER, Heater Temperature Control           |
|      | 3847 014    | 1   |      |       | LEVER, Heater Temperature Control, Bi Level |
|      | 4114 418    | 1   |      |       | LEVER, Heater Mode Control                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

HEATER UNIT B MODELS  
Figure 24-300

4324 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 4114 017    | 1   |      |       | HOUSING w/Stud, Heater                  |
|      | 4114 006    | 1   |      |       | COVER, Housing                          |
| 2    | 6003 464    | 2   |      |       | CLIP,Control Cable Holding              |
| 3    | 4114 017    | 1   |      |       | HOUSING w/Stud, Heater                  |
| 4    | 4034 997    | 1   |      |       | CORE, Heater                            |
|      | 4034 921    | 1   |      |       | SEAL, Htr. Core To Hsg.                 |
| 5    | 4034 924    | 1   |      |       | DOOR, w/Seal w/Shaft Heater Blend Air   |
| 6    | 4163 697    | 1   |      |       | DOOR, w/Seal w/o Shaft, Heater Vent     |
|      | 4114 023    | 1   |      |       | SHAFT, Htr. Vent Door                   |
| 7    | 4114 003    | 1   |      |       | SEAL, Htr. Housing Side Cowl            |
| 8    | 4114 005    | 1   |      |       | SEAL, Htr. Housing Vent to Dash         |
| 9    | 4114 004    | 1   |      |       | SEAL, Htr. Housing Vent to Dash         |
| 10   | 2837 680    | 1   |      |       | CLAMP, Htr. Mtr. Wheel                  |
| 11   | 3503 859    | 1   |      |       | WHEEL, Htr. Motor                       |
| 12   | 4114 011    | 1   |      |       | PLATE, Heater Back                      |
| 13   | 2485 429    | 1   |      |       | GASKET, Heater Motor Mtg.               |
| 14   | 2298 882    | 1   |      |       | TERMINAL, And Insulator Pkg.            |
| 15   | 4131 382    | 1   |      |       | MOTOR, Heater                           |
| 16   | 6006 065    | 4   |      |       | WASHER, Htr. Motor Mtg.                 |
| 17   | 0152 284    | 2   |      |       | NUT, Heater Mtr. Mtg. .                 |
| 18   | 4034 901    | 1   |      |       | TUBE, Heater Motor Vent                 |
| 19   | 6031 132    | 1   |      |       | RETAINER, Heater Temp. Cont. Cable Adj. |
| 20   | 6031 147    | 1   |      |       | RETAINER, Heater Temp. Cont. Cable      |
| 21   | 1315 466    | AR  |      |       | HOSE, 5/8 Dia.                          |
| 22   | 2277 425    | AR  |      |       | HOSE, Heater Core To Pump               |
| 23   | 2448 770    | 4   |      |       | CLAMP                                   |
| 24   | 1779 258    | 1   |      |       | NIPPLE, (3/8 - 18 x 2")                 |
| 25   | 4240 422    | 1   |      |       | VALVE, Htr. A/C. Water                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PLUMBING HEATER AUXILIARY B MODELS  
Figure 24-400

4324 400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
|      | 4261 008    | 1   |      |       | HEATER PKG. COMPLETE                           |
|      | 4085 377    | 1   |      |       | HEATER ASSY, Auxiliary, Model 92               |
| 1    |             |     |      |       | COVER (Serv in Assy)                           |
| 2    |             |     |      |       | HOUSING (Serv in Assy)                         |
| 3    | 3895 460    | 1   |      |       | MOTOR, Htr. Blower Aux. B                      |
| 4    |             | 1   |      |       | BRACKET, (Serviced in Assy.)                   |
| 5    |             |     |      |       | SHROUD (Serv. in Assy)                         |
| 6    | 2511 034    | 1   |      |       | FAN, Blower                                    |
| 7    | 3895 992    | 1   |      |       | CORE, Heater Auxiliary Heater                  |
| 8    |             |     |      |       | LOUVER (Serv. in Assy)                         |
| 9    | 1971 061    | 1   |      |       | NIPPLE, Water Outlet 5/8"                      |
|      | 2936 298    | 1   |      |       | Water Inlet 1/2"                               |
| 10   |             |     |      |       | NUT (Serv. in Assy)                            |
| 11   | 4163 906    | 1   |      |       | VALVE, A/C & Htr. Aux. Water Vac. On-Off.      |
| 12   |             |     |      |       | WASHER, (Serv. in Assy)                        |
| 13   |             |     |      |       | BOLT (Serv. in Assy)                           |
| 14   |             |     |      |       | CONNECTOR (Serv. in Assy.)                     |
| 15   | 4114 190    | 1   |      |       | WIRING, Aux. Htr. to Bulkhead, 1984            |
|      | 4163 288    | 1   |      |       | 1985   |
| 16   |             | 1   |      |       | GROMMET (Serv. in Assy)                        |
| 17   | 2911 027    | 1   |      |       | SEAL, Mounting Aux. Htr. To Floor              |
|      | 2958 954    | 1   |      |       | Aux. Heater Outlet Tube                        |
| 18   | 2506 170    | 1   |      |       | TEE, Hose Inlet and Outlet Return Hose w/o A/C |
| 19   | 2936 388    | AR  |      |       | Hose, 1/2" I.D. 50 Ft. Roll                    |
|      | 1595 160    | 1   |      |       | Hose, Aux. Htr. Tee To Core                    |
| 20   | 2448 770    | 1   |      |       | CLAMP, to Auxiliary Htr. Valve Brkt.           |
| 21   | 1315 466    | 1   |      |       | HOSE, 5/8" I.D., 50ft. Roll                    |
| 22   | 4085 456    | 1   |      |       | HOSE, Heater Aux. Heater Control               |
| 23   | 1315 466    | AR  |      |       | HOSE, Htr to Water Pump 5/8" 225 eng.          |
| 24   | 4114 755    | 1   |      |       | TUBE Assy. Aux. Heater Front, 1984             |
|      | 4163 985    | 1   |      |       | 1985   |
|      | 4114 172    | 1   |      |       | REAR   |
| 25   | 3441 609    | 1   |      |       | CHECK VALVE, Heater & Aux. Heater Control      |
| 26   | 3895 890    | 1   |      |       | RESISTOR, Aux. A/C. & Heater Blower Motor      |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

HEATER UNIT D MODELS  
Figure 24-500

4324 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    | 4163 665    | 1   |      |       | Housing w/stud                          |
| 2    | 4163 654    | 1   |      |       | Cover w/Seal, 1984                      |
|      | 4261 109    | 1   |      |       | 1985                                    |
|      | 4261 110    | 1   |      |       | COVER, Heater Housing, Part., 1985      |
|      | 4163 661    | 1   |      |       | SEAL, Heater Cover to Housing Outbrd.   |
|      | 4163 659    | 1   |      |       | SEAL, Heater Cover to Housing Inbrd.    |
|      | 4163 691    | 1   |      |       | SEAL, Htr. Cover to Hsg. Frt.           |
| 3    | 4163 686    | 1   |      |       | DOOR                                    |
|      | 4163 687    | 1   |      |       | SEAL                                    |
| 4    | 4163 653    | 1   |      |       | Seal,Housing to side cowl               |
| 5    | 4163 652    | 1   |      |       | Seal,Housing to side dash               |
| 6    | 4216 837    | 1   |      |       | Heater Core                             |
|      | 4163 667    | 1   |      |       | SEAL, Heater Core Tube to Housing       |
| 7    | 4163 671    | 1   |      |       | Seal, Heater core                       |
| 8    | 4163 673    | 1   |      |       | Door w/seal,air blend                   |
|      | 4163 681    | 1   |      |       | Door w/Seal, Heater Mode Mld.           |
| 9    | 4163 680    | 1   |      |       | DEFLECTOR Mode Door                     |
| 10   |             | 1   |      |       | Seal ,Mode + blend door (Serv. in Assy) |
| 11   | 4114 087    | 1   |      |       | Lever w/pin,mode door                   |
|      | 4163 714    | 1   |      |       | LEVER, Htr. Shut off Door               |
| 12   | 4163 688    | 1   |      |       | Resister, Heater, 1984                  |
|      | 4261 050    | 1   |      |       | 1985                                    |
| 13   | 4034 901    | 1   |      |       | Tube, Motor Vent                        |
| 14   | 4131 382    | 1   |      |       | Motor, Blower                           |
|      | 4163 690    | 1   |      |       | SEAL, Htr. Mtr. Back Plate to Hsg.      |
| 15   | 4163 663    | 1   |      |       | Plate, Blower Mounting                  |
| 16   | 2485 429    | 1   |      |       | Adapter, Blower Motor                   |
| 17   | 3503 859    | 1   |      |       | Wheel, Blower Motor                     |
| 18   | 2837 680    | 1   |      |       | Clip, Motor Shaft                       |
| 19   |             | 2   |      |       | Bolt, Motor Mounting (Do Not Service)   |
| 20   |             |     |      |       | Nut, Motor Mounting (Do Not Service)    |
| 21   | 4055 018    | 1   |      |       | INSULATOR, Heater Motor                 |
| 22   | 0219 462    | 1   |      |       | Nut, Lever                              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.




SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLUMBING, HEATER D MODELS  
Figure 24-600

4324 600





| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|----------------|-----|------|-------|-------------------------------------|
| 1    | 4240 422       | 1   |      |       | VALVE, A/C.,Htr., Water             |
| 2    |                |     |      |       | Not Serviced                        |
| 3    | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 4    | 1315 466       | AR  |      |       | HOSE, 5/8" Dia. x 50 Ft. Roll       |
| 5    | 4163 956       | 1   |      |       | BRACKET, Heater Hose Support        |
| 6    | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 7    | 1779 258       | 1   |      |       | NIPPLE, Heater Hose Engine          |
| 8    | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 9    | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 10   | 1779 258       | 1   |      |       | NIPPLE, Heater Hose Engine          |
| 11   | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 12   | 6022 250       | 1   |      |       | SCREW, Htr. Hose Brkt. Mtg. Support |
| 13   | 1315 466       | AR  |      |       | Hose, 5/8" Dia. x 50 Ft. Roll       |
| 14   | 4163 956       | 1   |      |       | BRACKET, Heater Hose Support        |
| 15   | 2448 770       | AR  |      |       | CLAMP, Heater Hose                  |
| 16   | 1315 466       | AR  |      |       | HOSE, 5/8" Dia. X 50 Ft. Roll       |
| 17   | 1779 258       | 1   |      |       | NIPPLE, Heater Hose Engine          |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = VANS AND WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

CONTROL AIR CONDITIONER B MODELS  
Figure 24-700

4324 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4114 450    | 1   |      |       | CABLE, A/C., Heater Temperature Control                   |
|      | 6003 464    | 1   |      |       | CLIP, A/C., Heater Temperature Control Mtg.               |
|      | 4361 018    | 1   |      |       | CABLE, Aux. A/C., Htr. Temp. Cont. (w/Knob) Pull For Heat |
| 2    | 6029 889    | 1   |      |       | RETAINER, Temperature Control Cable                       |
| 3    | 4131 388    | 1   |      |       | SOCKET  |
| 4    | 3848 002    | 1   |      |       | CONTROL, Base   |
| 5    | 3847 940    | 1   |      |       | SWITCH, A/C., Heater Blower Control                       |
| 6    | 3848 232    | 1   |      |       | LEVER, A/C., Heater Temperature Control                   |
|      | 3847 447    | 1   |      |       | KNOB, Temperature Control Lever                           |
| 7    | 4261 020    | 1   |      |       | DECAL, A/C., Heater Control Lens                          |
| 8    | 3847 742    | 1   |      |       | SWITCH, A/C., Heater, 6 P/Button Control                  |
|      | 6006 041    | 1   |      |       | SCREW, p/Button Control Switch Mounting                   |
| 9    | 2820 453    | 1   |      |       | CLIP  |
|      | 3503 317    | 2   |      |       | PIN, A/C., Htr. Control Temperature Lever                 |
| 10   | 4261 015    | 2   |      |       | HOSE, w/Connector, A/C., Htr. Vacuum Control              |
| 11   | 3847 622    | 1   |      |       | HOSE, A/C., Control Vacuum Extension                      |
|      | 6015 778    | 1   |      |       | CLIP, A/C., Htr. Vac. Control Hose Mtg.                   |
| 12   | 4085 821    | 1   |      |       | BEZEL, A/C., Htr. Cont. w/Cigar Ltr. 1984                 |
|      | 4169 619    | 1   |      |       | 1985  |
|      | 4085 979    | 1   |      |       | BEZEL, A/C., Cont. Ltr. Rear Defroster 1984               |
|      | 4169 616    | 1   |      |       | 1985  |
| 13   | 4034 364    | 1   |      |       | SWITCH, Aux. A/C., Aux. Heater Blower                     |
|      | 3847 940    | 1   |      |       | SWITCH, Aux. Heater Control Blower                        |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |





AIR CONITIONER AND HEATER UNIT B MODELS  
Figure 24-900

4324 900



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| EVAPORATOR COIL HOUSING ASSY. (Service Component Parts) |             |     |      |       |  |
| CONTAINS FOLLOWING:                                     |             |     |      |       |  |
| 1   | 4114 060    | 1   |      |       | HOUSING, A/C., Evaporator Coil                 |
|   | 4114 053    | 1   |      |       | COVER, w/Seal, Evaporator Coil                 |
|   | 4106 138    | 1   |      |       | CORE, A/C., Heater                             |
|   | 4114 051    | 1   |      |       | SEAL, A/C., Evap. Coil Hsg. To Dash            |
|   | 4114 067    | 1   |      |       | COIL, A/C., Evaporator Complete                |
|   | 3847 116    | 1   |      |       | SEAL, A/C., Evaporator Coil, Ret. Bend End     |
|   | 3848 151    | 2   |      |       | SEAL, A/C., Evaporator Coil, Hair Pin End      |
| 2   | 6031 132    | 1   |      |       | CLIP, Temp. Control Cable                      |
| 3   | 0219 462    | 1   |      |       | NUT, A/C., Blend Air Door Lever Return         |
| 4   | 4114 087    | 1   |      |       | LEVER, w/Pin A/C., Blend Air Door Control      |
| 5   | 4114 451    | 1   |      |       | DOOR, A/C., Blend Air                          |
| 6   | 4114 450    | 1   |      |       | CABLE, A/C., Heater Temp. Control              |
|   | 4361 018    | 1   |      |       | CABLE, w/Aux., Htr. Temp. Control w/Knob       |
| 7   | 6003 464    | 1   |      |       | CLIP, Blend Air Door Control Cable Mtg.        |
| 8   | 6028 944    | 1   |      |       | RETAINER, A/C., Unit Drain Tube                |
| 9   | 3503 133    | 1   |      |       | TUBE, A/C., Unit Drain 1984                    |
|   | 3848 827    | 1   |      |       | 1985   |
| 10  | 0219 462    | 1   |      |       | NUT, A/C., Recirc. Door Lever Return           |
| 11  | 4114 036    | 1   |      |       | HOUSING, w/Stud A/C., Recirculating            |
|   | 4114 033    | 1   |      |       | COVER, w/Seal Recirc. Housing                  |
| 12  | 4114 096    | 1   |      |       | SEAL, A/C., Recirc. Housing To Dash            |
| 13  | 4114 044    | 1   |      |       | PLATE BACK, A/C., Recirc. Motor                |
| 14  | 6025 402    | 1   |      |       | NUT, A/C., Motor Mounting                      |
| 15  | 4186 996    | 1   |      |       | MOTOR, A/C., Blower                            |
|   | 3503 859    | 1   |      |       | WHEEL, A/C.                                    |
| 16  | 3503 040    | 1   |      |       | TUBE, A/C., Motor Cooling                      |
| 17  | 4261 016    | 1   |      |       | DUCT ASSY., A/C., Heater Distr. Complete 1984  |
|   | 4261 046    | 1   |      |       | Up To 9-10-84, 1985                            |
|   | 4361 038    | 1   |      |       | After 9-10-84, 1985                            |
|   | 6028 393    | 1   |      |       | U-NUT, Duct Upper Assy., To Lower Mounting     |
| 18  | 4114 599    | 1   |      |       | RESISTOR, A/C., Heater Blower Motor 1984       |
|   | 4261 048    | 1   |      |       | 1985   |
| 19  | 4085 786    | 1   |      |       | ACTUATOR, A/C., Heater Defroster Vac. Door     |
| 20  | 4261 107    | 1   |      |       | ACTUATOR, A/C., Distr. Duct Mode Vac. Door     |
| 21  | 4114 167    | 1   |      |       | SEAL, A/C., Heater Outlet Center               |
| 22  | 4114 052    | 1   |      |       | SEAL, A/C., Evap. Coil Hsg. To Recirc. Housing |
| 23  | 4114 038    | 1   |      |       | ACTUATOR, A/C., Recirc. Door                   |
|   | 4114 039    | 1   |      |       | DOOR, w/Seal, A/C., Recirculator               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AIR CONDITIONER AND HEATER, REAR B MODEL  
Figure 24-1000

4324 1000




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    | 4034 786       | 1   |      |       | FLOOR REGISTER, Auxiliary A/C., 1984                              |
|      | 4361 019       | 1   |      |       | 1985  |
| 2    | 4085 586       | 1   |      |       | MOTOR ASSY., Blower   |
| 3    | 3895 890       | 1   |      |       | RESISTOR, Blower Motor  |
| 4    | 4114 218       | 1   |      |       | HOUSING, A/C and Htr. Unit  |
| 5    | 3895 362       | 1   |      |       | CORE, Aux. Heater & A/C. Up To 12-11-84                           |
|      | 4361 016       | 1   |      |       | After 12-11-84  |
| 6    | 3895 418       | 1   |      |       | COIL, Aux. A/C and Evaporator                                     |
| 7    | 4163 770       | 1   |      |       | VALVE ASSY., Expansion  |
| 8    |                | 1   |      |       | BRACKET, Heater Core (Not Serviced)                               |
| 9    |                | 1   |      |       | COVER, Housing (Not Serviced)                                     |
| 10   | 3895 797       | 1   |      |       | MOTOR, Aux. A/C and Htr., Blower                                  |
| 11   | 3895 891       | 1   |      |       | WHEEL, (Only)   |
| 12   | 4114 651       | 1   |      |       | TUBE, Rr. A/C Expansion Valve, 7-1/2" Lg.                         |
|      | 2936 926       | 1   |      |       | TUBE, Aux. A/C and Heater Drain (Not Shown)                       |
|      | 2448 770       | 1   |      |       | CLAMP   |
| 13   | 3895 417       | 2   |      |       | PLATE, Aux. Unit Mtg.   |
| 14   | 4114 219       | 1   |      |       | COVER, Aux. A/C and Htr. Hsg., Bottom                             |
|      | 4361 018       | 1   |      |       | CABLE, Aux., A/C. & Htr. Temp Cont w/Knob (Pull For Heat)<br>1985 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AIR CONDITIONER AND HEATER D MODELS  
Figure 24-1100

4324 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    | 4163 707    | 1   |      |       | HOUSING w/stud                       |
| 2    | 4163 709    | 1   |      |       | COVER w/Seal, 1984                   |
|      | 4261 114    | 1   |      |       | 1985                                 |
|      | 4163 710    | 1   |      |       | COVER w/Stud, 1984                   |
|      | 4261 115    | 1   |      |       | COVER, Housing Part., 1985           |
| 3    | 4163 752    | 1   |      |       | HOUSING, A/C. Heat Distr.            |
| 4    | 4163 753    | 1   |      |       | HOUSING w/Seal, A/C. Unit Distr.     |
|      | 4163 780    | 1   |      |       | SEAL, Bi-Level Htr. Hsg. to Cvr.     |
| 5    | 4163 653    | 1   |      |       | SEAL, Unit to side cowl              |
| 6    | 4163 703    | 1   |      |       | SEAL, Unit to dash                   |
| 7    | 4163 715    | 1   |      |       | DOOR, Recirc.                        |
| 8    | 4163 727    | 1   |      |       | DOOR w/seal, air blend               |
| 9    | 4163 733    | 1   |      |       | DOOR, A/C. Bi-Level Heater Defroster |
| 10   | 4163 735    | 1   |      |       | SHAFT, Defroster door                |
| 11   | 4163 721    | 1   |      |       | DOOR w/Seal, Mode Door A/C.          |
| 12   | 4163 731    | 1   |      |       | ACTUATOR, Defroster door             |
| 13   | 4163 719    | 1   |      |       | ACTUATOR, Air blend door             |
| 14   | 4163 713    | 1   |      |       | ACTUATOR, Recirc. Door               |
| 15   | 6008 144    | 2   |      |       | CLIP, Actuators                      |
| 16   | 4163 725    | 1   |      |       | LEVER w/Pin, Blend Air Door          |
| 17   | 6031 147    | 1   |      |       | CLIP, Actuator                       |
| 18   | 4216 835    | 1   |      |       | CORE, Heater                         |
| 19   | 4163 736    | 1   |      |       | SEAL, Unit to dash                   |
| 20   | 4163 671    | 1   |      |       | SEAL, Heater Core to Housing         |
| 21   | 4163 738    | 1   |      |       | COIL, Evaporator Complete            |
|      | 3848 151    | 1   |      |       | SEAL, A/C. Evap. Hsg. Hair Pin End   |
|      | 4163 739    | 1   |      |       | SEAL, A/C. Evap. Coil Brkt. Hsg.     |
|      | 3503 950    | 1   |      |       | SEAL, A/C. Evap. Coil Bottom, 1984   |
|      | 3846 756    | 1   |      |       | 1985                                 |
| 22   | 3847 116    | 2   |      |       | SEAL, Coil to Housing                |
| 23   | 4163 714    | 1   |      |       | LEVER                                |
| 24   | 0219 462    | 2   |      |       | NUT                                  |
| 25   | 4163 761    | 1   |      |       | RESISTOR, Heater, 1984               |
|      | 4261 113    | 1   |      |       | 1985                                 |
| 26   | 4163 657    | 1   |      |       | SEAL, Unit Defoster Duct             |
| 27   | 4163 702    | 1   |      |       | HOSE & Conn. Assy. Vac.              |
|      | 4163 781    | 1   |      |       | HOSE, Bi-Level Htr. Vac. Harness     |
|      | 3441 609    | 1   |      |       | VALVE, Check Bi-Level                |
| 28   | 3503 040    | 1   |      |       | TUBE, A/C. Unit Motor Cooling        |
| 29   | 4186 986    | 1   |      |       | MOTOR, Heater                        |
|      | 4163 758    | 1   |      |       | SEAL, Blower Motor                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AIR CONDITIONER AND HEATER D MODELS  
Figure 24-1100

4324 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 30   |             | 1   |      |       | RING, Mounting                          |
| 31   |             | 1   |      |       | PLATE, Mounting                         |
| 32   | 4163 704    | 1   |      |       | PLATE, Back Housing Mounting            |
|      | 4163 777    | 1   |      |       | PLATE, w/Seal Hole Cover                |
| 33   | 3503 037    | 1   |      |       | WHEEL, Blower                           |
| 34   | 2837 680    | 1   |      |       | CLAMP, Motor Shaft                      |
|      | 3848 151    | 1   |      |       | SEAL, A/C. Evap. Coil Hsg. Hair Pin End |
|      | 3848 827    | 1   |      |       | TUBE, Drain, A/C.                       |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLUMBING, AIR CONDITIONER AND HEATER B MODEL  
Figure 24-1200

4324 1200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                            |
|------|-------------|-----|------|-------|--|
| 1    | 4176 059    | 1   |      |       | COMPRESSOR, 1984                       |
|      | 3848 976    | 1   |      |       | 1985                                   |
| 2    | 4163 920    | 1   |      |       | CONDENSER                              |
| 3    | 3847 829    | 1   |      |       | FILTER DRIER                           |
|      | 4114 754    | 1   |      |       | BRACKET, Drier                         |
|      | 3846 134    | 1   |      |       | STRAP, Drier                           |
|      | 4114 754    | 1   |      |       | BRACKET, Filter Drier                  |
|      | 3847 083    | AR  |      |       | GASKET, Line to Drier                  |
| 4    | 4176 999    | 1   |      |       | EXPANSION VALVE                        |
|      | 3846 834    | 1   |      |       | GASKET, Suct. Liq. Mtg. to H-Valve     |
|      | 3846 836    | 1   |      |       | GASKET, to Coil                        |
| 5    | 5210 377    | 1   |      |       | SWITCH, Low Pressure Cut Off           |
|      | 3441 105    | 1   |      |       | SEAL, Low Pressure Cut-Off Switch      |
| 6    | 4205 830    | 1   |      |       | SWITCH, Temp Sensing                   |
| 7    | 4163 978    | 1   |      |       | HOSE, w/Switch Suction w/225 Engine    |
|      | 4261 311    | 1   |      |       | HOSE, w/o Auxiliary Suction, w/318,360 |
|      | 4261 312    | 1   |      |       | HOSE, w/Auxiliary, Suction w/318,360   |
|      | 3847 081    | 1   |      |       | GASKET, Disch. Ftg. Mtg. to Compressor |
| 8    | 4261 027    | 1   |      |       | HOSE, Discharge w/225 Engine           |
|      | 4261 028    | 1   |      |       | HOSE, Discharge w/318,360              |
|      | 3846 835    | 1   |      |       | GASKET, Disch. Liq. Line Mtg. to Cond. |
|      | 3848 021    | 1   |      |       | CAP, A/C. Check Valve Fitting          |
|      | 3847 576    | 1   |      |       | VALVE, Discharge & Liq. Line Check     |
| 9    | 4163 990    | 1   |      |       | MUFFLER, w/225 Engine                  |
| 10   | 4261 320    | 1   |      |       | HOSE, w/Plate w/318,360                |
| 11   | 4114 165    | 1   |      |       | TUBE, w/Plate w/225                    |
|      | 4261 318    | 1   |      |       | TUBE, w/Plate w/318,360                |
| 12   | 3848 585    | 1   |      |       | CAP                                    |
| 13   | 6500 827    | 2   |      |       | SCREW w/Washer                         |
| 14   | 6032 572    | 2   |      |       | SCREW w/Washer                         |
| 15   | 2219 384    | 1   |      |       | "O" RING , Discharge Line              |
| 16   | 2219 385    | 1   |      |       | "O" RING , Suction Line                |
| 17   | 6025 004    | 4   |      |       | NUT                                    |
|      | 2837 498    | 1   |      |       | SLEEVE, A/C. Htr. Eng. to Val. Hose    |
|      | 4361 148    | 1   |      |       | HOSE, Htr. Eng. To Tee 1985            |
|      | 4361 148    | 1   |      |       | HOSE, Htr. Eng. To Core 1985           |
|      | 4361 148    | 1   |      |       | HOSE, Htr. Eng. To Valve 1985          |
| 18   | 4240 422    | 1   |      |       | VALVE, A/C., Heater WATER              |
| 19   | 3847 147    | 1   |      |       | PILOT, Disch. & Suction Liq. Line Mtg. |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLUMBING, AIR CONDITIONER AND HEATER AUXILIARY REAR B MODEL  
Figure 24-1300

4324 1300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | 4163 983    | 1   |      |       | HOSE Assy. , A/C Suction                     |
|      | 4163 984    | 1   |      |       | HOSE Assy. , A/C Liquid                      |
| 2    | 2219 385    | 2   |      |       | "O" RING, Suction Hose                       |
| 3    | 5210 380    | 3   |      |       | "O" RING, LIQUID Hose                        |
| 4    | 6500 827    | 1   |      |       | SCREW w/WA. (M8 x 1.18")                     |
| 5    | #6032 572   | 2   |      |       | SCREW w/WA. (1/4-20 x 2") 1984               |
|      | 6032 572    | 2   |      |       | 1985   |
| 6    | 4176 999    | 1   |      |       | VALVE, (H) A/C. Expansion                    |
| 7    | 4261 312    | 1   |      |       | HOSE ASSY., A/C. Suction w/Liquid (Unified)  |
| 8    |             | 2   |      |       | SCREW (10-16 x 5/8")                         |
| 9    | 2521 172    | 1   |      |       | "O" RING, Suction Hose                       |
| 10   |             |     |      |       | AUX. A/C and Htr., (Refer to Illus. 24- 800) |
| 11   | 2448 770    | AR  |      |       | CLAMP, Hose                                  |
| 12   | 2448 770    | AR  |      |       | CLAMP, Hose                                  |
| 13   | 2936 388    | 1   |      |       | HOSE, A/C and Htr. 1/2" (Serv. Roll Stock)   |
|      | 4361 050    | 1   |      |       | HOSE, Aux. A/C. Htr. Tee To Frt. Tube        |
| 14   | 1315 466    | 1   |      |       | HOSE, A/C and Htr. 5/8" (Serv. Roll Stock)   |
| 15   | 4163 985    | 1   |      |       | TUBE ASSY., A/C and Htr., Front              |
| 16   | 4114 172    | 1   |      |       | TUBE ASSY., A/C and Htr., Rear               |
| 17   | 4163 906    | 1   |      |       | VALVE, Htr. Water (Vac. On & Off)            |
|      | 4361 017    | 1   |      |       | VALVE, Aux., A/C. & Htr. Water (On & Off)    |
| 18   | 4205 830    | 1   |      |       | SWITCH, A/C Temp Sensing w/ 225 Eng.         |
| 19   | 5210 377    | 1   |      |       | SWITCH, Low Pressure Cut off                 |
| 20   | 3441 105    | 1   |      |       | SEAL, Low Pressure Switch                    |
| 21   | 2506 170    | 1   |      |       | TEE, Aux. A/C. Htr. Hose                     |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PLUMBING, AIR CONDITIONER D MODELS  
Figure 24-1400

4324 1400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 4163 999    | 1   |      |       | HOSE, Suction and Liquid w/225 Eng. w/o switch |
|      | 3847 083    | 1   |      |       | GASKET, Suction Line Mtg. to Drier             |
|      | 3846 834    | 1   |      |       | GASKET, Suction Line Plate to Expansion Valve  |
| 2    | 4261 029    | 1   |      |       | HOSE, Discharge and Liquid w/225 End.          |
|      | 3847 576    | 1   |      |       | VALVE, A/C. Disch. & Liq. Line Check           |
|      | 3847 083    | 1   |      |       | GASKET, Discharge Line                         |
| 3    | 3848 021    | 1   |      |       | CAP, Muffler                                   |
|      | 3848 021    | 1   |      |       | CAP, Dish. Liq. Line Chk. Val.                 |
| 4    | 4162 499    | 1   |      |       | VALVE, Expansion (H Type)                      |
| 5    | 6032 572    | 2   |      |       | SCREW, (1/4-20x2)                              |
| 6    | 6500 827    | 2   |      |       | SCREW and Washer                               |
| 7    | 5210 377    | 1   |      |       | SWITCH, Low Pressure Cutoff                    |
|      | 3441 105    | 1   |      |       | SEAL, Switch                                   |
| 8    | 4205 830    | 1   |      |       | SWITCH, Suction Line Temp. 1984                |
|      | 4339 411    | 1   |      |       | 1985   |
| 9    | 0118 614    | 2   |      |       | NUT and Washer                                 |
| 10   | 4163 951    | 1   |      |       | FILTER DRIER w/Bracket                         |
| 11   | 4261 308    | 1   |      |       | HOSE, Suction w/318,360 Engine                 |
|      | 3847 083    | 1   |      |       | GASKET, Suction Line to Mtg. Drier             |
| 12   | 4261 030    | 1   |      |       | HOSE, Discharge Line w/318,360                 |
|      | 3847 083    | 1   |      |       | GASKET, Discharge Line to Mtg. to Drier        |
|      | 3846 835    | 1   |      |       | GASKET, Discharge Line to Mtg. to Condenser    |
|      | 3846 836    | 1   |      |       | GASKET, Valve to Coil                          |
|      | 3847 081    | 1   |      |       | GASKET, Disch., Suction to Compressor          |
| 13   | 6015 795    | 1   |      |       | CLIP   |
| 14   | 4176 059    | 1   |      |       | COMPRESSOR                                     |
| 15   | 6015 756    | 2   |      |       | STRAP  |
| 16   | 4112 576    | 1   |      |       | CONDENSER                                      |
| 17   | 4240 422    | 1   |      |       | VALVE, A/C. & Htr. Water                       |
|      | 4361 147    | 1   |      |       | HOSE, A/C. Htr. Engine To Core                 |
| 18   | 3847 147    | 1   |      |       | PILOT, Disch. & Suct. Liquid Line Mtg.         |
|      | 1595 160    | 1   |      |       | HOSE, A/C. Heater Engine To Valve              |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

COMPRESSOR, AIR CONDITIONER ALL MODELS  
Figure 24-1500

4124 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 3847 180    | 1   |      | All   | SHIM PKG. A/C Compr. Drive Clutch   |
|      |             |     |      |       | Consists of:  |
|      | 3847 916    | 1   |      |       | 5-----Shims   |
|      | 3847 915    | 1   |      |       | SEAL, Shaft A/C. Compr. Pkg.  |
|      | 3848 979    | 1   |      |       | GASKET, A/C. Compressor Package, 1984   |
|      | 3847 178    | 1   | All  |       | 1985  |
|      | 3848 980    | 1   | All  |       | PACKAGE, Pulley Bearing And Armature A/C Comp. Clutch   |
|      |             |     |      |       | Drive 225 Eng. Single Groove, 1984  |
|      | 3847 179    | 1   | All  |       | PACKAGE, Pulley Bearing and Armature A/C Comp. Clutch   |
|      | 3848 981    | 1   | All  |       | Drive 225 Eng. Single Groove, 1985  |
|      |             |     |      |       | DOUBLE GROOVE, 1984   |
|      |             |     |      |       | 1985  |
|      |             |     |      |       | Consists of:  |
|      |             |     |      |       | 1-----Pulley and Bearing  |
|      |             |     |      |       | 1-----Armature  |
| 1    | 4176 059    | 1   | All  |       | COMPRESSOR, A/C. Less Clutch, 1984  |
|      | 3848 976    | 1   | All  |       | 1985  |
| 2    | 3848 673    | 1   | All  |       | COIL, A/C. Compr. (Drive Clutch Field) 1984   |
|      | 3848 969    | 1   | All  |       | 1985  |
|      |             |     |      |       | NOTE: Important do not substitute the 1985 part number 3848969 COIL with any other PRIOR model year COIL. s of your telephone |
|      |             |     |      |       | directory under "Truck Equipment & Repair" for the facility nearest you.  |
| 3    | 3843 386    | 1   | All  |       | TERMINAL, A/C Field Coil Lead   |
|      | 4274 267    | 1   | All  |       | INSULATOR, A/C Field Coil Lead Term., 1984  |
|      | 4209 956    | 1   | All  |       | 1985  |
| 4    | 3848 690    | 1   | All  |       | CLIP, A/C Compr (Clutch Field Coil Mtg)   |
| 5    | 3846 680    | 1   | All  |       | KEY, A/C Compr (Shaft Drive)  |
| 6    | 6500 411    | 1   | All  |       | RING, A/C Compr. (Drive Cl. Coil Ext.) (.078 I.D.)  |
|      | 6031 416    | 1   | All  |       | A/C Compr.(Drive Clutch Pulley Ext.) 1.456 I.D.   |
| 7    | 3846 722    | 1   | All  |       | FITTING, A/C Compr. Check Valve   |
| 8    | 3847 576    | 1   | All  |       | CORE, A/C Compr. Check Valve  |
| 9    | 3848 021    | 1   | All  |       | CAP, A/C Compr. Check Valve   |
|      | 6100 218    | 1   | All  |       | NUT, A/C Compr. (Drive Clutch Mtg.)   |
|      | 6100 141    | 1   | All  |       | WASHER, A/C Compr.(Drive Clutch Mtg. Lock)  |
| 10   | 3847 081    | 1   | All  |       | GASKET, A/C Suction Flange To Compr. (Rubber Coated)  |
|      | 3847 081    | 1   | All  |       | GASKET, A/C Discharge Line Flange to Compr. (Rubber Coated)   |
| 11   | 3847 920    | 1   |      |       | PIN,Alignment (Coil to Compr.)  |
| 12   | 3847 986    | 1   |      |       | COVER, w/Pin A/C. Compressor Front  |
| 13   | 3846 678    | 1   |      |       | COVER, A/C. Compressor Rear   |
|      | 3846 675    | 1   |      |       | COVER, A/C. Comp. Frt.  |
| 14   | 3846 655    | 1   |      |       | PLATE, A/C. Compr. Disch. Valve Rear  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



COMPRESSOR, AIR CONDITIONER ALL MODELS  
Figure 24-1500

4124 1500



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|


|    |           |   |  |  |                                       |
|----|-----------|---|--|--|---------------------------------------|
| 15 | 3846 654  | 1 |  |  | PLATE, A/C. Compr. Disch. Valve Front |
| 16 | #3846 666 | 1 |  |  | REED, A/C. Compr. Suct. Valve         |
|    | 4362 013  | 1 |  |  | WIRING, A/C., Clutch Diode Jumper     |

|                          |  |  |                              |  |                   |
|--------------------------|--|--|------------------------------|--|-------------------|
| MODEL CODES:             |  |  |                              |  |                   |
| TRUCK LINE               |  |  |                              |  |                   |
| D123 = CONVENTIONAL      |  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           |
| TRUCK (4X2)              |  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  |
| D4 = SPORT UTILITY (4X2) |  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  |
| D5,6,7 = CONVENTIONAL    |  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. |
| (TRUCK) 4X4              |  |  |                              |  | CONVENTIONAL:     |
| D8 = SPORT UTILITY (4X4) |  |  |                              |  | (61) = 115" W.B.  |
|                          |  |  |                              |  | (62) = 131" W.B.  |
|                          |  |  |                              |  | (63) = 135" W.B.  |
|                          |  |  |                              |  | (64) = 159" W.B.  |
|                          |  |  |                              |  | SPORT UTILITY:    |
|                          |  |  |                              |  | (71) = 106" W.B.  |
|                          |  |  |                              |  | CREW CAB:         |
|                          |  |  |                              |  | (82) = 149" W.B.  |
|                          |  |  |                              |  | (83) = 165" W.B.  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MOUNTINGS, AIR CONDITIONER COMPRESSOR B-D MODELS  
Figure 24-1600

4324 1600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    | 4176 059    | 1   |      |       | COMPRESSOR Less Clutch, 1984                |
|      | 3848 976    | 1   |      |       | 1985  |
| 2    | 6500 365    | 4   |      |       | SCREW                                       |
| 3    | 4089 596    | 1   |      |       | SUPPORT                                     |
| 4    | 0181 112    | 1   |      |       | SCREW                                       |
| 5    | 4089 598    | 1   |      |       | SUPPORT, Compressor to Engine Mount         |
| 6    | 4088 509    | 1   |      |       | SUPPORT, Compressor Brkt. Eng. Mtg. Support |
| 7    | 9418 275    | 1   |      |       | SCREW                                       |
| 8    | 6025 020    | 1   |      |       | NUT (3/8-16)                                |
| 9    | 4089 595    | 1   |      |       | BRACKET, Compressor, Air Pump Mounting      |
| 10   | 6022 266    | 3   |      |       | SCREW                                       |
| 11   | 0181 112    | 1   |      |       | Screw w/Washer                              |
| 12   | 4298 124    | 1   |      |       | BRACKET, Compressor Rear Mounting           |
| 13   | 6101 301    | 2   |      |       | SCREW, w/WASHER                             |
| 14   | 0152 550    | 1   |      |       | STUD, 1984                                  |
| 15   | 6500 197    | 2   |      |       | NUT, w/WASHER                               |
| 16   | 4116 856    | 1   |      |       | SUPPORT, A/C. Compressor                    |
| 17   | 6500 365    | 3   |      |       | SCREW, w/WASHER                             |
|      | 4343 422    | 1   |      |       | BELT, A/C. Compressor 44-VX58.25Lg.         |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGON  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

AIR DUCTS AND OUTLETS B MODELS  
Figure 24-1700

4324 1700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    | L716 BX9    | 1   |      |       | GRILLE, Defroster, Black                     |
|      | L716 BC7    | 1   |      |       | Blue   |
|      | L716 BM6    | 1   |      |       | Red  |
|      | L716 BT6    | 1   |      |       | Brown, 1984                                  |
|      | L716 DT5    | 1   |      |       | Tan, 1985                                    |
| 2    | 4085 078    | 2   |      |       | SEAL, Heater, Defroster Grill Mounting       |
|      | 4114 135    | 1   |      |       | SEAL, Defroster Inlet                        |
|      | 6023 957    | 6   |      |       | NUT  |
|      | 6031 132    | 1   |      |       | CLIP, Heater Duct Cable Spring               |
|      | 6003 464    | 1   |      |       | CLIP, Cable Mounting                         |
| 6    | 4085 836    | 1   |      |       | DUCT, Heater Distr., 1984                    |
|      | 4261 043    | 1   |      |       | 1985   |
|      | 6030 039    | 3   |      |       | SCREW, Heater Duct Mounting                  |
| 8    | 4114 730    | 1   |      |       | CABLE, Heater, Defroster Door Control        |
| 9    | 0219 462    | 5   |      |       | NUT, Heater, Defroster Duct Mounting         |
| 10   | 4085 984    | 1   |      |       | RESISTOR, Heater Blower Motor 1984           |
|      | 4261 045    | 1   |      |       | 1985   |
| 11   | 4163 400    | 1   |      |       | DUCT, w/SEAL, A/C Outlet Complete, Left      |
| 12   | 4261 107    | 1   |      |       | ACTUATOR, A/C Distr. Duct Mode Vacuum Door   |
| 13   | 4085 786    | 1   |      |       | ACTUATOR, A/C, Heater, Defroster Door Vacuum |
| 14   | 4261 016    | 1   |      |       | DUCT, A/C, Heater, Distr., Complete 1984     |
|      | 4261 046    | 1   |      |       | 1985   |
|      | 6028 393    | 1   |      |       | U-NUT, Duct Upper to Lower Mounting          |
|      | 9415 163    | 1   |      |       | SCREW, Duct U-Nut to Lower Mounting          |
| 15   | 4163 400    | 1   |      |       | DUCT, w/SEAL, A/C Outlet Complete, Left      |
| 16   | 4163 400    | 1   |      |       | DUCT, w/SEAL, A/C Outlet, Left, Extension    |
| 17   | 4085 932    | 1   |      |       | DUCT, w/SEAL, A/C Outlet, Right              |
| 18   | 4034 352    | 1   |      |       | BEZEL, A/C Outlet, Right, 1984               |
|      | 4261 036    | 1   |      |       | 1985   |
| 19   | 6028 430    | 6   |      |       | U-NUT, A/C Outlet Mounting                   |
| 20   | 4034 350    | 1   |      |       | BEZEL, A/C Outlet Center, 1984               |
|      | 4261 038    | 1   |      |       | 1985   |
| 21   | 4114 235    | 1   |      |       | BEZEL, A/C Outlet, w/Wiper, w/Washer, 1984   |
|      | 4261 040    | 1   |      |       | 1985   |
|      | 6032 456    | 6   |      |       | SCREW, A/C Outlet Mounting                   |
| 22   | 3503 739    | 1   |      |       | LOUVER, A/C Outlet                           |
| 23   | 4114 737    | 1   |      |       | DUCT, w/SEAL                                 |
| 24   | 4114 738    | 1   |      |       | DUCT, w/SEAL, Extension                      |
| 25   | 3502 934    | 1   |      |       | LOUVER                                       |
|      | 4085 528    | 1   |      |       | BEZEL, 1984                                  |
|      | 4361 021    | 1   |      |       | 1985   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AIR DUCTS AND OUTLETS D MODELS  
Figure 24-1800

4324 1800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4162 148    | 1   |      |       | DUCT, Defroster                           |
| 2    | 4163 927    | 1   |      |       | DUCT, Outlet, Left                        |
| 3    | 4163 928    | 1   |      |       | DUCT, Outlet, Center                      |
| 4    | 4163 926    | 1   |      |       | DUCT, Outlet, Right                       |
| 5    | 3846 592    | 1   |      |       | LOUVERS, Left                             |
| 6    | 3847 917    | 1   |      |       | LOUVERS, Right                            |
|      | 4162 095    | 1   |      |       | OUTLET, Air, A/C, Heater, Right           |
|      | 4163 929    | 1   |      |       | CLIP, A/C, Heater, Outlet Mounting, Right |

xhaust System. Unleaded Fuel is required. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

Eng. over 8500 lbs. GVW. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.  
he State of California. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.  
000 feet elevation. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

## GROUP 25 - EMISSION SYSTEMS

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

| ILLUSTRATION TITLE  | GROUP-FIG. NO. |
|---|----------------|
| AIR PUMP 225 ENGINE .....   | Fig. 25-100    |
| AIR PUMP TUBING 225 ENGINE .....  | Fig. 25-200    |
| AIR PUMP 318 - 360 ENGINE .....   | Fig. 25-300    |
| AIR PUMP TUBING 318 - 360 ENGINE B MODEL .....                                  | Fig. 25-400    |
| AIR PUMP TUBING 318 - 360 ENGINE D MODEL .....                                  | Fig. 25-500    |
| AIR PUMP - DUAL 360 ENGINE OVER 8500 LBS. GVW 1985 .....                        | Fig. 25-525    |
| AIR PUMP TUBING - DUAL AIR PUMP 360 ENGINE OVER 8500 LBS. GVW 1985 .....        | Fig. 25-550    |
| ASPIRATOR .....   | Fig. 25-600    |
| EGR SYSTEM 225 ENG. - FEDERAL & HIGH ALT. 1984 .....                            | Fig. 25-700    |
| EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. - MAN. TRANS. 1984 .....        | Fig. 25-800    |
| EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. - AUTO. TRANS. 1984 .....       | Fig. 25-900    |
| EGR SYSTEM 225 ENG. - CALIF. B1,2 - 1984 .....                                  | Fig. 25-1000   |
| EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1984 .....                            | Fig. 25-1100   |
| EGR SYSTEM 225 ENG. - CALIF. D1,2,5 - 1984 .....                                | Fig. 25-1200   |
| EGR HOSE HARNESS 225 ENG. - CALIF. D1,2,5 - 1984 .....                          | Fig. 25-1300   |
| EGR SYSTEM 225 ENG. - CANADA 1984 .....   | Fig. 25-1400   |
| EGR HOSE HARNESS 225 ENG. - CANADA 1984 .....                                   | Fig. 25-1500   |
| EGR SYSTEM 225 ENG. B1,2 - 1985 .....   | Fig. 25-1600   |
| EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. B1,2 - 1985 UP TO 2-25-85 ..... | Fig. 25-1700   |
| EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. B1,2 - 1985 AFTER 2-25-85 ..... | Fig. 25-1725   |
| EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1985 UP TO 2-25-85 .....              | Fig. 25-1800   |
| EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1985 AFTER 2-25-85 .....              | Fig. 25-1825   |
| EGR SYSTEM 225 ENG. D1,2,5 - 1985 .....   | Fig. 25-1900   |
| EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. D1,2,5 - 1985 .....             | Fig. 25-2000   |
| EGR HOSE HARNESS 225 ENG. - CALIF. D1,2,5 - 1985 .....                          | Fig. 25-2100   |
| EGR SYSTEM 225 ENG. - CANADA 1985 .....   | Fig. 25-2200   |
| EGR HOSE HARNESS 225 ENG. - CANADA B1,2 - 1985 .....                            | Fig. 25-2300   |
| EGR HOSE HARNESS 225 ENG. - CANADA D1,2,5 - 1985 UP TO 4-15-85 .....            | Fig. 25-2400   |
| EGR HOSE HARNESS 225 ENG. - CANADA D1,2,5 - 1985 AFTER 4-15-85 .....            | Fig. 25-2425   |
| EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. B MODEL - 1984 .....         | Fig. 25-2500   |
| EGR HOSE HARNESS 318 ENG. - MAN. TRANS. B MODEL - 1984 .....                    | Fig. 25-2600   |
| EGR HOSE HARNESS 318 ENG. - AUTO. TRANS. B MODEL - 1984 .....                   | Fig. 25-2700   |
| EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. B MODEL - 1984 .....                   | Fig. 25-2800   |
| EGR HOSE HARNESS 318 ENG. - CALIF. & HIGH ALT. B MODEL - 1984 .....             | Fig. 25-2900   |
| EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS D MODEL - 1984 .....          | Fig. 25-3000   |
| EGR HOSE HARNESS 318 ENG. - MAN. TRANS. D MODEL - 1984 .....                    | Fig. 25-3100   |
| EGR HOSE HARNESS 318 ENG. - FEDERAL - AUTO. TRANS. D MODEL - 1984 .....         | Fig. 25-3200   |
| EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1984 .....                   | Fig. 25-3300   |
| EGR HOSE HARNESS 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1984 .....             | Fig. 25-3400   |
| EGR SYSTEM 318 ENG. - CANADA - AUTO. TRANS. 1984 .....                          | Fig. 25-3500   |
| EGR HOSE HARNESS 318 ENG. - CANADA - AUTO. TRANS. 1984 .....                    | Fig. 25-3600   |

GROUP 25 - EMISSION SYSTEMS

ILLUSTRATION TITLE

GROUP-FIG. NO.

D BODY (Continued)

|   |              |
|---|--------------|
| EGR HOSE HARNESS 318 ENG. - CANADA - AUTO. TRANS. 1984                    | Fig. 25-3600 |
| EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. B MODEL - 1985         | Fig. 25-3700 |
| EGR HOSE HARNESS 318 ENG. - FEDERAL & CANADA MAN. TRANS B MODEL - 1985    | Fig. 25-3800 |
| EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. B MODEL - 1985                   | Fig. 25-3900 |
| EGR HOSE HARNESS 318 ENG. - CALIF. MAN. TRANS. & HIGH ALT. B MODEL - 1985 | Fig. 25-4000 |
| EGR HOSE HARNESS 318 ENG. - CALIF. - AUTO. TRANS. B MODEL - 1985          | Fig. 25-4025 |
| EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. D MODEL - 1985         | Fig. 25-4100 |
| EGR HOSE HARNESS 318 ENG. - FEDERAL & CANADA MAN. TRANS. D MODEL - 1985   | Fig. 25-4200 |
| EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1985                   | Fig. 25-4300 |
| EGR HOSE HARNESS 318 ENG. - CALIF. MAN. TRANS. & HIGH ALT. D MODEL - 1985 | Fig. 25-4400 |
| EGR HOSE HARNESS 318 ENG. - CALIF. AUTO. TRANS. D MODEL - 1985            | Fig. 25-4425 |
| EGR SYSTEM 318 ENG. - CANADA - AUTO. TRANS. 1985                          | Fig. 25-4500 |
| EGR HOSE HARNESS 318 ENG. - CANADA - AUTO. TRANS. 1985                    | Fig. 25-4600 |
| EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. B MODEL - 1984                  | Fig. 25-4700 |
| EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA B MODEL - 1984                | Fig. 25-4800 |
| EGR HOSE HARNESS 360 ENG. - HIGH ALT. B MODEL 1984                        | Fig. 25-4900 |
| EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. D MODEL - 1984                  | Fig. 25-5000 |
| EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA D MODEL - 1984                | Fig. 25-5100 |
| EGR HOSE HARNESS 360 ENG. - HIGH ALT. D MODEL - 1984                      | Fig. 25-5200 |
| EGR SYSTEM 360 ENG. - CALIF. OVER 8500 LBS. GVW & CANADA 1984             | Fig. 25-5300 |
| EGR HOSE HARNESS 360 ENG. - CALIF. OVER 8500 LBS. GVW & CANADA 1984       | Fig. 25-5400 |
| EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. B MODEL - 1984                  | Fig. 25-5500 |
| EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA B MODEL - 1985                | Fig. 25-5600 |
| EGR HOSE HARNESS 360 ENG. - HIGH ALT. B MODEL - 1985                      | Fig. 25-5700 |
| EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. D MODEL - 1985                  | Fig. 25-5800 |
| EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA D MODEL - 1985                | Fig. 25-5900 |
| EGR HOSE HARNESS 360 ENG. - HIGH ALT. D MODEL - 1985                      | Fig. 25-6000 |
| EGR SYSTEM 360 ENG. - CALIF. & CANADA 1985                                | Fig. 25-6100 |
| EGR HOSE HARNESS 360 ENG. - CALIF. 1985                                   | Fig. 25-6200 |
| EGR HOSE HARNESS 360 ENG. - CANADA 1985                                   | Fig. 25-6300 |
| EGR SYSTEM 360 ENG. - FEDERAL OVER 8500 LBS. GVW 1985                     | Fig. 25-6400 |
| EGR HOSE HARNESS 360 ENG. - FEDERAL OVER 8500 LBS. GVW 1985               | Fig. 25-6500 |
| ESA HOSE HARNESS D MODEL 1985   | Fig. 25-6600 |
| VAPOR CANISTER B MODEL 1984   | Fig. 25-6800 |
| VAPOR CANISTER D MODEL 1984   | Fig. 25-6900 |
| VAPOR CANISTER HOSE HARNESS - SINGLE CANISTER 1984                        | Fig. 25-7000 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 225 Eng. 1984                 | Fig. 25-7100 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1984                 | Fig. 25-7200 |
| VAPOR CANISTER B MODEL 1985   | Fig. 25-7300 |

GROUP 25 - EMISSION SYSTEMS

ILLUSTRATION TITLE


GROUP-FIG. NO.

D BODY (Continued)

|   |              |
|---|--------------|
| VAPOR CANISTER B MODEL 1985                                       | Fig. 25-7300 |
| VAPOR CANISTER D MODEL 1985                                       | Fig. 25-7400 |
| VAPOR CANISTER HOSE HARNESS - SINGLE CANISTER 1985                | Fig. 25-7500 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 225 ENG. 1985 B MODEL | Fig. 25-7600 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 225 ENG. 1985 D MODEL | Fig. 25-7700 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1985 B MODEL | Fig. 25-7800 |
| VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1985 D MODEL | Fig. 25-7900 |
| EMISSION CONTROLS AND SWITCHES                                    | Fig. 25-8000 |

AIR PUMP 225 ENGINE  
Figure 25-100

4325 100




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | PUMP, Air   |
|      | 4268 963       | 1   |      |       | 1984  |
|      | 4268 961       | 1   |      |       | 1985  |
| 2    | 4179 700       | 1   |      |       | GASKET, Air Sw. & Relief Valve                      |
| 3    | 4268 576       | 1   |      |       | VALVE, Air Relief w/(S/C - NAA) - Auto. Trans. 1984 |
|      | 4227 670       | 1   |      |       | VALVE, Air Switch & Relief                          |
| 4    | 4343 466       | 1   |      |       | SUPPORT, Air Pump to Eng. Mount                     |
| 5    |                |     |      |       | BRACKET, Air Pump Mtg. - Frt.                       |
|      | 4089 595       | 1   |      |       | up to 10-22-84                                      |
|      | 4343 467       | 1   |      |       | after 10-22-84                                      |
| 6    | 6025 020       | AR  |      |       | NUT   |
| 7    | 6500 158       | 1   |      |       | SCREW, Air Pump Adj.                                |
| 8    | 6500 137       | 3   |      |       | SCREW   |
| 9    | 6500 137       | 3   |      |       | SCREW   |
| 10   | 5214 754       | 1   |      |       | PULLEY, Air Pump                                    |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

AIR PUMP TUBING 225 ENGINE  
Figure 25-200

4335 900B



| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION  |
|------|-------------|-----|------|--------|--|
| 1    | 4275 834    | 1   |      |        | GASKET, Air Inj. Tube                                |
|      | 3751 249    | 1   |      |        | COVER, Exh. Man. Air Inj.                            |
| 2    | 4117 007    | 1   |      |        | TUBE, Check Valve Upstream                           |
| 3    | 4213 580    | 1   |      | B1,2   | TUBE, Exh. Pipe Inj. Point w/(S/C - NAE)             |
|      | 4213 581    | 1   |      | D1,2,5 | w/(S/C - NAE)  |
|      | 4287 701    | 1   |      |        | w/(S/C - NAA)  |
| 4    | 2448 761    | AR  |      |        | CLAMP  |
| 5    |             |     |      |        | HOSE, S/R Valve to Exh. C/V Downstream               |
|      | 4275 520    | 1   |      | B1,2   | up to 11-5-84  |
|      | 4275 518    | 1   |      | D1,2,5 | up to 11-5-84  |
|      | 4342 803    | 1   |      |        | after 11-5-84  |
|      | 4275 840    | 1   |      |        | w/(S/C - NAE) - Auto. Trans. up to 12-1-83           |
|      | 4287 702    | 1   |      |        | after 12-1-83  |
|      | 4300 965    | 1   |      |        | HOSE, S/R Valve to Exhaust C/V Downstream - see note |
| 6    |             |     |      |        | HOSE, S/R Valve to Exh. C/V Upstream                 |
|      | 4275 519    | 1   |      |        | up to 11-5-84  |
|      | 4300 968    | 1   |      |        | after 11-5-84  |
| 7    | 0181 084    | 1   |      |        | SCREW w/WASHER                                       |
| 8    | 4241 984    | 1   |      |        | PLUG, Exh. Pipe Air Line Adapter                     |


NOTE: Part #4300965 is to be used when pkg. 4342803 has been installed on vehicle. Refer to Service Bulletin 25-03-85. s of your telephone directory under "Truck Equipment & Repair" for the facility nearest you.

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



AIR PUMP 318 - 360 ENGINE  
Figure 25-300

4325 300B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 1    | 4268 963    | 1   |      |       | PUMP, Air  |
| 2    | 4273 150    | 1   |      |       | BRACKET, Air Pump Mtg.                           |
| 3    | 6101 375    | 1   |      |       | SCREW w/WASHER                                   |
| 4    |             | 1   |      |       | SPACER, Air Pump Brkt. (not serv.)               |
| 5    | 0152 344    | 1   |      |       | NUT  |
| 6    | 4179 440    | 1   |      |       | SPACER, Air Pump Mtg.                            |
| 7    | 4179 910    | 1   |      |       | BRACKET, Air Pump Mtg. - Front                   |
| 8    |             | 2   |      |       | BOLT (not serv.)                                 |
| 9    | 6500 158    | 1   |      |       | SCREW w/WASHER                                   |
| 10   | 6500 137    | 3   |      |       | SCREW w/WASHER                                   |
| 11   |             |     |      |       | PULLEY, Air Pump                                 |
|      | 3870 088    | 1   |      |       | 318 Eng.   |
|      | 3671 345    | 1   |      |       | 318 Eng. w/(S/C - NAD) - Canada & Export 1985    |
|      | 3671 345    | 1   |      |       | 360 Eng. w/(S/C - NAE)                           |
|      | 3870 088    | 1   |      |       | 360 Eng. w/(S/C - NAC, NAF)                      |
|      | 3870 088    | 1   |      |       | 360 Eng. w/(S/C - NAD) - Canada & Export 1984    |
|      | 3671 345    | 1   |      |       | 1985   |
| 12   | 4179 700    | AR  |      |       | GASKET, Air Sw. & Relief Valve or Diverter Valve |
| 13   | 4241 252    | 1   |      |       | ADAPTER, Pressure Tap                            |
| 14   |             |     |      |       | BOLT   |
|      | 6500 423    | 1   |      |       | w/o Pressure Tap Adapter                         |
|      | 6500 499    | 2   |      |       | w/Pressure Tap Adapter                           |
| 15   |             |     |      |       | VALVE, Air Sw. & Relief                          |
|      | 4227 670    | 1   | B    |       | 318 Eng. w/(S/C - NAC)                           |
|      | 4227 671    | 1   | B    |       | 318 Eng. w/(S/C - NAE, NAF)                      |
|      | 4227 670    | 1   | D    |       | 318 Eng.   |
|      | 4227 670    | 1   |      |       | 360 Eng. w/(S/C - NAC, NAF) 1984                 |
|      | 4227 672    | 1   |      |       | 360 Eng. w/(S/C - NAC, NAF) - 1985               |
|      | 4419 113    | 1   |      |       | VALVE, Diverter                                  |
| 16   | 4241 761    | 1   | B    |       | ADAPTER, Valve to Air Pump Mtg.                  |
| 17   |             |     |      |       | BRACKET, Air Pump Mtg. - Rear                    |
|      | 4201 473    | 1   |      |       | 318 Eng. 1985                                    |
|      | 4323 380    | 1   |      |       | 360 Eng. 1985                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

AIR PUMP TUBING 318 - 360 ENGINE B MODEL  
Figure 25-400

4325 400 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 3870 465    | AR  |      |       | CLAMP   |
| 2    | 4241 757    | 1   |      |       | HOSE, Control Valve to Check Valve Tube<br>up to 11-5-84              |
|      | 4300 384    | 1   |      |       | after 11-5-84   |
| 3    | 2448 761    | AR  |      |       | CLAMP   |
| 4    | 4086 676    | 1   |      |       | TUBE, Crossover & Check Valve   |
| 5    | 4275 821    | 1   |      |       | BRACKET, Rear Cata. Tube to Trans. Hanger 318 Eng. w/(S/C - NAE, NAF) |
| 6    |             |     |      |       | TUBE, Rear Cata. Inj. & Check Valve 318 Eng. w/(S/C - NAE, NAF)       |
|      | 4275 820    | 1   |      |       | up to 10-24-83  |
|      | 4288 227    | 1   |      |       | after 10-24-83  |
| 7    | 4275 819    | 1   |      |       | HOSE, Relief Valve to Front Cata. Tube 318 Eng. w/(S/C - NAE, NAF)    |
| 8    | 4210 202    | 1   |      |       | TUBE, Exh. Man. Inj. w/(S/C - NAC, NAF)                               |
| 9    | 6031 726    | 1   |      |       | CONNECTOR, Exh. Man. Inj. Tube  |
| 10   | 4275 834    | AR  |      |       | GASKET, Air inj. Tube   |
|      | 3751 249    | AR  |      |       | COVER, Air Inj. Tube  |
| 11   | 6015 945    | 1   |      |       | STRAP   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AIR PUMP TUBING 318 - 360 ENGINE D MODEL  
Figure 25-500

4325 500A

| ITEM | PART NUMBER | QTY | BODY | MODEL  | DESCRIPTION  |
|------|-------------|-----|------|--------|--|
| 1    | 4275 533    | 1   |      |        | HOSE, S/R Valve to Downstream C/V                      |
| 2    | 2448 761    | AR  |      |        | CLAMP  |
| 3    | 4275 076    | 1   |      | D1,2,4 | TUBE, Frt. Cata. Air Inj. 318 Eng. w/(S/C - NAE, NAF)  |
|      | 4227 160    | 1   |      | D5,6,8 | 318 Eng. w/(s/C - NAE, NAF)                            |
| 4    | 4086 676    | 1   |      |        | TUBE, Crossover & Check Valve                          |
| 5    | 4241 762    | 1   |      |        | HOSE, Control Valve to Check Valve Tube                |
| 6    | 3870 465    | AR  |      |        | CLAMP  |
| 7    | 4210 202    | 1   |      |        | TUBE, Exh. Man. Inj.                                   |
| 8    | 6031 726    | 1   |      |        | CONNECTOR, Exh. Man. Inj. Tube                         |
| 9    | 4275 834    | AR  |      |        | GASKET, Air Inj. Tube                                  |
|      | 3751 249    | AR  |      |        | COVER, Air Inj. Tube                                   |
| 10   | 4241 788    | 1   |      | D1,3,4 | CLAMP 318 Eng. w/(S/C - NAE, NAF)                      |
| 11   | 4275 077    | 1   |      | D1,2,4 | TUBE, Rear Cata. Air Inj. 318 Eng. w/(S/C - NAE, NAF)  |
|      | 4227 164    | 1   |      | D5,6,8 | 318 Eng. w/(S/C - NAE, NAF)                            |
| 12   | 4227 161    | 1   |      | D5,6,8 | HOSE, Frt. Cata. Inj. Tube 318 Eng. w/(S/C - NAE, NAF) |
| 13   | 4227 162    | 1   |      | D5,6,8 | TUBE, Cata. Air Inj. 318 Eng. w/(S/C - NAE, NAF)       |
| 14   | 4227 163    | 1   |      | D5,6,8 | HOSE, Cata. Air Inj. 318 Eng. w/(S/C - NAE, NAF)       |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (NAE)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

AIR PUMP - DUAL 360 ENGINE OVER 8500 LBS. GVW 1985  
Figure 25-525


4325 525 B

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
| 1    | 4300 385    | 2   |      |       | PUMP, Air                                |
| 2    | 4241 252    | 1   |      |       | ADAPTER, Pressure Tap                    |
| 3    | 4419 113    | 2   |      |       | VALVE, Diverter                          |
| 4    | 6500 499    | 2   |      |       | BOLT                                     |
| 5    | 4273 150    | 1   |      |       | BRACKET, Air Pump Adj.                   |
| 6    | 0181 088    | 1   |      |       | SCREW w/WASHER                           |
| 7    | 0181 112    | 1   |      |       | SCREW w/WASHER                           |
| 8    | 4179 700    | 2   |      |       | GASKET                                   |
| 9    | 6500 423    | 4   |      |       | BOLT                                     |
| 10   | 4300 367    | 1   |      | D3    | ADAPTER, Diverter Valve to Air Pump Mtg. |
|      | 4300 367    | 1   |      | B3    | up to 2-18-85                            |
|      | 4307 828    | 1   |      | B3    | after 2-18-85                            |
| 11   | 0152 344    | 2   |      |       | NUT, Stamped                             |
| 12   | 4343 754    | 1   |      |       | STRUT, Lower Air Pump to Lt. Eng. Mount  |
| 13   | 4343 460    | 2   |      |       | PULLEY, Air Pump                         |
| 14   | 6500 136    | 6   |      |       | SCREW w/WASHER                           |
| 15   | 6500 158    | 2   |      |       | SCREW w/WASHER                           |
| 16   | 6031 761    | 2   |      |       | BOLT                                     |
| 17   | 4323 963    | 1   |      |       | BRACKET, Air Pump Mtg. - Front           |
| 18   | 4179 440    | 1   |      |       | SPACER                                   |
| 19   | 6033 067    | 1   |      |       | SPACER                                   |
| 20   | 4343 765    | 1   |      |       | BRACKET, Air Pump Mtg. Rear              |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AIR PUMP TUBING - DUAL AIR PUMP 360 ENGINE OVER 8500 LBS. GVW 1985  
Figure 25-550

4325 550




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | TUBE, Lower Div. Valve to Rt. Side Asp. Check |
|      | 4307 812    | 1   |      |       | up to 2-18-85                                 |
|      | 4307 827    | 1   |      |       | after 2-18-85                                 |
| 2    | 4307 814    | 1   |      |       | HOSE, Tube to Rt. Side Check Valve            |
| 3    | 4307 813    | 1   |      |       | HOSE, Tube to Lower Diverter Valve            |
| 4    | 2448 761    | 2   |      |       | CLAMP, Hose to Crossover                      |
| 5    | 2448 762    | 2   |      |       | CLAMP, Hose to Diverter Valve                 |
| 6    | 4300 365    | 1   |      |       | TUBE, Air Inj. Crossover                      |
| 7    | 4300 372    | 1   |      |       | HOSE, Diverter Valve - Upper                  |
| 8    | 6025 004    | 1   |      |       | NUT   |
| 9    | 4275 834    | 2   |      |       | GASKET, Air Inj. Tube                         |


|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ASPIRATOR  
Figure 25-600


4335 600




225 ENGINE



318 ENGINE-BACK



318 ENGINE-FRONT






| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             |     |      |       | HOSE, Asp. to Air Cleaner            |
|      | 4104 501    | 1   |      |       | 225 Eng.                             |
|      | 4112 666    | 1   |      |       | 318 Eng.                             |
| 2    | 4300 376    | 1   |      |       | VALVE, Aspirator                     |
| 3    |             |     |      |       | TUBE, Aspirator                      |
|      | 4104 430    | 1   |      |       | 225 Eng.                             |
|      | 4115 360    | 1   |      |       | 318 Eng.                             |
| 4    | 4268 423    | 1   |      |       | HOSE, Asp. Conn. Tube to Air Cleaner |
| 5    | 4268 422    | 1   |      |       | TUBE, Asp. Connector                 |
| 6    | 4268 421    | 1   |      |       | TUBE, Aspirator                      |
| 7    | 4275 834    | 1   |      |       | GASKET, Aspirator Tube               |
| 8    | 4268 083    | 1   |      |       | HOSE, Asp. Valve to Asp. Conn. Tube  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK LINE WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EGR SYSTEM 225 ENG. - FEDERAL & HIGH ALT. 1984  
Figure 25-700

4J25 700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 800, 900) |
| 2    | 6015 756    | 2   |      |       | STRAP                                   |
| 3    |             |     |      |       | SWITCH, CVSCC                           |
|      | 4041 235    | 1   |      |       | w/Man. Trans. - Lt. Blue                |
|      | 3879 736    | 1   |      |       | w/Auto. Trans. - Yellow                 |
| 4    |             |     |      |       | VALVE, EGR                              |
|      | 4287 555    | 1   |      |       | stamped 4287555                         |
|      | 4287 557    | 1   |      |       | stamped 4287557                         |
|      | 4287 563    | 1   |      |       | stamped 4287563                         |
|      | 4287 564    | 1   |      |       | stamped 4287564                         |
| 5    | 0115 729    | 2   |      |       | NUT                                     |
| 6    | 4173 167    | 1   |      |       | GASKET, EGR Valve                       |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange     |
| 7    | 6031 942    | 2   |      |       | STUD                                    |
| 8    |             |     |      |       | AMPLIFIER, Vacuum                       |
|      | 4041 733    | 1   |      |       | stamped 4041733                         |
|      | 4241 995    | 1   |      |       | stamped 4241995                         |
| 9    | 6025 004    | 1   |      |       | NUT w/WASHER                            |
| 10   | 4145 181    | 1   |      |       | SOLENOID, EGR Vacuum                    |
| 11   | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.                 |
| 12   | 6022 250    | 1   |      |       | SCREW w/WASHER                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. - MAN. TRANS. 1984  
Figure 25-800

4325 800




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4275884 - not serviced) |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | TUBING, Convoluted 3/8" (serv. in 10 ft. roll) |
| 1   | 4105 196    | 1   |      |       | CONNECTOR, CVSCC Switch                        |
| 2   | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                          |
| 3   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 4   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                              |
| 5   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 6   | 4100 727    | 1   |      |       | ELBOW 3/16 x 3/16                              |
| 7   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                       |
| 8   | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                          |
| 9   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                               |
| 10  | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                           |
| 11  | 4213 774    | 2   |      |       | ELBOW .15F - 3/16                              |
| 12  | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16                 |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. - AUTO. TRANS. 1984  
Figure 25-900

4325 900




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4275885 - not serviced) |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | TUBING, Convoluted 3/8" (serv. in 10 ft. roll) |
| 1   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                        |
| 2   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                           |
| 3   | 4268 687    | 2   |      |       | CONNECTOR .15M - 3/16                          |
| 4   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 5   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                              |
| 6   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 7   | 4100 727    | 1   |      |       | ELBOW 3/16 x 3/16                              |
| 8   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                       |
| 9   | 4179 391    | 1   |      |       | CONNECTOR .15F - 3/16                          |
| 10  | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                               |
| 11  | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                              |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X4)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 225 ENG. - CALIF. B1,2 - 1984  
Figure 25-1000

4325 1000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus 1100) |
| 2    | 6022 250    | 1   |      |       | SCREW                               |
| 3    | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.             |
| 4    | 4041 733    | 1   |      |       | AMPLIFIER, Vacuum stamped 4041733   |
|      | 4241 995    | 1   |      |       | stamped 4241995                     |
| 5    | 6025 004    | 1   |      |       | NUT                                 |
| 6    | 3879 736    | 1   |      |       | SWITCH, CVSCC                       |
| 7    |             |     |      |       | VALVE, EGR                          |
|      | 4287 552    | 1   |      |       | stamped 4287552                     |
|      | 4287 553    | 1   |      |       | stamped 4287553                     |
|      | 4287 555    | 1   |      |       | stamped 4287555                     |
|      | 4287 557    | 1   |      |       | stamped 4287557                     |
| 8    | 0115 729    | 2   |      |       | NUT                                 |
| 9    | 4173 167    | 1   |      |       | GASKET, EGR Valve                   |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange |
| 10   | 6031 942    | 2   |      |       | STUD                                |
| 11   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1984  
Figure 25-1100

4325 1100



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4275889 - not serviced) |             |     |      |       |  |
|   | 4364 374    | AR  |      |       | TUBING, Convoluted 1/2" (serv. in 10 ft. roll) |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                          |
| 2   | 4213 766    | 3   |      |       | CONNECTOR .15F - 1/8                           |
| 3   | 4179 391    | 3   |      |       | ELBOW .15F - 3/16                              |
| 4   | 4213 774    | 2   |      |       | ELBOW .15F - 3/16                              |
| 5   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 6   | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                           |
| 7   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                       |
| 8   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 9   | 4104 172    | 1   |      |       | TEE 3/16 x 3/16 x 3/16                         |
| 10  | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                              |
| 11  | 4095 145    | 1   |      |       | CONNECTOR 1/8 x 1/8                            |
| 12  | 4241 296    | 2   |      |       | CONNECTOR 1/8 x 3/16                           |
| 13  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                        |
| 14  | 4179 192    | 1   |      |       | ELBOW .15F - .15                               |
| 15  | 4104 998    | 1   |      |       | CONNECTOR 3/16 x 3/16                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 225 ENG. - CALIF. D1,2,5 - 1984  
Figure 25-1200

4J25 1200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 1300) |
| 2    | 6022 250    | 1   |      |       | SCREW w/WASHER                       |
| 3    | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.              |
| 4    | 4041 733    | 1   |      |       | AMPLIFIER, Vacuum stamped 4041733    |
|      | 4241 995    | 1   |      |       | stamped 4241995                      |
| 5    | 6025 004    | 1   |      |       | NUT                                  |
| 6    | 3879 736    | 1   |      |       | SWITCH, CVSCC                        |
| 7    |             |     |      |       | VALVE, EGR                           |
|      | 4287 553    | 1   |      |       | stamped 4287553                      |
|      | 4287 555    | 1   |      |       | stamped 4287555                      |
| 8    | 0115 729    | 2   |      |       | NUT                                  |
| 9    | 4173 167    | 1   |      |       | GASKET, EGR Valve                    |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange  |
| 10   | 6031 942    | 2   |      |       | STUD                                 |
| 11   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 225 ENG. - CALIF. D1,2,5 - 1984  
Figure 25-1300

4325 1300 A





| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4275891 - not serviced) |             |     |      |       |  |
|   | 4364 374    | AR  |      |       | TUBING, Convoluted 1/2" (serv. in 10 ft. roll) |
| 1   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                       |
| 2   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 3   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 4   | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                           |
| 5   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                           |
| 6   | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                          |
| 7   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                               |
| 8   | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                              |
| 9   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                          |
| 10  | 4241 296    | 2   |      |       | CONNECTOR 1/8 x 3/16                           |
| 11  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                        |
| 12  | 4201 247    | 1   |      |       | HOSE, ESA Connection                           |
| 13  | 4104 998    | 1   |      |       | CONNECTOR 3/16 x 3/16                          |
| 14  | 4095 145    | 1   |      |       | CONNECTOR 1/8 x 1/8                            |
| 15  | 4104 172    | 1   |      |       | TEE 3/16 x 3/16 x 3/16                         |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EGR SYSTEM 225 ENG. - CANADA 1984  
Figure 25-1400

4325 1400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 1500) |
| 2    | 6025 004    | 1   |      |       | NUT                                  |
| 3    | 6022 250    | 1   |      |       | SCREW w/WASHER                       |
| 4    | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.              |
| 5    |             |     |      |       | AMPLIFIER, Vacuum                    |
|      | 4041 733    | 1   |      |       | stamped 4041733                      |
|      | 4241 995    | 1   |      |       | stamped 4241995                      |
| 6    | 4145 181    | 1   |      |       | SOLENOID, EGR Vacuum                 |
| 7    | 4287 551    | 1   |      |       | VALVE, EGR                           |
| 8    | 0115 729    | 2   |      |       | NUT                                  |
| 9    | 4173 167    | 1   |      |       | GASKET, EGR Valve                    |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange  |
| 10   | 6031 942    | 2   |      |       | STUD                                 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 225 ENG. - CANADA 1984  
Figure 25-1500

4J25 1500




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4268318 - not serviced) |             |     |      |       |   |
| 1   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 2   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 3   | 4104 172    | 1   |      |       | TEE 3/16 x 3/16 x 3/16                    |
| 4   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X4)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 225 ENG. B1,2 - 1985  
Figure 25-1600

4325 1600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 1700, 1725, 1800, 1825) |
| 2    | 6015 756    | 2   |      |       | STRAP  |
| 3    | 3879 736    | 1   |      |       | SWITCH, CVSCC  |
| 4    |             |     |      |       | VALVE, EGR   |
|      | 4287 552    | 1   |      |       | stamped 4287552  |
|      | 4287 553    | 1   |      |       | stamped 4287553  |
|      | 4287 554    | 1   |      |       | stamped 4287554  |
|      | 4287 555    | 1   |      |       | stamped 4287555  |
|      | 4287 557    | 1   |      |       | stamped 4287557  |
|      | 4287 563    | 1   |      |       | stamped 4287563  |
| 5    | 0115 729    | 2   |      |       | NUT  |
| 6    | 4173 167    | 1   |      |       | GASKET, EGR Valve                                      |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange                    |
| 7    | 6031 942    | 2   |      |       | STUD   |
| 8    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                                  |
| 9    |             |     |      |       | AMPLIFIER, Vacuum                                      |
|      | 4041 737    | 1   |      |       | stamped 4041737  |
|      | 4041 732    | 1   |      |       | stamped 4041732  |
| 10   | 6025 004    | 1   |      |       | NUT  |
| 11   | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.                                |
| 12   | 6022 250    | 1   |      |       | SCREW w/WASHER   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required





EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. B1,2 - 1985 AFTER 2-25-85  
Figure 25-1725

4325 1725



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307739 - not serviced) |             |     |      |       |  |
| TUBING, Convolved (serv. in 10 ft. roll)      |             |     |      |       |  |
| 1/4"  |             |     |      |       |  |
| 1/2"  |             |     |      |       |  |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 2   | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                    |
| 3   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                     |
| 4   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                         |
| 5   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                        |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 7   | 4213 798    | 1   |      |       | ELBOW .15M - 3/16                        |
| 8   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                        |
| 9   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 10  | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                    |
| 11  | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                     |
| 12  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1985 UP TO 2-25-85  
Figure 25-1800

1525 1800




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307717 - not serviced) |             |     |      |       |  |
| TUBING, Convolutd (serv. in 10 ft. roll)      |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | 3/8"                                     |
|   | 4364 374    | AR  |      |       | 1/2"                                     |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 2   | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                    |
| 3   | 4213 766    | 3   |      |       | ELBOW .15F - 1/8                         |
| 4   | 4213 774    | 3   |      |       | ELBOW .15F - 3/16                        |
| 5   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 6   | 4300 958    | 1   |      |       | TEE 3/16 x 3/16                          |
| 7   | 4213 798    | 1   |      |       | ELBOW .15M - 3/16                        |
| 8   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                        |
| 9   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 10  | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 11  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |
| 12  | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                     |
| 13  | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                    |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

EGR HOSE HARNESS 225 ENG. - CALIF. B1,2 - 1985 AFTER 2-25-85  
Figure 25-1825

4325 1825



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4307740 - not serviced) |
|      |             |     |      |       | TUBING, Convolutod (serv. in 10 ft. roll)     |
|      | 4364 393    | AR  |      |       | 1/4"  |
|      | 4364 374    | AR  |      |       | 1/2"  |
| 1    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                         |
| 2    | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                         |
| 3    | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                          |
| 4    | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                              |
| 5    | 4213 774    | 4   |      |       | ELBOW .15F - 3/16                             |
| 6    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 7    | 4300 958    | 1   |      |       | TEE .15F x 3/16M x .15F                       |
| 8    | 4213 798    | 1   |      |       | ELBOW .15M - 3/16                             |
| 9    | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                             |
| 10   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                      |
| 11   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                       |
| 12   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                          |
| 13   | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                         |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 225 ENG. D1,2,5 - 1985  
Figure 25-1900

4325 1900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 2000, 2100) |
| 2    | 6015 756    | 2   |      |       | STRAP                                      |
| 3    | 3879 736    | 1   |      |       | SWITCH, CVSCC                              |
| 4    |             |     |      |       | VALVE, EGR                                 |
|      | 4287 551    | 1   |      |       | stamped 4287551                            |
|      | 4287 553    | 1   |      |       | stamped 4287553                            |
|      | 4287 554    | 1   |      |       | stamped 4287554                            |
|      | 4287 555    | 1   |      |       | stamped 4287555                            |
|      | 4287 557    | 1   |      |       | stamped 4287557                            |
|      | 4287 563    | 1   |      |       | stamped 4287563                            |
| 5    | 0115 729    | 2   |      |       | NUT  |
| 6    | 4173 167    | 1   |      |       | GASKET, EGR Valve                          |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange        |
| 7    | 6031 942    | 2   |      |       | STUD                                       |
| 8    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                      |
| 9    |             |     |      |       | AMPLIFIER, Vacuum                          |
|      | 4041 737    | 1   |      |       | stamped 4041737                            |
|      | 4041 732    | 1   |      |       | stamped 4041732                            |
| 10   | 6025 004    | 1   |      |       | NUT  |
| 11   | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.                    |
| 12   | 6022 250    | 1   |      |       | SCREW w/WASHER                             |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 225 ENG. - FEDERAL & HIGH ALT. D1,2,5 - 1985  
Figure 25-2000

4325 2000




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307713 - not serviced) |             |     |      |       |  |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |  |
| 3/8"  |             |     |      |       |  |
| 1/2"  |             |     |      |       |  |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 2   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                     |
| 3   | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                    |
| 4   | 4213 774    | 4   |      |       | ELBOW .15F - 3/16                        |
| 5   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                         |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 7   | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                    |
| 8   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 9   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                     |
| 10  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK (4X2)  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   | (64) = 159" W.B. |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 225 ENG. - CALIF. D1,2,5 - 1985  
Figure 25-2100

4325 2100 A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4307714 - not serviced) |
|      |             |     |      |       | TUBING, Convolute (serv. in 10 ft. roll)      |
|      | 4364 375    | AR  |      |       | 3/8"  |
|      | 4364 374    | AR  |      |       | 1/2"  |
| 1    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                         |
| 2    | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                         |
| 3    | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                          |
| 4    | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                              |
| 5    | 4213 774    | 3   |      |       | ELBOW .15F - 3/16                             |
| 6    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 7    | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                         |
| 8    | 4179 191    | 1   |      |       | TEE   |
| 9    | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                      |
| 10   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                       |
| 11   | 4267 681    | 2   |      |       | CONNECTOR .15M - 1/8                          |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR SYSTEM 225 ENG. - CANADA 1985  
Figure 25-2200

4325 2200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 2300, 2400, 2425) |
| 2    | 6015 756    | 2   |      |       | STRAP   |
| 3    |             |     |      |       | VALVE, EGR                                      |
|      | 4287 551    | 1   |      |       | stamped 4287551                                 |
|      | 4287 555    | 1   |      |       | stamped 4287555                                 |
| 4    | 0115 729    | 2   |      |       | NUT   |
| 5    | 4173 167    | 1   |      |       | GASKET, EGR Valve                               |
|      | 3671 447    | 1   |      |       | COVER, Intake Man. EGR Valve Flange             |
| 6    | 6031 942    | 2   |      |       | STUD  |
| 7    | 4041 737    | 1   |      |       | AMPLIFIER, Vacuum                               |
| 8    | 4041 889    | 1   |      |       | BRACKET, Amplifier Mtg.                         |
| 9    | 6025 004    | 2   |      |       | NUT   |
| 10   | 4145 181    | 1   |      |       | SOLENOID, EGR Vacuum                            |
| 11   | 6022 250    | 1   |      |       | SCREW w/WASHER                                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



EGR HOSE HARNESS 225 ENG. - CANADA B1,2 - 1985  
Figure 25-2300

4325 2300




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307718 - not serviced) |             |     |      |       |  |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |  |
|   | 4364 393    | AR  |      |       | 1/4"                                     |
|   | 4364 375    | AR  |      |       | 3/8"                                     |
|   | 4364 392    | AR  |      |       | 5/8"                                     |
| 1   | 4213 774    | 3   |      |       | ELBOW .15F - 3/16                        |
| 2   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 3   | 4213 798    | 1   |      |       | ELBOW .15M - 3/16                        |
| 4   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                        |
| 5   | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F             |
| 6   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 7   | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                    |
| 8   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 9   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                         |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = TRUCK AND WAGONS (4X4)</del>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |



EGR HOSE HARNESS 225 ENG. - CANADA D1,2,5 - 1985 AFTER 4-15-85  
Figure 25-2425

4325 2425A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4307727 - not serviced) |             |     |      |       |   |
|   |             |     |      |       | TUBING, Convoluted (serv. in 10 ft. roll) |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 375    | AR  |      |       | 3/8"                                      |
|   | 4364 392    | AR  |      |       | 5/8"                                      |
| 1   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                         |
| 2   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 3   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                     |
| 4   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 5   | 4213 774    | 2   |      |       | ELBOW .15F - 3/16                         |
| 6   | 4179 191    | 1   |      |       | TEE                                       |
| 7   | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                     |
| 8   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                      |
| 9   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                          |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = TRUCK AND WAGONS (4X4)</del>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. B MODEL - 1984  
Figure 25-2500

4325 2500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 2600, 2700) |
| 2    | 4241 995    | 1   |      |       | AMPLIFIER, Vacuum                          |
| 3    | 6025 004    | 1   |      |       | NUT  |
| 4    |             |     |      |       | SWITCH, CVSCC                              |
|      | 4049 277    | 1   |      |       | stamped 4030351                            |
|      | 4268 708    | 1   |      |       | stamped 4268708                            |
| 5    | 4287 938    | 1   |      |       | GASKET, EGR Valve                          |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange        |
| 6    | 6031 943    | 2   |      |       | STUD                                       |
| 7    | 0115 729    | 2   |      |       | NUT  |
| 8    |             |     |      |       | VALVE, EGR                                 |
|      | 4094 891    | 1   |      |       | stamped 4287658                            |
|      | 4287 659    | 1   |      |       | stamped 4287659                            |
|      | 4287 670    | 1   |      |       | stamped 4287670                            |
|      | 4287 682    | 1   |      |       | stamped 4287682                            |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                      |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 318 ENG. - MAN. TRANS. B MODEL - 1984  
Figure 25-2600

4325 2600 A




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4275883 - not serviced) |
|      |             |     |      |       | TUBING, Convolved (serv. in 10 ft. roll)      |
|      | 4364 375    | AR  |      |       | 3/8"  |
|      | 4364 374    | AR  |      |       | 1/2"  |
| 1    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                         |
| 2    | 4213 766    | 3   |      |       | CONNECTOR .15F - 1/8                          |
| 3    | 4213 774    | 4   |      |       | ELBOW .15F - 3/16                             |
| 4    | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                         |
| 5    | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                          |
| 6    | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F                  |
| 7    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 8    | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                         |
| 9    | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                      |
| 10   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)     |
| 11   | 4095 316    | 1   |      |       | DELAY   |
| 12   | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                              |
| 13   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                       |
| 14   | 4179 191    | 1   |      |       | TEE   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 318 ENG. - AUTO. TRANS. B MODEL - 1984  
Figure 25-2700

4325 2700




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4275892 - not serviced) |             |     |      |       |   |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |   |
| 3/8"  |             |     |      |       |   |
| 1/2"  |             |     |      |       |   |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 2   | 4213 766    | 3   |      |       | ELBOW .15F - 1/8                          |
| 3   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 4   | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 5   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                      |
| 6   | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F              |
| 7   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 8   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                     |
| 9   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 10  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 11  | 4095 316    | 1   |      |       | DELAY                                     |
| 12  | 4167 046    | 1   |      |       | DELAY                                     |
| 13  | 4179 191    | 1   |      |       | TEE                                       |
| 14  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

|                            |  |  |  |  |  |
|----------------------------|--|--|--|--|--|
| MODEL CODES:               |  |  |  |  |  |
| TRUCK LINE                 |  |  |  |  |  |
| D123 = CONVENTIONAL        |  |  |  |  |  |
| TRUCK (4X2)                |  |  |  |  |  |
| D4 = SPORT UTILITY (4X2)   |  |  |  |  |  |
| D5,6,7 = CONVENTIONAL      |  |  |  |  |  |
| (TRUCK) 4X4                |  |  |  |  |  |
| D8 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D9 = SPORT UTILITY (4X4)   |  |  |  |  |  |
| D10 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D11 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D12 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D13 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D14 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D15 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D16 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D17 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D18 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D19 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D20 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D21 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D22 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D23 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D24 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D25 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D26 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D27 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D28 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D29 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D30 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D31 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D32 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D33 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D34 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D35 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D36 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D37 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D38 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D39 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D40 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D41 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D42 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D43 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D44 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D45 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D46 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D47 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D48 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D49 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D50 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D51 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D52 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D53 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D54 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D55 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D56 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D57 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D58 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D59 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D60 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D61 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D62 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D63 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D64 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D65 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D66 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D67 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D68 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D69 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D70 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D71 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D72 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D73 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D74 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D75 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D76 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D77 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D78 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D79 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D80 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D81 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D82 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D83 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D84 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D85 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D86 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D87 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D88 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D89 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D90 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D91 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D92 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D93 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D94 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D95 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D96 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D97 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D98 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D99 = SPORT UTILITY (4X4)  |  |  |  |  |  |
| D100 = SPORT UTILITY (4X4) |  |  |  |  |  |

EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. B MODEL - 1984  
Figure 25-2800

4325 2800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    |             | 1   |      |       | HARNESSE, Hose (shown on illus. 2900) |
| 2    | 6025 004    | 1   |      |       | NUT                                   |
| 3    | 4241 995    | 1   |      |       | AMPLIFIER, Vacuum                     |
| 4    | 4049 277    | 1   |      |       | SWITCH, CVSCC<br>stamped 4031351      |
|      | 4268 708    | 1   |      |       | stamped 4268708                       |
| 5    | 6031 943    | 2   |      |       | STUD                                  |
| 6    | 4287 655    | 1   |      |       | VALVE, EGR<br>stamped 4287655         |
|      | 4287 667    | 1   |      |       | stamped 4287667                       |
|      | 4287 670    | 1   |      |       | stamped 4287670                       |
|      | 4287 675    | 1   |      |       | stamped 4287675                       |
|      | 4287 683    | 1   |      |       | stamped 4287683                       |
| 7    | 0115 729    | 2   |      |       | NUT                                   |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                     |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange   |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**Figure 25-2900**

---

---

---

---

---

---


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**



EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS D MODEL - 1984  
Figure 25-3000

4325 3000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, HOSE (shown on illus. 3100, 3200) |
| 2    | 4241 995    | 1   |      |       | AMPLIFIER, Vacuum                         |
| 3    | 6025 004    | 1   |      |       | NUT                                       |
| 4    |             |     |      |       | SWITCH, CVSCC                             |
|      | 4268 708    | 1   |      |       | stamped 4268708                           |
|      | 4041 235    | 1   |      |       | stamped 4041235                           |
|      | 4049 227    | 1   |      |       | stamped 4030351                           |
| 5    | 6031 943    | 2   |      |       | STUD                                      |
| 6    |             |     |      |       | VALVE, EGR                                |
|      | 4094 891    | 1   |      |       | stamped 4287658                           |
|      | 4287 659    | 1   |      |       | stamped 4287659                           |
|      | 4287 670    | 1   |      |       | stamped 4287670                           |
|      | 4287 682    | 1   |      |       | stamped 4287682                           |
| 7    | 0115 729    | 2   |      |       | NUT                                       |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                         |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange       |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**Figure 25-3100**

The diagram illustrates a vacuum advance system with the following components and connections:

- 1**: Vacuum advance mechanism at the distributor.
- 2**: Vacuum lines connecting the manifold to the distributor.
- 3**: Vapor harness connection.
- 4**: Main vacuum manifold.
- 5**: Various vacuum lines and fittings.
- 6**: Close-up of the distributor's internal mechanism showing lines A, B, C, and D.
- 7**: Vacuum line from the carburetor.
- 8**: Vacuum line from the EGR valve.
- 9**: Vacuum line from the air pump.
- 10**: Vacuum line from the carburetor.
- 11**: Power heat valve.
- 12**: Vacuum line from the power heat valve.
- 13**: Vacuum line from the manifold.
- 14**: Vacuum line from the air pump.
- Labels**: VAPOR HARNESS, CARB, MANIFOLD, EGR, AIR PUMP, DIST., POWER HEAT VALVE, LINE A, LINE B, LINE C, LINE D.


| MODEL CODES:             |                              |                   |                  |                  |                  |
|--------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL      | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)              | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2) | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL    |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4              |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**Painting and Finishing (P.A.R.)**

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 318 ENG. - FEDERAL - AUTO. TRANS. D MODEL - 1984  
Figure 25-3200

4325 3200 A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4275893 - not serviced) |             |     |      |       |   |
| TUBING, Convolute (serv. in 10 ft. roll)      |             |     |      |       |   |
| 3/8"  |             |     |      |       |   |
| 1/2"  |             |     |      |       |   |
| 1   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 2   | 4268 687    | 3   |      |       | CONNECTOR .15M - 3/16                     |
| 3   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                         |
| 4   | 4179 191    | 2   |      |       | TEE                                       |
| 5   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 6   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 7   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                      |
| 8   | 4213 766    | 3   |      |       | ELBOW .15F - 1/8                          |
| 9   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 10  | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 11  | 4167 046    | 1   |      |       | DELAY                                     |
| 12  | 4095 316    | 1   |      |       | DELAY                                     |
| 13  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 14  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>B - TRUCKS AND WAGONS (W.B.)</b>                                      |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1984  
Figure 25-3300

4325 J300



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 3400) |
| 2    | 6025 004    | 1   |      |       | NUT                                 |
| 3    | 4241 995    | 1   |      |       | AMPLIFIER, Vacuum                   |
| 4    | 4049 277    | 1   |      |       | SWITCH, CVSCC                       |
|      | 4268 708    | 1   |      |       | stamped 4030351                     |
| 5    | 6031 943    | 2   |      |       | stamped 4268708                     |
| 6    |             |     |      |       | STUD                                |
|      | 4287 655    | 1   |      |       | VALVE, EGR                          |
|      | 4287 667    | 1   |      |       | stamped 4287655                     |
|      | 4287 670    | 1   |      |       | stamped 4287667                     |
|      | 4287 675    | 1   |      |       | stamped 4287670                     |
|      | 4287 683    | 1   |      |       | stamped 4287675                     |
| 7    | 0115 729    | 2   |      |       | stamped 4287683                     |
| 8    | 4287 938    | 1   |      |       | NUT                                 |
|      | 3671 448    | 1   |      |       | GASKET, EGR Valve                   |
| 9    | 4289 087    | 1   |      |       | COVER, Intake Man. EGR Valve Flange |
|      |             |     |      |       | SOLENOID, Dual Vacuum               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1984  
Figure 25-3400

4325 3400




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4275860 - not serviced) |             |     |      |       |  |
|   | 4364 374    | AR  |      |       | TUBING, Convoluted 1/2" (serv. in 10 ft. roll) |
| 1   | 4201 247    | 1   |      |       | HOSE, Air Pump Connection                      |
| 2   | 4104 998    | 1   |      |       | CONNECTOR                                      |
| 3   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 4   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                              |
| 5   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                           |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 7   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                        |
| 8   | 4241 296    | 2   |      |       | CONNECTOR 1/8 x 3/16                           |
| 9   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                       |
| 10  | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                          |
| 11  | 4104 172    | 1   |      |       | TEE 3/16 x 3/16 x 3/16                         |
| 12  | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                          |
| 13  | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                           |
| 14  | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                               |
| 15  | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                              |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR SYSTEM 318 ENG. - CANADA - AUTO. TRANS. 1984  
Figure 25-3500

4325 3500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    |             | 1   |      |       | HARNESSE, Hose (shown on illus. 3600) |
| 2    |             |     |      |       | SWITCH, CVSCC                         |
|      | 4049 227    | 1   |      |       | stamped 4030351                       |
|      | 4268 708    | 1   |      |       | stamped 4268708                       |
| 3    | 6031 943    | 2   |      |       | STUD                                  |
| 4    | 4287 676    | 1   |      |       | VALVE, EGR                            |
| 5    | 0115 729    | 2   |      |       | NUT                                   |
| 6    | 4287 938    | 1   |      |       | GASKET, EGR Valve                     |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange   |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = TRUCK AND WAGONS (4X4)</del>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 318 ENG. - CANADA - AUTO. TRANS. 1984  
Figure 25-3600

4325 3600




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, HOSE (tagged 4275008 - not serviced) |             |     |      |       |   |
| 1   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 2   | 4275 614    | 1   |      |       | TEE 3/16 x 1/18 x 3/16                    |
| 3   | 4095 316    | 1   |      |       | DELAY                                     |
| 4   | 3799 721    | 1   |      |       | CONNECTOR                                 |
| 5   | 4179 093    | 2   |      |       | CONNECTOR, CVSCC Switch                   |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 7   | 5214 556    | 1   |      |       | CONNECTOR                                 |
| 8   | 3441 609    | 1   |      |       | VALVE, Check                              |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = SPORT UTILITY (4X4)</del>                                      |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. B MODEL - 1985  
Figure 25-3700

4325 3700




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 3800) |
| 2    |             |     |      |       | SWITCH, CVSCC                       |
|      | 4306 319    | 1   |      |       | stamped 4306319                     |
|      | 4095 231    | 1   |      |       | stamped 4095231                     |
|      | 3879 736    | 1   |      |       | stamped 3870549                     |
| 3    | 6031 943    | 2   |      |       | STUD                                |
| 4    |             |     |      |       | VALVE, EGR                          |
|      | 4094 891    | 1   |      |       | stamped 4287658                     |
|      | 4287 667    | 1   |      |       | stamped 4287667                     |
|      | 4287 671    | 1   |      |       | stamped 4287671                     |
|      | 4287 682    | 1   |      |       | stamped 4287682                     |
| 5    | 0115 729    | 2   |      |       | NUT                                 |
| 6    | 4287 938    | 1   |      |       | GASKET, EGR Valve                   |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange |
| 7    | 4240 417    | 1   |      |       | SOLENOID, Single Vacuum             |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



EGR HOSE HARNESS 318 ENG. - FEDERAL & CANADA MAN. TRANS B MODEL - 1985  
Figure 25-3800

4325 3800 A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307706 - not serviced) |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | TUBING, Convoluted 3/8" (serv. in 10 ft. roll) |
| 1   | 4240 417    | 1   |      |       | SOLENOID, Single Vacuum                        |
| 2   | 4287 951    | 1   |      |       | HOSE, Molded End                               |
| 3   | 4041 915    | 1   |      |       | DELAY  |
| 4   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                               |
| 5   | 4179 391    | 6   |      |       | CONNECTOR .15F - 3/16                          |
| 6   | 4300 958    | 1   |      |       | TEE 3/16 x 3/16                                |
| 7   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 8   | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                          |
| 9   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 10  | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                              |
| 11  | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                              |
| 12  | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                               |
| 13  | 4179 093    | 2   |      |       | CONNECTOR, CVSCC Switch                        |
| 14  | 4095 145    | 1   |      |       | CONNECTOR 1/8 x 1/8                            |
| 15  | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                           |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <b>OPTIONAL PARTS AND WAGONS (P.A.R.)</b>                                |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. B MODEL - 1985  
Figure 25-3900

4J25 3900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 4000, 4025) |
| 2    | 6025 004    | 1   |      |       | NUT                                       |
| 3    | 4041 732    | 1   |      |       | AMPLIFIER, Vacuum                         |
| 4    |             |     |      |       | SWITCH, CVSCC                             |
|      | 4095 231    | 1   |      |       | stamped 4095231                           |
|      | 4049 277    | 1   |      |       | stamped 4030351                           |
|      | 4268 708    | 1   |      |       | stamped 4268708                           |
|      | 4268 711    | 1   |      |       | stamped 4268711                           |
| 5    | 6031 943    | 2   |      |       | STUD                                      |
| 6    |             |     |      |       | VALVE, EGR                                |
|      | 4287 651    | 1   |      |       | stamped 4287651                           |
|      | 4094 891    | 1   |      |       | stamped 4287658                           |
|      | 4287 673    | 1   |      |       | stamped 4287673                           |
|      | 4287 684    | 1   |      |       | stamped 4287684                           |
| 7    | 0115 729    | 2   |      |       | NUT                                       |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                         |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange       |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 318 ENG. - CALIF. MAN. TRANS. & HIGH ALT. B MODEL - 1985  
Figure 25-4000

4325 4000 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4288138 - not serviced) |             |     |      |       |  |
| TUBING, Convolute (serv. in 10 ft. roll)      |             |     |      |       |  |
| 3/8"  |             |     |      |       |  |
| 1/2"  |             |     |      |       |  |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 2   | 4213 766    | 3   |      |       | ELBOW .15F - 1/8                         |
| 3   | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                    |
| 4   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 5   | 4213 774    | 3   |      |       | ELBOW .15F - 3/16                        |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 7   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                    |
| 8   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 9   | 4179 191    | 2   |      |       | TEE                                      |
| 10  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                         |
| 11  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 318 ENG. - CALIF. - AUTO. TRANS. B MODEL - 1985  
Figure 25-4025

4325 4325



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307737 - not serviced) |             |     |      |       |  |
| TUBING, Convolved (serv. in 10 ft. roll)      |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | 3/8"                                     |
|   | 4364 374    | AR  |      |       | 1/2"                                     |
| 1   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 2   | 4213 766    | 3   |      |       | CONNECTOR .15F - 1/8                     |
| 3   | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                    |
| 4   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 5   | 4213 774    | 4   |      |       | ELBOW .15F - 3/16                        |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 7   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                    |
| 8   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 9   | 4179 191    | 2   |      |       | TEE                                      |
| 10  | 4213 789    | 2   |      |       | ELBOW .15F - 1/8                         |
| 11  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |
| 12  | 4167 046    | 1   |      |       | DELAY                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 318 ENG. - FEDERAL & CANADA MAN. TRANS. D MODEL - 1985  
Figure 25-4100

4325 4100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                         |
|------|-------------|-----|------|-------|-------------------------------------|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 4200) |
| 2    |             |     |      |       | SWITCH, CVSCC                       |
|      | 4095 231    | 1   |      |       | stamped 4095231                     |
|      | 4306 319    | 1   |      |       | stamped 4306319                     |
|      | 3879 736    | 1   |      |       | stamped 3870549                     |
| 3    | 4289 372    | 1   |      |       | SOLENOID, Single Vacuum             |
| 4    | 6031 943    | 2   |      |       | STUD                                |
| 5    |             |     |      |       | VALVE, EGR                          |
|      | 4094 891    | 1   |      |       | stamped 4287658                     |
|      | 4287 667    | 1   |      |       | stamped 4287667                     |
|      | 4287 671    | 1   |      |       | stamped 4287671                     |
|      | 4287 678    | 1   |      |       | stamped 4287678                     |
|      | 4287 682    | 1   |      |       | stamped 4287682                     |
| 6    | 0115 729    | 2   |      |       | NUT                                 |
| 7    | 4287 938    | 1   |      |       | GASKET, EGR Valve                   |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 318 ENG. - FEDERAL & CANADA MAN. TRANS. D MODEL - 1985  
Figure 25-4200

4325 4200



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307705 - not serviced) |             |     |      |       |  |
|   | 4364 375    | AR  |      |       | TUBING, Convoluted 3/8" (serv. in 10 ft. roll) |
| 1   | 4268 687    | 2   |      |       | CONNECTOR .15M - 3/16                          |
| 2   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)       |
| 3   | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                               |
| 4   | 4300 958    | 1   |      |       | TEE 3/16 x 3/16                                |
| 5   | 4289 372    | 1   |      |       | SOLENOID, Single Vacuum                        |
| 6   | 4179 391    | 6   |      |       | CONNECTOR .15F - 3/16                          |
| 7   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                               |
| 8   | 4041 915    | 1   |      |       | DELAY  |
| 9   | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                              |
| 10  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)      |
| 11  | 4201 247    | 1   |      |       | HOSE, Molded End                               |
| 12  | 4095 145    | 1   |      |       | CONNECTOR 1/8 x 1/8                            |
| 13  | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                           |
| 14  | 4179 093    | 2   |      |       | CONNECTOR, CVSCC Switch                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 318 ENG. - CALIF. & HIGH ALT. D MODEL - 1985  
Figure 25-4300

4325 4300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 4400, 4425) |
| 2    | 6025 004    | 1   |      |       | NUT                                       |
| 3    | 4041 732    | 1   |      |       | AMPLIFIER, Vacuum                         |
| 4    |             |     |      |       | SWITCH, CVSCC                             |
|      | 4095 231    | 1   |      |       | stamped 4095231                           |
|      | 4049 277    | 1   |      |       | stamped 4030351                           |
|      | 4268 708    | 1   |      |       | stamped 4268708                           |
|      | 4268 711    | 1   |      |       | stamped 4268711                           |
| 5    | 6031 943    | 2   |      |       | STUD                                      |
| 6    |             |     |      |       | VALVE, EGR                                |
|      | 4287 651    | 1   |      |       | stamped 4287651                           |
|      | 4094 891    | 1   |      |       | stamped 4287658                           |
|      | 4287 673    | 1   |      |       | stamped 4287673                           |
|      | 4287 684    | 1   |      |       | stamped 4287684                           |
| 7    | 0115 729    | 2   |      |       | NUT                                       |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                         |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange       |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 318 ENG. - CALIF. MAN. TRANS. & HIGH ALT. D MODEL - 1985  
Figure 25-4400

4325 4400



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307704 - not serviced) |             |     |      |       |  |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |  |
| 3/8"  |             |     |      |       |  |
| 1/2"  |             |     |      |       |  |
| 1   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                        |
| 2   | 4268 687    | 3   |      |       | CONNECTOR .15M - 3/16                    |
| 3   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 4   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 5   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 6   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 7   | 4213 766    | 3   |      |       | ELBOW .15F - 1/8                         |
| 8   | 4213 774    | 2   |      |       | ELBOW .15F - 3/16                        |
| 9   | 4179 391    | 3   |      |       | CONNECTOR .15F - 3/16                    |
| 10  | 4179 191    | 2   |      |       | TEE                                      |
| 11  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                         |
| 12  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



EGR HOSE HARNESS 318 ENG. - CALIF. AUTO. TRANS. D MODEL - 1985  
Figure 25-4425

4325 4425A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307738 - not serviced) |             |     |      |       |  |
| TUBING, Convolute (serv. in 10 ft. roll)      |             |     |      |       |  |
| 3/8"  |             |     |      |       |  |
| 1/2"  |             |     |      |       |  |
| 1   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                        |
| 2   | 4268 687    | 3   |      |       | CONNECTOR .15M - 3/16                    |
| 3   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                 |
| 4   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 5   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                    |
| 6   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 7   | 4213 766    | 3   |      |       | CONNECTOR .15F - 1/8                     |
| 8   | 4213 774    | 3   |      |       | ELBOW .15F - 3/16                        |
| 9   | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                    |
| 10  | 4179 191    | 2   |      |       | TEE                                      |
| 11  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                         |
| 12  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |
| 13  | 4167 046    | 1   |      |       | DELAY                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 318 ENG. - CANADA - AUTO. TRANS. 1985  
Figure 25-4500

4325 4500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    |             | 1   |      |       | HARNESSE, Hose (shown on illus. 4600) |
| 2    | 4095 231    | 1   |      |       | SWITCH, CVSCC                         |
| 3    | 6031 943    | 2   |      |       | STUD                                  |
| 4    | 0115 729    | 2   |      |       | NUT                                   |
| 5    | 4094 891    | 1   |      |       | VALVE, EGR                            |
| 6    | 4287 938    | 1   |      |       | GASKET, EGR Valve                     |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange   |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  |                              |  |                   |                  |
| D123 = CONVENTIONAL  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| TRUCK (4X2)  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D5,6,7 = CONVENTIONAL  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   | (64) = 159" W.B. |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WHEELS (4X2)   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |
| CREW CAB:  |  |                              |  |                   |                  |
|  |  | (71) = 106" W.B.             |  | (82) = 149" W.B.  |                  |
|  |  |                              |  | (83) = 165" W.B.  |                  |

EGR HOSE HARNESS 318 ENG. - CANADA - AUTO. TRANS. 1985  
Figure 25-4600

4325 4600 A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|---|-------------|-----|------|-------|--|
| HARNESS, Hose (tagged 4307707 - not serviced) |             |     |      |       |  |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |  |
|   | 4364 393    | AR  |      |       | 1/4"                                     |
|   | 4364 375    | AR  |      |       | 3/8"                                     |
| 1   | 4213 766    | 1   |      |       | ELBOW .15F - 3/16                        |
| 2   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 3   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                     |
| 4   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                  |
| 5   | 4179 191    | 2   |      |       | TEE                                      |
| 6   | 4179 196    | 1   |      |       | CONNECTOR .15F - 1/8                     |
| 7   | 4179 391    | 1   |      |       | CONNECTOR .15F - 3/16                    |
| 8   | 4213 797    | 2   |      |       | ELBOW .15M - 3/16                        |
| 9   | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                        |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. B MODEL - 1984  
Figure 25-4700

4325 4700




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | HARNESS, Hose (shown in illus. 4800, 4900) |
| 2    | 4241 995    | 1   |      |       | AMPLIFIER, Vacuum                          |
| 3    | 6025 004    | 1   |      |       | NUT  |
| 4    |             |     |      |       | SWITCH, CVSCC                              |
|      | 3879 707    | 1   |      |       | stamped 3870654                            |
|      | 4268 708    | 1   |      |       | stamped 4268708                            |
|      | 4049 277    | 1   |      |       | stamped 4031351                            |
| 5    | 6031 943    | 2   |      |       | STUD                                       |
| 6    |             |     |      |       | VALVE, EGR                                 |
|      | 4094 891    | 1   |      |       | stamped 4287658                            |
|      | 4287 659    | 1   |      |       | stamped 4287659                            |
|      | 4287 667    | 1   |      |       | stamped 4287667                            |
|      | 4287 670    | 1   |      |       | stamped 4287670                            |
|      | 4287 678    | 1   |      |       | stamped 4287678                            |
| 7    | 0115 729    | 2   |      |       | NUT  |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                          |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange        |
| 9    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                      |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA B MODEL - 1984  
Figure 25-4800


4325 4800A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4275026 - not serviced) |
|      |             |     |      |       | TUBING, Convolved (serv. in 10 ft. roll)      |
|      | 4364 375    | AR  |      |       | 3/8"  |
|      | 4364 374    | AR  |      |       | 1/2"  |
| 1    | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                         |
| 2    | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                              |
| 3    | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                             |
| 4    | 4179 391    | 7   |      |       | CONNECTOR .15F - 3/16                         |
| 5    | 4179 196    | 4   |      |       | CONNECTOR .15F - 1/8                          |
| 6    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 7    | 3441 609    | 1   |      |       | VALVE, Check                                  |
| 8    | 4179 193    | 2   |      |       | CONNECTOR .15F x .15F x .15F                  |
| 9    | 4179 191    | 3   |      |       | TEE   |
| 10   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                         |
| 11   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                      |
| 12   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)     |
| 13   | 4095 316    | 1   |      |       | DELAY   |
| 14   | 4173 433    | 1   |      |       | DELAY   |
| 15   | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                              |
| 16   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                       |
| 17   | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16                |
| 18   | 4095 974    | 1   |      |       | CONNECTOR, CCEV Switch                        |
| 19   | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                          |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

## 4325 4800 A




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

**« RETURN TO GROUP INDEX**

**EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. D MODEL - 1984**  
**Figure 25-5000**

4325 5000



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|----------------|-----|------|-------|--|
| 1    |                | 1   |      |       | HARNESS, Hose (shown on illus. 5100, 5200) |
| 2    | 4241 995       | 1   |      |       | AMPLIFIER, Vacuum                          |
| 3    | 6025 004       | 1   |      |       | NUT  |
| 4    |                |     |      |       | SWITCH, CVSCC                              |
|      | 4049 277       | 1   |      |       | stamped 4030351                            |
|      | 4268 708       | 1   |      |       | stamped 4268708                            |
|      | 3879 707       | 1   |      |       | stamped 3870654                            |
| 5    | 6031 943       | 2   |      |       | STUD                                       |
| 6    |                |     |      |       | VALVE, EGR                                 |
|      | 4094 891       | 1   |      |       | stamped 4287658                            |
|      | 4287 659       | 1   |      |       | stamped 4287659                            |
|      | 4287 667       | 1   |      |       | stamped 4287667                            |
|      | 4287 670       | 1   |      |       | stamped 4287670                            |
|      | 4287 678       | 1   |      |       | stamped 4287678                            |
| 7    | 0115 729       | 2   |      |       | NUT  |
| 8    | 4287 938       | 1   |      |       | GASKET, EGR Valve                          |
|      | 3671 448       | 1   |      |       | COVER, Intake Man. EGR Valve Flange        |
| 9    | 4289 087       | 1   |      |       | SOLENOID, Dual Vacuum                      |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(Truck) 4x4

D8 = SPORT UTILITY (4X4)

~~B - WING AND WINGING (1X2)~~

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA D MODEL - 1984  
Figure 25-5100

4325 5100 A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4275897 - not serviced) |             |     |      |       |   |
| TUBING, Convolute (serv. in 10 ft. roll)      |             |     |      |       |   |
|   | 4364 375    | AR  |      |       | 3/8"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                         |
| 2   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 3   | 4268 687    | 3   |      |       | CONNECTOR .15M - 3/16                     |
| 4   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 5   | 4095 316    | 1   |      |       | DELAY                                     |
| 6   | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                     |
| 7   | 4179 191    | 1   |      |       | TEE                                       |
| 8   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 9   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 10  | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                      |
| 11  | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                          |
| 12  | 4213 774    | 4   |      |       | ELBOW .15F - 3/16                         |
| 13  | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F              |
| 14  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |



EGR HOSE HARNESS 360 ENG. - HIGH ALT. D MODEL - 1984  
Figure 25-5200

4325 5200 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4275867 - not serviced) |             |     |      |       |   |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |   |
| 3/8"  |             |     |      |       |   |
| 1/2"  |             |     |      |       |   |
| 1   | 4213 797    | 1   |      |       | ELBOW .15M - 3/16                         |
| 2   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 3   | 4268 687    | 3   |      |       | CONNECTOR .15M - 3/16                     |
| 4   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 5   | 4095 316    | 1   |      |       | DELAY                                     |
| 6   | 4179 391    | 6   |      |       | CONNECTOR .15F - 3/16                     |
| 7   | 4179 191    | 4   |      |       | TEE                                       |
| 8   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 9   | 4289 087    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 10  | 4179 196    | 4   |      |       | CONNECTOR .15F - 1/8                      |
| 11  | 3441 609    | 1   |      |       | VALVE, Check                              |
| 12  | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                          |
| 13  | 4213 774    | 6   |      |       | ELBOW .15F - 3/16                         |
| 14  | 4173 433    | 1   |      |       | DELAY                                     |
| 15  | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F              |
| 16  | 4213 789    | 2   |      |       | ELBOW .15M - 1/8                          |
| 17  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |
| 18  | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16            |
| 19  | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                      |
| 20  | 4095 974    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 360 ENG. - CALIF. OVER 8500 LBS. GVW & CANADA 1984  
Figure 25-5300

4325 5300

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
| 1    |                | 1   |      |       | HARNESS, Hose (shown on illus. 5400)                     |
| 2    | 3780 508       | AR  |      |       | HOSE, Reservoir to Amplifier 1/8" (serv. in 50 ft. roll) |
| 3    | 4006 692       | 1   |      |       | RESERVOIR, EGR Vacuum                                    |
| 4    | 6025 004       | AR  |      |       | NUT  |
| 5    | 4213 380       | 1   |      |       | BRACKET, Solenoid Mtg.                                   |
| 6    | 4240 421       | 1   |      |       | SOLENOID, EGR Vacuum                                     |
| 7    | 4306 063       | 1   |      |       | AMPLIFIER, Vacuum  |
| 8    | 4095 231       | 1   |      |       | SWITCH, CVSCC  |
|      | 4268 707       | 1   |      |       | SWITCH, CCEV   |
| 9    | 6031 943       | 2   |      |       | STUD   |
| 10   | 4287 680       | 1   |      |       | VALVE, EGR   |
| 11   | 0115 729       | 2   |      |       | NUT  |
| 12   | 4287 938       | 1   |      |       | GASKET, EGR Valve  |
|      | 3671 448       | 1   |      |       | COVER, Intake Man. EGR Valve Flange                      |




|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 360 ENG. - CALIF. OVER 8500 LBS. GVW & CANADA 1984  
Figure 25-5400

4323 5400 A


| ITEM  | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|----------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4275011 - not serviced) |                |     |      |       |   |
| 1   | 4095 973       | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 2   | 4105 167       | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 3   | 3780 508       | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 4   | 4241 296       | 3   |      |       | CONNECTOR 1/8 x 3/16                      |
| 5   | 4227 173       | 1   |      |       | DELAY                                     |
| 6   | 4179 093       | 1   |      |       | CONNECTOR, CCEGR Switch                   |



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. B MODEL - 1984  
Figure 25-4700

4325 5500




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNESSE, HOSE (shown on Illus. 5600, 5700) |
| 2    | 4041 737    | 1   |      |       | AMPLIFIER, Vacuum                           |
| 3    | 6025 004    | 1   |      |       | NUT   |
| 4    |             |     |      |       | SWITCH, CVSCC                               |
|      | 3879 736    | 1   |      |       | stamped 3870549                             |
|      | 4306 319    | 1   |      |       | stamped 4306319                             |
| 5    | 4268 712    | 1   |      |       | SWITCH, CCEV (TIDC)                         |
| 6    | 6031 943    | 2   |      |       | STUD  |
| 7    |             |     |      |       | VALVE, EGR                                  |
|      | 4287 659    | 1   |      |       | stamped 4287659                             |
|      | 4287 667    | 1   |      |       | stamped 4287667                             |
| 8    | 0115 729    | 2   |      |       | NUT   |
| 9    | 4287 938    | 1   |      |       | GASKET, EGR Valve                           |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange         |
| 10   | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                       |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA B MODEL - 1985  
Figure 25-5600

4325 5600



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4307709 - not serviced) |             |     |      |       |   |
|   |             |     |      |       | TUBING, Convolved (serv. in 10 ft. roll)  |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 375    | AR  |      |       | 3/8"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 2   | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 3   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                      |
| 4   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                          |
| 5   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 6   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 7   | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                     |
| 8   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                         |
| 9   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 10  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 11  | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16            |
| 12  | 4179 191    | 2   |      |       | TEE                                       |
| 13  | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                      |
| 14  | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |
| 16  | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch (TIDC)             |
| 17  | 4201 247    | 1   |      |       | HOSE, Molded End                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR HOSE HARNESS 360 ENG. - HIGH ALT. B MODEL - 1985  
Figure 25-5700

4325 5700



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4307710 - not serviced) |
|      |             |     |      |       | TUBING, Convolved (serv. in 10 ft. roll)      |
|      | 4364 393    | AR  |      |       | 1/4"  |
|      | 4364 375    | AR  |      |       | 3/8"  |
|      | 4364 374    | AR  |      |       | 1/2"  |
| 1    | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                         |
| 2    | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                         |
| 3    | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                          |
| 4    | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                              |
| 5    | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                             |
| 6    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 7    | 4268 687    | 5   |      |       | CONNECTOR .15F - 3/16                         |
| 8    | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                             |
| 9    | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                      |
| 10   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)     |
| 11   | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16                |
| 12   | 4179 191    | 2   |      |       | TEE   |
| 13   | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                          |
| 14   | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                       |
| 15   | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch (TIDC)                 |
| 16   | 4201 247    | 1   |      |       | HOSE, Molded End                              |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 360 ENG. - FEDERAL & HIGH ALT. D MODEL - 1985  
Figure 25-5800

4325 5800


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                |
|------|-------------|-----|------|-------|--|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 5900, 6000) |
| 2    | 4041 737    | 1   |      |       | AMPLIFIER, Vacuum                          |
| 3    | 6025 004    | 1   |      |       | NUT  |
| 4    |             |     |      |       | SWITCH, CVSCC                              |
|      | 3879 736    | 1   |      |       | stamped 3870549                            |
|      | 4306 319    | 1   |      |       | stamped 4306319                            |
|      | 4095 231    | 1   |      |       | stamped 4095231                            |
|      | 4268 711    | 1   |      |       | stamped 4268711                            |
| 5    | 4268 712    | 1   |      |       | SWITCH, CCEV (TIDC)                        |
| 6    | 6031 943    | 2   |      |       | STUD                                       |
| 7    |             |     |      |       | VALVE, EGR                                 |
|      | 4287 659    | 1   |      |       | stamped 4287659                            |
|      | 4287 667    | 1   |      |       | stamped 4287667                            |
| 8    | 0115 729    | 2   |      |       | NUT  |
| 9    | 4287 938    | 1   |      |       | GASKET, EGR Valve                          |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange        |
| 10   | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                      |



|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 360 ENG. - FEDERAL W/O ESA D MODEL - 1985  
Figure 25-5900

4325 6900 A



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4301711 - not serviced) |             |     |      |       |   |
|   |             |     |      |       | TUBING, Convolutod (serv. in 10 ft. roll) |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 375    | AR  |      |       | 3/8"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 2   | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                     |
| 3   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 4   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                         |
| 5   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 6   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 7   | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16            |
| 8   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                      |
| 9   | 4213 766    | 2   |      |       | ELBOW .15F - 1/8                          |
| 10  | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 11  | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 12  | 4179 191    | 2   |      |       | TEE                                       |
| 13  | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch (TIDC)             |
| 14  | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                      |
| 16  | 4201 247    | 1   |      |       | HOSE, Molded End                          |
| 17  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



EGR HOSE HARNESS 360 ENG. - HIGH ALT. D MODEL - 1985  
Figure 25-6000

4325 6000



| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4307712 - not serviced) |             |     |      |       |   |
| TUBING, Convolutd (serv. in 10 ft. roll)      |             |     |      |       |   |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 375    | AR  |      |       | 3/8"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 2   | 4268 687    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 3   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 4   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                         |
| 5   | 4095 973    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 6   | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 7   | 3870 649    | 1   |      |       | BLEED, Filtered Air 1/8 x 3/16            |
| 8   | 4179 196    | 2   |      |       | CONNECTOR .15F - 1/8                      |
| 9   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                          |
| 10  | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 11  | 4289 817    | 1   |      |       | SOLENOID, Dual Vacuum                     |
| 12  | 4179 191    | 2   |      |       | TEE                                       |
| 13  | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch (TIDC)             |
| 14  | 4201 247    | 1   |      |       | HOSE, Molded End                          |
| 15  | 4268 681    | 2   |      |       | CONNECTOR .15M - 1/8                      |
| 16  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

EGR SYSTEM 360 ENG. - CALIF. & CANADA 1985  
Figure 25-6100

4325 6100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    |             | 1   |      |       | HARNES, Hose (shown on illus. 6200, 6300) |
| 2    | 4041 732    | 1   |      |       | AMPLIFIER, Vacuum<br>stamped 4041732      |
|      | 4041 737    | 1   |      |       | stamped 4041737                           |
| 3    | 6025 004    | 1   |      |       | NUT                                       |
| 4    | 4095 231    | 1   |      |       | SWITCH, CVSCC<br>stamped 4095231          |
|      | 4268 707    | 1   |      |       | stamped 4268707                           |
|      | 4268 711    | 1   |      |       | stamped 4268711                           |
| 5    | 6031 943    | 2   |      |       | STUD                                      |
| 6    | 4287 651    | 1   |      |       | VALVE, EGR                                |
| 7    | 0115 729    | 2   |      |       | NUT                                       |
| 8    | 4287 938    | 1   |      |       | GASKET, EGR Valve                         |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange       |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| 5 = WAGON AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 360 ENG. - CALIF. 1985  
Figure 25-6200

4325 6200 A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4307726 - not serviced) |             |     |      |       |   |
| TUBING, Convolved (serv. in 10 ft. roll)      |             |     |      |       |   |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 2   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 3   | 4306 280    | 1   |      |       | DELAY                                     |
| 4   | 4179 391    | 5   |      |       | CONNECTOR .15F - 3/16                     |
| 5   | 4268 687    | 6   |      |       | CONNECTOR .15M - 3/16                     |
| 6   | 4179 193    | 2   |      |       | CONNECTOR .15F x .15F x .15F              |
| 7   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                         |
| 8   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 9   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                          |
| 10  | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch                    |
| 11  | 4227 173    | 1   |      |       | DELAY                                     |
| 12  | 4201 247    | 1   |      |       | HOSE, Molded End                          |
| 13  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 14  | 4268 681    | 1   |      |       | CONNECTOR .15F - 1/8                      |
| 15  | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                          |
| 16  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = TRUCK AND WAGONS (4X4)</del>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

EGR HOSE HARNESS 360 ENG. - CANADA 1985  
Figure 25-6300

4325 6300A




| ITEM  | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|---|-------------|-----|------|-------|---|
| HARNESS, Hose (tagged 4307725 - not serviced) |             |     |      |       |   |
| TUBING, Convoluted (serv. in 10 ft. roll)     |             |     |      |       |   |
|   | 4364 393    | AR  |      |       | 1/4"                                      |
|   | 4364 374    | AR  |      |       | 1/2"                                      |
| 1   | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)  |
| 2   | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                         |
| 3   | 4306 280    | 1   |      |       | DELAY                                     |
| 4   | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                     |
| 5   | 4179 193    | 1   |      |       | CONNECTOR .15F x .15F x .15F              |
| 6   | 4213 797    | 3   |      |       | ELBOW .15M - 3/16                         |
| 7   | 4275 580    | 1   |      |       | CONNECTOR, EGR Amplifier                  |
| 8   | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                          |
| 9   | 4268 687    | 4   |      |       | CONNECTOR .15M - 3/16                     |
| 10  | 4105 196    | 1   |      |       | CONNECTOR, CCEV Switch                    |
| 11  | 4227 173    | 1   |      |       | DELAY                                     |
| 12  | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 13  | 4268 681    | 1   |      |       | CONNECTOR .15M - 1/8                      |
| 14  | 4213 789    | 1   |      |       | ELBOW .15M - 1/8                          |
| 15  | 4179 093    | 1   |      |       | CONNECTOR, CVSCC Switch                   |

| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <del>D9,10,11,12,13,14,15 = CONVENTIONAL</del>   |                              |                   |                  |                  |                  |
| <del>(TRUCK) 4X4</del>   |                              |                   |                  |                  |                  |
| <del>D16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,129,130,131,132,133,134,135,136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207,208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225,226,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241,242,243,244,245,246,247,248,249,250,251,252,253,254,255,256,257,258,259,260,261,262,263,264,265,266,267,268,269,270,271,272,273,274,275,276,277,278,279,280,281,282,283,284,285,286,287,288,289,290,291,292,293,294,295,296,297,298,299,300,301,302,303,304,305,306,307,308,309,310,311,312,313,314,315,316,317,318,319,320,321,322,323,324,325,326,327,328,329,330,331,332,333,334,335,336,337,338,339,340,341,342,343,344,345,346,347,348,349,350,351,352,353,354,355,356,357,358,359,360,361,362,363,364,365,366,367,368,369,370,371,372,373,374,375,376,377,378,379,380,381,382,383,384,385,386,387,388,389,390,391,392,393,394,395,396,397,398,399,400,401,402,403,404,405,406,407,408,409,410,411,412,413,414,415,416,417,418,419,420,421,422,423,424,425,426,427,428,429,430,431,432,433,434,435,436,437,438,439,440,441,442,443,444,445,446,447,448,449,450,451,452,453,454,455,456,457,458,459,460,461,462,463,464,465,466,467,468,469,470,471,472,473,474,475,476,477,478,479,480,481,482,483,484,485,486,487,488,489,490,491,492,493,494,495,496,497,498,499,500,501,502,503,504,505,506,507,508,509,510,511,512,513,514,515,516,517,518,519,520,521,522,523,524,525,526,527,528,529,530,531,532,533,534,535,536,537,538,539,540,541,542,543,544,545,546,547,548,549,550,551,552,553,554,555,556,557,558,559,560,561,562,563,564,565,566,567,568,569,570,571,572,573,574,575,576,577,578,579,580,581,582,583,584,585,586,587,588,589,590,591,592,593,594,595,596,597,598,599,600,601,602,603,604,605,606,607,608,609,610,611,612,613,614,615,616,617,618,619,620,621,622,623,624,625,626,627,628,629,630,631,632,633,634,635,636,637,638,639,640,641,642,643,644,645,646,647,648,649,650,651,652,653,654,655,656,657,658,659,660,661,662,663,664,665,666,667,668,669,670,671,672,673,674,675,676,677,678,679,680,681,682,683,684,685,686,687,688,689,690,691,692,693,694,695,696,697,698,699,700,701,702,703,704,705,706,707,708,709,710,711,712,713,714,715,716,717,718,719,720,721,722,723,724,725,726,727,728,729,730,731,732,733,734,735,736,737,738,739,740,741,742,743,744,745,746,747,748,749,750,751,752,753,754,755,756,757,758,759,760,761,762,763,764,765,766,767,768,769,770,771,772,773,774,775,776,777,778,779,780,781,782,783,784,785,786,787,788,789,790,791,792,793,794,795,796,797,798,799,800,801,802,803,804,805,806,807,808,809,810,811,812,813,814,815,816,817,818,819,820,821,822,823,824,825,826,827,828,829,830,831,832,833,834,835,836,837,838,839,840,841,842,843,844,845,846,847,848,849,850,851,852,853,854,855,856,857,858,859,860,861,862,863,864,865,866,867,868,869,870,871,872,873,874,875,876,877,878,879,880,881,882,883,884,885,886,887,888,889,890,891,892,893,894,895,896,897,898,899,900,901,902,903,904,905,906,907,908,909,910,911,912,913,914,915,916,917,918,919,920,921,922,923,924,925,926,927,928,929,930,931,932,933,934,935,936,937,938,939,940,941,942,943,944,945,946,947,948,949,950,951,952,953,954,955,956,957,958,959,960,961,962,963,964,965,966,967,968,969,970,971,972,973,974,975,976,977,978,979,980,981,982,983,984,985,986,987,988,989,990,991,992,993,994,995,996,997,998,999,1000,1001,1002,1003,1004,1005,1006,1007,1008,1009,1010,1011,1012,1013,1014,1015,1016,1017,1018,1019,1020,1021,1022,1023,1024,1025,1026,1027,1028,1029,1030,1031,1032,1033,1034,1035,1036,1037,1038,1039,1040,1041,1042,1043,1044,1045,1046,1047,1048,1049,1050,1051,1052,1053,1054,1055,1056,1057,1058,1059,1060,1061,1062,1063,1064,1065,1066,1067,1068,1069,1070,1071,1072,1073,1074,1075,1076,1077,1078,1079,1080,1081,1082,1083,1084,1085,1086,1087,1088,1089,1090,1091,1092,1093,1094,1095,1096,1097,1098,1099,1100,1101,1102,1103,1104,1105,1106,1107,1108,1109,1110,1111,1112,1113,1114,1115,1116,1117,1118,1119,1120,1121,1122,1123,1124,1125,1126,1127,1128,1129,1130,1131,1132,1133,1134,1135,1136,1137,1138,1139,1140,1141,1142,1143,1144,1145,1146,1147,1148,1149,1150,1151,1152,1153,1154,1155,1156,1157,1158,1159,1160,1161,1162,1163,1164,1165,1166,1167,1168,1169,1170,1171,1172,1173,1174,1175,1176,1177,1178,1179,1180,1181,1182,1183,1184,1185,1186,1187,1188,1189,1190,1191,1192,1193,1194,1195,1196,1197,1198,1199,1200,1201,1202,1203,1204,1205,1206,1207,1208,1209,1210,1211,1212,1213,1214,1215,1216,1217,1218,1219,1220,1221,1222,1223,1224,1225,1226,1227,1228,1229,1230,1231,1232,1233,1234,1235,1236,1237,1238,1239,1240,1241,1242,1243,1244,1245,1246,1247,1248,1249,1250,1251,1252,1253,1254,1255,1256,1257,1258,1259,1260,1261,1262,1263,1264,1265,1266,1267,1268,1269,1270,1271,1272,1273,1274,1275,1276,1277,1278,1279,1280,1281,1282,1283,1284,1285,1286,1287,1288,1289,1290,1291,1292,1293,1294,1295,1296,1297,1298,1299,1300,1301,1302,1303,1304,1305,1306,1307,1308,1309,1310,1311,1312,1313,1314,1315,1316,1317,1318,1319,1320,1321,1322,1323,1324,1325,1326,1327,1328,1329,1330,1331,1332,1333,1334,1335,1336,1337,1338,1339,1340,1341,1342,1343,1344,1345,1346,1347,1348,1349,1350,1351,1352,1353,1354,1355,1356,1357,1358,1359,1360,1361,1362,1363,1364,1365,1366,1367,1368,1369,1370,1371,1372,1373,1374,1375,1376,1377,1378,1379,1380,1381,1382,1383,1384,1385,1386,1387,1388,1389,1390,1391,1392,1393,1394,1395,1396,1397,1398,1399,1400,1401,1402,1403,1404,1405,1406,1407,1408,1409,1410,1411,1412,1413,1414,1415,1416,1417,1418,1419,1420,1421,1422,1423,1424,1425,1426,1427,1428,1429,1430,1431,1432,1433,1434,1435,1436,1437,1438,1439,1440,1441,1442,1443,1444,1445,1446,1447,1448,1449,1450,1451,1452,1453,1454,1455,1456,1457,1458,1459,1460,1461,1462,1463,1464,1465,1466,1467,1468,1469,1470,1471,1472,1473,1474,1475,1476,1477,1478,1479,1480,1481,1482,1483,1484,1485,1486,1487,1488,1489,1490,1491,1492,1493,1494,1495,1496,1497,1498,1499,1500,1501,1502,1503,1504,1505,1506,1507,1508,1509,1510,1511,1512,1513,1514,1515,1516,1517,1518,1519,1520,1521,1522,1523,1524,1525,1526,1527,1528,1529,1530,1531,1532,1533,1534,1535,1536,1537,1538,1539,1540,1541,1542,1543,1544,1545,1546,1547,1548,1549,1550,1551,1552,1553,1554,1555,1556,1557,1558,1559,1560,1561,1562,1563,1564,1565,1566,1567,1568,1569,1570,1571,1572,1573,1574,1575,1576,1577,1578,1579,1580,1581,1582,1583,1584,1585,1586,1587,1588,1589,1590,1591,1592,1593,1594,1595,1596,1597,1598,1599,1600,1601,1602,1603,1604,1605,1606,1607,1608,1609,1610,1611,1612,1613,1614,1615,1616,1617,1618,1619,1620,1621,1622,1623,1624,1625,1626,1627,1628,1629,1630,1631,1632,1633,1634,1635,1636,1637,1638,1639,1640,1641,1642,1643,1644,1645,1646,1647,1648,1649,1650,1651,1652,1653,1654,1655,1656,1657,1658,1659,1660,1661,1662,1663,1664,1665,1666,1667,1668,1669,1670,1671,1672,1673,1674,1675,1676,1677,1678,1679,1680,1681,1682,1683,1684,1685,1686,1687,1688,1689,1690,1691,1692,1693,1694,1695,1696,1697,1698,1699,1700,1701,1702,1703,1704,1705,1706,1707,1708,1709,1710,1711,1712,1713,1714,1715,1716,1717,1718,1719,1720,1721,1722,1723,1724,1725,1726,1727,1728,1729,1730,1731,1732,1733,1734,1735,1736,1737,1738,1739,1740,1741,1742,1743,1744,1745,1746,1747,1748,1749,1750,1751,1752,1753,1754,1755,1756,1757,1758,1759,1760,1761,1762,1763,1764,1765,1766,1767,1768,1769,1770,1771,1772,1773,1774,1775,1776,1777,1778,1779,1780,1781,1782,1783,1784,1785,1786,1787,1788,1789,1790,1791,1792,1793,1794,1795,1796,1797,1798,1799,1800,1801,1802,1803,1804,1805,1806,1807,1808,1809,1810,1811,1812,1813,1814,1815,1816,1817,1818,1819,1820,1821,1822,1823,1824,1825,1826,1827,1828,1829,1830,1831,1832,1833,1834,1835,1836,1837,1838,1839,1840,1841,1842,1843,1844,1845,1846,1847,1848,1849,1850,1851,1852,1853,1854,1855,1856,1857,1858,1859,1860,1861,1862,1863,1864,1865,1866,1867,1868,1869,1870,1871,1872,1873,1874,1875,1876,1877,1878,1879,1880,1881,1882,1883,1884,1885,1886,1887,1888,1889,1890,1891,1892,1893,1894,1895,1896,1897,1898,1899,1900,1901,1902,1903,1904,1905,1906,1907,1908,1909,1910,1911,1912,1913,1914,1915,1916,1917,1918,1919,1920,1921,1922,1923,1924,1925,1926,1927,1928,1929,1930,1931,1932,1933,1934,1935,1936,1937,1938,1939,1940,1941,1942,1943,1944,1945,1946,1947,1948,1949,1950,1951,1952,1953,1954,1955,1956,1957,1958,1959,1960,1961,1962,1963,1964,1965,1966,1967,1968,1969,1970,1971,1972,1973,1974,1975,1976,1977,1978,1979,1980,1981,1982,1983,1984,1985,1986,1987,1988,1989,1990,1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003,2004,2005,2006,2007,2008,2009,2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020,2021,2022,2023,2024,2025,2026,2027,2028,2029,2030,2031,2032,2033,2034,2035,2036,2037,2038,2039,2040,2041,2042,2043,2044,2045,2046,2047,2048,2049,2050,2051,2052,2053,2054,2055,2056,2057,2058,2059,2060,2061,2062,2063,2064,2065,2066,2067,2068,2069,2070,2071,2072,2073,2074,2075,2076,2077,2078,2079,2080,2081,2082,2083,2084,2085,2086,2087,2088,2089,2090,2091,2092,2093,2094,2095,2096,2097,2098,2099,2100,2101,2102,2103,2104,2105,2106,2107,2108,2109,2110,2111,2112,2113,2114,2115,2116,2117,2118,2119,2120,2121,2122,2123,2124,2125,2126,2127,2128,2129,2130,2131,2132,2133,2134,2135,2136,2137,2138,2139,2140,2141,2142,2143,2144,2145,2146,2147,2148,2149,2150,2151,2152,2153,2154,2155,2156,2157,2158,2159,2160,2161,2162,2163,2164,2165,2166,2167,2168,2169,2170,2171,2172,2173,2174,2175,2176,2177,2178,2179,2180,2181,2182,2183,2184,2185,2186,2187,2188,2189,2190,2191,2192,2193,2194,2195,2196,2197,2198,2199,2200,2201,2202,2203,2204,2205,2206,2207,2208,2209,2210,2211,2212,2213,2214,2215,2216,2217,2218,2219,2220,2221,2222,2223,2224,2225,2226,2227,2228,2229,2230,2231,2232,2233,2234,2235,2236,2237,2238,2239,2240,2241,2242,2243,2244,2245,2246,2247,2248,2249,2250,2251,2252,2253,2254,2255,2256,2257,2258,2259,2260,2261,2262,2263,2264,2265,2266,2267,2268,2269,2270,2271,2272,2273,2274,2275,2276,2277,2278,2279,2280,2281,2282,2283,2284,2285,2286,2287,</del> |                              |                   |                  |                  |                  |
| P.A.R. = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required   |                              |                   |                  |                  |                  |

EGR SYSTEM 360 ENG. - FEDERAL OVER 8500 LBS. GVW 1985  
Figure 25-6400

4325 6400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                          |
|------|-------------|-----|------|-------|--------------------------------------|
| 1    |             | 1   |      |       | HARNESS, Hose (shown on illus. 6500) |
| 2    | 4268 715    | 1   |      |       | SWITCH, CCEV - Hole #1               |
| 3    | 4268 712    | 1   |      |       | SWITCH, CCEV - Hole #2               |
| 4    | 6031 943    | 2   |      |       | STUD                                 |
| 5    | 4287 686    | 1   |      |       | VALVE, EGR                           |
| 6    | 0115 729    | 2   |      |       | NUT                                  |
| 7    | 4287 938    | 1   |      |       | GASKET, EGR Valve                    |
|      | 3671 448    | 1   |      |       | COVER, Intake Man. EGR Valve Flange  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  |                              |  |                   |                  |
| D123 = CONVENTIONAL  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| TRUCK (4X2)  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D5,6,7 = CONVENTIONAL  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   | (64) = 159" W.B. |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| SPORT UTILITY:   |  |                              |  |                   |                  |
| (71) = 106" W.B.   |  |                              |  |                   |                  |
| CREW CAB:  |  |                              |  |                   |                  |
| (82) = 149" W.B.   |  |                              |  |                   |                  |
| (83) = 165" W.B.   |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

EGR HOSE HARNESS 360 ENG. - FEDERAL OVER 8500 LBS. GVW 1985  
Figure 25-6500

4325 6500 A



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | HARNESS, Hose (tagged 4307708 - not serviced) |
|      |             |     |      |       | TUBING, Convoluted (serv. in 10 ft. roll)     |
|      | 4364 393    | AR  |      |       | 1/4"  |
|      | 4364 392    | AR  |      |       | 5/8"  |
| 1    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll)      |
| 2    | 4213 774    | 5   |      |       | ELBOW .15F - 3/16                             |
| 3    | 4306 280    | 1   |      |       | DELAY   |
| 4    | 4179 391    | 4   |      |       | CONNECTOR .15F - 3/16                         |
| 5    | 4268 687    | 5   |      |       | CONNECTOR .15M - 3/16                         |
| 6    | 4179 193    | 3   |      |       | CONNECTOR .15F x .15F x .15F                  |
| 7    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll)     |
| 8    | 4213 766    | 1   |      |       | ELBOW .15F - 1/8                              |
| 9    | 4241 297    | 1   |      |       | DELAY   |
| 10   | 4100 727    | 2   |      |       | ELBOW 3/16 x 3/16                             |
| 11   | 4105 196    | 2   |      |       | CONNECTOR, CCEV Switch                        |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

ESA HOSE HARNESS D MODEL 1985  
Figure 25-6600

4325 6800


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
| 1    | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                        |
| 2    | 3780 508    | AR  |      |       | HOSE, Rubber 1/8" (serv. in 50 ft. roll) |
| 3    | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                    |
| 4    | 4104 168    | 1   |      |       | HOSE, ESA Connection                     |
| 5    |             | 1   |      |       | CONTROL UNIT, ESA (refer to group 8)     |



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = WAGON WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

VAPOR CANISTER B MODEL 1984  
Figure 25-6800

4325 6800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4167 722    | AR  |      |       | STRAP, Canister Mtg.                                       |
| 2    | 4241 070    | AR  |      |       | BRACKET, Canister Mtg.                                     |
| 3    |             |     |      |       | CANISTER, Vapor  |
|      | 4241 839    | 1   |      |       | Single - stamped 4227010                                   |
|      | 4241 838    | 2   |      |       | Dual - stamped 4227009, 4227006, 4227023                   |
| 4    | 4185 442    | 1   |      |       | HOSE, Fuel Vapor Tube to Y Connector 225 Eng. w/Calif.     |
| 5    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16 (serv. in 50 ft. roll) 225 Eng. w/Calif. |
| 6    | 4179 982    | 1   |      |       | CONNECTOR, Y 5/16 x 5/16 x 5/16 225 Eng. w/Calif.          |
| 7    |             | 1   |      |       | HARNES, Hose   |
| 8    | 4185 461    | 1   |      |       | HOSE, Fuel Vapor Tube to Canister                          |
| 9    | 3820 667    | 1   |      |       | CAP, Fuel Tank Vent  |
| 10   | 3733 285    | 1   |      |       | CAP, Carb. Bowl Vent                                       |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |



VAPOR CANISTER D MODEL 1984  
Figure 25-6900

4325 6900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4268 757    | AR  |      |       | BRACKET, Canister Mtg.                                     |
| 2    | 4268 758    | AR  |      |       | STRAP, Canister Mtg.                                       |
| 3    |             |     |      |       | CANISTER, Vapor  |
|      | 4241 839    | 1   |      |       | Single - stamped 4227010                                   |
|      | 4241 838    | 2   |      |       | Dual - stamped 4227009, 4227006, 4227023                   |
| 4    |             | 1   |      |       | HARNESS, Hose  |
| 5    | 4185 460    | 1   |      |       | HOSE, Fuel Vapor Tube to Canister                          |
| 6    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16 (serv. in 50 ft. roll) 225 Eng. w/Calif. |
| 7    | 4179 982    | 1   |      |       | CONNECTOR, Y 5/16 x 5/16 x 5/16 225 Eng. w/Calif.          |
| 8    | 4185 442    | 1   |      |       | HOSE, Fuel Vapor Tube to Y Connector 225 Eng. w/Calif.     |
| 9    | 3820 667    | 1   |      |       | CAP, Fuel Tank Vent  |
| 10   | 3733 285    | 1   |      |       | CAP, Carb. Bowl Vent                                       |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

## VAPOR CANISTER HOSE HARNESS - SINGLE CANISTER 1984

4325 7000

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|----------------|-----|------|-------|---|
| 1    | 4203 421       | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 2    | 4203 316       | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 3    | 4105 167       | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 4    | 4179 981       | 1   |      |       | CONNECTOR 5/16 x 5/16                     |



MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.

(66) = 100 W.D.


D = WANG AND WANG (1982)

AR = Use as Required    - = Non Illustrated Part    P.A.R. = Paint as Required

VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 225 Eng. 1984  
Figure 25-7100

4325 7100


| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (Serv. In 50' Roll)     |
| 2    | 4179 981    | 1   |      |       | CONNECTOR, (5/16 x 5/16)                  |
| 3    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 4    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 5    | 4104 172    | 1   |      |       | CONNECTOR 3/16 x 3/16 x 3/16              |
| 6    | 4179 982    | 1   |      |       | CONNECTOR, Y 5/16 x 5/16 x 5/16           |



|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1984  
Figure 25-7200

4325 7200





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 2    | 4241 846    | 1   |      |       | HOSE, Molded                              |
| 3    | 4179 981    | 1   |      |       | CONNECTOR 5/16 x 5/16                     |
| 4    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 5    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 6    | 4104 172    | 1   |      |       | CONNECTOR 3/16 x 3/16 x 3/16              |
| 7    | 4179 982    | 1   |      |       | CONNECTOR, Y 5/16 x 5/16 x 5/15           |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WAGON (4X2)  |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

VAPOR CANISTER B MODEL 1985  
Figure 25-7300

4325 7300 B




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4167 722    | AR  |      |       | STRAP, Canister Mtg.                                |
| 2    | 4288 247    | AR  |      |       | BRACKET, Canister Mtg.                              |
| 3    | 4241 839    | 1   |      |       | CANISTER, Vapor<br>Single - stamped 4227010<br>Dual |
|      | 4271 982    | 1   |      |       | Primary - stamped 4227033                           |
|      | 4241 838    | 1   |      |       | Secondary - stamped 4227032                         |
| 4    | 4185 461    | 1   |      |       | HOSE, Fuel Vapor Tube to Canister                   |
| 5    |             | 1   |      |       | HARNES, Hose  |
| 6    | 3820 667    | 1   |      |       | CAP, Fuel Tank Vent                                 |
| 7    | 3733 285    | 1   |      |       | CAP, Carb. Bowl Vent                                |
| 8    | 4287 990    | 1   |      |       | TUBE, Expanded End                                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

VAPOR CANISTER D MODEL 1985  
Figure 25-7400

4525 7400 B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4268 757    | AR  |      |       | BRACKET, Canister Mtg.                              |
| 2    | 4268 758    | AR  |      |       | STRAP, Canister Mtg.                                |
| 3    | 4241 839    | 1   |      |       | CANISTER, Vapor<br>Single - stamped 4227010<br>Dual |
|      | 4271 982    | 1   |      |       | Primary - stamped 4227033                           |
|      | 4241 838    | 1   |      |       | Secondary - stamped 4227032                         |
| 4    |             | 1   |      |       | HARNESS, Hose                                       |
| 5    | 4185 460    | 1   |      |       | HOSE, Fuel Vapor Tube to Canister                   |
| 6    | 3820 667    | 1   |      |       | CAP, Fuel Tank Vent                                 |
| 7    | 3733 285    | 1   |      |       | CAP, Carb. Bowl Vent                                |
| 8    | 4287 990    | 1   |      |       | TUBE, Expanded End                                  |
| 9    | 4179 981    | 1   |      |       | CONNECTOR 5/16 x 5/16                               |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

VAPOR CANISTER HOSE HARNESS - SINGLE CANISTER 1985  
Figure 25-7500

4325 7500

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 2    | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                     |
| 3    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 4    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 5    | 4179 981    | 1   |      |       | CONNECTOR 5/16 x 5/16                     |



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = TRUCK LINE WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

### Figure 25-7600

Diagram illustrating the fuel system components and their connections:

- BOWL VENT**: Connected to the bowl vent (1).
- R HARNESS**: Connected to the right harness (2).
- CARB PURGE**: Connected to the carb purge (3).
- FUEL FILTER**: Located between the fuel tank and the engine (4).
- FUEL LINE**: Connects the fuel tank to the engine (5).


[illegible]

**« RETURN TO GROUP INDEX**



VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 225 ENG. 1985 D MODEL  
Figure 25-7700

4325 7700




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 2    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 3    | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                         |
| 4    | 4288 220    | 1   |      |       | ELBOW 5/16 x 5/16                         |
| 5    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 6    | 4179 391    | 1   |      |       | CONNECTOR .15F - 3/16                     |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = TRUCK AND WAGONS (4X2)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1985 B MODEL  
Figure 25-7800

4325 7800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 2    | 4179 981    | 2   |      |       | CONNECTOR 5/16 x 5/16                     |
| 3    | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                     |
| 4    | 4241 846    | 1   |      |       | HOSE, Formed                              |
| 5    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 6    | 4179 391    | 2   |      |       | CONNECTOR .15F - 3/16                     |
| 7    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 8    | 5214 336    | 1   |      |       | VALVE, Bowl Vent                          |
| 9    | 4213 774    | 1   |      |       | ELBOW .15F - 3/16                         |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WHEELS (4X2)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

VAPOR CANISTER HOSE HARNESS - DUAL CANISTER 360 ENG. 1985 D MODEL  
Figure 25-7900

4325 7900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
| 1    | 4213 774    | 2   |      |       | ELBOW .15F - 3/16                         |
| 2    | 4105 167    | AR  |      |       | HOSE, Rubber 3/16" (serv. in 50 ft. roll) |
| 3    | 4268 687    | 1   |      |       | CONNECTOR .15M - 3/16                     |
| 4    | 4203 316    | AR  |      |       | HOSE, Rubber 5/16" (serv. in 50 ft. roll) |
| 5    | 4179 981    | 1   |      |       | CONNECTOR 5/16 x 5/16                     |
| 6    | 4241 846    | 1   |      |       | HOSE, Formed                              |
| 7    | 4179 391    | 1   |      |       | CONNECTOR .15F - 3/16                     |
| 8    | 4203 421    | AR  |      |       | HOSE, Rubber 3/8" (serv. in 50 ft. roll)  |
| 9    | 5214 336    | 1   |      |       | VALVE, Bowl Vent                          |
| 10   | 4288 220    | 1   |      |       | ELBOW 5/16 x 5/16                         |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

EMISSION CONTROLS AND SWITCHES  
Figure 25-8000

4325 8000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | CONTROL, EGR Time Delay                              |
|      | 4111 179    | 1   |      |       | stamped 4111179 - Black                              |
|      | 4111 481    | 1   |      |       | stamped 4111481 - Gray                               |
|      | 4111 180    | 1   |      |       | stamped 4111180                                      |
|      | 4111 925    | 1   |      |       | SWITCH, Electric Speed - stamped 4111925             |
| 2    | 4111 482    | 1   |      |       | SWITCH, Charge Temperature - stamped 4111482 - White |
|      | 4091 471    | 1   |      |       | SENSOR, Engine Temperature - Black                   |
| 3    | 4301 375    | 1   |      |       | SENSOR, Oxygen                                       |
| 4    |             |     |      |       | BRACKET, E.M.R. Module Mtg.                          |
|      | 4162 653    | 1   |      | B3    | up to 2-4-85   |
|      | 4363 024    | 1   |      | B3    | after 2-4-85   |
| 5    |             |     |      |       | MODULE, E.M.R.                                       |
|      | 4075 158    | 1   |      | B3    | 360 Eng. w/(S/C - NBB)                               |
|      | 4075 158    | 1   |      | D3,7  | 360 Eng. w/(S/C - NDB)                               |
|      | 4363 011    | 1   |      |       | 360 Eng. w/(S/C - NAA, NAC, NAF)                     |
| 6    | 4162 685    | 1   |      | B3    | WIRING, E.M.R. Module                                |
| 7    | 4047 459    | 1   |      | D3,7  | BRACKET, E.M.R. Module Mtg.                          |
| 8    | 4163 147    | 1   |      | D3,7  | WIRING, E.M.R. Module                                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

GROUP INF - - INTERIOR TRIM

| ILLUSTRATION TITLE |       | GROUP-FIG. NO. |
|--------------------|-------|----------------|
| TRIM CODE DEFINED  | ..... | Fig. INF-10    |
| TRIM INFORMATION   | ..... | Fig. INF-20    |


ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

**ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION**


**« RETURN TO GROUP INDEX**

TRIM INFORMATION  
Figure INF-20

4329 20



|                | B<br>1, 2, 3 | D<br>1, 2, 3,<br>5, 6, 7 | D<br>4, 8 |
|----------------|--------------|--------------------------|-----------|
| A3 SILVER      |              | X                        |           |
| B5 MEDIUM BLUE | X            | X                        | X         |
| M6 RED         | X            | X                        | X         |
| L3 BEIGE       | X            | X                        | X         |
| T3 TAN         | X            | X                        | X         |
| S8 CHARCOAL    |              | X                        |           |
| X7 BLACK       | X            |                          |           |



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|----------------|-----|------|-------|-------------|
|------|----------------|-----|------|-------|-------------|

-1- = COLOR CODED PART NUMBER defined: panel or fire wall.

-2- = First element: Basic part number (1 alpha + 3 numerics) panel or fire wall.

-3- = Second element: Series/1st model year color mastered (1 alpha) panel or fire wall.

-4- = Third element: Color & shade suffix (usually 1 alpha + 1 numeric) panel or fire wall.

- - ALPHA: panel or fire wall.

..... A = Silver panel or fire wall.

..... B = Medium Blue panel or fire wall.

..... L = Beige panel or fire wall.

..... M = Red panel or fire wall.

..... T = Tan panel or fire wall.

..... S = Charcoal panel or fire wall.

..... X = Black panel or fire wall.

- - NUMERIC (on a scale from 1-9: 1= lightest shade; 9= darkest shade) panel or fire wall.

..... 1 = very Light panel or fire wall.

..... 2 = Light panel or fire wall.

..... 3 = panel or fire wall.

..... 4 = panel or fire wall.

..... 5 = Medium panel or fire wall.

..... 6 = Medium dark panel or fire wall.

..... 7 = panel or fire wall.

..... 8 = Dark panel or fire wall.

..... 9 = very Dark panel or fire wall.

-5- = COLOR APPLICATION CHART (identifies vehicle usage) panel or fire wall.

-6- = COMBINED Part Number defined panel or fire wall.

.... Right & Left part numbers are frequently combined on 1 line and are interpreted as: panel or fire wall.

..... L630CX9 = Right side application; L631CX9 = Left side application. panel or fire wall.

..... Right & Left sides are always determined by their relationship to the driver when normally seated and looking forward. panel or fire wall.

\*\*\*\*\* HOW TO ORDER ROLL GOODS panel or fire wall.

VINYL & CLOTH: Requirements must be ordered in the number of linear inches desired; e.g.: when 10 running inches of a particular part number is req'd., the order should specify a quantity of 10.

HIDE or LEATHER: Requirements must be ordered in the number of square feet desired; e.g.: when 2 square feet of a particular part number is req'd., the order should specify a quantity of 2.

\*\*\*\*\* CAUTION - SEAT COVERS vs ASSEMBLIES e order should specify a quantity of 2.

Extreme care must be exercised when ordering Seat Covers to insure it is ONLY the Cover and NOT a complete Cushion or Back. Complete Cushions and Backs ARE NOT RETURNABLE.

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION


GROUP ITA - B, T VAN & WAGON

| ILLUSTRATION TITLE                                     | GROUP-FIG. NO. |
|--|----------------|
| COWL AND FRONT WHEELHOUSE TRIM B 1,2,3                 | Fig. ITA-100   |
| HEADLINER B 1,2,3                                      | Fig. ITA-200   |
| SUNVISOR AND REAR VIEW MIRROR B 1,2,3                  | Fig. ITA-300   |
| PANELS TRIM UPPER B 1,2,3                              | Fig. ITA-400   |
| PANELS TRIM LOWER B 1,2,3                              | Fig. ITA-500   |
| CARPETS, MATS AND SCUFF PLATES FRONT B 1,2,3           | Fig. ITA-600   |
| CARPETS, MATS AND SCUFF PLATES REAR B 1,2,3            | Fig. ITA-700   |
| DOOR TRIM PANEL FRONT AND CARGO B 1,2,3                | Fig. ITA-800   |
| SEAT FRONT B 1,2,3 TRIM CODE A8                        | Fig. ITA-900   |
| SEAT FRONT B 1,2,3 TRIM CODE C6,G5                     | Fig. ITA-1000  |
| SEAT FRONT B 1,2,3 TRIM CODE P5,R5                     | Fig. ITA-1100  |
| BELTS SEAT FRONT B 1,2,3                               | Fig. ITA-1200  |
| ADJUSTER AND RISER BUCKET SEAT B 1,2,3                 | Fig. ITA-1300  |
| RECLINING MECHANISM FRONT SEAT B 1,2,3                 | Fig. ITA-1400  |
| SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5                | Fig. ITA-1500  |
| BELTS SEAT INTERMEDIATE AND REAR SEATS B 1,2,3         | Fig. ITA-1600  |
| RISERS REAR SEATS B 1,2,3                              | Fig. ITA-1700  |
| TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 1 OF 5)       | Fig. ITA-1800  |
| TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 2 OF 5)       | Fig. ITA-1900  |
| TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 3 OF 5)       | Fig. ITA-2000  |
| TRAVEL SEAT SYSTEM FRONT - B 2,3 (ILLUSTRATION 4 OF 5) | Fig. ITA-2100  |
| TRAVEL SEAT SYSTEM REAR - B 2,3 (ILLUSTRATION 5 OF 5)  | Fig. ITA-2200  |



COWL AND FRONT WHEELHOUSE TRIM B 1,2,3  
Figure ITA-100

4375 100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | PANEL, Cowl Inner Air Vent (beige paint as required) N N N N |
|      | L532 BL3    | 1   |      |       | Right (up to 10/3/83) N N N YL532BL3                         |
|      | L746 CL3    | 1   |      |       | Right (after 10/3/83) N N N YL746CL3                         |
|      | L747 CL3    | 1   |      |       | Left N N N YL747CL3  |
| 2    |             |     |      |       | PANEL, Front Wheelhouse Trim (beige paint as required) N N N |
|      |             |     |      |       | N  |
|      | L582 BL3    | 1   |      |       | Right (up to 1/9/84) N N N YL582BL3                          |
|      | L744 CL3    | 1   |      |       | Right (after 1/9/84) N N N YL744CL3                          |
|      | L583 BL3    | 1   |      |       | Left N N N YL583BL3  |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WAGON (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

HEADLINER B 1,2,3  
Figure ITA-200

4375 200



| ITEM | PART NUMBER               | QTY | BODY | MODEL | DESCRIPTION  |
|------|---------------------------|-----|------|-------|--|
| 1    | HEADLINER, Front N N N N  |     |      |       |  |
|      | 4263 006                  | 1   |      |       | w/Rear Compartment Headliner (off white hardboard) N N N Y4263006        |
|      | 4263 004                  | 1   |      |       | w/o Rear Compartment Headliner (off white hardboard) N N N Y4263004      |
|      |                           |     |      |       | w/Rear Compartment Headliner (cloth) N N N N                             |
|      |                           |     |      |       | (up to 9/6/83) N N N N   |
|      | L618 BB5                  | 1   |      |       | Blue N N N YL618BB5  |
|      | L618 BM6                  | 1   |      |       | Red N N N YL618BM6   |
|      | L618 BL3                  | 1   |      |       | Beige N N N YL618BL3   |
|      |                           |     |      |       | (after 9/6/83) N N N N   |
|      | L748 CB5                  | 1   |      |       | Blue N N N YL748CB5  |
| 2    | L748 CM6                  | 1   |      |       | Red N N N YL748CM6   |
|      | L748 CL3                  | 1   |      |       | Beige N N N YL748CL3   |
|      | L748 DT3                  | 1   |      |       | Tan N N N YL748DT3   |
|      | HEADLINER, Center N N N N |     |      |       |  |
|      | 4263 008                  | 1   |      |       | w/109" Wheelbase (off white hardboard) N N N Y4263008                    |
|      | 4263 012                  | 1   |      |       | w/127" and 127" Extension Wheelbase (off white hardboard) N N N Y4263012 |
|      |                           |     |      |       | w/109" Wheelbase (cloth) N N N N   |
|      |                           |     |      |       | (up to 9/6/83) N N N N   |
|      | L623 BB5                  | 1   |      |       | Blue N N N YL623BB5  |
|      | L623 BM6                  | 1   |      |       | Red N N N YL623BM6   |
| 3    | L623 BL3                  | 1   |      |       | Beige N N N YL623BL3   |
|      |                           |     |      |       | (after 9/6/83) N N N N   |
|      | L750 CB5                  | 1   |      |       | Blue N N N YL750CB5  |
|      | L750 CM6                  | 1   |      |       | Red N N N YL750CM6   |
|      | L750 CL3                  | 1   |      |       | Beige N N N YL750CL3   |
|      | L750 DT3                  | 1   |      |       | Tan N N N YL750DT3   |
|      |                           |     |      |       | w/127" and 127" Extension Wheelbase (cloth) N N N N                      |
|      |                           |     |      |       | (up to 9/6/83) N N N N   |
|      | L622 BB5                  | 1   |      |       | Blue N N N YL622BB5  |
|      | L622 BM6                  | 1   |      |       | Red N N N YL622BM6   |
|      | L622 BL3                  | 1   |      |       | Beige N N N YL622BL3   |
|      |                           |     |      |       | (after 9/6/83) N N N N   |
|      | L749 CB5                  | 1   |      |       | Blue N N N YL749CB5  |
|      | L749 CM6                  | 1   |      |       | Red N N N YL749CM6   |
|      | L749 CL3                  | 1   |      |       | Beige N N N YL749CL3   |
|      | L749 DT3                  | 1   |      |       | Tan N N N YL749DT3   |
|      | HEADLINER, Rear N N N N   |     |      |       |  |
|      |                           |     |      |       |  |
|      |                           |     |      |       |  |
|      |                           |     |      |       |  |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

HEADLINER B 1,2,3  
Figure ITA-200

4375 200




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | 4263 014    | 1   |      |       | w/109" and 127" Wheelbase (off white hardboard) N N N Y4263014  |
|      | 4263 018    | 1   |      |       | w/127" Extension Wheelbase (off white hardboard) N N N Y4263018 |
|      | L621 BB5    | 1   |      |       | w/109" and 127" Wheelbase (cloth) N N N N Blue N N N YL621BB5   |
|      | L621 BM6    | 1   |      |       | Red N N N YL621BM6  |
|      | L621 BL3    | 1   |      |       | Beige N N N YL621BL3  |
|      | L621 DT3    | 1   |      |       | Tan N N N YL621DT3  |
|      | L620 BB5    | 1   |      |       | w/127" Extension Wheel Base (cloth) N N N N Blue N N N YL620BB5 |
|      | L620 BM6    | 1   |      |       | Red N N N YL620BM6  |
|      | L620 BL3    | 1   |      |       | Beige N N N YL620BL3  |
|      | L620 DT3    | 1   |      |       | Tan N N N YL620DT3  |
|      | 4084 409    | AR  |      |       | INSULATION, Roof N N N Y4084409                                 |
|      | 4049 603    | AR  |      |       | SILENCER, Roof N N N Y4049603                                   |
| 4    |             | 2   |      |       | CLIP (not serviced) N N N N                                     |
| 5    | 4084 540    | 2   |      |       | RETAINER, Roof Bow N N N Y4084540                               |
| 6    | 9420 486    | AR  |      |       | SCREW N N N Y9420486  |
| 7    | L627 BW3    | 4   |      |       | CAP, Moulding (white) (paint as required) N N N YL627BW3        |
| 8    | L628 BW3    | 2   |      |       | MOULDING (paint as required) N N N YL628BW3                     |
| 9    |             |     |      |       | BOW, Roof N N N N   |
|      | 4335 447    | AR  |      |       | Front and Center N N N Y4335447                                 |
|      | 4212 166    | AR  |      |       | Rear, Only N N N Y4212166                                       |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| B - TRUCKS AND WAGONS (LINE)   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

SUNVISOR AND REAR VIEW MIRROR B 1,2,3  
Figure ITA-300

4375 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4084 481    | 2   |      |       | ARM and BRACKET N N N Y4084481                        |
| 2    |             |     |      |       | VISOR N N N N   |
|      | L559 BB5    | 2   |      |       | Blue N N N YL559BB5                                   |
|      | L559 BM6    | 2   |      |       | Red N N N YL559BM6                                    |
|      | L559 BL3    | 2   |      |       | Beige N N N YL559BL3                                  |
|      | L559 DT3    | 2   |      |       | Tan N N N YL559DT3                                    |
|      | L559 BX7    | 2   |      |       | Black N N N YL559BX7                                  |
| 3    | 4113 576    | AR  |      |       | COVER, Visor Mounting N N N Y4113576                  |
| 4    | 4082 199    | 1   |      |       | MIRROR, Rear View Prismatic 10" (1984) N N N Y4082199 |
|      | 4299 325    | 1   |      |       | MIRROR, Rear View Prismatic 10" (1985) N N N Y4299325 |
| 5    | 6031 094    | 1   |      |       | SCREW N N N Y6031094                                  |
| 6    | 4054 066    | 1   |      |       | BUTTON PACKAGE N N N Y4054066                         |
|      | 4293 039    | 1   |      |       | ADHESIVE, Rear View Mirror N N N Y4293039             |
| 7    |             |     |      |       | SUPPORT, Visor N N N N                                |
|      | L560 BB5    | 2   |      |       | Blue (Up To 3-25-85) N N N YL560BB5                   |
|      | L536 DB5    | 2   |      |       | Blue (After 3-25-85) N N N YL536DB5                   |
|      | L560 BM6    | 2   |      |       | Red (Up TO 1-23-85) N N N YL560BM6                    |
|      | L536 DM6    | 2   |      |       | Red (After 1-23-85) N N N YL536DM6                    |
|      | L560 BL3    | 2   |      |       | Beige N N N YL560BL3                                  |
|      | L560 CW3    | 2   |      |       | White (Up To 2-7-85) N N N YL560CW3                   |
|      | L536 DW3    | 2   |      |       | White (After 2-7-85) N N N YL536DW3                   |
|      | L560 BX9    | 2   |      |       | Black (Up To 3-6-85) N N N YL560BX9                   |
|      | L536 DX9    | 2   |      |       | Black (After 3-6-85) N N N YL536DX9                   |
|      | L560 DT3    | 2   |      |       | Tan (Up To 1-7-85) N N N YL560DT3                     |
|      | L560 DT5    | 2   |      |       | Tan (From 1-7-85 To 2-4-85) N N N YL560DT5            |
|      | L536 DT5    | 2   |      |       | Tan (After 2-4-85) N N N YL536DT5                     |
| 8    | 2789 037    | 2   |      |       | TIP, Visor Support N N N Y2789037                     |
| 9    | 1490 983    | 2   |      |       | CLIP, Visor N N N Y1490983                            |
| 10   | 3548 913    | 1   |      |       | SUPPORT, Visor N N N Y3548913                         |
| 11   |             | 2   |      |       | SCREW (8-18x1.0)(not serviced) N N N N                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

PANELS TRIM UPPER B 1,2,3  
Figure ITA-400

4375 400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | L778 BW3    | 1   |      |       | PANEL, Side Cargo Door Upper w/Sliding Door (white) (paint as required) N N N YL778BW3              |
| 2    | 4113 486    | 1   |      |       | PANEL, Side Cargo Door w/Sliding Door (black) (paint as required) N N N Y4113486                    |
| 3    | L564 BW3    | 1   |      |       | PANEL, Side Cargo Door w/Hinged Door (white) (paint as required) N N N YL564BW3                     |
|      | L654 BW3    | 1   |      |       | EXTENSION, Side Cargo Door (white) (paint as required) N N N YL654BW3                               |
| 4    | L561 BW3    | 1   |      |       | PANEL, Rear Cargo Door (white) (paint as required) N N N YL561BW3                                   |
|      | L654 BW3    | 1   |      |       | EXTENSION, Rear Cargo Door (white) (paint as required) N N N YL654BW3                               |
| 5    | L574-5 BW3  | 1   |      |       | PANEL, Rear Corner (white) (paint as required) (1984) N N N YL574BW3                                |
|      | L574-5 BW3  | 1   |      |       | PANEL, Rear Corner (white) (paint as required) (1985) Up To 10-1-84 N N N YL574BW3                  |
|      | L790-1 CW3  | 1   |      |       | PANEL, Rear Corner (white) (paint as required) (1985) After 10-1-84 N N N YL790CW3                  |
| 6    | L572-3 BW3  | 1   |      |       | PANEL, Rear Side w/127" Extended Wheel Base (white) (paint as required) N N N YL572BW3              |
| 7    | L568-9 BW3  | 1   |      |       | PANEL, Rear Side w/109" Wheel Base (white) (paint as required) (1984) N N N YL568BW3                |
|      | L568-9 BW3  | 1   |      |       | PANEL, Rear Side w/109" Wheel Base (white) (paint as required) (1985) Up To 7-1-85 N N N YL568BW3   |
|      | L788-9 CW3  | 1   |      |       | PANEL, Rear Side w/109" Wheel Base (white) (paint as required) (1985) After 7-1-85 N N N YL788CW3   |
| 8    | L570-1 BW3  | 1   |      |       | PANEL, Rear Side w/127" Wheel Base (white) (paint as required) (1984) N N N YL570BW3                |
|      | L570-1 BW3  | 1   |      |       | PANEL, Rear Side w/127" Wheel Base (white) (paint as required) (1985) Up To 11-12-84 N N N YL570BW3 |
|      | L786-7 CW3  | 1   |      |       | PANEL, Rear Side w/127" Wheel Base (white) (paint as required) (1985) After 11-12-84 N N N YL786CW3 |
| 9    | L781 BW3    | 1   |      |       | PANEL, Front Side (white) (paint as required) N N N YL781BW3  |
| 10   | 3685 992    | 1   |      |       | HOOK, Garment N N N Y3685992  |
|      | 9419 415    | 1   |      |       | SCREW, Garment Hook N N N Y9419415  |
| 11   | L530 BW3    | 1   |      |       | PANEL, Windshield Header (white) (paint as required) N N N N (Up To 1-7-85) N N N YL530BW3          |
|      | L533 DW3    | 1   |      |       | (After 1-7-85) N N N YL533DW3   |
| 12   | L528-9 BW3  | 1   |      |       | PANEL, Hinge Pillar (white) (paint as required) N N N YL528BW3                                      |
| 13   | L576-7 BW3  | 1   |      |       | PANEL, Door Header (white) (paint as required) N N N YL576BW3                                       |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL (TRUCK) 4X4  |                              |                   | (64) = 159" W.B. |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

PANELS TRIM LOWER B 1,2,3  
Figure ITA-500

4375 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                           |
|------|-------------|-----|------|-------|---------------------------------------|
| 1    |             |     |      |       | PANEL, Rear Corner Lower Left N N N N |
|      |             |     |      |       | Model Year 1984 N N N N               |
|      |             |     |      |       | w/109" and 127" Wheel Base N N N N    |
|      |             |     |      |       | (up to 11/23/83) N N N N              |
|      | L595 BB5    | 1   |      |       | Blue N N N YL595BB5                   |
|      | L595 BM6    | 1   |      |       | Red N N N YL595BM6                    |
|      | L595 BL3    | 1   |      |       | Beige N N N YL595BL3                  |
|      |             |     |      |       | (from 11/23/83 to 5/9/84) N N N N     |
|      | L771 CB5    | 1   |      |       | Blue N N N YL771CB5                   |
|      | L771 CM6    | 1   |      |       | Red N N N YL771CM6                    |
|      | L771 CL3    | 1   |      |       | Beige N N N YL771CL3                  |
|      |             |     |      |       | (after 5/9/84) N N N N                |
|      | L815 DB5    |     |      |       | Blue N N N YL815DB5                   |
|      | L815 DM6    |     |      |       | Red N N N YL815DM6                    |
|      | L815 CL3    |     |      |       | Beige N N N YL815CL3                  |
|      |             |     |      |       | Model Year 1985 N N N N               |
|      | L815 DB5    | 1   |      |       | Blue N N N YL815DB5                   |
|      | L815 DM6    | 1   |      |       | Red N N N YL815DM6                    |
|      | L815 DT3    | 1   |      |       | Tan N N N YL815DT3                    |
|      |             |     |      |       | Model Year 1984 N N N N               |
|      |             |     |      |       | w/127" Extension Wheel Base N N N N   |
|      |             |     |      |       | (up to 11/23/83) N N N N              |
|      | L597 BB5    | 1   |      |       | Blue N N N YL597BB5                   |
|      | L597 BM6    | 1   |      |       | Red N N N YL597BM6                    |
|      | L597 BL3    | 1   |      |       | Beige N N N YL597BL3                  |
|      |             |     |      |       | (from 11/23/83 to 5/9/84) N N N N     |
|      | L773 CB5    | 1   |      |       | Blue N N N YL773CB5                   |
|      | L773 CM6    | 1   |      |       | Red N N N YL773CM6                    |
|      | L773 CL3    | 1   |      |       | Beige N N N YL773CL3                  |
|      |             |     |      |       | (after 5/9/84) N N N N                |
|      | L817 DB5    |     |      |       | Blue N N N YL817DB5                   |
|      | L817 DM6    |     |      |       | Red N N N YL817DM6                    |
|      | L817 CL3    |     |      |       | Beige N N N YL817CL3                  |
|      |             | 1   |      |       | Model Year 1985 N N N N               |
|      | L817 DB5    | 1   |      |       | Blue N N N YL817DB5                   |
|      | L817 DM6    | 1   |      |       | Red N N N YL817DM6                    |
|      | L817 DT3    | 1   |      |       | Tan N N N YL817DT3                    |
| 2    |             |     |      |       | PANEL, Side Rear Lower Left N N N N   |
|      |             |     |      |       | Model Year 1984 N N N N               |
|      |             |     |      |       | w/109" Wheel Base N N N N             |
|      | L587 CB5    | 1   |      |       | Blue N N N YL587CB5                   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.

(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

|  |  |                   |                   |                  |                  |
|--|--|-------------------|-------------------|------------------|------------------|
|  | TRUCK (4X2)  | (12) = 127" W.B.  | (52) = 127" W.B.  | (62) = 131" W.B. | (83) = 165" W.B. |
|  | D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B. | (53) = 127X" W.B. | (63) = 135" W.B. |                  |
|  | D5,6,7 = CONVENTIONAL  |                   |                   | (64) = 159" W.B. |                  |
|  | (TRUCK) 4X4  |                   |                   |                  |                  |
|  | D8 = SPORT UTILITY (4X4)   |                   |                   |                  |                  |
|  | <b>5 - TANKS AND WAGONS (4X2)</b>  |                   |                   |                  |                  |
|  | AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                   |                   |                  |                  |

| MODEL CODES:   |                              |                   |                  |                  |                  |  |
|--|------------------------------|-------------------|------------------|------------------|------------------|--|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |  |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |  |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |  |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |  |
| <b>OPTIONAL PARTS AND ACCESSORIES (P.A.R.)</b>                           |                              |                   |                  |                  |                  |  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |  |

PANELS TRIM LOWER B 1,2,3  
Figure ITA-500

4375 500



| ITEM                    | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|-------------------------|-------------|-----|------|-------|--|
| Model Year 1985 N N N N |             |     |      |       |  |
|                         | L810 DB5    | 1   |      |       | Blue N N N YL810DB5  |
|                         | L810 DM6    | 1   |      |       | Red N N N YL810DM6   |
|                         | L810 DT3    | 1   |      |       | Tan N N N YL810DT3   |
|                         | 4084 328    | AR  |      |       | RETAINER N N N Y4084328  |
| 7                       | 4084 350    | AR  |      |       | RETAINER, Side Door Rear Vertical Right N N N Y4084350                 |
| 8                       | 1623 945    | AR  |      |       | FASTENER N N N Y1623945  |
|                         |             |     |      |       | PANEL, Extension Side Rear Left and Right w/Floor Mounted Tire N N N N |
| Model Year 1984 N N N N |             |     |      |       |  |
|                         | L590 BB5    | 1   |      |       | Blue N N N YL590BB5  |
|                         | L590 BM6    | 1   |      |       | Red N N N YL590BM6   |
|                         | L590 BL3    | 1   |      |       | Beige N N N YL590BL3   |
| Model Year 1985 N N N N |             |     |      |       |  |
|                         | L812 DB5    | 1   |      |       | Blue N N N YL812DB5  |
|                         | L812 DM6    | 1   |      |       | Red N N N YL812DM6   |
|                         | L812 DT3    | 1   |      |       | Tan N N N YL812DT3   |
| 9                       |             |     |      |       | PANEL, Lower Rear Corner Right N N N N                                 |
| Model Year 1984 N N N N |             |     |      |       |  |
|                         |             |     |      |       | w/109" and 127" Wheel Base N N N N                                     |
|                         |             |     |      |       | (up to 11/23/83) N N N N   |
|                         | L594 BB5    | 1   |      |       | Blue N N N YL594BB5  |
|                         | L594 BM6    | 1   |      |       | Red N N N YL594BM6   |
|                         | L594 BL3    | 1   |      |       | Beige N N N YL594BL3   |
|                         |             |     |      |       | (from 11/23/83 to 5/9/84) N N N N                                      |
|                         | L770 CB5    | 1   |      |       | Blue N N N YL770CB5  |
|                         | L770 CM6    | 1   |      |       | Red N N N YL770CM6   |
|                         | L770 CL3    | 1   |      |       | Beige N N N YL770CL3   |
|                         |             | 1   |      |       | (after 5/9/84) N N N N   |
|                         | L814 DB5    | 1   |      |       | Blue N N N YL814DB5  |
|                         | L814 DM6    | 1   |      |       | Red N N N YL814DM6   |
|                         | L814 CL3    | 1   |      |       | Beige N N N YL814CL3   |
| Model Year 1985 N N N N |             |     |      |       |  |
|                         | L814 DB5    | 1   |      |       | Blue N N N YL814DB5  |
|                         | L814 DM6    | 1   |      |       | Red N N N YL814DM6   |
|                         | L814 DT3    | 1   |      |       | Tan N N N YL814DT3   |
| Model Year 1984 N N N N |             |     |      |       |  |
|                         |             |     |      |       | w/127" Extension Wheel Base N N N N                                    |
|                         |             |     |      |       | (up to 11/23/83) N N N N   |
|                         | L596 BB5    | 1   |      |       | Blue N N N YL596BB5  |
|                         | L596 BM6    | 1   |      |       | Red N N N YL596BM6   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:

(82) = 149" W.B.


(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



# PANELS TRIM LOWER B 1,2,3 Figure ITA-500

4375 500



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
|  | L596 BL3    | 1   |      |       | Beige N N N YL596BL3<br>(from 11/23/83 to 5/9/84) N N N N            |
|  | L772 CB5    | 1   |      |       | Blue N N N YL772CB5  |
|  | L772 CM6    | 1   |      |       | Red N N N YL772CM6   |
|  | L772 CL3    | 1   |      |       | Beige N N N YL772CL3<br>(after 5/9/84) N N N N                       |
|  |             |     |      |       | Blue N N N NL816DB5  |
|  |             |     |      |       | Red N N N NL816DM6   |
|  |             |     |      |       | Beige N N N NL816CL3   |
|  |             |     |      |       | Model Year 1985 N N N N  |
|  | L816 DB5    | 1   |      |       | Blue N N N YL816DB5  |
|  | L816 DM6    | 1   |      |       | Red N N N YL816DM6   |
|  | L816 DT3    | 1   |      |       | Tan N N N YL816DT3   |
| 10   | L608 CB5    | AR  |      |       | CARPET, Fuel Filler Trim Panel N N N N                               |
|  | L608 CM6    | AR  |      |       | Blue N N N YL608CB5  |
|  | L608 CL3    | AR  |      |       | Red N N N YL608CM6   |
|  | L608 DT3    | AR  |      |       | Beige N N N YL608CL3   |
| 11   |             |     |      |       | PANEL, Side Lock Pillar (beige paint as required) N N N N            |
|  | L726 CL3    | 1   |      |       | Right, w/Hinged Center Doors N N N YL726CL3                          |
|  | L724 CL3    | 1   |      |       | Right, w/Sliding Doors N N N YL724CL3                                |
|  | L725 CL3    | 1   |      |       | Left, All N N N YL725CL3   |
| 12   | 4084 328    | 1   |      |       | RETAINER, w/127" and 127" Extension Wheel Base N N N Y4084328        |
| 13   | 4084 328    | 1   |      |       | RETAINER, All Wheel Bases N N N Y4084328                             |
| 14   | 4084 325    | 1   |      |       | RETAINER, Rear Corner All Wheel Bases N N N Y4084325                 |
| 15   | 4084 328    | 1   |      |       | RETAINER, w/127" Extension Wheel Base N N N Y4084328                 |
| 16   | 4084 328    | 1   |      |       | RETAINER, w/127" and 127" Extension Wheel Base N N N Y4084328        |
| 17   | 4084 328    | 2   |      |       | RETAINER, All Wheel Bases N N N Y4084328                             |
| 18   | 4084 328    | 2   |      |       | RETAINER, All Wheel Bases N N N Y4084328                             |
| 19   | 4211 634    | AR  |      |       | ASH RECEIVER and BEZEL N N N Y4211634                                |
| 20   |             | 2   |      |       | SCREW (3/4-18)(not serviced) N N N N                                 |
| 21   |             | 2   |      |       | NUT, Push On Flat Type (8-18) (not serviced) N N N N                 |
| 22   |             | AR  |      |       | SCREW (8-18x5/8)(not serviced) N N N N                               |
| 23   | 6031 536    | AR  |      |       | FASTENER N N N Y6031536  |
| The following parts not illustrated. s ARE NOT RETURNABLE. |             |     |      |       |  |
|  | 3762 861    | AR  |      |       | INSULATION (60"x72" material cut to fit) N N N Y3762861              |
|  | 4265 326-7  | AR  |      |       | INSULATION, Side Panel Wheelhouse, Front (heavy duty) N N N Y4265326 |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**PANELS TRIM LOWER B 1,2,3**  
**Figure ITA-500**


4375 500

[illegible]

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| <b><u>PAINTS AND FINISHES (P.A.R.)</u></b>                               |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

CARPETS, MATS AND SCUFF PLATES FRONT B 1,2,3  
Figure ITA-600

4379 600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | MAT, Drivers Side N N N N                                       |
|      | 4160 552    | 1   |      |       | (use w/Passenger Side Mat) N N N N                              |
|      | 4215 389    | 1   |      |       | w/Jute Back N N N Y4160552                                      |
|      |             |     |      |       | (use w/o Passenger Side Mat) N N N N                            |
|      |             |     |      |       | w/Jute Back N N N Y4215389                                      |
| 2    |             |     |      |       | MAT, Passenger Side N N N N                                     |
|      | 4118 018    | 1   |      |       | w/Jute Back N N N Y4118018                                      |
| 3    |             |     |      |       | CARPET, Drivers Side N N N N                                    |
|      | L504 BC7    | 1   |      |       | Blue N N N YL504BC7   |
|      | L504 BM6    | 1   |      |       | Red N N N YL504BM6  |
|      | L504 BT9    | 1   |      |       | Brown N N N YL504BT9  |
|      | L504 DT5    | 1   |      |       | Tan N N N YL504DT5  |
|      | 4356 133    | 1   |      |       | PAD, Center Floor Pan Insulating (22" x 60") N N N Y4356133     |
|      | 4356 132    | 1   |      |       | PAD, Front Floor Pan Insulating (12" x 19") N N N Y4356132      |
|      | 2292 474    | 1   |      |       | GROMMET, Dimmer Switch N N N Y2292474                           |
| 4    |             |     |      |       | CARPET, Passenger Side N N N N                                  |
|      | L505 BC7    | 1   |      |       | Blue N N N YL505BC7   |
|      | L505 BM6    | 1   |      |       | Red N N N YL505BM6  |
|      | L505 BT9    | 1   |      |       | Brown N N N YL505BT9  |
|      | L505 DT5    | 1   |      |       | Tan N N N YL505DT5  |
| 5    |             | 1   |      |       | SCUFF PLATE, Side Step Sill N N N N                             |
|      | 4087 026    | 1   |      |       | Rt. N N N Y4087026  |
|      | 4087 027    | 1   |      |       | Lt. (Up To 2-4-85) N N N Y4087027                               |
|      | 4356 087    | 1   |      |       | Lt. (After 2-4-85) N N N Y4356087                               |
| 6    | 4166 898-9  | 1   |      |       | SCUFF PAD, Stepwell N N N Y4166898                              |
| 7    | 6000 936    | AR  |      |       | RETAINER, Carpet and Mat N N N Y6000936                         |
|      | 4118 184    | 1   |      |       | RETAINER, Carpet and Mat Passenger Side with A/C N N N Y4118184 |
|      | 0153 459    | 3   |      |       | SCREW, Carpet and Mat Passenger Side with A/C N N N Y153459     |
|      |             |     |      |       | MAT, Accessory Set N N N N                                      |
|      | L509 BC7    | 1   |      |       | Blue N N N YL509BC7   |
|      | L509 BM6    | 1   |      |       | Red N N N YL509BM6  |
|      | L509 BT9    | 1   |      |       | Brown N N N YL509BT9  |
|      | L509 DT5    | 1   |      |       | Tan N N N YL509DT5  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**CARPETS, MATS AND SCUFF PLATES REAR B 1,2,3**  
**Figure ITA-700**

4373 700B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | MAT, Rear Floor N N N N  |
|      | 4161 510    | 1   |      |       | Standard w/127" Wheel Base N N N N<br>w/Deluxe Rubber All Wheel Bases w/Sliding Door (black) N N<br>N Y4161510 |
|      | 4161 505    | 1   |      |       | All Wheel Bases w/Hinged Doors (black) N N N Y4161505  |
| 2    |             |     |      |       | MAT, Rear Floor Rear N N N N   |
|      | 4161 514    | 1   |      |       | w/109" Wheel Base (black) N N N Y4161514   |
|      | 4161 518    | 1   |      |       | w/127" Wheel Base (black) N N N Y4161518   |
|      | 4215 455    | 1   |      |       | w/127" Extension Wheel Base (black) N N N Y4215455   |
| 3    | 4081 632    | 1   |      |       | MAT, Rear Floor Rear Extension w/127" Wheel Base (black) N N<br>N Y4081632                                     |
| 4    |             |     |      |       | MAT, Wheelhouse Rear N N N N   |
|      | 4087 208    | 2   |      |       | Wagon N N N Y4087208   |
|      | L514 BC7    | 2   |      |       | CARPET, Side Wheelhouse Rear N N N N<br>Blue N N N YL514BC7  |
|      | L514 BM6    | 2   |      |       | Red N N N YL514BM6   |
|      | L514 BT9    | 2   |      |       | Brown N N N YL514BT9   |
|      | L514 DT5    | 2   |      |       | Tan N N N YL514DT5   |
| 5    |             |     |      |       | CARPET, Rear Floor N N N N   |
|      | L521 BC7    | 2   |      |       | w/109" Wheel Base N N N N<br>w/Hinged Center Doors N N N N<br>Blue N N N YL521BC7                              |
|      | L521 BM6    | 1   |      |       | Red N N N YL521BM6   |
|      | L521 BT9    | 1   |      |       | Brown N N N YL521BT9   |
|      | L521 DT5    | 1   |      |       | Tan N N N YL521DT5   |
|      | L522 BC7    | 1   |      |       | w/Sliding Door N N N N<br>Blue N N N YL522BC7  |
|      | L522 BM6    | 1   |      |       | Red N N N YL522BM6   |
|      | L522 BT9    | 1   |      |       | Brown N N N YL522BT9   |
|      | L522 DT5    | 1   |      |       | Tan N N N YL522DT5   |
|      | L515 BC7    | 1   |      |       | w/127" Wheel Base N N N N<br>w/Hinged Center Doors N N N N<br>Blue N N N YL515BC7                              |
|      | L515 BM6    | 1   |      |       | Red N N N YL515BM6   |
|      | L515 BT9    | 1   |      |       | Brown N N N YL515BT9   |
|      | L515 DT5    | 1   |      |       | Tan N N N YL515DT5   |
|      | L516 BC7    | 1   |      |       | w/Sliding Door N N N N<br>Blue N N N YL516BC7  |
|      | L516 BM6    | 1   |      |       | Red N N N YL516BM6   |
|      | L516 BT9    | 1   |      |       | Brown N N N YL516BT9   |
|      | L516 DT5    | 1   |      |       | Tan N N N YL516DT5   |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.

**CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**CARPETS, MATS AND SCUFF PLATES REAR B 1,2,3**  
**Figure ITA-700**

4373 700B



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | w/127" Extension Wheel Base N N N N   |
|      |             |     |      |       | w/Hinged Center Doors N N N N   |
|      | L517 BC7    | 1   |      |       | Blue N N N YL517BC7   |
|      | L517 BM6    | 1   |      |       | Red N N N YL517BM6  |
|      | L517 BT9    | 1   |      |       | Brown N N N YL517BT9  |
|      | L517 DT5    | 1   |      |       | Tan N N N YL517DT5  |
|      |             |     |      |       | w/Sliding Door N N N N  |
|      | L518 BC7    | 1   |      |       | Blue N N N YL518BC7   |
|      | L518 BM6    | 1   |      |       | Red N N N YL518BM6  |
|      | L518 BT9    | 1   |      |       | Brown N N N YL518BT9  |
|      | L518 DT5    | 1   |      |       | Tan N N N YL518DT5  |
|      | 3762 862    | AR  |      |       | INSULATION, Rear Carpet Front w/127" and 127" Extension Wheel Base (36"x72" Material cut to fit) N N N Y3762862 |
|      | 3762 861    | AR  |      |       | INSULATION, Rear Carpet Front w/109" Wheel Base (60"x72" Material cut to fit) N N N Y3762861                    |
|      | 4356 132    | AR  |      |       | PAD, Front Floor Pan (w/o Catalyst) N N N Y4356132  |
|      | 4356 133    | AR  |      |       | PAD, Center Floor Pan (w/o Catalyst) N N N Y4356133   |
| 6    |             |     |      |       | SCUFF PLATE, Rear Floor Side Door N N N N   |
|      | 4083 994    | 1   |      |       | w/109" Wheel Base N N N Y4083994  |
|      | 4083 995    | 1   |      |       | Wagon w/127" and 127" Extension N N N Y4083995  |
| 7    | 3495 768    | 1   |      |       | SCUFF PLATE, Rear Door Wagon N N N Y3495768   |
| 8    | 3731 412    | 1   |      |       | SCUFF PLATE, Side Front w/Sliding Door N N N Y3731412   |
| 9    | 3731 413    | 1   |      |       | SCUFF PLATE, Side Center w/Sliding Door N N N Y3731413  |
| 10   | 3731 414    | 1   |      |       | SCUFF PLATE, Side Rear w/Sliding Door N N N Y3731414  |
| 11   | 4083 899    | 1   |      |       | SCUFF PLATE, Side Rear Extension w/Sliding Door N N N Y4083899  |
| 12   |             |     |      |       | SCUFF PAD, Side Step Panel (black) N N N N  |
|      | 4166 893    | 1   |      |       | w/Sliding Door N N N Y4166893   |
|      | 4113 902    | 1   |      |       | w/Hinged Doors N N N Y4113902   |
| 13   |             |     |      |       | COVER, Spare Wheel N N N N  |
|      | L609 BB5    | 1   |      |       | Blue N N N YL609BB5   |
|      | L609 BL3    | 1   |      |       | Beige N N N YL609BL3  |
|      | L609 BM6    | 1   |      |       | Red N N N YL609BM6  |
|      | L609 DT3    | 1   |      |       | Tan N N N YL609DT3  |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR TRIM PANEL FRONT AND CARGO B 1,2,3  
Figure ITA-800


4375 B00



SLIDING SIDE CARGO DOOR



SINGLE REAR CARGO DOOR




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 1623 945    | AR  |      |       | FASTENER, Panel N N N Y1623945   |
| 2    |             |     |      |       | PROTECTOR N N N N<br>1984 N N N N<br>Upper Frt. N N N Y4084358<br>Lower Frt. N N N Y4084359  |
|      | 4084 358    | 1   |      |       |  |
|      | 4084 359    | 1   |      |       |  |
|      | 4084 363    | 2   |      |       | Rear N N N Y4084363<br>1985 N N N N<br>N N N YL666EK1  |
|      | L666 EK1    | 2   |      |       |  |
| 3    |             |     |      |       | PANEL, w/Single Rear Door N N N N<br>Model Year 1984 N N N N<br>Blue N N N YL649BB5<br>Red N N N YL649BM6<br>Beige N N N YL649BL3  |
|      | L649 BB5    | 1   |      |       |  |
|      | L649 BM6    | 1   |      |       |  |
|      | L649 BL3    | 1   |      |       |  |
|      |             |     |      |       | Model Year 1985 N N N N<br>Blue N N N YL805DB5<br>Red N N N YL805DM6<br>Tan N N N YL805DT3   |
|      | L805 DB5    | 1   |      |       |  |
|      | L805 DM6    | 1   |      |       |  |
|      | L805 DT3    | 1   |      |       |  |
| 4    | 1623 945    | AR  |      |       | FASTENER, Panel N N N Y1623945   |
| 5    |             |     |      |       | PANEL, Side Cargo Hinged Door N N N N<br>Model Year 1984 N N N N<br>FRONT N N N N<br>Blue N N N YL650BB5<br>Red N N N YL650BM6<br>Beige N N N YL650BL3<br>REAR N N N N<br>Blue N N N NL651BB5<br>Red N N N NL651BM6<br>Beige N N N NL651BL3<br>Model Year 1985 N N N N<br>FRONT N N N N<br>Blue (Up To 4-1-85) N N N YL803DB5<br>Blue (After 4-1-85) N N N YL828DB5<br>Red (Up To 4-1-85) N N N YL803DM6<br>Red (After 4-1-85) N N N YL828DM6<br>Tan (Up To 4-1-85) N N N YL803DT3<br>Tan (After 4-1-85) N N N YL828DT3<br>REAR N N N N<br>Blue N N N YL804DB5<br>Red N N N YL804DM6<br>Tan N N N YL804DT3 |
|      | L650 BB5    | 1   |      |       |  |
|      | L650 BM6    | 1   |      |       |  |
|      | L650 BL3    | 1   |      |       |  |
|      |             | 1   |      |       |  |
|      |             | 1   |      |       |  |
|      |             | 1   |      |       |  |
|      | L803 DB5    | 1   |      |       |  |
|      | L828 DB5    | 1   |      |       |  |
|      | L803 DM6    | 1   |      |       |  |
|      | L828 DM6    | 1   |      |       |  |
|      | L803 DT3    | 1   |      |       |  |
|      | L828 DT3    | 1   |      |       |  |
|      | L804 DB5    | 1   |      |       |  |
|      | L804 DM6    | 1   |      |       |  |
|      | L804 DT3    | 1   |      |       |  |
|      | 6031 551    | AR  |      |       | CLIP, Side and Rear Cargo Doors N N N Y6031551   |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |


# DOOR TRIM PANEL FRONT AND CARGO B 1,2,3

## Figure ITA-800


4375 B00



SLIDING SIDE CARGO DOOR



SINGLE REAR CARGO DOOR



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      |             |     |      |       | PANEL, Rear Cargo Doors Hinged N N N N             |
|      |             |     |      |       | Model Year 1984 N N N N                            |
|      | L646-7 BB5  | 1   |      |       | Blue N N N YL646BB5                                |
|      | L646-7 BM6  | 1   |      |       | Red N N N YL646BM6                                 |
|      | L646-7 BL3  | 1   |      |       | Beige N N N YL646BL3                               |
|      |             |     |      |       | Model Year 1985 N N N N                            |
|      | L806 DB5    | 1   |      |       | Blue (Up To 4-1-85) Rt. N N N YL806DB5             |
|      | L826 DB5    | 1   |      |       | Blue (After 4-1-85) Rt. N N N YL826DB5             |
|      | L807 DB5    | 1   |      |       | Blue Lt. N N N YL807DB5                            |
|      | L806 DM6    | 1   |      |       | Red (Up TO 4-1-85) Rt. N N N YL806DM6              |
| 6    | L826 DM6    | 1   |      |       | Red (After 4-1-85) Rt. N N N YL826DM6              |
|      | L807 DM6    | 1   |      |       | Red Lt. N N N YL807DM6                             |
|      | L806 DT3    | 1   |      |       | Tan ( Up To 4-1-85) Rt. N N N YL806DT3             |
|      | L826 DT3    | 1   |      |       | Tan ( After 4-1-85) Rt. N N N YL826DT3             |
|      | L807 DT3    | 1   |      |       | Tan Lt. N N N YL807DT3                             |
|      |             |     |      |       | PANEL, Door N N N N                                |
|      |             |     |      |       | Model Year 1984 N N N N                            |
|      | L630-1 BB5  | 1   |      |       | Blue (Up To 2/27/84) N N N YL630BB5                |
|      | L752-3 CB5  | 1   |      |       | Blue (After 2/27/84) N N N YL752CB5                |
|      | L630-1 BM6  | 1   |      |       | Red (Up To 2/27/84) N N N YL630BM6                 |
|      | L752-3 CM6  | 1   |      |       | Red (After 2/27/84) N N N YL752CM6                 |
|      | L630-1 BL3  | 1   |      |       | Beige (Up To 2/27/84) N N N YL630BL3               |
|      | L752-3 CL3  | 1   |      |       | Beige (After 2/27/84) N N N YL752CL3               |
|      | L630-1 CX7  | 1   |      |       | Black (Up To 3/5/84) N N N YL630CX7                |
|      | L752-3 CX7  | 1   |      |       | Black (After 3-5-84) N N N YL752CX7                |
|      |             |     |      |       | Model Year 1985 N N N N                            |
|      | L800-1 DB5  | 1   |      |       | Blue N N N YL800DB5                                |
|      | L800-1 DM6  | 1   |      |       | Red N N N YL800DM6                                 |
|      | L800-1 DT3  | 1   |      |       | Tan N N N YL800DT3                                 |
|      | L800-1 DX7  | 1   |      |       | Black N N N YL800DX7                               |
| 7    | 6031 551    | AR  |      |       | CLIP N N N Y6031551                                |
|      |             |     |      |       | PANEL, Cargo N N N N                               |
|      |             |     |      |       | Model Year 1984 N N N N                            |
|      | L648 BB5    | 1   |      |       | Blue N N N YL648BB5                                |
|      | L648 BM6    | 1   |      |       | Red N N N YL648BM6                                 |
|      | L648 BL3    | 1   |      |       | Beige N N N YL648BL3                               |
|      |             |     |      |       | Model Year 1985 N N N N                            |
|      | L802 DB5    | 1   |      |       | Blue N N N YL802DB5                                |
|      | L802 DM6    | 1   |      |       | Red N N N YL802DM6                                 |
|      | L802 DT3    | 1   |      |       | Tan N N N YL802DT3                                 |
| 8    |             |     |      |       | HANDLE, Pull Front and Sliding Cargo Doors N N N N |

### MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.


AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR TRIM PANEL FRONT AND CARGO B 1,2,3  
Figure ITA-800


4375 B00



SLIDING SIDE CARGO DOOR



SINGLE REAR CARGO DOOR



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | L644 BB5    | 1   |      |       | Blue N N N YL644BB5  |
|      | L644 BM6    | 1   |      |       | Red N N N YL644BM6   |
|      | L644 BL3    | 1   |      |       | Beige N N N YL644BL3                                       |
|      | L644 DT3    | 1   |      |       | Tan N N N YL644DT3   |
| 9    | 6032 451    | 2   |      |       | SCREW, Pull Handle N N N Y6032451                          |
|      | 4265 329    | AR  |      |       | INSULATION, Cargo Door N N N Y4265329                      |
| 10   | 4084 344    | 1   |      |       | COVER, Front Door Lock Handle N N N Y4084344               |
| 11   |             |     |      |       | BOLSTER, Door Trim Panel N N N N                           |
|      | L706-7 BB5  | 1   |      |       | Blue N N N YL706BB5  |
|      | L706-7 BM6  | 1   |      |       | Red N N N YL706BM6   |
|      | L706-7 BL3  | 1   |      |       | Beige N N N YL706BL3                                       |
|      | L706-7 DT3  | 1   |      |       | Tan N N N YL706DT3   |
|      | 6031 551    | 2   |      |       | CLIP N N N Y06031551                                       |
| 12   |             |     |      |       | CARPET, Roll Stock 54" Wide Order by the Inch N N N N      |
|      | R113 CB5    | AR  |      |       | Blue N N N YR113CB5  |
|      | R113 TM6    | AR  |      |       | Red N N N YR113TM6   |
|      | R113 BL3    | AR  |      |       | Beige N N N YR113BL3                                       |
|      | R113 DT3    | AR  |      |       | Tan N N N YR113DT3   |
|      | R113 RX9    | AR  |      |       | Black N N N YR113RX9                                       |
| 13   |             |     |      |       | BASE, Armrest N N N N                                      |
|      | L638 EK1    | 2   |      |       | Almond (paint as required) N N N YL638EK1                  |
|      | 3734 764    | 2   |      |       | Bright N N N Y3734764                                      |
| 14   |             |     |      |       | PAD and PLATE, Armrest N N N N                             |
|      | L637 BB5    | 2   |      |       | Blue N N N YL637BB5  |
|      | L637 BM6    | 2   |      |       | Red N N N YL637BM6   |
|      | L637 BL3    | 2   |      |       | Beige N N N YL637BL3                                       |
|      | L637 BX9    | 1   |      |       | Black N N N YL637BX9                                       |
|      | L637 DT3    | 1   |      |       | Tan N N N YL637DT3   |
| 15   |             | 2   |      |       | SCREW (1/4-14x2)(not serviced) N N N N                     |
| 16   | L718 CW3    | AR  |      |       | COVER, Latch Hole White (paint as required) N N N YL718CW3 |
|      | 4264 128    | AR  |      |       | RETAINER N N N Y4264128                                    |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SEAT FRONT B 1,2,3 TRIM CODE A8  
Figure ITA-900

4375 900




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | CUSHION and BACK, w/Spring/Frame, Pad and Cover N N N N |
|      | L117 C8L       | 2   |      |       | N N NA8L YL117C8L                                       |
|      | L117 C8X       | 2   |      |       | N N NA8X YL117C8X                                       |
|      | L117 D8T       | 2   |      |       | N N NA8T YL117D8T                                       |
| 2    |                |     |      |       | COVER, Cushion N N N N                                  |
|      |                |     |      |       | (up to 1/16/84) N N N N                                 |
|      | L056 B8L       | 2   |      |       | N N NA8L YL056B8L                                       |
|      | L056 B8X       | 2   |      |       | N N NA8X YL056B8X                                       |
|      |                |     |      |       | (after 1/16/84) N N N N                                 |
|      | L116 C8L       | 2   |      |       | N N NA8L YL116C8L                                       |
| 3    | L116 C8X       | 2   |      |       | N N NA8X YL116C8X                                       |
|      | L116 D8T       | 2   |      |       | N N NA8T YL116D8T                                       |
|      |                |     |      |       | COVER, Back N N N N                                     |
|      | L055 B8L       | 2   |      |       | N N NA8L YL055B8L                                       |
|      | L055 B8X       | 2   |      |       | N N NA8X YL055B8X                                       |
|      | L055 D8T       | 2   |      |       | N N NA8T YL055D8T                                       |
| 4    |                |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N   |
|      | R615 BL3       | AR  |      |       | Beige N N NA8L YR615BL3                                 |
|      | R615 DT3       | AR  |      |       | Tan N N NA8T YR615DT3                                   |
|      | R615 CX7       | AR  |      |       | Black N N NA8X YR615CX7                                 |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = VANS AND WAGONS (4X2)  |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

**SEAT FRONT B 1,2,3 TRIM CODE C6,G5**  
**Figure ITA-1000**

4375 1000



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CUSHION and BACK, w/Spring/Frame, Pad and Cover N N N N |
|      | L037 B6B    | 2   |      |       | N N NC6B YL037B6B                                       |
|      | L037 B6M    | 2   |      |       | N N NC6M YL037B6M                                       |
|      | L037 B6L    | 2   |      |       | N N NC6L YL037B6L                                       |
|      | L037 D6T    | 2   |      |       | N N NC6T YL037D6T                                       |
|      | L008 C5C    | 2   |      |       | Model Year 1984 N N N N<br>N N NG5B YL008C5C            |
|      | L008 C5M    | 2   |      |       | N N NG5M YL008C5M                                       |
|      | L008 C5T    | 2   |      |       | N N NG5L YL008C5T                                       |
|      | L124 D5B    | 2   |      |       | Model Year 1985 N N N N<br>N N NG5B YL124D5B            |
|      | L124 D5M    | 2   |      |       | N N NG5M YL124D5M                                       |
|      | L124 D5T    | 2   |      |       | N N NG5T YL124D5T                                       |
| 2    |             |     |      |       | COVER, Cushion N N N N                                  |
|      | L038 B6B    | 2   |      |       | N N NC6B YL038B6B                                       |
|      | L038 B6M    | 2   |      |       | N N NC6M YL038B6M                                       |
|      | L038 B6L    | 2   |      |       | N N NC6L YL038B6L                                       |
|      | L038 D6T    | 2   |      |       | N N NC6T YL038D6T                                       |
|      | L022 C5C    | 2   |      |       | Model Year 1984 N N N N<br>N N NG5B YL022C5C            |
|      | L022 C5M    | 2   |      |       | N N NG5M YL022C5M                                       |
|      | L022 C5T    | 2   |      |       | N N NG5L YL022C5T                                       |
|      | L159 D5B    | 2   |      |       | Model Year 1985 N N N N<br>N N NG5B YL159D5B            |
|      | L159 D5M    | 2   |      |       | N N NG5M YL159D5M                                       |
|      | L159 D5T    | 2   |      |       | N N NG5T YL159D5T                                       |
| 3    |             |     |      |       | COVER, Back N N N N                                     |
|      | L039 B6B    | 2   |      |       | N N NC6B YL039B6B                                       |
|      | L039 B6M    | 2   |      |       | N N NC6M YL039B6M                                       |
|      | L039 B6L    | 2   |      |       | N N NC6L YL039B6L                                       |
|      | L039 D6T    | 2   |      |       | N N NC6T YL039D6T                                       |
|      | L021 C5C    | 2   |      |       | Model Year 1984 N N N N<br>N N NG5B YL021C5C            |
|      | L021 C5M    | 2   |      |       | N N NG5M YL021C5M                                       |
|      | L021 C5T    | 2   |      |       | N N NG5L YL021C5T                                       |
|      | L160 D5B    | 2   |      |       | Model Year 1985 N N N N<br>N N NG5B YL160D5B            |
|      | L160 D5M    | 2   |      |       | N N NG5M YL160D5M                                       |
|      | L160 D5T    | 2   |      |       | N N NG5T YL160D5T                                       |
| 4    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N   |
|      | R629 CB5    | AR  |      |       | Blue N N NC6B,G5B YR629CB5                              |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT FRONT B 1,2,3 TRIM CODE C6,G5  
Figure ITA-1000

4375 1000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                             |
|------|-------------|-----|------|-------|---|
| 5    | R629 CM6    | AR  |      |       | Red N N NC6M,G5M YR629CM6               |
|      | R629 CL3    | AR  |      |       | Beige N N NC6L,G5L YR629CL3             |
|      | R629 DT3    | AR  |      |       | Tan N N NC6T,G5T YR629DT3               |
|      |             |     |      |       | ARMREST and COVER N N N N               |
|      |             |     |      |       | Drivers Side Right N N N N              |
|      | L002 BB5    | 1   |      |       | N N NC6B,G5B YL002BB5                   |
|      | L002 BM6    | 1   |      |       | N N NC6M,G5M YL002BM6                   |
|      | L002 BL3    | 1   |      |       | N N NC6L,G5L YL002BL3                   |
|      | L002 DT3    | 1   |      |       | N N NC6T,G5T YL002DT3                   |
|      |             |     |      |       | Passenger Side Left N N N N             |
| 6    | L003 BB5    | 1   |      |       | N N NC6B,G5B YL003BB5                   |
|      | L003 BM6    | 1   |      |       | N N NC6M,G5M YL003BM6                   |
|      | L003 BL3    | 1   |      |       | N N NC6L,G5L YL003BL3                   |
| 7    | L003 DT3    | 1   |      |       | N N NC6T,G5T YL003DT3                   |
|      | 4106 520    | 1   |      |       | ATTACHING PARTS, Armrest N N N Y4106520 |
|      | 6031 117    | 2   |      |       | SCREW (5/16-18x1) N N N Y6031117        |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| D = VANS AND WAGONS (4X2)  |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |

**SEAT FRONT B 1,2,3 TRIM CODE P5,R5**  
**Figure ITA-1100**

4379 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CUSHION and BACK, w/Spring/Frame, Pad and Cover N N N N |
|      | L010-1 C5B  | 1   |      |       | N N NP5B YL010C5B                                       |
|      | L010-1 C5M  | 1   |      |       | N N NP5M YL010C5M                                       |
|      | L010-1 C5L  | 1   |      |       | N N NP5L YL010C5L                                       |
| 2    |             |     |      |       | COVER, Cushion N N N N                                  |
|      | L036 C5B    | 2   |      |       | N N NP5B YL036C5B                                       |
|      | L036 C5M    | 2   |      |       | N N NP5M YL036C5M                                       |
|      | L036 C5L    | 2   |      |       | N N NP5L YL036C5L                                       |
| 3    |             |     |      |       | COVER, Back N N N N                                     |
|      | L035 C5B    | 2   |      |       | N N NP5B YL035C5B                                       |
|      | L035 C5M    | 2   |      |       | N N NP5M YL035C5M                                       |
|      | L035 C5L    | 2   |      |       | N N NP5L YL035C5L                                       |
| 4    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N   |
|      | R629 CB5    | AR  |      |       | Blue N N NP5B,R5B YR629CB5                              |
|      | R629 CM6    | AR  |      |       | Red N N NP5M,R5M YR629CM6                               |
|      | R629 CL3    | AR  |      |       | Beige N N NP5L YR629CL3                                 |
|      | R629 DT3    | AR  |      |       | Tan N N NR5T YR629DT3                                   |
| 5    |             |     |      |       | ARMREST and COVER N N N N                               |
|      | L002 BB5    | 1   |      |       | Drivers Seat Right N N N N                              |
|      | L002 BM6    | 1   |      |       | N N NP5B,R5B YL002BB5                                   |
|      | L002 BL3    | 1   |      |       | N N NP5L YL002BL3                                       |
|      | L002 DT3    | 1   |      |       | N N NR5T YL002DT3                                       |
|      | L003 BB5    | 1   |      |       | Passenger Seat Left N N N N                             |
|      | L003 BM6    | 1   |      |       | N N NP5B,R5B YL003BB5                                   |
|      | L003 BL3    | 1   |      |       | N N NP5M,R5M YL003BM6                                   |
|      | L003 BL3    | 1   |      |       | N N NP5L YL003BL3                                       |
|      | L003 DT3    | 1   |      |       | N N NR5T YL003DT3                                       |
| 6    | 4106 520    | 1   |      |       | ATTACHING PARTS, Armrest N N N Y4106520                 |
| 7    | 6031 117    | 2   |      |       | SCREW N N N Y6031117                                    |
| 8    |             |     |      |       | CUSHION and BACK, w/Spring/Frame, Pad and Cover N N N N |
|      | L192-3 D5B  | 1   |      |       | (Material Sample Required) N N NR5B YL192D5B            |
|      | L192-3 DBB  | 1   |      |       | (Material Sample Required) N N NR5B YL192DBB            |
|      | L192-3 D5M  | 1   |      |       | (Material Sample Required) N N NR5M YL192D5M            |
|      | L192-3 DMM  | 1   |      |       | (Material Sample Required) N N NR5M YL192DMM            |
|      | L192-3 D5T  | 1   |      |       | N N NR5T YL192D5T                                       |
| 9    |             |     |      |       | COVER, Cushion N N N N                                  |
|      | L173 D5B    | 2   |      |       | (Material Sample Required) N N NR5B YL173D5B            |
|      | L173 DBB    | 2   |      |       | (Material Sample Required) N N NR5B YL173DBB            |
|      | L173 D5M    | 2   |      |       | (Material Sample Required) N N NR5M YL173D5M            |
|      | L173 DMM    | 2   |      |       | (Material Sample Required) N N NR5M YL173DMM            |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 10   | L173 D5T    | 2   |      |       | N N NR5T YL173D5T                            |
|      |             |     |      |       | COVER, Back N N N N                          |
|      | L196-7 D5B  | 2   |      |       | (Material Sample Required) N N NR5B YL196D5B |
|      | L196-7 DBB  | 2   |      |       | (Material Sample Required) N N NR5B YL196DBB |
|      | L196-7 D5M  | 2   |      |       | (Material Sample Required) N N NR5M YL196D5M |
|      | L196-7 DMM  | 2   |      |       | (Material Sample Required) N N NR5M YL196DMM |
|      | L196-7 D5T  | 2   |      |       | N N NR5T YL196D5T                            |




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.



# BELTS SEAT FRONT B 1,2,3 Figure ITA-1200

4375 1200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | BELT, Shoulder Tip Half Drivers Side N N N N |
|      | L731 CB5    | 1   |      |       | Label Number 4265243 N N N N                 |
|      | L731 DCB    | 1   |      |       | Blue (Up To 12-10-84) N N N YL731CB5         |
|      | L731 CM6    | 1   |      |       | Blue (After 12-10-84) N N N YL731DCB         |
|      | L731 CL3    | 1   |      |       | Red N N N YL731CM6                           |
|      | L731 CX9    | 1   |      |       | Beige N N N YL731CL3                         |
|      | L731 DT3    | 1   |      |       | Black N N N YL731CX9                         |
|      | L731 DTT    | 1   |      |       | Tan (Up To 12-10-84) N N N YL731DT3          |
|      |             |     |      |       | Tan (After 12-10-84) N N N YL731DTT          |
|      |             |     |      |       | Passenger Side w/Hinged Cargo Doors N N N N  |
|      | L734 CB5    | 1   |      |       | Label Number 4265245 N N N N                 |
|      | L734 DCB    | 1   |      |       | Blue (Up To 12-10-84) N N N YL734CB5         |
|      | L734 CM6    | 1   |      |       | Blue (After 12-10-84) N N N YL734DCB         |
|      | L734 CL3    | 1   |      |       | Red N N N YL734CM6                           |
|      | L734 CX9    | 1   |      |       | Beige N N N YL734CL3                         |
|      | L734 DT3    | 1   |      |       | Black N N N YL734CX9                         |
|      | L734 DTT    | 1   |      |       | Tan (Up To 12-10-84) N N N YL734DT3          |
|      |             |     |      |       | Tan (After 12-10-84) N N N YL734DTT          |
|      |             |     |      |       | Passenger Side w/Sliding Cagro Door N N N N  |
|      | L732 CB5    | 1   |      |       | Label Number 4265244 N N N N                 |
|      | L732 DCB    | 1   |      |       | Blue (Up To 12-10-84) N N N YL732CB5         |
|      | L732 CM6    | 1   |      |       | Blue (After 12-10-84) N N N YL732DCB         |
|      | L732 CL3    | 1   |      |       | Red N N N YL732CM6                           |
|      | L732 CX9    | 1   |      |       | Beige N N N YL732CL3                         |
|      | L732 DT3    | 1   |      |       | Black N N N YL732CX9                         |
|      | L732 DTT    | 1   |      |       | Tan (Up To 12-10-84) N N N YL732DT3          |
|      |             |     |      |       | Tan (After 12-10-84) N N N YL732DTT          |
| 2    |             |     |      |       | BELT, Lap Buckle Half N N N N                |
|      | L684-5 BB5  | 1   |      |       | Label Number 4263876-7 N N N N               |
|      | L684-5 DC7  | 1   |      |       | Blue (Up To 12-10-84) N N N YL684BB5         |
|      | L684-5 BM6  | 1   |      |       | Blue (After 12-10-84) N N N YL684DC7         |
|      | L684-5 BL3  | 1   |      |       | Red N N N YL684BM6                           |
|      | L684-5 BX9  | 1   |      |       | Beige N N N YL684BL3                         |
|      | L684-5 DT3  | 1   |      |       | Black N N N YL684BX9                         |
|      | L684-5 DT5  | 1   |      |       | Tan (Up To 12-10-84) N N N YL684DT3          |
|      | 3493 928    | AR  |      |       | Tan (After 12-10-84) N N N YL684DT5          |
|      |             |     |      |       | BRACKET, Buckle Stowage N N N Y3493928       |
| 3    |             |     |      |       | BOLT, Shoulder N N N N                       |
|      | 6031 373    | AR  |      |       | w/Sliding Door Right N N N Y6031373          |
|      | 6031 462    | AR  |      |       | w/o Sliding Door Right N N N Y6031462        |
|      | 6031 462    | AR  |      |       | w/or w/o Sliding Door Left N N N Y6031462    |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BELTS SEAT FRONT B 1,2,3  
Figure ITA-1200

4375 1200





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 4    |             | 8   |      |       | SCREW (10-6x.67) (not serviced) N N N N   |
| 5    | 6031 218    | 2   |      |       | BOLT N N N Y6031218   |
| 6    | 6031 462    | 2   |      |       | BOLT N N N Y6031462   |
| 7    | 4265 242    | 1   |      |       | PLUG, Tension Release Mounting Hole N N N Y4265242                                |
| 8    | 4327 714-5  | 1   |      |       | STRIKER, Tension Release Button N N N Y4327714                                    |
| 9    |             |     |      |       | DOOR (reference) N N N N  |
| 10   |             | AR  |      |       | WASHER, Anti Rattle (not serviced) N N N N  |
| 11   | L738-9 CL3  | 1   |      |       | COVER, Tension Release Trim Panel Access (beige paint as required) N N N YL738CL3 |
| 12   |             | 2   |      |       | COVER, Shoulder Tip Half (Service In Assy.) N N N N                               |
| 13   | 6025 160    | 2   |      |       | RETAINER, Tip Half Retractor N N N Y6025160                                       |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

ADJUSTER AND RISER BUCKET SEAT B 1,2,3  
Figure ITA-1300

4375 1300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                      |
|------|-------------|-----|------|-------|--|
| 1    | 4118 638-9  | 2   |      |       | TRACK, Adjuster N N N Y4118638                   |
|      | 0104 918    | 8   |      |       | BEARING, Adjuster N N N Y104918                  |
|      | 0181 088    | 4   |      |       | SCREW, Adjuster Mounting N N N Y181088           |
|      | 6031 284    | 4   |      |       | SCREW, Lower Track to Riser N N N Y6031284       |
|      | 6028 040    | 4   |      |       | RETAINER, Adjuster Mounting Screw N N N Y6028040 |
|      | 4118 646    | 2   |      |       | SPRING, Adjuster Track Release N N N Y4118646    |
| 2    | 4118 676    | 1   |      |       | CABLE, Adjuster Track Release N N N Y4118676     |
| 3    | 4054 396    | 2   |      |       | KNOB, Handle N N N Y4054396                      |
| 4    | 4219 963    | 2   |      |       | RISER (paint as required) N N N Y4219963         |
| 5    |             | 4   |      |       | NUT and WASHER N N N N271502                     |
| 6    | 0118 614    | 4   |      |       | NUT and WASHER N N N Y118614                     |
| 7    | 6031 627    | 4   |      |       | SCREW and WASHER N N N Y6031627                  |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRUMS AND WAGONS (N/A)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |



RECLINING MECHANISM FRONT SEAT B 1,2,3  
Figure ITA-1400

4375 1400




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| 1  | 9422 041    | 2   |      |       | SCREW N N N Y9422041                                 |
| 2  |             |     |      |       | RECLINER N N N N                                     |
|  | 4190 968    | 1   |      |       | Drivers Side N N N Y4190968                          |
|  | 4190 969    | 1   |      |       | Passenger Side N N N Y4190969                        |
| 3  | 4029 871    | 2   |      |       | ADAPTER, Release Handle N N N Y4029871               |
| 4  |             |     |      |       | SPRING, Recliner Release N N N N                     |
|  | 4190 248    | 1   |      |       | Drivers Side N N N Y4190248                          |
|  | 4190 249    | 1   |      |       | Passenger Side N N N Y4190249                        |
| 5  | 0120 622    | 1   |      |       | NUT, Release Handle Adapter N N N Y120622            |
| 6  |             | AR  |      |       | SCREW (8-18x1)(not serviced) N N N N                 |
| 7  |             |     |      |       | COVER, Hinge Arm (black) (paint as required) N N N N |
|  | S810-1 RX9  |     |      |       | Outer N N N YS810RX9                                 |
|  |             |     |      |       | Inner N N N N  |
|  | S877 DT3    | 1   |      |       | Passenger Side N N N YS877DT3                        |
|  | S876 SX9    | 1   |      |       | Drivers Side N N N YS876SX9                          |
| 8  | 4018 911    | 1   |      |       | HANDLE, Release N N N Y4018911                       |
| 9  |             | 1   |      |       | SCREW (8-18x1/2)(not serviced) N N N N               |
| The following parts are not illustrated. s ARE NOT RETURNABLE. |             |     |      |       |  |
|  | 4029 846    | 2   |      |       | BUSHING, Inner Hinge Pin N N N Y4029846              |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WHEELS (4X2)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

**SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5**  
**Figure ITA-1500**

4375 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N |
|      | L061 B6B    | 1   |      |       | 3 Passenger N N N N                            |
|      | L061 B6M    | 1   |      |       | N N NC6B YL061B6B                              |
|      | L061 B6L    | 1   |      |       | N N NC6M YL061B6M                              |
|      | L061 B6L    | 1   |      |       | N N NC6L YL061B6L                              |
|      | L061 D6T    | 1   |      |       | N N NC6T YL061D6T                              |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L101 C5C    | 1   |      |       | N N NG5B YL101C5C                              |
|      | L101 C5M    | 1   |      |       | N N NG5M YL101C5M                              |
|      | L101 C5T    | 1   |      |       | N N NG5L YL101C5T                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      | L165 D5B    | 1   |      |       | N N NG5B YL165D5B                              |
|      | L165 D5M    | 1   |      |       | N N NG5M YL165D5M                              |
|      | L165 D5T    | 1   |      |       | N N NG5T YL165D5T                              |
|      |             |     |      |       | 4 Passenger N N N N                            |
|      | L062 B6B    | 1   |      |       | N N NC6B YL062B6B                              |
|      | L062 B6M    | 1   |      |       | N N NC6M YL062B6M                              |
|      | L062 B6L    | 1   |      |       | N N NC6L YL062B6L                              |
|      | L062 D6T    | 1   |      |       | N N NC6T YL062D6T                              |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L102 C5C    | 1   |      |       | N N NG5B YL102C5C                              |
|      | L102 C5M    | 1   |      |       | N N NG5M YL102C5M                              |
|      | L102 C5T    | 1   |      |       | N N NG5L YL102C5T                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      | L166 D5B    | 1   |      |       | N N NG5B YL166D5B                              |
|      | L166 D5M    | 1   |      |       | N N NG5M YL166D5M                              |
|      | L166 D5T    | 1   |      |       | N N NG5T YL166D5T                              |
| 2    |             |     |      |       | COVER, Cushion N N N N                         |
|      |             |     |      |       | 3 Passenger N N N N                            |
|      | L091 B6B    | 1   |      |       | N N NC6B YL091B6B                              |
|      | L091 B6M    | 1   |      |       | N N NC6M YL091B6M                              |
|      | L091 B6L    | 1   |      |       | N N NC6L YL091B6L                              |
|      | L091 D6T    | 1   |      |       | N N NC6T YL091D6T                              |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L073 C5C    | 1   |      |       | N N NG5B YL073C5C                              |
|      | L073 C5M    | 1   |      |       | N N NG5M YL073C5M                              |
|      | L073 C5T    | 1   |      |       | N N NG5L YL073C5T                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      | L156 D5B    | 1   |      |       | N N NG5B YL156D5B                              |
|      | L156 D5M    | 1   |      |       | N N NG5M YL156D5M                              |
|      | L156 D5T    | 1   |      |       | N N NG5T YL156D5T                              |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.

**CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5**  
**Figure ITA-1500**

4375 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                 |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | 4 Passenger N N N N                         |
|      | L093 B6B    | 1   |      |       | N N NC6B YL093B6B                           |
|      | L093 B6M    | 1   |      |       | N N NC6M YL093B6M                           |
|      | L093 B6L    | 1   |      |       | N N NC6L YL093B6L                           |
|      | L093 D6T    | 1   |      |       | N N NC6T YL093D6T                           |
|      |             |     |      |       | Model Year 1984 N N N N                     |
|      | L075 C5C    | 1   |      |       | N N NG5B YL075C5C                           |
|      | L075 C5M    | 1   |      |       | N N NG5M YL075C5M                           |
|      | L075 C5T    | 1   |      |       | N N NG5L YL075C5T                           |
|      |             |     |      |       | Model Year 1985 N N N N                     |
|      | L158 D5B    | 1   |      |       | N N NG5B YL158D5B                           |
|      | L158 D5M    | 1   |      |       | N N NG5M YL158D5M                           |
|      | L158 D5T    | 1   |      |       | N N NG5T YL158D5T                           |
| 3    |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N |
|      |             |     |      |       | 3 Passenger N N N N                         |
|      | L133 C6B    | 1   |      |       | N N NC6B YL133C6B                           |
|      | L065 B6M    | 1   |      |       | N N NC6M YL065B6M                           |
|      | L065 B6L    | 1   |      |       | N N NC6L YL065B6L                           |
|      | L133 D6T    | 1   |      |       | N N NC6T YL133D6T                           |
|      |             |     |      |       | Model Year 1984 N N N N                     |
|      | L103 C5C    | 1   |      |       | N N NG5B YL103C5C                           |
|      | L103 C5M    | 1   |      |       | N N NG5M YL103C5M                           |
|      | L103 C5T    | 1   |      |       | N N NG5L YL103C5T                           |
|      |             |     |      |       | Model Year 1985 N N N N                     |
|      | L168 D5B    | 1   |      |       | N N NG5B YL168D5B                           |
|      | L168 D5M    | 1   |      |       | N N NG5M YL168D5M                           |
|      | L168 D5T    | 1   |      |       | N N NG5T YL168D5T                           |
|      |             |     |      |       | 4 Passenger N N N N                         |
|      | L060 B6B    | 1   |      |       | N N NC6B YL060B6B                           |
|      | L060 B6M    | 1   |      |       | N N NC6M YL060B6M                           |
|      | L060 B6L    | 1   |      |       | N N NC6L YL060B6L                           |
|      | L060 D6T    | 1   |      |       | N N NC6T YL060D6T                           |
|      |             |     |      |       | Model Year 1984 N N N N                     |
|      | L100 C5C    | 1   |      |       | N N NG5B YL100C5C                           |
|      | L100 C5M    | 1   |      |       | N N NG5M YL100C5M                           |
|      | L100 C5T    | 1   |      |       | N N NG5L YL100C5T                           |
|      |             |     |      |       | Model Year 1985 N N N N                     |
|      | L169 D5B    | 1   |      |       | N N NG5B YL169D5B                           |
|      | L169 D5M    | 1   |      |       | N N NG5M YL169D5M                           |
|      | L169 D5T    | 1   |      |       | N N NG5T YL169D5T                           |
| 4    |             |     |      |       | COVER, Back N N N N                         |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.

**CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5**  
**Figure ITA-1500**

4375 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      |             |     |      |       | 3 Passenger N N N N                                   |
|      |             |     |      |       | Model Year 1984 N N N N                               |
|      | L134 C6B    | 1   |      |       | N N NC6B YL134C6B                                     |
|      | L134 C6M    | 1   |      |       | N N NC6M YL134C6M                                     |
|      | L090 B6L    | 1   |      |       | N N NC6L YL090B6L                                     |
|      | L134 D6T    | 1   |      |       | N N NC6T YL134D6T                                     |
|      |             |     |      |       | Model Year 1985 N N N N                               |
|      | L134 C6B    | 1   |      |       | N N NC6B YL134C6B                                     |
|      | L134 D6T    | 1   |      |       | N N NC6L YL134D6T                                     |
|      | L134 C6M    | 1   |      |       | N N NC6M YL134C6M                                     |
|      |             |     |      |       | Model Year 1984 N N N N                               |
|      | L072 C5C    | 1   |      |       | N N NG5B YL072C5C                                     |
|      | L072 C5M    | 1   |      |       | N N NG5M YL072C5M                                     |
|      | L072 C5T    | 1   |      |       | N N NG5L YL072C5T                                     |
|      |             |     |      |       | Model Year 1985 N N N N                               |
|      | L155 D5B    | 1   |      |       | N N NG5B YL155D5B                                     |
|      | L155 D5M    | 1   |      |       | N N NG5M YL155D5M                                     |
|      | L155 D5T    | 1   |      |       | N N NG5T YL155D5T                                     |
|      |             |     |      |       | 4 Passenger N N N N                                   |
|      | L092 B6B    | 1   |      |       | N N NC6B YL092B6B                                     |
|      | L092 B6M    | 1   |      |       | N N NC6M YL092B6M                                     |
|      | L092 B6L    | 1   |      |       | N N NC6L YL092B6L                                     |
|      | L092 D6T    | 1   |      |       | N N NC6T YL092D6T                                     |
|      |             |     |      |       | Model Year 1984 N N N N                               |
|      | L074 C5C    | 1   |      |       | N N NG5B YL074C5C                                     |
|      | L074 C5M    | 1   |      |       | N N NG5M YL074C5M                                     |
|      | L074 C5T    | 1   |      |       | N N NG5L YL074C5T                                     |
|      |             |     |      |       | Model Year 1985 N N N N                               |
|      | L157 D5B    | 1   |      |       | N N NG5B YL157D5B                                     |
|      | L157 D5M    | 1   |      |       | N N NG5M YL157D5M                                     |
|      | L157 D5T    | 1   |      |       | N N NG5T YL157D5T                                     |
| 5    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N |
|      | R629 CB5    | AR  |      |       | Blue N N NC6B,G5B YR629CB5                            |
|      | R629 CB5    | AR  |      |       | Blue N N NP5B,R5B YR629CB5                            |
|      | R629 CM6    | AR  |      |       | Red N N NC6M,G5M YR629CM6                             |
|      | R629 CM6    | AR  |      |       | Red N N NP5M,R5M YR629CM6                             |
|      | R629 CL3    | AR  |      |       | Beige N N NC6L,G5L,P5L YR629CL3                       |
|      | R629 DT3    | AR  |      |       | Tan N N NC6T,G5T YR629DT3                             |
|      | R629 DT3    | AR  |      |       | Tan N N NP5T,R5T YR629DT3                             |
| 6    |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N        |
|      |             |     |      |       | 3 Passenger N N N N                                   |

**MODEL CODES:**

**TRUCK LINE**

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.

**CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5**  
**Figure ITA-1500**

4375 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
|      | L095 C5B    | 1   |      |       | N N NP5B YL095C5B                               |
|      | L095 C5M    | 1   |      |       | N N NP5M YL095C5M                               |
|      | L095 C5L    | 1   |      |       | N N NP5L YL095C5L                               |
|      |             |     |      |       | 4 Passenger N N N N                             |
|      | L097 C5B    | 1   |      |       | N N NP5B YL097C5B                               |
|      | L097 C5M    | 1   |      |       | N N NP5M YL097C5M                               |
|      | L097 C5L    | 1   |      |       | N N NP5L YL097C5L                               |
| 7    |             |     |      |       | COVER, Cushion N N N N                          |
|      |             |     |      |       | 3 Passenger N N N N                             |
|      | L087 C5B    | 1   |      |       | N N NP5B YL087C5B                               |
|      | L087 C5M    | 1   |      |       | N N NP5M YL087C5M                               |
|      | L087 C5L    | 1   |      |       | N N NP5L YL087C5L                               |
|      |             |     |      |       | 4 Passenger N N N N                             |
|      | L089 C5B    | 1   |      |       | N N NP5B YL089C5B                               |
|      | L089 C5M    | 1   |      |       | N N NP5M YL089C5M                               |
|      | L089 C5L    | 1   |      |       | N N NP5L YL089C5L                               |
| 8    |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N     |
|      |             |     |      |       | 3 Passenger N N N N                             |
|      | L094 C5B    | 1   |      |       | N N NP5B YL094C5B                               |
|      | L094 C5M    | 1   |      |       | N N NP5M YL094C5M                               |
|      | L094 C5L    | 1   |      |       | N N NP5L YL094C5L                               |
|      |             |     |      |       | 4 Passenger N N N N                             |
|      | L096 C5B    | 1   |      |       | N N NP5B YL096C5B                               |
|      | L096 C5M    | 1   |      |       | N N NP5M YL096C5M                               |
|      | L096 C5L    | 1   |      |       | N N NP5L YL096C5L                               |
| 9    |             |     |      |       | COVER, Back N N N N                             |
|      |             |     |      |       | 3 Passenger N N N N                             |
|      | L086 C5B    | 1   |      |       | N N NP5B YL086C5B                               |
|      | L086 C5M    | 1   |      |       | N N NP5M YL086C5M                               |
|      | L086 C5L    | 1   |      |       | N N NP5L YL086C5L                               |
|      |             |     |      |       | 4 Passenger N N N N                             |
|      | L088 C5B    | 1   |      |       | N N NP5B YL088C5B                               |
|      | L088 C5M    | 1   |      |       | N N NP5M YL088C5M                               |
|      | L088 C5L    | 1   |      |       | N N NP5L YL088C5L                               |
| 10   | 6008 076    | AR  |      |       | FASTENER, Cushion and Back Cover N N N Y6008076 |
| 11   | 4211 675    | 2   |      |       | SPACER, Pivot Bolt N N N Y4211675               |
| 12   | 4211 689    | 2   |      |       | SPRING, Pivot N N N Y4211689                    |
| 13   | 6031 853    | 2   |      |       | BOLT N N N Y6031853                             |
| 14   |             |     |      |       | ARMREST, 3 Passenger Seat N N N N               |
|      | L110-1 BB5  | 1   |      |       | Blue N N N YL110BB5                             |
|      | L110-1 BM6  | 1   |      |       | Red N N N YL110BM6                              |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

**SEAT REAR B 1,2,3 TRIM CODE C6,G5,P5,R5**  
**Figure ITA-1500**

4375 1500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 15   | L110-1 BL3  | 1   |      |       | Beige N N N YL110BL3                           |
|      | L110-1 DT3  | 1   |      |       | Tan N N N YL110DT3                             |
|      |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N |
|      |             |     |      |       | 3 Passenger N N N N                            |
|      | L185 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL185D5B   |
|      | L185 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL185DBB   |
|      | L185 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL185D5M   |
|      | L185 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL185DMM   |
|      | L185 D5T    | 1   |      |       | N N NR5T YL185D5T                              |
|      |             |     |      |       | 4 Passenger N N N N                            |
|      | L186 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL186D5B   |
|      | L186 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL186DBB   |
| 16   | L186 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL186D5M   |
|      | L186 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL186DMM   |
|      | L186 D5T    | 1   |      |       | N N NR5T YL186D5T                              |
|      |             |     |      |       | COVER, Cushion N N N N                         |
|      |             |     |      |       | 3 Passenger N N N N                            |
|      | L175 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL175D5B   |
|      | L175 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL175DBB   |
|      | L175 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL175D5M   |
|      | L175 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL175DMM   |
|      | L175 D5T    | 1   |      |       | N N NR5T YL175D5T                              |
|      |             |     |      |       | 4 Passenger N N N N                            |
|      | L177 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL177D5B   |
| 17   | L177 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL177DBB   |
|      | L177 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL177D5M   |
|      | L177 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL177DMM   |
|      | L177 D5T    | 1   |      |       | N N NR5T YL177D5T                              |
|      |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N    |
|      |             |     |      |       | 3 Passenger N N N N                            |
|      | L187 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL187D5B   |
|      | L187 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL187DBB   |
|      | L187 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL187D5M   |
|      | L187 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL187DMM   |
|      | L187 D5T    | 1   |      |       | N N NR5T YL187D5T                              |
|      |             |     |      |       | 4 Passenger N N N N                            |
|      | L188 D5B    | 1   |      |       | (Material Sample Required) N N NR5B YL188D5B   |
|      | L188 DBB    | 1   |      |       | (Material Sample Required) N N NR5B YL188DBB   |
|      | L188 D5M    | 1   |      |       | (Material Sample Required) N N NR5M YL188D5M   |
|      | L188 DMM    | 1   |      |       | (Material Sample Required) N N NR5M YL188DMM   |
|      | L188 D5T    | 1   |      |       | N N NR5T YL188D5T                              |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

**WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

**CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

**SPORT UTILITY:**

(71) = 106" W.B.


**CREW CAB:**

(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

## 4375 1500



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|----------------|-----|------|-------|--|
| 18   |                |     |      |       | COVER, Back N N N N                          |
|      |                |     |      |       | 3 Passenger N N N N                          |
|      | L176 D5B       | 1   |      |       | (Material Sample Required) N N NR5B YL176D5B |
|      | L176 DBB       | 1   |      |       | (Material Sample Required) N N NR5B YL176DBB |
|      | L176 D5M       | 1   |      |       | (Material Sample Required) N N NR5M YL176D5M |
|      | L176 DMM       | 1   |      |       | (Material Sample Required) N N NR5M YL176DMM |
|      | L176 D5T       | 1   |      |       | N N NR5T YL176D5T                            |
|      |                |     |      |       | 4 Passenger N N N N                          |
|      | L178 D5B       | 1   |      |       | (Material Sample Required) N N NR5B YL178D5B |
|      | L178 DBB       | 1   |      |       | (Material Sample Required) N N NR5B YL178DBB |
|      | L178 D5M       | 1   |      |       | (Material Sample Required) N N NR5M YL178D5M |
|      | L178 DMM       | 1   |      |       | (Material Sample Required) N N NR5M YL178DMM |
|      | L178 D5T       | 1   |      |       | N N NR5T YL178D5T                            |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

# **BELTS SEAT INTERMEDIATE AND REAR SEATS B 1,2,3** **Figure ITA-1600**

4375 1600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | BELT, Tip Half 3 Passenger N N N N                                  |
|      | L703 BB5    | 1   |      |       | Label Number 4263943 N N N N  |
|      | L703 BM6    | 1   |      |       | Blue N N N YL703BB5   |
|      | L703 BL3    | 1   |      |       | Red N N N YL703BM6  |
|      | L703 BL3    | 1   |      |       | Beige N N N YL703BL3  |
|      | L703 DT3    | 1   |      |       | Tan N N N YL703DT3  |
| 2    |             |     |      |       | BELT, Buckle Half 3 Passenger N N N N                               |
|      | L702 BB5    | 1   |      |       | Label Number 4363942 N N N N  |
|      | L702 BM6    | 1   |      |       | Blue N N N YL702BB5   |
|      | L702 BM6    | 1   |      |       | Red N N N YL702BM6  |
|      | L702 BL3    | 1   |      |       | Beige N N N YL702BL3  |
|      | L702 DT3    | 1   |      |       | Tan N N N YL702DT3  |
| 3    |             |     |      |       | BELT, Tip Half 4 Passenger N N N N                                  |
|      | L696 BB5    | 1   |      |       | Label Number 4263952 N N N N  |
|      | L696 BM6    | 1   |      |       | Blue N N N YL696BB5   |
|      | L696 BM6    | 1   |      |       | Red N N N YL696BM6  |
|      | L696 BL3    | 1   |      |       | Beige N N N YL696BL3  |
|      | L696 DT3    | 1   |      |       | Tan N N N YL696DT3  |
| 4    |             |     |      |       | BELT, Buckle Half 4 Passenger N N N N                               |
|      | L697 BB5    | 1   |      |       | Label Number 4263953 N N N N  |
|      | L697 BB5    | 1   |      |       | Blue N N N YL697BB5   |
|      | L697 BM6    | 1   |      |       | Red N N N YL697BM6  |
|      | L697 BL3    | 1   |      |       | Beige N N N YL697BL3  |
|      | L697 DT3    | 1   |      |       | Tan N N N YL697DT3  |
| 5    |             |     |      |       | BELT, Center Tip Half 4 Passenger N N N N                           |
|      | L698 BB5    | 1   |      |       | Label Number 4263962 N N N N  |
|      | L698 BB5    | 1   |      |       | Blue N N N YL698BB5   |
|      | L698 BM6    | 1   |      |       | Red N N N YL698BM6  |
|      | L698 BL3    | 1   |      |       | Beige N N N YL698BL3  |
|      | L698 DT3    | 1   |      |       | Tan N N N YL698DT3  |
| 6    |             |     |      |       | BELT, Center Buckle Half 4 Passenger N N N N                        |
|      | L699 BB5    | 1   |      |       | Label Number 4263963 N N N N  |
|      | L699 BB5    | 1   |      |       | Blue N N N YL699BB5   |
|      | L699 BM6    | 1   |      |       | Red N N N YL699BM6  |
|      | L699 BL3    | 1   |      |       | Beige N N N YL699BL3  |
|      | L699 DT3    | 1   |      |       | Tan N N N YL699DT3  |
| 7    | 6031 462    | AR  |      |       | BOLT, Seat Belt Mounting 4 Passenger (7/16-20x1.375) N N N Y6031462 |
| 8    | 4087 642    | AR  |      |       | CAP, w/Mounting Bracket And Nut N N N Y4087642                      |
|      | 4118 681    | AR  |      |       | BRACKET, Seat Belt Mounting N N N Y4118681                          |

## MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



## 4375 1600




CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

«

**RISERS REAR SEATS B 1,2,3**  
**Figure ITA-1700**

4275 1700



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
| 1    | 4211 003       | 2   |      |       | RISER, Intermediate 3 Passenger Seat N N N Y4211003                            |
|      | 4211 004       | 2   |      |       | Rear Seat 3 Passenger N N N Y4211004   |
| 2    | 4083 412       | 2   |      |       | RISER, 4 Passenger Seat N N N Y4083412   |
|      | 4211 005       | 2   |      |       | SPRING, Seat Riser 3 Passenger N N N Y4211005                                  |
| 3    | 4161 232       | AR  |      |       | BRACKET, Under Body Seat Anchor N N N Y4161232                                 |
|      | 4033 778       | AR  |      |       | ESCUTCHEON, Rear Floor N N N Y4033778  |
| 4    | 4087 642       | AR  |      |       | CAP, Rear Seat Rear Mounting Bracket and Nut N N N Y4087642                    |
| 5    |                | AR  |      |       | NUT and WASHER, Riser Mounting (7/16-4) (not serviced) N N N                   |
| 6    |                | AR  |      |       | STUD, Riser Mounting (7/16-4 Nut End) (7/16-20 Tap End) (not serviced) N N N N |
|      | 4033 817       | AR  |      |       | PLATE, Hole Cover N N N Y4033817   |

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 1 OF 5)  
Figure ITA-1800

4375 1800



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|-------------|-----|------|-------|---|
| NOTE: FOR REPLACEMENT ONLY s ARE NOT RETURNABLE. |             |     |      |       |   |
| 1  | 4087 250    | 1   |      |       | TABLE, Dinette N N N Y4087250                               |
|  | 4113 756    | 1   |      |       | TOP, Table N N N Y4113756                                   |
|  | 4113 761    | 1   |      |       | BRACKET, Table to Side Panel Support Bracket N N N Y4113761 |
| 2  | 4113 757    | 1   |      |       | BRACKET, Leg Pivot (Black) N N N Y4113757                   |
|  | 4118 447    | 2   |      |       | BRACKET, Side Panel Table Support (black) N N N Y4118447    |
|  | 4118 466    | 1   |      |       | ANCHOR, Table Leg Lower Half (black) N N N Y4118466         |
|  | 4118 467    | 1   |      |       | ANCHOR, Table Leg Upper Half (black) N N N Y4118467         |
| 5  | 4087 256    | 1   |      |       | CLIP, Table Storage N N N Y4087256                          |
| 6  |             |     |      |       | BELT, Seat Outer N N N N                                    |
|  | L704 BB5    | 1   |      |       | Label Number 4263982, Right N N N N                         |
|  | L704 BM6    | 1   |      |       | Blue N N N YL704BB5   |
|  | L704 BL3    | 1   |      |       | Red N N N YL704BM6  |
| 7  | L704 DT3    | 1   |      |       | Beige N N N YL704BL3  |
|  |             |     |      |       | Tan N N N YL704DT3  |
|  |             |     |      |       | Label Number 4263943, Left N N N N                          |
|  | L703 BB5    | 1   |      |       | Blue N N N YL703BB5   |
| 8  | L703 BM6    | 1   |      |       | Red N N N YL703BM6  |
|  | L703 BL3    | 1   |      |       | Beige N N N YL703BL3  |
|  | L703 DT3    | 1   |      |       | Tan N N N YL703DT3  |
|  |             |     |      |       | Label Number 4263983, Left N N N N                          |
| 9  | L705 BB5    | 1   |      |       | Blue N N N YL705BB5   |
|  | L705 BM6    | 1   |      |       | Red N N N YL705BM6  |
|  | L705 BL3    | 1   |      |       | Beige N N N YL705BL3  |
|  | L705 DT3    | 1   |      |       | Tan N N N YL705DT3  |
| 10   | 4219 563    | 1   |      |       | CROSSMEMBER, Seat Belt Mounting N N N Y4219563              |
|  |             |     |      |       | COVER, Cushion and Back N N N N                             |
|  | L058 CBC    | 2   |      |       | Blue N N NP5B YL058CBC                                      |
|  | L058 CMM    | 2   |      |       | Red N N NP5M YL058CMM                                       |
| 11   | L058 CLT    | 2   |      |       | Beige and Brown N N NP5L YL058CLT                           |
|  | L058 DB6    | 2   |      |       | Blue (Material Sample Required) N N NR5B YL058DB6           |
|  | L058 DBB    | 2   |      |       | Blue (Material Sample Required) N N NR5B YL058DBB           |
|  | L058 DM6    | 2   |      |       | Red (Material Sample Required) N N NR5M YL058DM6            |
| 12   | L058 DMM    | 2   |      |       | Red (Material Sample Required) N N NR5M YL058DMM            |
|  |             |     |      |       |   |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:



(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 1 OF 5)  
Figure ITA-1800

4375 1800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | L058 DT3    | 2   |      |       | Tan N N NR5T YL058DT3                               |
|      | 4113 755    | 2   |      |       | PAD, Cushion and Back N N N Y4113755                |
|      | 4113 710    | 2   |      |       | BUMPER, Bed Support N N N Y4113710                  |
|      | 4113 711    | 4   |      |       | PLATE, Back Panel Reinforcement N N N Y4113711      |
| 10   | 4113 760    | 1   |      |       | LEG, Dinette N N N Y4113760                         |
|      | 4113 762    | 1   |      |       | CLIP, Leg Storage N N N Y4113762                    |
| 11   | 4113 903    | 4   |      |       | HOLDER, Cup N N N Y4113903                          |
|      | 4113 753    | 1   |      |       | PANEL, Seat Bottom Rear N N N Y4113753              |
|      | 4113 754    | 1   |      |       | PANEL, Sub Assembly N N N Y4113754                  |
|      | 4113 763    | 2   |      |       | BOLT, Special Shoulder (5/16-24x3/4) N N N Y4113763 |
|      | 4113 764    | 2   |      |       | BOLT, Special Shoulder (5/16-24x3/4) N N N Y4113764 |
|      | 4113 765    | 2   |      |       | BOLT, Special Shoulder (3/8-24x1) N N N Y4113765    |
|      | 4113 766    | 2   |      |       | BOLT, Special Shoulder (3/8-24x1) N N N Y4113766    |
|      | 4113 768    | 2   |      |       | BOLT, Special Shoulder (3/8-24x1) N N N Y4113768    |
|      | 4113 774    | 2   |      |       | BUMPER (3/4 dia.x3/4 high) N N N Y4113774           |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 2 OF 5)  
Figure ITA-1900

4375 1900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION |
|------|-------------|-----|------|-------|-------------|
|------|-------------|-----|------|-------|-------------|


NOTE: FOR REPLACEMENT ONLY s ARE NOT RETURNABLE.

|   |          |   |  |  |   |
|---|----------|---|--|--|---|
| 1 | 4113 693 | 1 |  |  | PANEL, Seat Base End Left N N N Y4113693        |
| 2 | 4113 694 | 1 |  |  | PANEL, Seat Base Bottom Rear N N N Y4113694     |
| 3 | 4113 695 | 1 |  |  | PANEL, Seat Base Front N N N Y4113695           |
| 4 | 4113 696 | 1 |  |  | PANEL, Seat Base Back N N N Y4113696            |
| 5 | 4113 697 | 1 |  |  | PANEL, Seat Base End Right N N N Y4113697       |
| 6 | 4113 698 | 1 |  |  | PANEL, Storage Compartment Cover N N N Y4113698 |

|                            |                              |  |                   |                  |                  |
|----------------------------|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:               |                              |  |                   |                  |                  |
| TRUCK LINE                 |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL        | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)                | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL      | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4                |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| P.A.R. = Paint as Required |                              |  |                   |                  |                  |

TRAVEL SEAT SYSTEM - B 2,3 (ILLUSTRATION 3 OF 5)  
Figure ITA-2000

4315 2000



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|--|-------------|-----|------|-------|--|
| NOTE: FOR REPLACEMENT ONLY s ARE NOT RETURNABLE. |             |     |      |       |  |
| 1  | 4113 717    | 2   |      |       | ROLLAR, Upper Track Carriage N N N Y4113717    |
| 2  | 4113 718    | 2   |      |       | HOOK, Dinette Track Latch N N N Y4113718       |
| 3  | 4113 719    | 2   |      |       | SPRING, Latch Hook N N N Y4113719              |
| 4  | 4113 720    | 2   |      |       | ROLLER, Lower Track Carriage N N N Y4113720    |
| 5  | 4113 721    | AR  |      |       | PIN, Track Roller N N N Y4113721               |
| 6  | 4219 558    | 1   |      |       | TRACK GUIDE and CARRIAGE, Right N N N Y4219558 |
| 7  | 4219 559    | 1   |      |       | TRACK GUIDE and CARRIAGE, Left N N N Y4219559  |
| 8  | 4113 724    | 1   |      |       | ROD, Track Latch N N N Y4113724                |
| 9  | 4113 772    | 1   |      |       | BUMPER, Black Rubber (1/2x1/2) N N N Y4113772  |
| 10   | 4113 770    | 1   |      |       | PUSH NUT, Bright (5/16") N N N Y4113770        |
| 11   | 4113 775    | 1   |      |       | GRIP, Latch Handle N N N Y4113775              |
| 12   | 4219 562    | 1   |      |       | RISER, Front Seat N N N Y4219562               |
| 13   | 4219 560-1  | 1   |      |       | RISER, Rear Seat N N N Y4219560                |

| MODEL CODES:   |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = VANS AND WAGONS (4X2)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |


TRAVEL SEAT SYSTEM FRONT - B 2,3 (ILLUSTRATION 4 OF 5)  
Figure ITA-2100

| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| NOTE: FOR REPLACEMENT ONLY s ARE NOT RETURNABLE. |             |     |      |       |  |
| 1  | 4113 769    | AR  |      |       | PUSH NUT, Bright (1/4") N N N Y4113769             |
| 2  | 4113 775    | 1   |      |       | GRIP, Latch Handle N N N Y4113775                  |
| 3  | 4113 732-3  | 1   |      |       | BRACKET, Back Support N N N Y4113732               |
| 4  | 4113 742    | 1   |      |       | SUPPORT, Seat Back N N N Y4113742                  |
| 5  | 4113 706    | 1   |      |       | LINK, Bank Panel Support Right N N N Y4113706      |
| 6  | 4113 707    | 1   |      |       | LINK, Bank Panel Support Left N N N Y4113707       |
| 7  | 4113 709    | 2   |      |       | SPRING, Fold N N N Y4113709                        |
| 8  | 4113 745    | 1   |      |       | HANDLE, Tilt Latch N N N Y4113745                  |
| 9  | 4113 703    | 1   |      |       | LINK, Back Panel Actuating Left N N N Y4113703     |
| 10   | 4113 702    | 1   |      |       | LINK, Back Panel Actuating Right N N N Y4113702    |
| 11   | 4113 729    | AR  |      |       | SPACER, Latch Tube N N N Y4113729                  |
| 12   | 4113 728    | 1   |      |       | ROD, Travel and Fold Catch N N N Y4113728          |
| 13   | 4113 730    | 1   |      |       | SPRING, Travel Latch Hook Right N N N Y4113730     |
| 14   | 4113 736    | 1   |      |       | PLATE, Carrier Right N N N Y4113736                |
| 15   | 4113 740    | 1   |      |       | SUPPORT, Seat Panel Right N N N Y4113740           |
| 16   | 4113 704    | 1   |      |       | SPRING, Latch Handle Return N N N Y4113704         |
| 17   | 4113 712    | 1   |      |       | BELLCRANK, Right N N N Y4113712                    |
| 18   | 4113 744    | 1   |      |       | GRIP, Tilt Latch Handle N N N Y4113744             |
| 19   | 4113 743    | 1   |      |       | BAR, Tilt Latch N N N Y4113743                     |
| 20   | 4113 716    | 1   |      |       | SPRING, Tilt Latch Return N N N Y4113716           |
| 21   | 4113 713    | 1   |      |       | BELLCRANK, Left N N N Y4113713                     |
| 22   | 4113 773    | 1   |      |       | BUMPER, Black Rubber (5/8x5/16) N N N Y4113773     |
| 23   | 4113 699    | 1   |      |       | LINK, Seat Support and Synchronizer N N N Y4113699 |
| 24   | 4113 731    | 1   |      |       | SPRING, Travel Latch Hook Left N N N Y4113731      |
| 25   | 4113 701    | 2   |      |       | HOOK, Travel Latch N N N Y4113701                  |
| 26   | 4113 737    | 1   |      |       | PLATE, Carrier Left N N N Y4113737                 |
| 27   | 4113 708    | 1   |      |       | SPRING, Travel Counterbalance N N N Y4113708       |
| 28   | 4113 739    | 1   |      |       | PLATE, Seat Mounting Left N N N Y4113739           |
| 29   | 4113 769    | AR  |      |       | PUSH NUT, Bright (1/4") N N N Y4113769             |
| 30   | 4113 700    | 2   |      |       | PAWL, Back Support Lock N N N Y4113700             |
| 31   | 4113 738    | 1   |      |       | PLATE, Seat Mounting Right N N N Y4113738          |
| 32   | 4113 732-3  | 1   |      |       | BRACKET, Back Support N N N Y4113732               |
| 33   | 4113 705    | 1   |      |       | BOLT, Bearing Mount N N N Y4113705                 |
| 34   | 4113 771    | 1   |      |       | ROLLER, Carriage Guide N N N Y4113771              |
| 35   | 4113 741    | 1   |      |       | SUPPORT, Seat Panel Left N N N Y4113741            |
| 36   | 4113 714-5  | 1   |      |       | LINK, Seat Cushion Support N N N Y4113714          |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

TRAVEL SEAT SYSTEM REAR - B 2,3 (ILLUSTRATION 5 OF 5)  
Figure ITA-2200

4375 2200



| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| NOTE: FOR REPLACEMENT ONLY s ARE NOT RETURNABLE. |             |     |      |       |  |
| 1  | 4113 769    | AR  |      |       | PUSH NUT, Bright (1/4") N N N Y4113769             |
| 2  | 4113 725    | 1   |      |       | SUPPORT, Seat Back N N N Y4113725                  |
| 3  | 4113 732-3  | 2   |      |       | BRACKET, Back Support N N N Y4113732               |
| 4  | 4113 706    | 1   |      |       | LINK, Back Panel Support Right N N N Y4113706      |
| 5  | 4113 707    | 1   |      |       | LINK, Back Panel Support Left N N N Y4113707       |
| 6  | 4113 709    | 2   |      |       | SPRING, Fold N N N Y4113709                        |
| 7  | 4113 703    | 1   |      |       | LINK, Back Panel Actuating Left N N N Y4113703     |
| 8  | 4113 702    | 1   |      |       | LINK, Back Panel Actuating Right N N N Y4113702    |
| 9  | 4113 729    | AR  |      |       | SPACER, Latch Tube N N N Y4113729                  |
| 10   | 4113 728    | 1   |      |       | ROD, Travel and Fold Catch N N N Y4113728          |
| 11   | 4113 775    | 1   |      |       | GRIP, Latch Handle N N N Y4113775                  |
| 12   | 4113 701    | 2   |      |       | HOOK, Travel Latch N N N Y4113701                  |
| 13   | 4113 730    | 1   |      |       | SPRING, Travel Latch Hook Right N N N Y4113730     |
| 14   | 4113 726    | 1   |      |       | PLATE, Carrier Right N N N Y4113726                |
| 15   | 4113 704    | 1   |      |       | SPRING, Latch Handle Return N N N Y4113704         |
| 16   | 4113 700    | 1   |      |       | PAWL, Back Support Lock N N N Y4113700             |
| 17   | 4113 767    | 2   |      |       | BOLT, Special Shoulder (5/16-24x1) N N N Y4113767  |
| 18   | 4113 708    | 2   |      |       | SPRING, Travel Counterbalance N N N Y4113708       |
| 19   | 4113 767    | 2   |      |       | BOLT, Special Shoulder (5/16-24x1) N N N Y4113767  |
| 20   | 4113 699    | 1   |      |       | LINK, Seat Support and Synchronizer N N N Y4113699 |
| 21   | 4113 727    | 1   |      |       | PLATE, Carrier Left N N N Y4113727                 |
| 22   | 4113 731    | 1   |      |       | SPRING, Travel Latch Hook Left N N N Y4113731      |
| 23   | 4113 729    | AR  |      |       | SPACER, Latch Tube N N N Y4113729                  |
| 24   | 4113 735    | 1   |      |       | PLATE, Seat Mounting Left N N N Y4113735           |
| 25   | 4113 700    | 1   |      |       | PAWL, Back Support Lock N N N Y4113700             |
| 26   | 4113 734    | 1   |      |       | PLATE, Seat Mounting Right N N N Y4113734          |
| 27   | 4113 771    | 1   |      |       | ROLLER, Carriage Guide N N N Y4113771              |
| 28   | 4113 705    | 1   |      |       | BOLT, Bearing Mount N N N Y4113705                 |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |




ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

GROUP ITC - D, CONVENTIONAL

| ILLUSTRATION TITLE                             | GROUP-FIG. NO. |
|--|----------------|
| COWL TRIM AND DASH PANEL LINERS D 1,2,3,5,6,7  | Fig. ITC-100   |
| HEADLINER D 1,2,3,5,6,7                        | Fig. ITC-200   |
| SUNVISOR AND REAR VIEW MIRROR D 1,2,3,5,6,7    | Fig. ITC-300   |
| PANELS TRIM UPPER AND LOWER D 1,2,3,5,6,7      | Fig. ITC-400   |
| CARPETS, MATS AND SCUFF PLATES D 1,2,3,5,6,7   | Fig. ITC-500   |
| DOOR TRIM PANEL FRONT D 1,2,3,5,6,7            | Fig. ITC-600   |
| DOOR TRIM PANEL REAR D 3,7                     | Fig. ITC-700   |
| SEAT FRONT D TRIM CODE A2                      | Fig. ITC-800   |
| SEAT FRONT CONVENTIONAL CAB D TRIM CODE B2,E1  | Fig. ITC-900   |
| SEAT FRONT CONVENTIONAL CAB D TRIM CODE D1     | Fig. ITC-1000  |
| SEAT FRONT CREW CAB D TRIM CODE B2,E1          | Fig. ITC-1100  |
| SEAT FRONT CREW CAB D TRIM CODE D1             | Fig. ITC-1200  |
| BELTS SEAT BENCH INNER D 1,2,3,5,6,7           | Fig. ITC-1300  |
| BELTS SEAT BENCH OUTER D 1,2,3,5,6,7           | Fig. ITC-1400  |
| SEAT BACK RELEASE D 3,7                        | Fig. ITC-1500  |
| SEAT BENCH FRONT ATTACHING PARTS D 1,2,3,5,6,7 | Fig. ITC-1600  |
| SEAT REAR CREW CAB D TRIM CODE B2,E1           | Fig. ITC-1700  |
| SEAT REAR CREW CAB D TRIM CODE D1              | Fig. ITC-1800  |
| SEAT BENCH REAR ATTACHING PARTS D 3,7          | Fig. ITC-1900  |

COWL TRIM AND DASH PANEL LINERS D 1,2,3,5,6,7  
Figure ITC-100

4379 100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4212 767    | 1   |      |       | LINER, Left N N N Y4212767                              |
| 2    | 3494 301    | 1   |      |       | LINER, Center N N N Y3494301                            |
| 3    | L555 EK1    | 1   |      |       | PANEL, w/Vent Left (paint as required) N N N YL555EK1   |
| 4    |             | 6   |      |       | SCREW (10-16x1.25)(not serviced) N N N N                |
| 5    | L550 EK1    | 1   |      |       | PANEL, Right (paint as required) N N N YL550EK1         |
| 6    | 4211 652    | 1   |      |       | VENT, Cowl Side Inner N N N Y4211652                    |
|      | 3494 892    | 1   |      |       | SEAL, Air Vent Door (outer) N N N Y3494892              |
|      | 3494 891    | 1   |      |       | SEAL, Housing Air Vent (inner) N N N Y3494891           |
|      | 3762 862    | AR  |      |       | INSULATION (36"x72" material cut to fit) N N N Y3762862 |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

**HEADLINER D 1,2,3,5,6,7**  
**Figure ITC-200**

4379 290



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                     |
|------|-------------|-----|------|-------|---------------------------------|
| 1    |             |     |      |       | PANEL, Headliner N N N N        |
|      | L613 BA3    | 1   |      |       | Silver N N N YL613BA3           |
|      | L613 BB5    | 1   |      |       | Blue N N N YL613BB5             |
|      | L613 BM6    | 1   |      |       | Red N N N YL613BM6              |
|      | L613 BL3    | 1   |      |       | Beige N N N YL613BL3            |
|      | L613 DT3    | 1   |      |       | Tan N N N YL613DT3              |
| 2    | 9420 486    | AR  |      |       | SCREW, Headliner N N N Y9420486 |
|      | 1490 983    | AR  |      |       | CLIP, Headliner N N N Y1490983  |

MODEL CODES:

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
 (11) = 109" W.B.  
 (12) = 127" W.B.  
 (13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required   - = Non Illustrated Part   P.A.R. = Paint as Required

SUNVISOR AND REAR VIEW MIRROR D 1,2,3,5,6,7  
Figure ITC-300

4379 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4084 918    | 2   |      |       | ARM and BRACKET N N N Y4084918                        |
| 2    |             |     |      |       | VISOR N N N N   |
|      | L557 BA2    | 2   |      |       | Silver N N N YL557BA2                                 |
|      | L557 BB5    | 2   |      |       | Blue N N N YL557BB5                                   |
|      | L557 BM6    | 2   |      |       | Red N N N YL557BM6                                    |
|      | L557 BL3    | 2   |      |       | Beige N N N YL557BL3                                  |
|      | L557 DT3    | 2   |      |       | Tan N N N YL557DT3                                    |
|      | L557 CS8    | 2   |      |       | Charcoal N N N YL557CS8                               |
|      | 4340 166    | 1   |      |       | LABEL, 4x4 Instructions N N N Y4340166                |
| 3    | 4082 199    | 1   |      |       | MIRROR, Rear View 10" Prismatic (1984) N N N Y4082199 |
|      | 4299 325    | 1   |      |       | MIRROR, Rear View 10" Prismatic (1985) N N N Y4299325 |
| 4    | 6031 094    | 1   |      |       | SCREW, Mirror Attaching N N N Y6031094                |
| 5    | 4054 066    | 1   |      |       | BUTTON PACKAGE N N N Y4054066                         |
|      | 4293 039    | 1   |      |       | ADHESIVE, Rear View Mirror N N N Y4293039             |
| 6    | 1490 983    | 2   |      |       | CLIP, Visor N N N Y1490983                            |
| 7    | 2789 037    | 2   |      |       | TIP, Visor Support N N N Y2789037                     |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| D = DRIVING AND WAGON (4X2)  |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

PANELS TRIM UPPER AND LOWER D 1,2,3,5,6,7  
Figure ITC-400

4379 400





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             | AR  |      |       | SCREW (8-18x3/4)(not serviced) N N N N                                 |
| 2    | L584-5 EK1  | 1   |      |       | PANEL, Roof Rail Header Trim (paint as required) N N N YL584EK1        |
| 3    | L534 EK1    | 1   |      |       | PANEL, Windshield Header Trim (paint as required) N N N YL534EK1       |
| 4    | L548-9 BL3  | 1   |      |       | PANEL, Windshield Side Trim (beige paint as required) N N N YL548BL3   |
| 5    | L611 BL3    | 1   |      |       | PANEL, Rear Window Upper Trim (beige paint as required) N N N YL611BL3 |
| 6    | 3685 992    | 1   |      |       | HOOK, Coat N N N Y3685992  |
| 7    | 9419 415    | 1   |      |       | SCREW, Coat Hook (8-18x7/8) N N N Y9419415                             |
| 8    | L616-7 BL3  | 1   |      |       | PANEL, Side Rear Corner Trim (beige paint as required) N N N YL616BL3  |
| 9    |             |     |      |       | PANEL, Rear Window Lower Trim N N N N                                  |
|      | L612 BA3    | 1   |      |       | Silver N N N YL612BA3  |
|      | L612 BB5    | 1   |      |       | Blue N N N YL612BB5  |
|      | L612 BM6    | 1   |      |       | Red N N N YL612BM6   |
|      | L612 BL3    | 1   |      |       | Beige N N N YL612BL3   |
|      | L612 DT3    | 1   |      |       | Tan N N N YL612DT3   |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D = TRUCK LINE WAGONS (4X2)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

**CARPETS, MATS AND SCUFF PLATES D 1,2,3,5,6,7**  
**Figure ITC-500**

4379 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CARPET N N N N  |
|      | L780 CC7    | 1   |      |       | w/Small Tunnel N N N N                                |
|      | L780 CM6    | 1   |      |       | Blue N N N YL780CC7                                   |
|      | L780 DT5    | 1   |      |       | Red N N N YL780CM6                                    |
|      | L512 BT9    | 1   |      |       | Tan N N N YL780DT5                                    |
|      | L780 CS8    | 1   |      |       | Brown N N N YL512BT9                                  |
|      | 4215 024    | 1   |      |       | Charcoal N N N YL780CS8                               |
|      |             |     |      |       | MAT (black) N N N Y4215024                            |
|      |             |     |      |       | w/Large Tunnel (Up To 5-1-85) N N N N                 |
|      | L799 CC7    | 1   |      |       | Blue N N N YL799CC7                                   |
|      | L511 BM6    | 1   |      |       | Red N N N YL511BM6                                    |
|      | L511 BT9    | 1   |      |       | Brown N N N YL511BT9                                  |
|      | L511 DT5    | 1   |      |       | Tan N N N YL511DT5                                    |
|      | L799 CS8    | 1   |      |       | Charcoal N N N YL799CS8                               |
|      |             |     |      |       | w/Large Tunnel (After 5-1-85) N N N N                 |
|      | L799 CC7    | 1   |      |       | Blue N N N YL799CC7                                   |
|      | L799 CM6    | 1   |      |       | Red N N N YL799CM6                                    |
|      | L799 DT5    | 1   |      |       | Tan N N N YL799DT5                                    |
|      | L799 CS8    | 1   |      |       | Charcoal N N N YL799CS8                               |
|      | 4264 119    | 1   |      |       | MAT, Less Holes (black) N N N Y4264119                |
| 2    |             |     |      |       | CARPET, Back Panel N N N N                            |
|      | L719 BA3    | AR  |      |       | Silver N N N YL719BA3                                 |
|      | L719 BB5    | AR  |      |       | Blue N N N YL719BB5                                   |
|      | L719 BM6    | AR  |      |       | Red N N N YL719BM6                                    |
|      | L719 BL3    | AR  |      |       | Beige, 1984 N N N YL719BL3                            |
|      | L719 DT3    | AR  |      |       | Tan, 1985 N N N YL719DT3                              |
|      |             |     |      |       | CARPET, Roll Stock 54" Wide Order by the Inch N N N N |
|      | R113 TM6    | AR  |      |       | Red N N N YR113TM6                                    |
|      | R113 BL3    | AR  |      |       | Beige N N N YR113BL3                                  |
|      | R113 CB5    | AR  |      |       | Blue N N N YR113CB5                                   |
|      | R113 DT5    | AR  |      |       | Tan N N N YR113DT5                                    |
|      | R113 RX9    | AR  |      |       | Black N N N YR113RX9                                  |
| 3    |             | 8   |      |       | SCREW (8-18x5/8)(not serviced) N N N N                |
| 4    | 3739 038-9  | 1   |      |       | MAT, Extension N N N Y3739038                         |
| 5    | 3495 325    | 2   |      |       | PLATE, Scuff Inner (Up To 11-29-84) N N N Y3495325    |
|      | 4356 264    | 2   |      |       | (After 11-29-84) N N N Y4356264                       |
| 6    | 3494 670    | 2   |      |       | PLATE, Scuff Sill Panel N N N Y3494670                |
| 7    |             | 8   |      |       | SCREW (not serviced) N N N N                          |
| 8    |             | 12  |      |       | SCREW (not serviced) N N N N                          |
| 9    |             |     |      |       | CARPET, Front N N N N                                 |
|      | L511 BM6    | 1   |      |       | Red N N N YL511BM6                                    |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:



(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

CARPETS, MATS AND SCUFF PLATES D 1,2,3,5,6,7  
Figure ITC-500

4379 500




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|--|-------------|-----|------|-------|---|
| 10   | L511 BT9    | 1   |      |       | Brown N N N YL511BT9                                  |
|  | L511 DT5    | 1   |      |       | Tan N N N YL511DT5                                    |
|  | L513 BM6    | 1   |      |       | Red N N N YL513BM6                                    |
|  | L513 BT9    | 1   |      |       | Brown N N N YL513BT9                                  |
| 11   | L513 DT5    | 1   |      |       | Tan N N N YL513DT5                                    |
|  | 4087 679    | 1   |      |       | MAT (black) N N N Y4087679                            |
|  | 3739 038-9  | 1   |      |       | MAT, Extension N N N Y3739038                         |
|  | 3495 325    | 2   |      |       | PLATE, Scuff Front N N N Y3495325                     |
| 12   | 3498 010    | 2   |      |       | PLATE, Scuff Rear N N N Y3498010                      |
| 13   |             | 14  |      |       | SCREW (10-16x1.25)(not serviced) N N N N              |
| The following parts not illustrated. s ARE NOT RETURNABLE. |             |     |      |       |   |
|  | 3762 862    | AR  |      |       | SILENCER (36"x72" material cut to fit) N N N Y3762862 |
|  |             | AR  |      |       | MAT, Front Floor (Accessory Set) N N N N0             |
|  | 4186 373    | AR  |      |       | Blue N N N Y4186373                                   |
|  | 4186 375    | AR  |      |       | Cashmere N N N Y4186375                               |
|  | 4186 376    | AR  |      |       | Red N N N Y4186376                                    |

|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| D5,6,7 = CONVENTIONAL  |  |                              |  |                   | (64) = 159" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = DRIVING AND WHEELS (W.B.)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

# DOOR TRIM PANEL FRONT D 1,2,3,5,6,7 Figure ITC-600

4379 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 0152 454    | 2   |      |       | U-NUT, Pull Handle N N N Y152454                   |
| 2    |             |     |      |       | ARMREST N N N N                                    |
|      | L640-1 BA3  | 1   |      |       | Silver N N N YL640BA3                              |
|      | L640-1 BB5  | 1   |      |       | Blue N N N YL640BB5                                |
|      | L640-1 BM6  | 1   |      |       | Red N N N YL640BM6                                 |
|      | L640-1 BL3  | 1   |      |       | Beige N N N YL640BL3                               |
|      | L640-1 CS8  | 1   |      |       | Charcoal N N N YL640CS8                            |
|      | L640-1 DT3  | 1   |      |       | Tan N N N YL640DT3                                 |
|      | 4160 110-1  | 1   |      |       | Black N N N Y4160110                               |
| 3    | 9420 278    | 4   |      |       | NUT (3/16) N N N Y9420278                          |
| 4    | 4215 014    | 2   |      |       | SEAL, Trim Panel N N N Y4215014                    |
| 5    |             |     |      |       | PANEL, Door Trim N N N N                           |
|      | L632-3 BA3  | 1   |      |       | Silver N N N YL632BA3                              |
|      | L632-3 BB5  | 1   |      |       | Blue N N N YL632BB5                                |
|      | L632-3 BM6  | 1   |      |       | Red N N N YL632BM6                                 |
|      | L632-3 BL3  | 1   |      |       | Beige N N N YL632BL3                               |
|      | L632-3 CS8  | 1   |      |       | Charcoal N N N YL632CS8                            |
|      | L632-3 DT3  | 1   |      |       | Tan N N N YL632DT3                                 |
| 6    | 4161 222-3  | 1   |      |       | BRACKET, Armrest Mounting N N N Y4161222           |
| 7    |             | AR  |      |       | SCREW (1/4-14x.75)(not serviced) N N N N           |
| 8    |             | 1   |      |       | SCREW (10-16x.75)(not serviced) N N N N            |
| 9    | 6003 555    | AR  |      |       | FASTENER, Trim Panel N N N Y6003555                |
| 10   |             |     |      |       | CARPET N N N N                                     |
|      |             |     |      |       | (up to 4/23/84) N N N N                            |
|      | L635 CA3    | 1   |      |       | Silver N N N YL635CA3                              |
|      | L635 BB5    | 1   |      |       | Blue N N N YL635BB5                                |
|      | L635 BM6    | 1   |      |       | Red N N N YL635BM6                                 |
|      | L635 BL3    | 1   |      |       | Beige N N N YL635BL3                               |
|      |             |     |      |       | (From To 4-23-84 To 4-1-85) N N N N                |
|      | L794-5 CA3  | 1   |      |       | Silver N N N YL794CA3                              |
|      | L794-5 CB5  | 1   |      |       | Blue N N N YL794CB5                                |
|      | L794-5 CM6  | 1   |      |       | Red N N N YL794CM6                                 |
|      | L794-5 CL3  | 1   |      |       | Beige N N N YL794CL3                               |
|      | L794-5 DT3  | 1   |      |       | Tan N N N YL794DT3                                 |
|      |             |     |      |       | (After 4-1-85) N N N N                             |
|      | L852-3 DB5  | 1   |      |       | Blue N N N YL852DB5                                |
|      | L852-3 DM6  | 1   |      |       | Red N N N YL852DM6                                 |
|      | L852-3 DT3  | 1   |      |       | Tan N N N YL852DT3                                 |
|      | L852-3 DA3  | 1   |      |       | Silver N N N YL852DA3                              |
| 11   | 4160 164    | 2   |      |       | INSERT, Trim Panel (woodgrain trim) N N N Y4160164 |
| 12   | 9414 726    | 4   |      |       | SCREW N N N Y9414726                               |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | 6000 943       | 4   |      |       | NUT, Handle Attaching (up to 12/12/83) N N N Y6000943 |
|      | 6032 676       | 4   |      |       | (after 12/12/83) N N N Y6032676                       |
| 13   |                |     |      |       | HANDLE, Pull N N N N                                  |
|      | D852 BA3       | 2   |      |       | Silver N N N YD852BA3                                 |
|      | D852 BB5       | 2   |      |       | Blue N N N YD852BB5                                   |
|      | D852 VM6       | 2   |      |       | Red N N N YD852VM6                                    |
|      | D852 BL3       | 2   |      |       | Beige N N N YD852BL3                                  |
|      | D852 CS8       | 2   |      |       | Charcoal N N N YD852CS8                               |
|      | D852 DT3       | 2   |      |       | Tan N N N YD852DT3                                    |
|      |                |     |      |       | Premium N N N N                                       |
|      | L720 CA3       | 2   |      |       | Silver N N N YL720CA3                                 |
|      | L720 CB5       | 2   |      |       | Blue N N N YL720CB5                                   |
|      | L720 CM6       | 2   |      |       | Red N N N YL720CM6                                    |
|      | L720 CL3       | 2   |      |       | Beige N N N YL720CL3                                  |
|      | L720 DT3       | 2   |      |       | Tan N N N YL720DT3                                    |
| 14   |                | 2   |      |       | SCREW (1/4-14x.75)(not serviced) N N N N              |



«

DOOR TRIM PANEL REAR D 3,7  
Figure ITC-700

4378 700




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | MOULDING, Glass Run Channel N N N N                         |
|      | 3636 052       | 2   |      |       | Inner N N N Y3636052  |
| 2    | 3824 063       | 2   |      |       | REINFORCEMENT N N N Y3824063                                |
| 3    |                | 4   |      |       | SCREW (1/4-14x1)(not serviced) N N N N                      |
| 4    |                |     |      |       | ARMREST N N N N   |
|      | L653 BB5       | 1   |      |       | Blue N N N YL653BB5   |
|      | L653 BM6       | 1   |      |       | Red N N N YL653BM6  |
|      | L653 BL3       | 1   |      |       | Beige N N N YL653BL3  |
|      | L653 DT3       | 1   |      |       | Tan N N N YL653DT3  |
| 5    |                | 16  |      |       | SCREW (8-18x1)(not serviced) N N N N                        |
| 6    | L642-3 BL3     | 1   |      |       | PANEL, Door Trim (beige) (paint as required) N N N YL642BL3 |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

SEAT FRONT D TRIM CODE A2  
Figure ITC-800

4379 800




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L030 C2A    | 1   |      |       | N N NA2A YL030C2A                              |
|      | L014 C2M    | 1   |      |       | N N NA2M YL014C2M                              |
|      | L030 B2L    | 1   |      |       | N N NA2L YL030B2L                              |
|      | L014 C2S    | 1   |      |       | N N NA2S YL014C2S                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      | L014 C2M    | 1   |      |       | N N NA2M YL014C2M                              |
|      | L014 D2B    | 1   |      |       | N N NA2B YL014D2B                              |
|      | L014 D2T    | 1   |      |       | N N NA2T YL014D2T                              |
| 2    | L014 C2S    | 1   |      |       | N N NA2S YL014C2S                              |
|      |             |     |      |       | COVER, Cushion N N N N                         |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L029 C2A    | 1   |      |       | N N NA2A YL029C2A                              |
|      | L029 B2M    | 1   |      |       | N N NA2M YL029B2M                              |
|      | L029 B2L    | 1   |      |       | N N NA2L YL029B2L                              |
|      | L029 D2T    | 1   |      |       | N N NA2T YL029D2T                              |
|      | L029 C2S    | 1   |      |       | N N NA2S YL029C2S                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      | L012 C2M    | 1   |      |       | N N NA2M YL012C2M                              |
| 3    | L012 D2B    | 1   |      |       | N N NA2B YL012D2B                              |
|      | L012 D2T    | 1   |      |       | N N NA2T YL012D2T                              |
|      | L012 C2S    | 1   |      |       | N N NA2S YL012C2S                              |
|      |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N    |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L031 C2A    | 1   |      |       | N N NA2A YL031C2A                              |
|      | L031 B2M    | 1   |      |       | N N NA2M YL031B2M                              |
|      | L031 B2L    | 1   |      |       | N N NA2L YL031B2L                              |
|      | L031 C2S    | 1   |      |       | N N NA2S YL031C2S                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
| 4    | L015 C2M    | 1   |      |       | N N NA2M YL015C2M                              |
|      | L015 D2B    | 1   |      |       | N N NA2B YL015D2B                              |
|      | L015 D2T    | 1   |      |       | N N NA2T YL015D2T                              |
|      | L015 C2S    | 1   |      |       | N N NA2S YL015C2S                              |
|      |             |     |      |       | COVER, Back N N N N                            |
|      |             |     |      |       | Model Year 1984 N N N N                        |
|      | L025 C2A    | 1   |      |       | N N NA2A YL025C2A                              |
|      | L013 C2M    | 1   |      |       | N N NA2M YL013C2M                              |
|      | L025 B2L    | 1   |      |       | N N NA2L YL025B2L                              |
|      | L025 C2S    | 1   |      |       | N N NA2S YL025C2S                              |
|      |             |     |      |       | Model Year 1985 N N N N                        |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |
|      |             |     |      |       |  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |                   |                  |                  |                  |
| TRUCK (4X2)  | (11) = 109" W.B.             | WAGONS:           |                  | CONVENTIONAL:    | SPORT UTILITY:   |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | CREW CAB:        |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (82) = 149" W.B. |
| (TRUCK) 4X4  |                              | (53) = 127X" W.B. | (63) = 135" W.B. |                  | (83) = 165" W.B. |
| D8 = SPORT UTILITY (4X4)   |                              |                   | (64) = 159" W.B. |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SEAT FRONT D TRIM CODE A2  
Figure ITC-800



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
|      | L013 C2M       | 1   |      |       | N N NA2M YL013C2M                                     |
|      | L013 D2B       | 1   |      |       | N N NA2B YL013D2B                                     |
|      | L013 D2T       | 1   |      |       | N N NA2T YL013D2T                                     |
|      | L013 C2S       | 1   |      |       | N N NA2S YL013C2S                                     |
| 5    |                |     |      |       | ROLL STOCK, Vinyl 68" Wide Order by the Inch. N N N N |
|      | R632 CA2       | AR  |      |       | Silver N N NA2A YR632CA2                              |
|      | R632 DB5       | AR  |      |       | Blue N N NA2B YR632DB5                                |
|      | R632 CM6       | AR  |      |       | Red N N NA2M YR632CM6                                 |
|      | R632 CL3       | AR  |      |       | Beige (1984) N N NA2L YR632CL3                        |
|      | R632 DT3       | AR  |      |       | Tan (1985) N N NA2T YR632DT3                          |
|      | R632 CS8       | AR  |      |       | Charcoal N N NA2S YR632CS8                            |
| 6    | 4264 832-3     | 1   |      |       | COVER, Hinge Arm (black) N N N Y4264832               |



|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

SEAT FRONT CONVENTIONAL CAB D TRIM CODE B2,E1  
Figure ITC-900

4379 900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                     |
|------|-------------|-----|------|-------|---|
| 1-2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N  |
|      | L004 C2A    | 1   |      |       | N N NB2A YL004C2A                               |
|      | L004 C2B    | 1   |      |       | N N NB2B YL004C2B                               |
|      | L004 C2M    | 1   |      |       | N N NB2M YL004C2M                               |
|      | L004 C2L    | 1   |      |       | N N NB2L YL004C2L                               |
|      | L004 D2T    | 1   |      |       | N N NB2T YL004D2T                               |
| 1    |             |     |      |       | COVER, Cushion N N N N                          |
|      | L023 C2A    | 1   |      |       | N N NB2A YL023C2A                               |
|      | L023 C2B    | 1   |      |       | N N NB2B YL023C2B                               |
|      | L023 C2M    | 1   |      |       | N N NB2M YL023C2M                               |
|      | L023 C2L    | 1   |      |       | N N NB2L YL023C2L                               |
|      | L023 D2T    | 1   |      |       | N N NB2T YL023D2T                               |
| 2    |             |     |      |       | ROLL STOCK, 54" Wide Order by the Inch. N N N N |
|      | R629 CA2    | AR  |      |       | Silver N N NB2A,E1A YR629CA2                    |
|      | R629 CB5    | AR  |      |       | Blue N N NB2B,E1B YR629CB5                      |
|      | R629 CM6    | AR  |      |       | Red N N NB2M,E1M YR629CM6                       |
|      | R629 CL3    | AR  |      |       | Beige N N NB2L,E1L YR629CL3                     |
|      | R629 DT3    | AR  |      |       | Tan N N NB2T,E1T YR629DT3                       |
| 2-3  |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N     |
|      | L005 C2A    | 1   |      |       | N N NB2A YL005C2A                               |
|      | L005 C2B    | 1   |      |       | N N NB2B YL005C2B                               |
|      | L005 C2M    | 1   |      |       | N N NB2M YL005C2M                               |
|      | L005 D2T    | 1   |      |       | N N NB2T YL005D2T                               |
|      | L005 C2L    | 1   |      |       | N N NB2L YL005C2L                               |
| 3    |             |     |      |       | COVER, Back N N N N                             |
|      | L024 C2A    | 1   |      |       | N N NB2A YL024C2A                               |
|      | L024 C2B    | 1   |      |       | N N NB2B YL024C2B                               |
|      | L024 C2M    | 1   |      |       | N N NB2M YL024C2M                               |
|      | L024 C2L    | 1   |      |       | N N NB2L YL024C2L                               |
|      | L024 D2T    | 1   |      |       | N N NB2T YL024D2T                               |
| 4&2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N  |
|      | L006 C1S    | 1   |      |       | Model Year 1984 N N N N                         |
|      | L006 C1C    | 1   |      |       | N N NE1A YL006C1S                               |
|      | L006 C1M    | 1   |      |       | N N NE1B YL006C1C                               |
|      | L006 C1T    | 1   |      |       | N N NE1M YL006C1M                               |
|      |             |     |      |       | N N NE1L YL006C1T                               |
|      |             |     |      |       | Model Year 1985 N N N N                         |
|      | L118 D1C    | 1   |      |       | N N NE1B YL118D1C                               |
|      | L118 D1M    | 1   |      |       | N N NE1M YL118D1M                               |
|      | L118 D1T    | 1   |      |       | N N NE1T YL118D1T                               |
| 4    |             |     |      |       | COVER, Cushion N N N N                          |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.



SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT FRONT CONVENTIONAL CAB D TRIM CODE B2,E1  
Figure ITC-900

4379 900



| ITEM                    | PART<br>NUMBER                              | QTY | BODY | MODEL | DESCRIPTION                             |
|-------------------------|---|-----|------|-------|---|
| Model Year 1984 N N N N |   |     |      |       |   |
|                         | L018 C1S                                    | 1   |      |       | N N NE1A YL018C1S                       |
|                         | L018 C1C                                    | 1   |      |       | N N NE1B YL018C1C                       |
|                         | L018 C1M                                    | 1   |      |       | N N NE1M YL018C1M                       |
|                         | L018 C1T                                    | 1   |      |       | N N NE1L YL018C1T                       |
| Model Year 1985 N N N N |   |     |      |       |   |
|                         | L150 D1C                                    | 1   |      |       | N N NE1B YL150D1C                       |
|                         | L150 D1M                                    | 1   |      |       | N N NE1M YL150D1M                       |
|                         | L150 D1T                                    | 1   |      |       | N N NE1T YL150D1T                       |
| 5&2                     | BACK, w/Spring/Frame, Pad and Cover N N N N |     |      |       |   |
| Model Year 1984 N N N N |   |     |      |       |   |
|                         | L007 C1S                                    | 1   |      |       | N N NE1A YL007C1S                       |
|                         | L007 C1C                                    | 1   |      |       | N N NE1B YL007C1C                       |
|                         | L007 C1M                                    | 1   |      |       | N N NE1M YL007C1M                       |
|                         | L007 C1T                                    | 1   |      |       | N N NE1L YL007C1T                       |
| Model Year 1985 N N N N |   |     |      |       |   |
|                         | L119 D1C                                    | 1   |      |       | N N NE1B YL119D1C                       |
|                         | L119 D1M                                    | 1   |      |       | N N NE1M YL119D1M                       |
|                         | L119 D1T                                    | 1   |      |       | N N NE1T YL119D1T                       |
| 5                       | COVER, Back N N N N                         |     |      |       |   |
| Model Year 1984 N N N N |   |     |      |       |   |
|                         | L019 C1S                                    | 1   |      |       | N N NE1A YL019C1S                       |
|                         | L019 C1C                                    | 1   |      |       | N N NE1B YL019C1C                       |
|                         | L019 C1M                                    | 1   |      |       | N N NE1M YL019C1M                       |
|                         | L019 C1T                                    | 1   |      |       | N N NE1L YL019C1T                       |
| Model Year 1985 N N N N |   |     |      |       |   |
|                         | L151 D1C                                    | 1   |      |       | N N NE1B YL151D1C                       |
|                         | L151 D1M                                    | 1   |      |       | N N NE1M YL151D1M                       |
|                         | L151 D1T                                    | 1   |      |       | N N NE1T YL151D1T                       |
| 6                       | 4264 832-3                                  | 1   |      |       | COVER, Hinge Arm (black) N N N Y4264832 |
| 7                       | BUTTON and RETAINER N N N N                 |     |      |       |   |
|                         | L304 BA2                                    | AR  |      |       | Silver N N NB2A YL304BA2                |
|                         | L304 BB5                                    | AR  |      |       | Blue N N NB2B YL304BB5                  |
|                         | L304 BM6                                    | AR  |      |       | Red N N NB2M YL304BM6                   |
|                         | L304 BL3                                    | AR  |      |       | Beige N N NB2L YL304BL3                 |
|                         | L304 DT3                                    | AR  |      |       | Tan N N NB2T YL304DT3                   |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT FRONT CONVENTIONAL CAB D TRIM CODE D1  
Figure ITC-1000

4379 1000




| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1-2  |                |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N        |
|      | L051 C1A       | 1   |      |       | N N ND1A YL051C1A                                     |
|      | L051 C1B       | 1   |      |       | N N ND1B YL051C1B                                     |
|      | L051 C1M       | 1   |      |       | N N ND1M YL051C1M                                     |
|      | L051 C1L       | 1   |      |       | N N ND1L YL051C1L                                     |
|      | L051 D1T       | 1   |      |       | N N ND1T YL051D1T                                     |
| 1    |                |     |      |       | COVER, Cushion N N N N                                |
|      | L049 C1A       | 1   |      |       | N N ND1A YL049C1A                                     |
|      | L049 C1B       | 1   |      |       | N N ND1B YL049C1B                                     |
|      | L049 C1M       | 1   |      |       | N N ND1M YL049C1M                                     |
|      | L049 C1L       | 1   |      |       | N N ND1L YL049C1L                                     |
|      | L049 D1T       | 1   |      |       | N N ND1T YL049D1T                                     |
| 2    |                |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N |
|      | R629 CA2       | AR  |      |       | Silver N N ND1A YR629CA2                              |
|      | R629 CB5       | AR  |      |       | Blue N N ND1B YR629CB5                                |
|      | R629 CM6       | AR  |      |       | Red N N ND1M YR629CM6                                 |
|      | R629 CL3       | AR  |      |       | Beige N N ND1L YR629CL3                               |
|      | R629 DT3       | AR  |      |       | Tan N N ND1T YR629DT3                                 |
| 2-3  |                |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N           |
|      | L052 C1A       | 1   |      |       | N N ND1A YL052C1A                                     |
|      | L052 C1B       | 1   |      |       | N N ND1B YL052C1B                                     |
|      | L052 C1M       | 1   |      |       | N N ND1M YL052C1M                                     |
|      | L052 C1L       | 1   |      |       | N N ND1L YL052C1L                                     |
|      | L052 D1T       | 1   |      |       | N N ND1T YL052D1T                                     |
| 3    |                |     |      |       | COVER, Back N N N N                                   |
|      | L054 C1A       | 1   |      |       | N N ND1A YL054C1A                                     |
|      | L054 C1B       | 1   |      |       | N N ND1B YL054C1B                                     |
|      | L054 C1M       | 1   |      |       | N N ND1M YL054C1M                                     |
|      | L054 C1L       | 1   |      |       | N N ND1L YL054C1L                                     |
|      | L054 D1T       | 1   |      |       | N N ND1T YL054D1T                                     |
| 4    |                |     |      |       | BUTTON N N N N  |
|      | L306 BA2       | AR  |      |       | Silver N N ND1A YL306BA2                              |
|      | L306 BB5       | AR  |      |       | Blue N N ND1B YL306BB5                                |
|      | L306 BM6       | AR  |      |       | Red N N ND1M YL306BM6                                 |
|      | L306 BL3       | AR  |      |       | Beige N N ND1L YL306BL3                               |
|      | L306 DT3       | AR  |      |       | Tan N N ND1T YL306DT3                                 |
|      | 4219 612       | 4   |      |       | RETAINER, Button N N N Y4219612                       |
| 5    | 4264 832-3     | 1   |      |       | COVER, Hinge Arm (black) N N N Y4264832               |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**SEAT FRONT CREW CAB D TRIM CODE B2,E1**  
**Figure ITC-1100**

4379 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1-2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N              |
|      | L047 C2B    | 1   |      |       | N N NB2B YL047C2B   |
|      | L047 C2M    | 1   |      |       | N N NB2M YL047C2M   |
|      | L047 C2L    | 1   |      |       | N N NB2L YL047C2L   |
|      | L047 D2T    | 1   |      |       | N N NB2T YL047D2T   |
| 1    |             |     |      |       | COVER, Cushion N N N N                                      |
|      | L028 C2B    | 1   |      |       | N N NB2B YL028C2B   |
|      | L028 C2M    | 1   |      |       | N N NB2M YL028C2M   |
|      | L028 C2L    | 1   |      |       | N N NB2L YL028C2L   |
|      | L028 D2T    | 1   |      |       | N N NB2T YL028D2T   |
| 2    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N       |
|      | R629 CB5    | AR  |      |       | Blue N N NB2B YR629CB5                                      |
|      | R629 CM6    | AR  |      |       | Red N N NB2M YR629CM6                                       |
|      | R629 CL3    | AR  |      |       | Beige N N NB2L,E1L YR629CL3                                 |
|      | R629 DT3    | AR  |      |       | Tan N N NB2T,E1T YR629DT3                                   |
| 2-3  |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N                 |
|      | L044-5 C2B  | 1   |      |       | N N NB2B YL044C2B   |
|      | L044-5 C2M  | 1   |      |       | N N NB2M YL044C2M   |
|      | L044-5 C2L  | 1   |      |       | N N NB2L YL044C2L   |
|      | L044-5 D2T  | 1   |      |       | N N NB2T YL044D2T   |
| 3    |             |     |      |       | COVER, Back N N N N   |
|      | L026-7 C2B  | 1   |      |       | N N NB2B YL026C2B   |
|      | L026-7 C2M  | 1   |      |       | N N NB2M YL026C2M   |
|      | L026-7 C2L  | 1   |      |       | N N NB2L YL026C2L   |
|      | L026-7 D2T  | 1   |      |       | N N NB2T YL026D2T   |
| 4&2  | L048 C1T    | 1   |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N NE1L YL048C1T    |
|      |             | 1   |      |       | N N NE1T NL120D1T   |
| 4    | L034 C1T    | 1   |      |       | COVER, Cushion N N NE1L YL034C1T                            |
|      | L154 D1T    | 1   |      |       | N N NE1T YL154D1T   |
| 5&2  | L042-3 C1T  | 1   |      |       | BACK, w/Spring/Frame, Pad and Cover N N NE1L YL042C1T       |
|      | L120-1 D1T  | 1   |      |       | N N NE1T YL120D1T   |
| 5    | L032-3 C1T  | 1   |      |       | COVER, Back N N NE1L YL032C1T                               |
|      | L152-3 D1T  | 1   |      |       | N N NE1T YL152D1T   |
| 6    | S522-3 BL3  | 1   |      |       | COVER, Hinge Arm (beige) (paint as required) N N N YS522BL3 |
| 7    |             |     |      |       | BUTTON and RETAINER N N N N                                 |
|      | L304 BB5    | AR  |      |       | Blue N N NB2B YL304BB5                                      |
|      | L304 BM6    | AR  |      |       | Red N N NB2M YL304BM6                                       |
|      | L304 BL3    | AR  |      |       | Beige N N NB2L YL304BL3                                     |
|      | L304 DT3    | AR  |      |       | Tan N N NB2T YL304DT3                                       |
| 8    |             | 2   |      |       | SCREW, Round Head (8-18x1/2) (not serviced) N N N N         |
| 9    | 4084 793    | 2   |      |       | BUMPER, Anti Rattle N N N Y4084793                          |

**MODEL CODES:**

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

**BODY STYLE & WHEELBASE VANS:**  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

**WAGONS:**  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

**CONVENTIONAL:**  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

**SPORT UTILITY:**  
(71) = 106" W.B.

**CREW CAB:**  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required




[illegible]

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.



SEAT FRONT CREW CAB D TRIM CODE D1  
Figure ITC-1200

4378 1.100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1-2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N        |
|      | L046 C1M    | 1   |      |       | N N ND1M YL046C1M                                     |
|      | L046 C1L    | 1   |      |       | N N ND1L YL046C1L                                     |
|      | L046 D1T    | 1   |      |       | N N ND1T YL046D1T                                     |
| 1    |             |     |      |       | COVER, Cushion N N N N                                |
|      | L053 C1M    | 1   |      |       | N N ND1M YL053C1M                                     |
|      | L053 C1L    | 1   |      |       | N N ND1L YL053C1L                                     |
|      | L053 D1T    | 1   |      |       | N N ND1T YL053D1T                                     |
| 2    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N |
|      | R629 CM6    | AR  |      |       | Red N N ND1M YR629CM6                                 |
|      | R629 CL3    | AR  |      |       | Beige N N ND1L YR629CL3                               |
|      | R629 DT3    | AR  |      |       | Tan N N ND1T YR629DT3                                 |
| 2-3  |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N           |
|      | L040-1 C1M  | 1   |      |       | N N ND1M YL040C1M                                     |
|      | L040-1 C1L  | 1   |      |       | N N ND1L YL040C1L                                     |
|      | L040-1 D1T  | 1   |      |       | N N ND1T YL040D1T                                     |
| 3    |             |     |      |       | COVER, Back N N N N                                   |
|      | L112-3 C1M  | 1   |      |       | N N ND1M YL112C1M                                     |
|      | L112-3 C1L  | 1   |      |       | N N ND1L YL112C1L                                     |
|      | L112-3 D1T  | 1   |      |       | N N ND1T YL112D1T                                     |
| 4    |             |     |      |       | BUTTON N N N N  |
|      | L306 BM6    | AR  |      |       | Red N N ND1M YL306BM6                                 |
|      | L306 BL3    | AR  |      |       | Beige N N ND1L YL306BL3                               |
|      | L306 DT3    | AR  |      |       | Tan N N ND1T YL306DT3                                 |
|      | 4219 612    | 4   |      |       | RETAINER, Button N N N Y4219612                       |
| 5    | S522-3 BB5  | 1   |      |       | COVER, Hinge Arm (paint as required) N N N YS522BB5   |
| 6    |             |     |      |       | COVER, Center Hinge Post N N N N                      |
|      | S525 BB5    | 1   |      |       | Blue N N N YS525BB5                                   |
|      | S525 BL3    | 1   |      |       | Beige N N N YS525BL3                                  |
|      | S525 DT3    | 1   |      |       | Tan N N N YS525DT3                                    |
| 7    |             | 2   |      |       | SCREW, Round Head (8-18x1/2) (not serviced) N N N N   |
| 8    | 4084 793    | 2   |      |       | BUMPER, Anti Rattle N N N Y4084793                    |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BELTS SEAT BENCH INNER D 1,2,3,5,6,7  
Figure ITC-1300

4379 1300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                  |
|------|-------------|-----|------|-------|------------------------------|
| 1    |             |     |      |       | BELT, Buckle Half N N N N    |
|      |             |     |      |       | CREW CAB N N N N             |
|      |             |     |      |       | Label Number 4264820 N N N N |
|      | L700 BB5    | 1   |      |       | Blue N N N YL700BB5          |
|      | L700 BM6    | 1   |      |       | Red N N N YL700BM6           |
|      | L700 BL3    | 1   |      |       | Beige N N N YL700BL3         |
|      | L700 DT3    | 1   |      |       | Tan N N N YL700DT3           |
|      |             |     |      |       | CONVENTIONAL CAB N N N N     |
|      |             |     |      |       | Label Number 4263898 N N N N |
|      | L686 BA3    | 1   |      |       | Silver N N N YL686BA3        |
| 2    | L686 BB5    | 1   |      |       | Blue N N N YL686BB5          |
|      | L686 BM6    | 1   |      |       | Red N N N YL686BM6           |
|      | L686 BL3    | 1   |      |       | Beige N N N YL686BL3         |
|      | L686 DT3    | 1   |      |       | Tan N N N YL686DT3           |
|      | L686 CS8    | 1   |      |       | Charcoal N N N YL686CS8      |
|      | 6031 462    | 4   |      |       | BOLT N N N Y6031462          |
|      |             |     |      |       | BELT, Tip Half N N N N       |
|      |             |     |      |       | CREW CAB N N N N             |
|      |             |     |      |       | Label Number 4264821 N N N N |
|      | L701 BB5    | 1   |      |       | Blue N N N YL701BB5          |
| 3    | L701 BM6    | 1   |      |       | Red N N N YL701BM6           |
|      | L701 BL3    | 1   |      |       | Beige N N N YL701BL3         |
|      |             |     |      |       | Label Number 4358003 N N N N |
|      | L792 CB5    | 1   |      |       | Blue N N N YL792CB5          |
|      | L792 CM6    | 1   |      |       | Red N N N YL792CM6           |
|      | L792 DT3    | 1   |      |       | Tan N N N YL792DT3           |
|      | L792 CL3    | 1   |      |       | Beige N N N YL792CL3         |
|      |             |     |      |       | CONVENTIONAL CAB N N N N     |
|      |             |     |      |       | Label Number 4263899 N N N N |
|      | L687 BA3    | 1   |      |       | Silver N N N YL687BA3        |
|      | L687 BB5    | 1   |      |       | Blue N N N YL687BB5          |
|      | L687 BM6    | 1   |      |       | Red N N N YL687BM6           |
|      | L687 BL3    | 1   |      |       | Beige N N N YL687BL3         |
|      | L687 CS8    | 1   |      |       | Charcoal N N N YL687CS8      |
|      | L687 DT3    | 1   |      |       | Tan N N N YL687DT3           |
|      |             |     |      |       |                              |
|      |             |     |      |       |                              |
|      |             |     |      |       |                              |
|      |             |     |      |       |                              |
|      |             |     |      |       |                              |

|  |                              |  |                   |                  |                  |
|--|------------------------------|--|-------------------|------------------|------------------|
| MODEL CODES:   |                              |  |                   |                  |                  |
| TRUCK LINE   |                              |  |                   |                  |                  |
| D123 = CONVENTIONAL  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   |
| TRUCK (4X2)  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. | CREW CAB:        |
| D4 = SPORT UTILITY (4X2)   | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. | (82) = 149" W.B. |
| D5,6,7 = CONVENTIONAL  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. | (83) = 165" W.B. |
| (TRUCK) 4X4  |                              |  |                   | (64) = 159" W.B. |                  |
| D8 = SPORT UTILITY (4X4)   |                              |  |                   |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |  |                   |                  |                  |

# **BELTS SEAT BENCH OUTER D 1,2,3,5,6,7** **Figure ITC-1400**

4314 1400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | COVER, Turning Loop N N N N                               |
|      | F802 CA3    | 2   |      |       | Silver N N N YF802CA3                                     |
|      | F802 CB5    | 2   |      |       | Blue N N N YF802CB5                                       |
|      | F802 CM6    | 2   |      |       | Red N N N YF802CM6  |
|      | F802 CL3    | 2   |      |       | Beige N N N YF802CL3                                      |
|      | F802 CS8    | 2   |      |       | Charcoal N N N YF802CS8                                   |
|      | F802 DT3    | 2   |      |       | Tan N N N YF802DT3  |
| 2    | 6031 462    | 4   |      |       | BOLT N N N Y6031462                                       |
| 3    |             |     |      |       | PANEL, Roof Inner (reference) N N N N                     |
| 4    | 3731 160    | 2   |      |       | SPACER, Hanger Anti Rattle N N N Y3731160                 |
| 5    |             |     |      |       | BELT, Front Seat Outer N N N N                            |
|      |             |     |      |       | CREW CAB N N N N  |
|      |             |     |      |       | Label Number 4264872 N N N N                              |
|      | F820 CB5    | 2   |      |       | Blue N N N YF820CB5                                       |
|      | F820 CM6    | 2   |      |       | Red N N N YF820CM6  |
|      | F820 CL3    | 2   |      |       | Beige N N N YF820CL3                                      |
|      | F820 DT3    | 2   |      |       | Tan N N N YF820DT3  |
|      |             |     |      |       | CONVENTIONAL CAB N N N N                                  |
|      |             |     |      |       | Label Number 4265248, Right N N N N                       |
|      | L736 CA3    | 1   |      |       | Silver N N N YL736CA3                                     |
|      | L736 CB5    | 1   |      |       | Blue N N N YL736CB5                                       |
|      | L736 CM6    | 1   |      |       | Red N N N YL736CM6  |
|      | L736 CL3    | 1   |      |       | Beige N N N YL736CL3                                      |
|      | L736 CS8    | 1   |      |       | Charcoal N N N YL736CS8                                   |
|      | L736 DT3    | 1   |      |       | Tan N N N YL736DT3  |
|      |             |     |      |       | Label Number 4265247, Left N N N N                        |
|      | L735 CA3    | 1   |      |       | Silver N N N YL735CA3                                     |
|      | L735 CB5    | 1   |      |       | Blue N N N YL735CB5                                       |
|      | L735 CM6    | 1   |      |       | Red N N N YL735CM6  |
|      | L735 CL3    | 1   |      |       | Beige N N N YL735CL3                                      |
|      | L735 CS8    | 1   |      |       | Charcoal N N N YL735CS8                                   |
|      | L735 DT3    | 1   |      |       | Tan N N N YL735DT3  |
| 6    |             |     |      |       | PANEL, Front Door Inner (reference) N N N N               |
| 7    | 4217 996    | 2   |      |       | STRIKER, Front Door Tension Release Button N N N Y4217996 |
| 8    |             | AR  |      |       | SCREW, Self Piercing (6 Pan Head) (not serviced) N N N N  |
| 9    |             |     |      |       | BELT, Rear Tip Half Outer N N N N                         |
|      |             |     |      |       | Label Number 4263841 N N N N                              |
|      | L694 BB5    | 2   |      |       | Blue N N N YL694BB5                                       |
|      | L694 BM6    | 2   |      |       | Red N N N YL694BM6  |
|      | L694 BL3    | 2   |      |       | Beige, 1984 N N N YL694BL3                                |
|      | L694 DT3    | 2   |      |       | Tan, 1985 N N N YL694DT3                                  |

## **MODEL CODES:**

### **TRUCK LINE**

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

### **BODY STYLE & WHEELBASE VANS:**

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### **WAGONS:**

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### **CONVENTIONAL:**

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### **SPORT UTILITY:**

(71) = 106" W.B.

### **CREW CAB:**


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

BELTS SEAT BENCH OUTER D 1,2,3,5,6,7  
Figure ITC-1400

4374 1400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 10   | 6031 218    | 4   |      |       | BOLT N N N Y6031218   |
| 11   | 4172 612    | 4   |      |       | PLUG N N N Y4172612   |
| 12   |             | 2   |      |       | SCREW (8-18x1) (not serviced) N N N N                                   |
| 13   | L742 BL3    | 2   |      |       | COVER, Shoulder Belt Retractor (beige paint as required) N N N YL742BL3 |
| 14   | 4215 898-9  | 1   |      |       | REINFORCEMENT, Piller N N N Y4215898                                    |
| 15   |             | AR  |      |       | WASHER, Anti Rattle (not serviced) N N N N                              |
| 16   | 4161 867    | 2   |      |       | REINFORCEMENT, w/Weld Nut, Rear Seat Belt Mounting Outer N N N Y4161867 |
| 17   | 6025 160    | 2   |      |       | RETAINER, Inertia Retractor Pendulum Shaft N N N Y6025160               |
| 18   |             | AR  |      |       | SCREW (not serviced) N N N N  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D101 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D102 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D103 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D104 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D105 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D106 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D107 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D108 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D109 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D110 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D111 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D112 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D113 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D114 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D115 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D116 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D117 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D118 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D119 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D120 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D121 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D122 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D124 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D125 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D126 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D127 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D128 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D129 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D130 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D131 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D132 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D133 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D134 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D135 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D136 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D137 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D138 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D139 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D140 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D141 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D142 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D143 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D144 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D145 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D146 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D147 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D148 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D149 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D150 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D151 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D152 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D153 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D154 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D155 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D156 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D157 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D158 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D159 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D160 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D161 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D162 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D163 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D164 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D165 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D166 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D167 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D168 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D169 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D170 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D171 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D172 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D173 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D174 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D175 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D176 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D177 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D178 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D179 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D180 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D181 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D182 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D183 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D184 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D185 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D186 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D187 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D188 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D189 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D190 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D191 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D192 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D193 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D194 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D195 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D196 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D197 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D198 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D199 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D200 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D201 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D202 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D203 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D204 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D205 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D206 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D207 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D208 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D209 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D210 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D211 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D212 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D213 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D214 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D215 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D216 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D217 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D218 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D219 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D220 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D221 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D222 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D223 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D224 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D225 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D226 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D227 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D228 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D229 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D230 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D231 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D232 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D233 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D234 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D235 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D236 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D237 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D238 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D239 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D240 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D241 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D242 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D243 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D244 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D245 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D246 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D247 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D248 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D249 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D250 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D251 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D252 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D253 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D254 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D255 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D256 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D257 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D258 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D259 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D260 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D261 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D262 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D263 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D264 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D265 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D266 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D267 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D268 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D269 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D270 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D271 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D272 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D273 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D274 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D275 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D276 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D277 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D278 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D279 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D280 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D281 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D282 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D283 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D284 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D285 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D286 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D287 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D288 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D289 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D290 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D291 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D292 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D293 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D294 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D295 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D296 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D297 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D298 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D299 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D300 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D301 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D302 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D303 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D304 = CONVENTIONAL        |                              |                   |                  |                  |                  |
| D305 = CONVENTIONAL        |                              |                   |                  |                  |                  |

SEAT BACK RELEASE D 3,7  
Figure ITC-1500

4379 1500






| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 3520 972-3  | 1   |      |       | ACTUATOR N N N Y3520972                                    |
| 2    |             | 8   |      |       | SCREW (8-32x3/8)(not serviced) N N N N                     |
| 3    | L305 EK1    | 2   |      |       | BUTTON, Seat Back Latch (paint as required) N N N YL305EK1 |
| 4    | L300 BL3    | 2   |      |       | BEZEL (paint as required) 1984 N N N YL300BL3              |
|      | L300 EK1    | 2   |      |       | BEZEL (paint as required) 1985 N N N YL300EK1              |
| 5    |             | AR  |      |       | SCREW (8-18x1/2)(not serviced) N N N N                     |
| 6    |             | 2   |      |       | SCREW (8-18x3/8)(not serviced) N N N N                     |
| 7    | 3520 958-9  | 1   |      |       | CABLE and LATCH N N N Y3520958                             |
|      | 2942 556    | 1   |      |       | HOOK, Guide Wire N N N Y2942556                            |
|      | 6027 433    | 2   |      |       | RIVET N N N Y6027433                                       |
| 8    | 2888 738-9  | 1   |      |       | SPRING N N N Y2888738                                      |
| 9    |             | 2   |      |       | WASHER (not serviced) N N N N                              |
| 10   | 6024 440    | 2   |      |       | RETAINER, Ring N N N Y6024440                              |
| 11   | 6029 501    | 4   |      |       | NUT, Snap Hinge Cover N N N Y6029501                       |
|      | 6024 203    | 2   |      |       | PUSH NUT N N N Y6024203                                    |

|  |  |                              |  |                   |  |
|--|--|------------------------------|--|-------------------|--|
| MODEL CODES:   |  |                              |  |                   |  |
| TRUCK LINE   |  |                              |  |                   |  |
| D123 = CONVENTIONAL  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           |  |
| TRUCK (4X2)  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  |  |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  |  |
| D5,6,7 = CONVENTIONAL  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. |  |
| (TRUCK) 4X4  |  |                              |  | CONVENTIONAL:     |  |
| D8 = SPORT UTILITY (4X4)   |  |                              |  | (61) = 115" W.B.  |  |
| D9 = SPORT UTILITY (4X4)   |  |                              |  | (62) = 131" W.B.  |  |
|  |  |                              |  | (63) = 135" W.B.  |  |
|  |  |                              |  | (64) = 159" W.B.  |  |
|  |  |                              |  | SPORT UTILITY:    |  |
|  |  |                              |  | (71) = 106" W.B.  |  |
|  |  |                              |  | CREW CAB:         |  |
|  |  |                              |  | (82) = 149" W.B.  |  |
|  |  |                              |  | (83) = 165" W.B.  |  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |  |

SEAT BENCH FRONT ATTACHING PARTS D 1,2,3,5,6,7  
Figure ITC-1600

4379 1600




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | ADJUSTER N N N N                                   |
|      | 3636 816    | 1   |      |       | Conventional Cab N N N N                           |
|      | 4265 161    | 1   |      |       | Right N N N Y3636816                               |
|      | 4215 666-7  | 1   |      |       | Left N N N Y4265161                                |
|      | 4215 666-7  | 1   |      |       | Crew Cab N N N Y4215666                            |
|      | 6025 010    | 4   |      |       | NUT and WASHER, Cushion to Adjuster N N N Y6025010 |
| 2    |             | 1   |      |       | SCREW (not serviced) N N N N                       |
| 3    | 4265 176    | 1   |      |       | WIRE N N N Y4265176                                |
| 4    | 2765 197    | 1   |      |       | KNOB N N N Y2765197                                |
|      | 4172 333    | 1   |      |       | SPRING, Regulator Latch N N N Y4172333             |
| 5    |             |     |      |       | COVER, Hinge Arm (See Seat Illustration) N N N N   |
| 6    | 3829 883    | 1   |      |       | LATCH N N N Y3829883                               |
|      | 3689 638    | 1   |      |       | WASHER, Back to Cushion Anti-Rattle N N N Y3689638 |
| 7    | 4364 850    | 1   |      |       | STRIKER N N N Y4364850                             |
| 8    | 6032 077    | 2   |      |       | BOLT, Pivot N N N Y6032077                         |
| 9    | 6030 936    | 2   |      |       | BOLT, Latch to Frame (7/16-14x1.62) N N N Y6030936 |
| 10   | 6025 020    | 2   |      |       | NUT and WASHER N N N Y6025020                      |
| 11   | 4264 725    | 1   |      |       | BUMPER, Release Latch Striker N N N Y4264725       |
|      | 4084 793    | 1   |      |       | BUMPER, Anti Rattle N N N Y4084793                 |
| 12   | 6025 063    | 4   |      |       | BOLT N N N Y6025063                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

SEAT REAR CREW CAB D TRIM CODE B2,E1  
Figure ITC-1700

4319 1700



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|----------------|-----|------|-------|--|
| 1-2  | L004 C2B       | 1   |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N           |
|      | L004 C2M       | 1   |      |       | N N NB2B YL004C2B  |
|      | L004 C2L       | 1   |      |       | N N NB2M YL004C2M  |
|      | L004 D2T       | 1   |      |       | N N NB2L YL004C2L  |
| 1    | L023 C2B       | 1   |      |       | N N NB2T YL004D2T  |
|      | L023 C2M       | 1   |      |       | COVER, Cushion N N N N                                   |
|      | L023 C2L       | 1   |      |       | N N NB2B YL023C2B  |
|      | L023 D2T       | 1   |      |       | N N NB2M YL023C2M  |
| 2    | R629 CB5       | AR  |      |       | N N NB2L YL023C2L  |
|      | R629 CM6       | AR  |      |       | N N NB2T YL023D2T  |
|      | R629 CL3       | AR  |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N    |
|      | R629 DT3       | AR  |      |       | Blue N N NB2B YR629CB5                                   |
| 2-3  | L005 C2B       | 1   |      |       | Red N N NB2M YR629CM6                                    |
|      | L005 C2M       | 1   |      |       | Beige N N NB2L,E1L YR629CL3                              |
|      | L005 C2L       | 1   |      |       | Tan N N NB2T,E1T YR629DT3                                |
|      | L005 D2T       | 1   |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N              |
| 3    | L024 C2B       | 1   |      |       | N N NB2B YL005C2B  |
|      | L024 C2M       | 1   |      |       | N N NB2M YL005C2M  |
|      | L024 C2L       | 1   |      |       | N N NB2L YL005C2L  |
|      | L024 D2T       | 1   |      |       | N N NB2T YL005D2T  |
| 4&2  | L006 C1T       | 1   |      |       | COVER, Back N N N N                                      |
|      | L118 D1T       | 1   |      |       | N N NB2B YL024C2B  |
| 4    | L018 C1T       | 1   |      |       | N N NB2M YL024C2M  |
|      | L150 D1T       | 1   |      |       | N N NB2L YL024C2L  |
| 5&2  | L007 C1T       | 1   |      |       | N N NB2T YL024D2T  |
|      | L119 D1T       | 1   |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N NE1L YL006C1T |
| 5    | L019 C1T       | 1   |      |       | w/Spring/Frame, Pad and Cover N N NE1T YL118D1T          |
|      | L151 D1T       | 1   |      |       | COVER, Cushion N N NE1L YL018C1T                         |
| 6    | 4264 832-3     | 1   |      |       | Cushion N N NE1T YL150D1T                                |
| 7    | L304 BB5       | AR  |      |       | BACK, w/Spring/Frame, Pad and Cover N N NE1L YL007C1T    |
|      | L304 BM6       | AR  |      |       | w/Spring/Frame, Pad and Cover N N NE1T YL119D1T          |
|      | L304 BL3       | AR  |      |       | COVER, Back N N NE1L YL019C1T                            |
|      | L304 DT3       | AR  |      |       | Back N N NE1T YL151D1T                                   |
| 8    | 6008 076       | AR  |      |       | COVER, Hinge Arm (black) N N N Y4264832                  |
|      |                |     |      |       | BUTTON and RETAINER N N N N                              |
|      |                |     |      |       | Blue N N NB2B YL304BB5                                   |
|      |                |     |      |       | Red N N NB2M YL304BM6                                    |
|      |                |     |      |       | Beige N N NB2L YL304BL3                                  |
|      |                |     |      |       | Tan N N NB2T YL304DT3                                    |
|      |                |     |      |       | FASTENER, Back and Cushion N N N Y6008076                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



SEAT REAR CREW CAB D TRIM CODE D1  
Figure ITC-1800

4379 1800






| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1-2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad and Cover N N N N        |
|      | L051 C1M    | 1   |      |       | N N ND1M YL051C1M                                     |
|      | L051 C1L    | 1   |      |       | N N ND1L YL051C1L                                     |
|      | L051 D1T    | 1   |      |       | N N ND1T YL051D1T                                     |
| 1    |             |     |      |       | COVER, Cushion N N N N                                |
|      | L049 C1M    | 1   |      |       | N N ND1M YL049C1M                                     |
|      | L049 C1L    | 1   |      |       | N N ND1L YL049C1L                                     |
|      | L049 D1T    | 1   |      |       | N N ND1T YL049D1T                                     |
| 2    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N |
|      | R629 CM6    | AR  |      |       | Red N N ND1M YR629CM6                                 |
|      | R629 CL3    | AR  |      |       | Beige N N ND1L YR629CL3                               |
|      | R629 DT3    | AR  |      |       | Tan N N ND1T YR629DT3                                 |
| 2-3  |             |     |      |       | BACK, w/Spring/Frame, Pad and Cover N N N N           |
|      | L052 C1M    | 1   |      |       | N N ND1M YL052C1M                                     |
|      | L052 C1L    | 1   |      |       | N N ND1L YL052C1L                                     |
|      | L052 D1T    | 1   |      |       | N N ND1T YL052D1T                                     |
| 3    |             |     |      |       | COVER, Back N N N N                                   |
|      | L054 C1M    | 1   |      |       | N N ND1M YL054C1M                                     |
|      | L054 C1L    | 1   |      |       | N N ND1L YL054C1L                                     |
|      | L054 D1T    | 1   |      |       | N N ND1T YL054D1T                                     |
| 4    |             |     |      |       | BUTTON N N N N  |
|      | L306 BM6    | AR  |      |       | Red N N ND1M YL306BM6                                 |
|      | L306 BL3    | AR  |      |       | Beige N N ND1L YL306BL3                               |
|      | L306 DT3    | AR  |      |       | Tan N N ND1T YL306DT3                                 |
|      | 4219 612    | 4   |      |       | RETAINER, Button N N N Y4219612                       |
| 5    | 4264 832-3  | 1   |      |       | COVER, Hinge Arm (black) N N N Y4264832               |
| 6    | 6008 076    | AR  |      |       | FASTENER, Cushion and Back N N N Y6008076             |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SEAT BENCH REAR ATTACHING PARTS D 3,7  
Figure ITC-1900

4379 1900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 3636 546-7  | 1   |      |       | RISER, Rear Seat N N N Y3636546                    |
|      | 6025 010    | 4   |      |       | NUT and WASHER, Cushion to Riser N N N Y6025010    |
|      | 0118 614    | 4   |      |       | NUT and WASHER N N N Y118614                       |
| 2    | 6025 382    | AR  |      |       | SCREW N N N Y6025382                               |
| 3    |             |     |      |       | COVER, Hinge Arm (See Seat Illustration) N N N N   |
| 4    | 3829 883    | 1   |      |       | LATCH N N N Y3829883                               |
|      | 3689 638    | 1   |      |       | WASHER, Anti Rattle N N N Y3689638                 |
| 5    | 4364 850    | 1   |      |       | STRIKER N N N Y4364850                             |
| 6    | 6030 936    | 2   |      |       | BOLT, Latch to Frame (7/16-16x1.62) N N N Y6030936 |
| 7    | 6032 077    | 2   |      |       | BOLT, Pivot N N N Y6032077                         |
| 8    | 6025 020    | 1   |      |       | NUT and WASHER N N N Y6025020                      |
| 9    | 4264 725    | 1   |      |       | BUMPER, Release Latch Striker N N N Y4264725       |
|      | 3788 362    | 1   |      |       | BUMPER, Upstop Rear Seat N N N Y3788362            |
| 10   | 6025 063    | 2   |      |       | BOLT N N N Y6025063                                |

|  |  |                              |                   |                  |                  |                  |
|--|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |  |                              |                   |                  |                  |                  |
| TRUCK LINE   |  | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  |  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  |  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |  |                              |                   |                  |                  |                  |
| <del>D9 = TRUCK AND WAGONS (4X4)</del>                                   |  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |                   |                  |                  |                  |


GROUP ITD - D4, D8 SPORT UTILITY

| ILLUSTRATION TITLE                     | GROUP-FIG. NO. |
|--|----------------|
| COWL TRIM AND DASH PANEL LINERS D 4,8  | Fig. ITD-100   |
| HEADLINER D 4,8                        | Fig. ITD-300   |
| SUNVISOR AND REAR VIEW MIRROR D 4,8    | Fig. ITD-400   |
| PANELS TRIM UPPER AND LOWER REAR D 4,8 | Fig. ITD-500   |
| CARPET AND SCUFF PLATES D 4,8          | Fig. ITD-600   |
| MATS AND RETAINERS FLOOR D 4,8         | Fig. ITD-700   |
| DOOR TRIM PANEL D 4,8                  | Fig. ITD-800   |
| SEAT FRONT D 4,8 TRIM CODE C6,G5       | Fig. ITD-900   |
| SEAT FRONT D 4,8 TRIM CODE B2          | Fig. ITD-1000  |
| BELTS SEAT FRONT D 4,8                 | Fig. ITD-1100  |
| ADJUSTER FRONT D 4,8 TRIM CODE B2      | Fig. ITD-1200  |
| ADJUSTER AND RISER BUCKET SEAT D 4,8   | Fig. ITD-1300  |
| SEAT REAR D 4,8 TRIM CODE C6,G5,B2     | Fig. ITD-1400  |
| SEAT REAR ATTACHING PARTS D 4,8        | Fig. ITD-1500  |
| BELTS SEAT REAR D 4,8                  | Fig. ITD-1600  |

ILLUSTRATION NOT AVAILABLE AT TIME OF PUBLICATION

COWL TRIM AND DASH PANEL LINERS D 4,8  
Figure ITD-100

4381 100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4212 767    | 1   |      |       | LINER, Left N N N Y4212767                              |
| 2    | 3494 301    | 1   |      |       | LINER, Center N N N Y3494301                            |
| 3    | L555 EK1    | 1   |      |       | PANEL, Left (w/Vent) (paint as required) N N N YL555EK1 |
| 4    |             | 6   |      |       | SCREW (10-16x1.25)(not serviced) N N N N                |
| 5    | L550 EK1    | 1   |      |       | PANEL, Right (paint as required) N N N YL550EK1         |
| 6    | 4211 652    | 1   |      |       | VENT, Cowl Side Inner N N N Y4211652                    |
|      | 3494 892    | 1   |      |       | SEAL, Vent Door (outer) N N N Y3494892                  |
|      | 3494 891    | 1   |      |       | SEAL, Housing Air Vent (inner) N N N Y3494891           |
|      | 3762 862    | AR  |      |       | INSULATION (36"x72" material cut to fit) N N N Y3762862 |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4)  
D10 = SPORT UTILITY (4X4)  
D11 = SPORT UTILITY (4X4)  
D12 = SPORT UTILITY (4X4)  
D13 = SPORT UTILITY (4X4)  
D14 = SPORT UTILITY (4X4)  
D15 = SPORT UTILITY (4X4)  
D16 = SPORT UTILITY (4X4)  
D17 = SPORT UTILITY (4X4)  
D18 = SPORT UTILITY (4X4)  
D19 = SPORT UTILITY (4X4)  
D20 = SPORT UTILITY (4X4)  
D21 = SPORT UTILITY (4X4)  
D22 = SPORT UTILITY (4X4)  
D23 = SPORT UTILITY (4X4)  
D24 = SPORT UTILITY (4X4)  
D25 = SPORT UTILITY (4X4)  
D26 = SPORT UTILITY (4X4)  
D27 = SPORT UTILITY (4X4)  
D28 = SPORT UTILITY (4X4)  
D29 = SPORT UTILITY (4X4)  
D30 = SPORT UTILITY (4X4)  
D31 = SPORT UTILITY (4X4)  
D32 = SPORT UTILITY (4X4)  
D33 = SPORT UTILITY (4X4)  
D34 = SPORT UTILITY (4X4)  
D35 = SPORT UTILITY (4X4)  
D36 = SPORT UTILITY (4X4)  
D37 = SPORT UTILITY (4X4)  
D38 = SPORT UTILITY (4X4)  
D39 = SPORT UTILITY (4X4)  
D40 = SPORT UTILITY (4X4)  
D41 = SPORT UTILITY (4X4)  
D42 = SPORT UTILITY (4X4)  
D43 = SPORT UTILITY (4X4)  
D44 = SPORT UTILITY (4X4)  
D45 = SPORT UTILITY (4X4)  
D46 = SPORT UTILITY (4X4)  
D47 = SPORT UTILITY (4X4)  
D48 = SPORT UTILITY (4X4)  
D49 = SPORT UTILITY (4X4)  
D50 = SPORT UTILITY (4X4)  
D51 = SPORT UTILITY (4X4)  
D52 = SPORT UTILITY (4X4)  
D53 = SPORT UTILITY (4X4)  
D54 = SPORT UTILITY (4X4)  
D55 = SPORT UTILITY (4X4)  
D56 = SPORT UTILITY (4X4)  
D57 = SPORT UTILITY (4X4)  
D58 = SPORT UTILITY (4X4)  
D59 = SPORT UTILITY (4X4)  
D60 = SPORT UTILITY (4X4)  
D61 = SPORT UTILITY (4X4)  
D62 = SPORT UTILITY (4X4)  
D63 = SPORT UTILITY (4X4)  
D64 = SPORT UTILITY (4X4)  
D65 = SPORT UTILITY (4X4)  
D66 = SPORT UTILITY (4X4)  
D67 = SPORT UTILITY (4X4)  
D68 = SPORT UTILITY (4X4)  
D69 = SPORT UTILITY (4X4)  
D70 = SPORT UTILITY (4X4)  
D71 = SPORT UTILITY (4X4)  
D72 = SPORT UTILITY (4X4)  
D73 = SPORT UTILITY (4X4)  
D74 = SPORT UTILITY (4X4)  
D75 = SPORT UTILITY (4X4)  
D76 = SPORT UTILITY (4X4)  
D77 = SPORT UTILITY (4X4)  
D78 = SPORT UTILITY (4X4)  
D79 = SPORT UTILITY (4X4)  
D80 = SPORT UTILITY (4X4)  
D81 = SPORT UTILITY (4X4)  
D82 = SPORT UTILITY (4X4)  
D83 = SPORT UTILITY (4X4)  
D84 = SPORT UTILITY (4X4)  
D85 = SPORT UTILITY (4X4)  
D86 = SPORT UTILITY (4X4)  
D87 = SPORT UTILITY (4X4)  
D88 = SPORT UTILITY (4X4)  
D89 = SPORT UTILITY (4X4)  
D90 = SPORT UTILITY (4X4)  
D91 = SPORT UTILITY (4X4)  
D92 = SPORT UTILITY (4X4)  
D93 = SPORT UTILITY (4X4)  
D94 = SPORT UTILITY (4X4)  
D95 = SPORT UTILITY (4X4)  
D96 = SPORT UTILITY (4X4)  
D97 = SPORT UTILITY (4X4)  
D98 = SPORT UTILITY (4X4)  
D99 = SPORT UTILITY (4X4)  
D100 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.


SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

HEADLINER D 4,8  
Figure ITD-300

4381 300




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 4215 238    | 1   |      |       | RETAINER, Headliner Moulding N N N Y4215238                          |
| 2    | L624 BB5    | 1   |      |       | PANEL, Headliner Front N N N N<br>Blue N N N YL624BB5                |
|      | L624 BM6    | 1   |      |       | Red N N N YL624BM6   |
|      | L624 BL3    | 1   |      |       | Beige N N N YL624BL3   |
|      | L624 DT3    | 1   |      |       | Tan N N N YL624DT3   |
| 3    | L629 BL3    | 1   |      |       | MOULDING, Headliner Panel (paint as required 1984) N N N<br>YL629BL3 |
|      | L629 DT3    | 1   |      |       | MOULDING, Headliner Panel (paint as required 1985) N N N<br>YL629DT3 |
| 4    | L625 BB5    | 1   |      |       | PANEL, Headliner Rear N N N N<br>Blue N N N YL625BB5                 |
|      | L625 BM6    | 1   |      |       | Red N N N YL625BM6   |
|      | L625 BL3    | 1   |      |       | Beige N N N YL625BL3   |
|      | L625 DT3    | 1   |      |       | Tan N N N YL625DT3   |
| 5    | L627 BW3    | 1   |      |       | CAP, Moulding End (white) (paint as required) N N N YL627BW3         |
| 6    |             | AR  |      |       | SCREW, Self Drilling (10-16x3/4) (not serviced) N N N N              |
| 7    | 5208 743    | AR  |      |       | FASTENER N N N Y5208743  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL        | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)                | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   |                  |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

SUNVISOR AND REAR VIEW MIRROR D 4,8  
Figure ITD-400

4381 400




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                    |
|------|-------------|-----|------|-------|--|
| 1    | 4084 918    | 2   |      |       | ARM and BRACKET N N N Y4084918                 |
| 2    |             |     |      |       | VISOR N N N N                                  |
|      | L557 BB5    | 2   |      |       | Blue N N N YL557BB5                            |
|      | L557 BM6    | 2   |      |       | Red N N N YL557BM6                             |
|      | L557 BL3    | 2   |      |       | Beige N N N YL557BL3                           |
|      | L557 DT3    | 2   |      |       | Tan N N N YL557DT3                             |
| 3    | 4082 199    | 1   |      |       | MIRROR, Rear View 10" Prismatic N N N Y4082199 |
| 4    | 6031 094    | 1   |      |       | SCREW, Mirror Attaching N N N Y6031094         |
|      | 4293 039    | 1   |      |       | ADHESIVE, Rear View Mirror N N N Y4293039      |
| 5    | 4054 066    | 1   |      |       | BUTTON PACKAGE N N N Y4054066                  |
| 6    | 1490 983    | 2   |      |       | CLIP, Visor N N N Y1490983                     |
| 7    | 2789 037    | 2   |      |       | TIP, Visor End N N N Y2789037                  |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

# PANELS TRIM UPPER AND LOWER REAR D 4,8 Figure ITD-500

4381 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | L584-5 EK1  | 1   |      |       | PANEL, Side Front Door Header Trim (paint as required) N N N YL584EK1         |
| 2    | L534 EK1    | 1   |      |       | PANEL, Windshield Header Trim (paint as required) N N N YL534EK1              |
| 3    | L548-9 BL3  | 1   |      |       | PANEL, Windshield Side Trim (beige paint as required) N N N YL548BL3          |
| 4    |             | 16  |      |       | SCREW, Self Drilling and Tap (8-18x3/4) (not serviced) N N N N                |
| 5    |             | 1   |      |       | PANEL, Quarter Window Garnish w/Carpet, Right N N N N Model Year 1984 N N N N |
|      | L784 CB5    | 1   |      |       | Blue N N N YL784CB5   |
|      | L784 CM6    | 1   |      |       | Red N N N YL784CM6  |
|      | L598 BL3    | 1   |      |       | Beige N N N YL598BL3  |
|      |             | 1   |      |       | Model Year 1985 N N N N   |
|      | L784 CB5    | 1   |      |       | Blue N N N YL784CB5   |
|      | L784 CM6    | 1   |      |       | Red N N N YL784CM6  |
|      | L784 DT3    | 1   |      |       | Tan N N N YL784DT3  |
|      | L785 EK1    | 1   |      |       | Left, w/o Carpet (paint as required) N N N YL785EK1                           |
| 6    | L600 EK1    | 1   |      |       | PANEL, Rear Header (paint as required) N N N YL600EK1                         |
| 7    |             | AR  |      |       | SCREW (10-16x3/4)(not serviced) N N N N                                       |
| 8    | L602-3 EK1  | 1   |      |       | PANEL, Rear Pillar Lower (paint as required) N N N YL602EK1                   |
| 9    |             |     |      |       | PANEL, Side Lower (Woodgrain) N N N N Up To 12-14-84 N N N N                  |
|      | L824-5 DB5  | 1   |      |       | Blue N N N YL824DB5   |
|      | L604-5 BM6  | 1   |      |       | Red N N N YL604BM6  |
|      | L604-5 BL3  | 1   |      |       | Beige N N N YL604BL3  |
|      | L824-5 DT3  | 1   |      |       | Tan N N N YL824DT3  |
|      |             |     |      |       | After 12-14-84 N N N N  |
|      | L824-5 DB5  | 1   |      |       | Blue N N N YL824DB5   |
|      | L824-5 DM6  | 1   |      |       | Red N N N YL824DM6  |
|      | L824-5 DT3  | 1   |      |       | Tan N N N YL824DT3  |
| 10   | L742 BL3    | 2   |      |       | COVER, Front Seat Belt (beige paint as required) N N N YL742BL3               |
| 11   | 1623 945    | 4   |      |       | FASTENER N N N Y1623945   |
| 12   | 6031 536    | 12  |      |       | S-CLIP N N N Y6031536   |
| 13   | 4084 328    | AR  |      |       | RETAINER, Side Lower Panel, Quarter Rear Floor, and Wheelhouse N N N Y4084328 |
| 14   | 6002 944    | 4   |      |       | FASTENER N N N Y6002944   |
| 15   |             |     |      |       | PANEL, Liftgate N N N N   |
|      | L652 BB5    | 1   |      |       | Blue N N N YL652BB5   |
|      | L652 BM6    | 1   |      |       | Red N N N YL652BM6  |
|      | L652 BL3    | 1   |      |       | Beige N N N YL652BL3  |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

PANELS TRIM UPPER AND LOWER REAR D 4,8  
Figure ITD-500

4381 500



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
|      | L652 DT3    | 1   |      |       | Tan N N N YL652DT3   |
| 16   | 6003 640    | 19  |      |       | FASTENER, Liftgate Trim N N N Y6003640                           |
|      |             |     |      |       | CARPET, Side Panel (Roll Stock 54" Wide Order by the Inch) N N N |
|      | R113 CB5    | AR  |      |       | Blue Medium N N N YR113CB5                                       |
|      | R113 SC7    | AR  |      |       | Blue Dark N N N YR113SC7   |
|      | R113 BT9    | AR  |      |       | Brown N N N YR113BT9   |
|      | R113 RX9    | AR  |      |       | Black N N N YR113RX9   |
|      | R113 TM6    | AR  |      |       | Red N N N YR113TM6   |
|      | R113 DT3    | AR  |      |       | Tan N N N YR113DT3   |
|      | R113 BL3    | AR  |      |       | Beige N N N YR113BL3   |
| 17   | 4211 634    | 1   |      |       | ASH RECEIVER and BEZEL N N N Y4211634                            |
| 18   |             | 2   |      |       | SCREW (3/4-18)(not serviced) N N N N                             |
| 19   |             | 2   |      |       | NUT (8-18 flat type)(not serviced) N N N N                       |
| 20   | L610 EK1    | 1   |      |       | HOOK, Garment N N N YL610EK1                                     |
| 21   |             | AR  |      |       | SCREW and WASHER (8-18x5/8)(not serviced) N N N N                |
| 22   | 9419 415    | 1   |      |       | SCREW, Garment Hook N N N Y9419415                               |
| 23   | 4212 410    | 1   |      |       | BRACKET, Ash Receiver Mounting (w/o Trim Panel) N N N Y4212410   |
| 24   |             | 3   |      |       | SCREW, Fan Head (8-18x1/2) (not serviced) N N N N                |

MODEL CODES:  
TRUCK LINE  
D123 = CONVENTIONAL TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL (TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)  
D9 = SPORT UTILITY (4X4) (WAGON)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



CARPET AND SCUFF PLATES D 4,8  
Figure ITD-600

4381 600



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CARPET, Front Floor N N N N                         |
|      | L798 CC7    | 1   |      |       | Blue N N N YL798CC7                                 |
|      | L798 CM6    | 1   |      |       | Red N N N YL798CM6                                  |
|      | L798 DT5    | 1   |      |       | Tan N N N YL798DT5                                  |
|      | L510 BT9    | 1   |      |       | Brown N N N YL510BT9                                |
| 2    | 4215 015    | 1   |      |       | RETAINER, Rear Carpet Front N N N Y4215015          |
| 3    |             | AR  |      |       | SCREW (8-18x.75)(not serviced) N N N N              |
| 4    |             |     |      |       | CARPET, Rear Wheelhouse N N N N                     |
|      | L520 BC7    | 2   |      |       | Blue N N N YL520BC7                                 |
|      | L520 BM6    | 2   |      |       | Red N N N YL520BM6                                  |
|      | L520 BT9    | 2   |      |       | Brown N N N YL520BT9                                |
|      | L520 DT5    | 2   |      |       | Tan N N N YL520DT5                                  |
|      |             |     |      |       | COVER, Spare Wheel N N N N                          |
|      | L609 BB5    | 2   |      |       | Blue N N N YL609BB5                                 |
|      | L609 BL3    | 2   |      |       | Beige N N N YL609BL3                                |
|      | L609 BM6    | 2   |      |       | Red N N N YL609BM6                                  |
|      | L609 DT3    | 2   |      |       | Tan N N N YL609DT3                                  |
| 5    |             |     |      |       | CARPET, Rear Floor N N N N                          |
|      | L519 BC7    | 1   |      |       | Blue N N N YL519BC7                                 |
|      | L519 BM6    | 1   |      |       | Red N N N YL519BM6                                  |
|      | L519 BT9    | 1   |      |       | Brown N N N YL519BT9                                |
|      | L519 DT5    | 1   |      |       | Tan N N N YL519DT5                                  |
| 6    |             | AR  |      |       | SCREW (8-18x.75)(not serviced) N N N N              |
| 7    | 4215 001    | 1   |      |       | RETAINER, Rear Carpet Rear N N N Y4215001           |
| 8    | 3495 325    | 2   |      |       | SCUFF PLATE, Front Floor Mat (Up To 11-29-84) N N N |
|      |             |     |      |       | Y3495325  |
|      | 4356 264    | 2   |      |       | (After 11-29-84) N N N Y4356264                     |
| 9    | 3494 670    | 2   |      |       | SCUFF PLATE, Side Sill Panel N N N Y3494670         |
| 10   |             | AR  |      |       | SCREW (10-16x1.25)(not serviced) N N N N            |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

D = DRILLING AND WELDING (N/A)

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

MATS AND RETAINERS FLOOR D 4,8  
Figure ITD-700

4381 700




| ITEM   | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|--|-------------|-----|------|-------|--|
| 1  | 4264 115    | 1   |      |       | MAT, Front Floor (black w/o cutouts) N N N Y4264115    |
| 2  | 4215 015    | 1   |      |       | RETAINER, Rear Mat Front N N N Y4215015                |
| 3  |             | AR  |      |       | SCREW (8-18x.75)(not serviced) N N N N                 |
| 4  |             | AR  |      |       | SCREW (10-16x1.25)(not serviced) N N N N               |
| 5  | 4215 001    | 1   |      |       | RETAINER, Rear Mat Rear N N N Y4215001                 |
| 6  | 4168 215    | 1   |      |       | MAT, Rear Floor Deluxe (black) N N N Y4168215          |
| 7  |             | AR  |      |       | SCREW (10-16x1.25)(not serviced) N N N N               |
| 8  | 3495 325    | 2   |      |       | SCUFF PLATE, Floor Mat (Up To 11-29-84) N N N Y3495325 |
|  | 4356 264    | 2   |      |       | (After 11-29-84) N N N Y4356264                        |
| 9  | 3494 670    | 2   |      |       | SCUFF PLATE, Side Sill Panel N N N Y3494670            |
| The following parts are not illustrated. s ARE NOT RETURNABLE. |             |     |      |       |  |
|  | 3762 862    | AR  |      |       | SILENCER (36"x72" material cut to fit) N N N Y3762862  |
|  |             | AR  |      |       | MAT, Front Floor (Accessory Set) N N N N               |
|  | 4186 373    | AR  |      |       | Blue N N N Y4186373                                    |
|  | 4186 375    | AR  |      |       | Cashmere N N N Y4186375                                |
|  | 4186 376    | AR  |      |       | Red N N N Y4186376                                     |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| SPORT UTILITY: CREW CAB:   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

# DOOR TRIM PANEL D 4,8 Figure ITD-800

4381 800



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 0152 454    | 2   |      |       | U-NUT, Pull Handle N N N Y152454                      |
| 2    |             |     |      |       | ARMREST N N N N                                       |
|      | L640-1 BB5  | 1   |      |       | Blue N N N YL640BB5                                   |
|      | L640-1 BM6  | 1   |      |       | Red N N N YL640BM6                                    |
|      | L640-1 BL3  | 1   |      |       | Beige N N N YL640BL3                                  |
|      | L640-1 DT3  | 1   |      |       | Tan N N N YL640DT3                                    |
| 3    | 9420 278    | 4   |      |       | NUT (3/16) N N N Y9420278                             |
| 4    | 4215 014    | 2   |      |       | SEAL, Trim Panel N N N Y4215014                       |
| 5    |             |     |      |       | PANEL, Door N N N N                                   |
|      | L632-3 BB5  | 1   |      |       | Blue N N N YL632BB5                                   |
|      | L632-3 BM6  | 1   |      |       | Red N N N YL632BM6                                    |
|      | L632-3 BL3  | 1   |      |       | Beige N N N YL632BL3                                  |
|      | L632-3 DT3  | 1   |      |       | Tan N N N YL632DT3                                    |
| 6    | 4161 222-3  | 1   |      |       | BRACKET, Armrest Mounting N N N Y4161222              |
| 7    |             | AR  |      |       | SCREW (1/4-14x.75)(not serviced) N N N N              |
| 8    |             | 1   |      |       | SCREW (10-16x.75)(not serviced) N N N N               |
| 9    | 6003 555    | AR  |      |       | FASTENER, Trim Panel N N N Y6003555                   |
| 10   |             |     |      |       | CARPET N N N N  |
|      |             |     |      |       | (up to 4/23/84) N N N N                               |
|      | L635 BB5    | 2   |      |       | Blue N N N YL635BB5                                   |
|      | L635 BM6    | 2   |      |       | Red N N N YL635BM6                                    |
|      | L635 BL3    | 2   |      |       | Beige N N N YL635BL3                                  |
|      |             |     |      |       | (From To 4-23-84 To 4-1-85) N N N N                   |
|      | L794-5 CB5  | 2   |      |       | Blue N N N YL794CB5                                   |
|      | L794-5 CM6  | 2   |      |       | Red N N N YL794CM6                                    |
|      | L794-5 CL3  | 2   |      |       | Beige N N N YL794CL3                                  |
|      | L794-5 DT3  | 2   |      |       | Tan N N N YL794DT3                                    |
|      |             |     |      |       | (After 4-1-85) N N N N                                |
|      | L852-3 DB5  | 2   |      |       | Blue N N N YL852DB5                                   |
|      | L852-3 DM6  | 2   |      |       | Red N N N YL852DM6                                    |
|      | L852-3 DT3  | 2   |      |       | Tan N N N YL852DT3                                    |
|      | L852-3 DA3  | 2   |      |       | Silver N N N YL852DA3                                 |
| 11   | 4160 164    | 2   |      |       | INSERT, Trim Panel (woodgrain trim) N N N Y4160164    |
| 12   | 9414 726    | 4   |      |       | SCREW N N N Y9414726                                  |
|      | 6000 943    | 4   |      |       | NUT, Handle Attaching (up to 12/12/83) N N N Y6000943 |
|      | 6032 676    | 4   |      |       | (after 12/12/83) N N N Y6032676                       |
| 13   |             |     |      |       | PULL HANDLE N N N N                                   |
|      | D852 BB5    | 2   |      |       | Blue N N N YD852BB5                                   |
|      | D852 VM6    | 2   |      |       | Red N N N YD852VM6                                    |
|      | D852 BL3    | 2   |      |       | Beige N N N YD852BL3                                  |
|      | D852 DT3    | 2   |      |       | Tan N N N YD852DT3                                    |

## MODEL CODES:

### TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

### BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

### WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

### CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

### SPORT UTILITY:

(71) = 106" W.B.

### CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

DOOR TRIM PANEL D 4,8  
Figure ITD-800

4381 800






| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                              |
|------|-------------|-----|------|-------|--|
|      | D852 CS8    | 2   |      |       | Charcoal N N N YD852CS8                  |
|      |             |     |      |       | Premium N N N N                          |
|      | L720 CB5    | 2   |      |       | Blue N N N YL720CB5                      |
|      | L720 CM6    | 2   |      |       | Red N N N YL720CM6                       |
|      | L720 CL3    | 2   |      |       | Beige N N N YL720CL3                     |
|      | L720 DT3    | 2   |      |       | Tan N N N YL720DT3                       |
|      | L720 CA3    | 2   |      |       | Silver N N N YL720CA3                    |
| 14   |             | 2   |      |       | SCREW (1/4-14x.75)(not serviced) N N N N |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

**SEAT FRONT D 4,8 TRIM CODE C6,G5**  
**Figure ITD-900**

4381 900



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             |     |      |       | CUSHION and BACK, w/Spring/Frame, Pad and Cover N N N N |
|      | L037 B6B    | 2   |      |       | N N NC6B YL037B6B                                       |
|      | L037 B6M    | 2   |      |       | N N NC6M YL037B6M                                       |
|      | L037 B6L    | 2   |      |       | N N NC6L YL037B6L                                       |
|      | L037 D6T    | 2   |      |       | N N NC6T YL037D6T                                       |
|      |             |     |      |       | Model Year 1984 N N N N                                 |
|      | L008 C5C    | 2   |      |       | N N NG5B YL008C5C                                       |
|      | L008 C5M    | 2   |      |       | N N NG5M YL008C5M                                       |
|      | L008 C5T    | 2   |      |       | N N NG5L YL008C5T                                       |
|      |             |     |      |       | Model Year 1985 N N N N                                 |
|      | L124 D5B    | 2   |      |       | N N NG5B YL124D5B                                       |
|      | L124 D5M    | 2   |      |       | N N NG5M YL124D5M                                       |
|      | L124 D5T    | 2   |      |       | N N NG5T YL124D5T                                       |
| 2    |             |     |      |       | COVER, Cushion N N N N                                  |
|      | L038 B6B    | 2   |      |       | N N NC6B YL038B6B                                       |
|      | L038 B6M    | 2   |      |       | N N NC6M YL038B6M                                       |
|      | L038 B6L    | 2   |      |       | N N NC6L YL038B6L                                       |
|      | L038 D6T    | 2   |      |       | N N NC6T YL038D6T                                       |
|      |             |     |      |       | Model Year 1984 N N N N                                 |
|      | L022 C5C    | 2   |      |       | N N NG5B YL022C5C                                       |
|      | L022 C5M    | 2   |      |       | N N NG5M YL022C5M                                       |
|      | L022 C5T    | 2   |      |       | N N NG5L YL022C5T                                       |
|      |             |     |      |       | Model Year 1985 N N N N                                 |
|      | L159 D5B    | 2   |      |       | N N NG5B YL159D5B                                       |
|      | L159 D5M    | 2   |      |       | N N NG5M YL159D5M                                       |
|      | L159 D5T    | 2   |      |       | N N NG5T YL159D5T                                       |
| 3    |             |     |      |       | COVER, Back N N N N                                     |
|      | L039 B6B    | 2   |      |       | N N NC6B YL039B6B                                       |
|      | L039 B6M    | 2   |      |       | N N NC6M YL039B6M                                       |
|      | L039 B6L    | 2   |      |       | N N NC6L YL039B6L                                       |
|      | L039 D6T    | 2   |      |       | N N NC6T YL039D6T                                       |
|      |             |     |      |       | Model Year 1984 N N N N                                 |
|      | L021 C5C    | 2   |      |       | N N NG5B YL021C5C                                       |
|      | L021 C5M    | 2   |      |       | N N NG5M YL021C5M                                       |
|      | L021 C5T    | 2   |      |       | N N NG5L YL021C5T                                       |
|      |             |     |      |       | Model Year 1985 N N N N                                 |
|      | L160 D5B    | 2   |      |       | N N NG5B YL160D5B                                       |
|      | L160 D5M    | 2   |      |       | N N NG5M YL160D5M                                       |
|      | L160 D5T    | 2   |      |       | N N NG5T YL160D5T                                       |
| 4    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N   |
|      | R629 CB5    | AR  |      |       | Blue N N NC6B,G5B YR629CB5                              |

**MODEL CODES:**

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:




(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT FRONT D 4,8 TRIM CODE C6,G5  
Figure ITD-900

4381 900




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                                   |
|------|-------------|-----|------|-------|---|
|      | R629 CM6    | AR  |      |       | Red N N NC6M,G5M YR629CM6                     |
|      | R629 CL3    | AR  |      |       | Beige N N NC6L,G5L YR629CL3                   |
|      | R629 DT3    | AR  |      |       | Tan N N NC6T,G5T YR629DT3                     |
| 5    |             |     |      |       | ARMREST N N N N<br>Drivers Side Right N N N N |
|      | L002 BB5    | 1   |      |       | Blue N N NC6B,G5B YL002BB5                    |
|      | L002 BM6    | 1   |      |       | Red N N NC6M,G5M YL002BM6                     |
|      | L002 BL3    | 1   |      |       | Beige N N NC6L,G5L YL002BL3                   |
|      | L002 DT3    | 1   |      |       | Tan N N NC6T,G5T YL002DT3                     |
|      |             |     |      |       | Passenger Side Left N N N N                   |
|      | L003 BB5    | 1   |      |       | Blue N N NC6B,G5B YL003BB5                    |
|      | L003 BM6    | 1   |      |       | Red N N NC6M,G5M YL003BM6                     |
|      | L003 BL3    | 1   |      |       | Beige N N NC6L,G5L YL003BL3                   |
|      | L003 DT3    | 1   |      |       | Tan N N NC6T,G5T YL003DT3                     |
| 6    | 4106 520    | 1   |      |       | ATTACHING PARTS, Armrest N N N Y4106520       |
| 7    |             | 2   |      |       | SCREW (not serviced) N N N N                  |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SEAT FRONT D 4,8 TRIM CODE B2  
Figure ITD-1000

4381 1000




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1-2  |             |     |      |       | CUSHION, w/Spring/Frame, Pad amd Cover N N N N       |
|      | L047 C2B    | 1   |      |       | N N NB2B YL047C2B                                    |
|      | L047 C2M    | 1   |      |       | N N NB2M YL047C2M                                    |
|      | L047 D2T    | 1   |      |       | N N NB2T YL047D2T                                    |
| 1    |             |     |      |       | COVER, Cushion N N N N                               |
|      | L028 C2B    | 1   |      |       | N N NB2B YL028C2B                                    |
|      | L028 C2M    | 1   |      |       | N N NB2M YL028C2M                                    |
|      | L028 D2T    | 1   |      |       | N N NB2T YL028D2T                                    |
| 2    |             |     |      |       | ROLL STOCK, Vinyl 54" wide Order by the Inch N N N N |
|      | R629 CB5    | 1   |      |       | N N NB2B YR629CB5                                    |
|      | R629 CM6    | 1   |      |       | N N NB2M YR629CM6                                    |
|      | R629 DT3    | 1   |      |       | N N NB2T YR629DT3                                    |
| 2-3  |             |     |      |       | BACK, w/Spring/Frame, Pad And Cover N N N N          |
|      | L044-5 C2B  | 1   |      |       | N N NB2B YL044C2B                                    |
|      | L044-5 C2M  | 1   |      |       | N N NB2M YL044C2M                                    |
|      | L044-5 D2T  | 1   |      |       | N N NB2T YL044D2T                                    |
| 3    |             |     |      |       | COVER, Back N N N N                                  |
|      | L026-7 C2B  | 1   |      |       | N N NB2B YL026C2B                                    |
|      | L026-7 C2M  | 1   |      |       | N N NB2M YL026C2M                                    |
|      | L026-7 D2T  | 1   |      |       | N N NB2T YL026D2T                                    |
| 4    | S522-3 BL3  |     |      |       | COVER, Hinge Arm N N N YS522BL3                      |
| 5    |             |     |      |       | BUTTON and RETAINER N N N N                          |
|      | L304 BB5    | AR  |      |       | N N NB2B YL304BB5                                    |
|      | L304 BM6    | AR  |      |       | N N NB2M YL304BM6                                    |
|      | L304 DT3    | AR  |      |       | N N NB2T YL304DT3                                    |

|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   |                              |                   |                  |                  |                  |
| TRUCK LINE   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL  | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

# BELTS SEAT FRONT D 4,8 Figure ITD-1100

4381 1100



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    |             |     |      |       | BELT, Lap and Shoulder Tip Half (w/Tension Reliever) N N N N   |
|      | L728-9 CB5  | 1   |      |       | Label Number 4265250-1 N N N N                                 |
|      | L728-9 CM6  | 1   |      |       | Blue N N N YL728CB5  |
|      | L728-9 CL3  | 1   |      |       | Red N N N YL728CM6   |
|      | L728-9 DT3  | 1   |      |       | Beige N N N YL728CL3   |
| 2    | 3731 160    | 2   |      |       | Tan N N N YL728DT3   |
| 3    |             |     |      |       | SPACER, Anti Rattle N N N Y3731160                             |
| 4    | 6031 462    | 2   |      |       | PANEL, Quarter Window Garnish (reference) N N N N              |
| 5    |             |     |      |       | BOLT, Shoulder (7/16-20x1.575) N N N Y6031462                  |
| 6    |             | AR  |      |       | LOCK PILLER (reference) N N N N                                |
| 7    |             |     |      |       | SCREW (not serviced) N N N N                                   |
| 8    |             |     |      |       | LOCK PILLER, Inner (reference) N N N N                         |
|      | L606-7 BB5  | 1   |      |       | COVER, Belt N N N N  |
|      | L606-7 BM6  | 1   |      |       | Blue N N N YL606BB5  |
|      | L606-7 BL3  | 1   |      |       | Red N N N YL606BM6   |
|      | L606-7 DT3  | 1   |      |       | Beige N N N YL606BL3   |
| 9    |             | AR  |      |       | Tan N N N YL606DT3   |
| 10   |             | AR  |      |       | SCREW, Self Piercing (6 pan head) (not serviced) N N N N       |
| 11   | 6031 218    | AR  |      |       | WASHER, Anti Rattle (not serviced) N N N N                     |
| 12   |             |     |      |       | BOLT N N N Y6031218  |
| 13   | 4217 996    | 2   |      |       | SCREW, Self Piercing (6 Pan Head) (Not Service) N N N N        |
| 14   |             |     |      |       | STRIKER, Tension Release Button N N N Y4217996                 |
| 15   | 6025 160    | 2   |      |       | PANEL, Door Inner (reference) N N N N                          |
| 16   |             | 2   |      |       | RETAINER, Inertia Retractor N N N Y6025160                     |
| 17   | 4211 812    | 1   |      |       | WASHER, Buckle Half Attaching (not serviced) N N N N           |
| 18   |             |     |      |       | STRAP, Rear Folding Seat Retaining, Buckle Half N N N Y4211812 |
|      | L676 BB5    | 1   |      |       | BELT, Passenger Buckle Half (Bucket) N N N N                   |
|      | L676 BM6    | 1   |      |       | Label Number 4327708 N N N N                                   |
|      | L676 BL3    | 1   |      |       | Blue N N N YL676BB5  |
|      | L676 DT3    | 1   |      |       | Red N N N YL676BM6   |
|      |             |     |      |       | Beige N N N YL676BL3   |
|      |             |     |      |       | Tan N N N YL676DT3   |
|      | L792 CB5    | 1   |      |       | BELT, Passenger Buckle Half (Bench) N N N N                    |
|      | L792 CM6    | 1   |      |       | Label Number 4358003 N N N N                                   |
|      | L792 DT3    | 1   |      |       | Blue N N N YL792CB5  |
| 19   |             |     |      |       | Red N N N YL792CM6   |
|      |             |     |      |       | Tan N N N YL792DT3   |
|      | L677 BB5    | 1   |      |       | BELT, Drivers Buckle Half (Bucket) N N N N                     |
|      |             |     |      |       | Label Number 4327709 N N N N                                   |
|      |             |     |      |       | Blue N N N YL677BB5  |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required



BELTS SEAT FRONT D 4,8  
Figure ITD-1100




| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION                               |
|------|-------------|-----|------|-------|---|
|      | L677 BM6    | 1   |      |       | Red N N N YL677BM6                        |
|      | L677 BL3    | 1   |      |       | Beige N N N YL677BL3                      |
|      | L677 DT3    | 1   |      |       | Tan N N N YL677DT3                        |
|      |             |     |      |       | BELT, Drivers Buckle Half (Bench) N N N N |
|      |             |     |      |       | Label Number 4264820 N N N N              |
|      | L700 BB5    | 1   |      |       | Blue N N N YL700BB5                       |
|      | L700 BM6    | 1   |      |       | Red N N N YL700BM6                        |
|      | L700 DT3    | 1   |      |       | Tan N N N YL700DT3                        |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               |                              |                   |                  |                  |                  |
| TRUCK LINE                 | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

ADJUSTER FRONT D 4,8 TRIM CODE B2  
Figure ITD-1200

4381 1200



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION  |
|------|-------------|-----|------|-------|--|
| 1    | 3731 498-9  | 1   |      |       | ADJUSTER N N N Y3731498                            |
|      | 6025 010    | 4   |      |       | NUT and WASHER N N N Y6025010                      |
| 2    |             | 1   |      |       | SCREW (not serviced) N N N N                       |
| 3    | 3636 254    | 1   |      |       | WIRE N N N Y3636254                                |
| 4    | 2765 197    | 1   |      |       | KNOB N N N Y2765197                                |
|      | 4172 333    | 1   |      |       | SPRING, Regulator Latch N N N Y4172333             |
| 5    |             |     |      |       | COVER, Hinge Arm (See Seat Illustration) N N N N   |
| 6    | 3829 883    | 1   |      |       | LATCH N N N Y3829883                               |
|      | 3689 638    | 1   |      |       | WASHER, Back To Cushion Anti-Rattle N N N Y3689638 |
| 7    | 4364 850    | 1   |      |       | STRIKER, Seat Back N N N Y4364850                  |
| 8    | 6032 077    | 2   |      |       | BOLT, Pivot N N N Y6032077                         |
| 9    | 6030 936    | 2   |      |       | BOLT, Latch To Frame N N N Y6030936                |
| 10   | 6025 020    | 2   |      |       | NUT and WASHER N N N Y6025020                      |
| 11   | 4264 725    | 1   |      |       | BUMPER, Release Latch Stricker N N N Y4264725      |
|      | 4084 793    | 1   |      |       | BUMPER, Anti Rattle N N N Y4084793                 |
| 12   | 6025 063    | 4   |      |       | BOLT N N N Y6025063                                |

|                            |                              |                   |                  |                  |                  |
|----------------------------|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:               | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE                 |                              |                   |                  |                  |                  |
| D123 = CONVENTIONAL        | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| TRUCK (4X2)                | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| D4 = SPORT UTILITY (4X2)   | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL      |                              |                   | (64) = 159" W.B. |                  |                  |
| (TRUCK) 4X4                |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D9 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| D10 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D11 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D12 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D13 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D14 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D15 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D16 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D17 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D18 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D19 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D20 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D21 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D22 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D23 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D24 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D25 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D26 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D27 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D28 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D29 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D30 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D31 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D32 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D33 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D34 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D35 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D36 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D37 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D38 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D39 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D40 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D41 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D42 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D43 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D44 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D45 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D46 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D47 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D48 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D49 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D50 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D51 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D52 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D53 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D54 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D55 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D56 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D57 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D58 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D59 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D60 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D61 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D62 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D63 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D64 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D65 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D66 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D67 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D68 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D69 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D70 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D71 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D72 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D73 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D74 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D75 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D76 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D77 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D78 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D79 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D80 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D81 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D82 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D83 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D84 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D85 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D86 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D87 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D88 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D89 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D90 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D91 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D92 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D93 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D94 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D95 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D96 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D97 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D98 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D99 = SPORT UTILITY (4X4)  |                              |                   |                  |                  |                  |
| D100 = SPORT UTILITY (4X4) |                              |                   |                  |                  |                  |

# ADJUSTER AND RISER BUCKET SEAT D 4,8 Figure ITD-1300

| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    |             | 2   |      |       | SCREW (10-24x.75)(not serviced) N N N N                   |
| 2    | 4084 172    | 1   |      |       | HANDLE N N N Y4084172                                     |
| 3    | 3739 534    | 1   |      |       | KNOB N N N Y3739534                                       |
| 4    | 3899 332    | 1   |      |       | SPRING N N N Y3899332                                     |
|      | 3829 677    | 1   |      |       | REINFORCEMENT, Passenger Side Mounting N N N Y3829677     |
| 5    | 0442 920    | 1   |      |       | PIN N N N Y442920   |
| 6    | 3824 597    | 1   |      |       | ESCUTCHEON N N N Y3824597                                 |
| 7    | 0455 798    | 1   |      |       | PIN N N N Y455798   |
| 8    | 3739 462    | 1   |      |       | LINK N N N Y3739462                                       |
| 9    | 0181 086    | AR  |      |       | SCREW (5/16-18x.75) N N N Y181086                         |
| 10   |             |     |      |       | RISER N N N N   |
|      | 4084 168    | 1   |      |       | w/Folding Seat N N N Y4084168                             |
|      | 0152 534    | 4   |      |       | STUD, Seat to Riser N N N Y152534                         |
| 11   | 2911 366    | 8   |      |       | SPACER N N N Y2911366                                     |
| 12   | 3454 221    | 2   |      |       | CLIP N N N Y3454221                                       |
| 13   | 6028 440    | 1   |      |       | SNAP RING N N N Y6028440                                  |
| 14   |             | 1   |      |       | WASHER (not serviced) N N N N                             |
| 15   | 3829 652    | 1   |      |       | ROD N N N Y3829652  |
| 16   | 0181 086    | AR  |      |       | SCREW and WASHER (5/16-18x.75) N N N Y181086              |
| 17   | 3739 467    | 1   |      |       | LOCK N N N Y3739467                                       |
|      | 6026 125    | 1   |      |       | RETAINER, Riser Lock N N N Y6026125                       |
| 18   |             | 4   |      |       | WASHER (not serviced) N N N N                             |
| 19   | 0181 094    | 4   |      |       | BOLT N N N Y181094  |
| 20   | 3829 673    | 1   |      |       | HINGE, Riser to Underbody (Up To 12-17-84) N N N Y3829673 |
|      | 4358 109    | 1   |      |       | HINGE, Riser to Underbody (After 12-17-84) N N N Y4358109 |
| 21   | 1774 076    | 1   |      |       | PLUG, Underbody Hole N N N Y1774076                       |
| 22   | 0181 086    | AR  |      |       | SCREW (5/16-18x.75) N N N Y181086                         |
| 23   | 3737 762    | 1   |      |       | CATCH N N N Y3737762                                      |
| 24   |             | 2   |      |       | BUMPER, Passenger Side (not serviced) N N N N             |
| 25   | 4118 676    | 1   |      |       | CABLE, Track Release N N N Y4118676                       |
| 26   | 4054 396    | 2   |      |       | KNOB, Lever N N N Y4054396                                |
| 27   | 4118 638-9  | 1   |      |       | TRACK, Adjuster N N N Y4118638                            |
|      | 0104 918    | 8   |      |       | BEARING, Adjuster N N N Y104918                           |
|      | 0181 088    | 4   |      |       | SCREW, Adjuster Mounting N N N Y181088                    |
| 28   | 4212 621    | 1   |      |       | RISER N N N Y4212621                                      |
| 29   |             | 4   |      |       | NUT and WASHER (not serviced) N N N N                     |
| 30   | 6025 010    | 4   |      |       | NUT and WASHER N N N Y6025010                             |
| 31   | 4264 831    | 2   |      |       | COVER, Riser Corner N N N Y4264831                        |
|      | 6028 040    | 4   |      |       | RETAINER, Adjuster Mounting Screw N N N Y6028040          |
|      | 6031 284    | AR  |      |       | SCREW, Lower Track to Riser N N N Y6031284                |

## MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.


CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

ADJUSTER AND RISER BUCKET SEAT D 4,8  
Figure ITD-1300

| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION                                  |
|------|----------------|-----|------|-------|--|
|      | 4118 646       | 2   |      |       | SPRING, Track Release N N N Y4118646         |
|      | 4358 088       | AR  |      |       | STOP, Front Seat Forward Tilt N N N Y4358088 |


4361 1300



|  |                              |                   |                  |                  |                  |
|--|------------------------------|-------------------|------------------|------------------|------------------|
| MODEL CODES:   | BODY STYLE & WHEELBASE VANS: | WAGONS:           | CONVENTIONAL:    | SPORT UTILITY:   | CREW CAB:        |
| TRUCK LINE   | (11) = 109" W.B.             | (51) = 109" W.B.  | (61) = 115" W.B. | (71) = 106" W.B. | (82) = 149" W.B. |
| D123 = CONVENTIONAL  | (12) = 127" W.B.             | (52) = 127" W.B.  | (62) = 131" W.B. |                  | (83) = 165" W.B. |
| TRUCK (4X2)  | (13) = 127X" W.B.            | (53) = 127X" W.B. | (63) = 135" W.B. |                  |                  |
| D4 = SPORT UTILITY (4X2)   |                              |                   | (64) = 159" W.B. |                  |                  |
| D5,6,7 = CONVENTIONAL  |                              |                   |                  |                  |                  |
| (TRUCK) 4X4  |                              |                   |                  |                  |                  |
| D8 = SPORT UTILITY (4X4)   |                              |                   |                  |                  |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |                              |                   |                  |                  |                  |

SEAT REAR D 4,8 TRIM CODE C6,G5,B2  
Figure ITD-1400

4381 1400



| ITEM | PART NUMBER                                    | QTY | BODY | MODEL | DESCRIPTION             |
|------|--|-----|------|-------|-------------------------|
| 1    | CUSHION, w/Spring/Frame, Pad and Cover N N N N |     |      |       |                         |
|      | L077 B6B                                       | 1   |      |       | N N NC6B,B2B YL077B6B   |
|      | L077 B6M                                       | 1   |      |       | N N NC6M,B2M YL077B6M   |
|      | L077 B6L                                       | 1   |      |       | N N NC6L YL077B6L       |
|      | L077 D6T                                       | 1   |      |       | N N NC6T,B2T YL077D6T   |
|      |  | 1   |      |       | Model Year 1984 N N N N |
|      | L080 C5C                                       | 1   |      |       | N N NG5B YL080C5C       |
|      | L080 C5M                                       | 1   |      |       | N N NG5M YL080C5M       |
|      | L080 C5T                                       | 1   |      |       | N N NG5L YL080C5T       |
|      |  | 1   |      |       | Model Year 1985 N N N N |
|      | L164 D5B                                       | 1   |      |       | N N NG5B YL164D5B       |
|      | L164 D5M                                       | 1   |      |       | N N NG5M YL164D5M       |
|      | L164 D5T                                       | 1   |      |       | N N NG5T YL164D5T       |
| 2    | COVER, Cushion N N N N                         |     |      |       |                         |
|      | L084 B6B                                       | 1   |      |       | N N NC6B,B2B YL084B6B   |
|      | L084 B6M                                       | 1   |      |       | N N NC6M,B2M YL084B6M   |
|      | L084 B6L                                       | 1   |      |       | N N NC6L YL084B6L       |
|      | L084 D6T                                       | 1   |      |       | N N NC6T,B2T YL084D6T   |
|      |  |     |      |       | Model Year 1984 N N N N |
|      | L107 C5C                                       | 1   |      |       | N N NG5B YL107C5C       |
|      | L107 C5M                                       | 1   |      |       | N N NG5M YL107C5M       |
|      | L107 C5T                                       | 1   |      |       | N N NG5L YL107C5T       |
|      |  |     |      |       | Model Year 1985 N N N N |
|      | L162 D5B                                       | 1   |      |       | N N NG5B YL162D5B       |
|      | L162 D5M                                       | 1   |      |       | N N NG5M YL162D5M       |
|      | L162 D5T                                       | 1   |      |       | N N NG5T YL162D5T       |
| 3    | FASTENER, Cover N N N Y6008076                 |     |      |       |                         |
|      | 6008 076                                       | AR  |      |       |                         |
|      | BACK, w/Spring/Frame, Pad and Cover N N N N    |     |      |       |                         |
|      | L078 B6B                                       | 1   |      |       | N N NC6B,B2B YL078B6B   |
|      | L078 B6M                                       | 1   |      |       | N N NC6M,B2M YL078B6M   |
|      | L078 B6L                                       | 1   |      |       | N N NC6L YL078B6L       |
|      | L078 D6T                                       | 1   |      |       | N N NC6T,B2T YL078D6T   |
|      |  |     |      |       | Model Year 1984 N N N N |
|      | L081 C5C                                       | 1   |      |       | N N NG5B YL081C5C       |
|      | L081 C5M                                       | 1   |      |       | N N NG5M YL081C5M       |
|      | L081 C5T                                       | 1   |      |       | N N NG5L YL081C5T       |
|      |  |     |      |       | Model Year 1985 N N N N |
|      | L167 D5B                                       | 1   |      |       | N N NG5B YL167D5B       |
|      | L167 D5M                                       | 1   |      |       | N N NG5M YL167D5M       |
|      | L167 D5T                                       | 1   |      |       | N N NG5T YL167D5T       |
| 4    | COVER, Back N N N N                            |     |      |       |                         |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

D10 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT REAR D 4,8 TRIM CODE C6,G5,B2  
Figure ITD-1400

4381 1400



| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
|      | L085 B6B    | 1   |      |       | N N NC6B,B2B YL085B6B                                 |
|      | L085 B6M    | 1   |      |       | N N NC6M,B2M YL085B6M                                 |
|      | L085 B6L    | 1   |      |       | N N NC6L YL085B6L                                     |
|      | L085 D6T    | 1   |      |       | N N NC6T,B2T YL085D6T                                 |
|      |             |     |      |       | Model Year 1984 N N N N                               |
|      | L108 C5C    | 1   |      |       | N N NG5B YL108C5C                                     |
|      | L108 C5M    | 1   |      |       | N N NG5M YL108C5M                                     |
|      | L108 C5T    | 1   |      |       | N N NG5L YL108C5T                                     |
|      |             |     |      |       | Model Year 1985 N N N N                               |
|      | L161 D5B    | 1   |      |       | N N NG5B YL161D5B                                     |
|      | L161 D5M    | 1   |      |       | N N NG5M YL161D5M                                     |
|      | L161 D5T    | 1   |      |       | N N NG5T YL161D5T                                     |
| 5    |             |     |      |       | ARMREST N N N N                                       |
|      | L109 BB5    | 2   |      |       | N N NC6B,G5B,B2B YL109BB5                             |
|      | L109 BM6    | 2   |      |       | N N NC6M,G5M,B2M YL109BM6                             |
|      | L109 BL3    | 2   |      |       | N N NC6L,G5L YL109BL3                                 |
|      | L109 DT3    | 2   |      |       | N N NC5T,G5T,B2T YL109DT3                             |
|      | 0152 767    | 4   |      |       | SCREW, Armrest Mounting N N N Y152767                 |
| 6    |             |     |      |       | ROLL STOCK, Vinyl 54" Wide Order by the Inch. N N N N |
|      | R629 CB5    | AR  |      |       | Blue N N NC6B,G5B,B2B YR629CB5                        |
|      | R629 CM6    | AR  |      |       | Red N N NC6M,G5M,B2M YR629CM6                         |
|      | R629 CL3    | AR  |      |       | Beige N N NC6L,G5L YR629CL3                           |
|      | R629 DT3    | AR  |      |       | Beige N N NC6T,G5T,B2T YR629DT3                       |
| 7    | 4160 532-3  | 1   |      |       | SUPPORT, Armrest N N N Y4160532                       |
| 8    | 0181 086    | 6   |      |       | SCREW and WASHER, Armrest Support Attaching N N N     |
|      |             |     |      |       | Y181086   |
| 9    | 6024 487    | 4   |      |       | SCREW, Hinge Attaching N N N Y6024487                 |
| 10   |             |     |      |       | HINGE N N N N   |
|      | 4160 527    | 1   |      |       | Left N N N Y4160527                                   |
|      | 4160 896    | 1   |      |       | Right N N N Y4160896                                  |
|      | 6002 525    | 3   |      |       | FASTENER, Back Cover Support Attaching N N N Y6002525 |

MODEL CODES:

TRUCK LINE

D123 = CONVENTIONAL

TRUCK (4X2)

D4 = SPORT UTILITY (4X2)

D5,6,7 = CONVENTIONAL

(TRUCK) 4X4

D8 = SPORT UTILITY (4X4)

D9 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:

(11) = 109" W.B.

(12) = 127" W.B.

(13) = 127X" W.B.

WAGONS:

(51) = 109" W.B.

(52) = 127" W.B.

(53) = 127X" W.B.

CONVENTIONAL:

(61) = 115" W.B.

(62) = 131" W.B.

(63) = 135" W.B.

(64) = 159" W.B.

SPORT UTILITY:

(71) = 106" W.B.

CREW CAB:


(82) = 149" W.B.

(83) = 165" W.B.



AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required

SEAT REAR ATTACHING PARTS D 4,8  
Figure ITD-1500

4381 1500





| ITEM | PART NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|-------------|-----|------|-------|---|
| 1    | 4166 834    | 2   |      |       | HINGE, Underbody Seat Cushion N N N Y4166834              |
|      | 4033 711    | 4   |      |       | BUSHING, Frame Hinge to Underbody Hinge N N N Y4033711    |
|      | 6025 012    | 2   |      |       | NUT and WASHER, Seat Front Attaching N N N Y6025012       |
| 2    | 4166 209    | 1   |      |       | COVER, Cushion Bottom Trim (Up To 8/20/84) N N N Y4166209 |
|      | 4358 049    | 1   |      |       | COVER, Cushion Bottom Trim (After 8/20/84) N N N Y4358049 |
| 3    | 4212 000    | 1   |      |       | BAR, Torsion Frame N N N Y4212000                         |
| 4    | 4160 881    | 1   |      |       | PLATE, Torsion Bar Attaching N N N Y4160881               |
| 5    | 4211 773    | 1   |      |       | ROD, Latch N N N Y4211773                                 |
| 6    | 2076 405    | 2   |      |       | RETAINER, Rod N N N Y2076405                              |
| 7    |             |     |      |       | COVER, Latch N N N N                                      |
|      | L307 BB5    | 1   |      |       | Blue N N N YL307BB5                                       |
|      | L307 BM6    | 1   |      |       | Red N N N YL307BM6  |
|      | L307 BL3    | 1   |      |       | Beige N N N YL307BL3                                      |
|      | L307 DT3    | 1   |      |       | Tan N N N YL307DT3  |
| 8    | 4168 693    | 1   |      |       | STRAP, Latch Release N N N Y4168693                       |
| 9    | 0181 086    | 4   |      |       | SCREW (5/16-18x.75)(up to 1/23/84) N N N Y181086          |
|      | 6032 727    | 2   |      |       | (after 1/23/84) N N N Y6032727                            |
| 10   | 4211 805    | 1   |      |       | LATCH N N N Y4211805                                      |
| 11   | 4033 778    | 2   |      |       | ESCUTCHEON, Seat Attaching Hole N N N Y4033778            |
|      | 4161 232    | 2   |      |       | BRACKET, Underbody Seat Anchor N N N Y4161232             |
|      | 6024 379    | AR  |      |       | WASHER, Latch and Hinge N N N Y6024379                    |
|      | 6025 346    | 2   |      |       | SCREW and WASHER, Latch Release Attaching N N N Y6025346  |
|      | 6031 691    | 2   |      |       | PIN, Cushion Hinge to Body Hinge N N N Y6031691           |
|      | 4265 379    | 2   |      |       | BUMPER, Cushion To Floor N N N Y4265379                   |
|      | 4265 380    | 2   |      |       | BUMPER, Anti Rattle N N N Y4265380                        |



|  |  |                              |  |                   |                  |
|--|--|------------------------------|--|-------------------|------------------|
| MODEL CODES:   |  |                              |  |                   |                  |
| TRUCK LINE   |  |                              |  |                   |                  |
| D123 = CONVENTIONAL  |  | BODY STYLE & WHEELBASE VANS: |  | WAGONS:           | CONVENTIONAL:    |
| TRUCK (4X2)  |  | (11) = 109" W.B.             |  | (51) = 109" W.B.  | (61) = 115" W.B. |
| D4 = SPORT UTILITY (4X2)   |  | (12) = 127" W.B.             |  | (52) = 127" W.B.  | (62) = 131" W.B. |
| D5,6,7 = CONVENTIONAL  |  | (13) = 127X" W.B.            |  | (53) = 127X" W.B. | (63) = 135" W.B. |
| (TRUCK) 4X4  |  |                              |  |                   | (64) = 159" W.B. |
| D8 = SPORT UTILITY (4X4)   |  |                              |  |                   |                  |
| D = TRUCK LINE WAGONS (4X2)  |  |                              |  |                   |                  |
| AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required |  |                              |  |                   |                  |

BELTS SEAT REAR D 4,8  
Figure ITD-1600

4381 1600



| ITEM | PART<br>NUMBER | QTY | BODY | MODEL | DESCRIPTION   |
|------|----------------|-----|------|-------|---|
| 1    |                |     |      |       | BELT, Buckle Half Outer Left N N N N                |
|      | L691 BB5       | 2   |      |       | Label Number 4211817 N N N N<br>Blue N N N YL691BB5 |
|      | L691 BM6       | 2   |      |       | Red N N N YL691BM6                                  |
|      | L691 BL3       | 2   |      |       | Beige N N N YL691BL3                                |
|      | L691 DT3       | 2   |      |       | Tan N N N YL691DT3                                  |
|      | 4161 867       | 2   |      |       | REINFORCEMENT, Belt Mounting Outer N N N Y4161867   |
| 2    | 6032 109       | 2   |      |       | BOLT, Tip Half Outer N N N Y6032109                 |
| 3    |                |     |      |       | BELT, Center Tip Half Right N N N N                 |
|      | L692 BB5       | 2   |      |       | Label Number 4263861 N N N N<br>Blue N N N YL692BB5 |
|      | L692 BM6       | 2   |      |       | Red N N N YL692BM6                                  |
|      | L692 BL3       | 2   |      |       | Beige N N N YL692BL3                                |
|      | L692 DT3       | 2   |      |       | Tan N N N YL692DT3                                  |
| 4    |                |     |      |       | BELT, Center Buckle Half N N N N                    |
|      | L702 BB5       | 1   |      |       | Label Number 4263942 N N N N<br>Blue N N N YL702BB5 |
|      | L702 BM6       | 1   |      |       | Red N N N YL702BM6                                  |
|      | L702 BL3       | 1   |      |       | Beige N N N YL702BL3                                |
|      | L702 DT3       | 1   |      |       | Tan N N N YL702DT3                                  |
| 5    |                |     |      |       | BELT, Buckle Half Outer Right N N N N               |
|      | L690 BB5       | 1   |      |       | Label Number 4211816 N N N N<br>Blue N N N YL690BB5 |
|      | L690 BM6       | 1   |      |       | Red N N N YL690BM6                                  |
|      | L690 BL3       | 1   |      |       | Beige N N N YL690BL3                                |
|      | L690 DT3       | 1   |      |       | Tan N N N YL690DT3                                  |
| 6    |                |     |      |       | BELT, Center Tip Half Left N N N N                  |
|      | L703 BB5       | 1   |      |       | Label Number 4263943 N N N N<br>Blue N N N YL703BB5 |
|      | L703 BM6       | 1   |      |       | Red N N N YL703BM6                                  |
|      | L703 BL3       | 1   |      |       | Beige N N N YL703BL3                                |
|      | L703 DT3       | 1   |      |       | Tan N N N YL703DT3                                  |

MODEL CODES:

TRUCK LINE  
D123 = CONVENTIONAL  
TRUCK (4X2)  
D4 = SPORT UTILITY (4X2)  
D5,6,7 = CONVENTIONAL  
(TRUCK) 4X4  
D8 = SPORT UTILITY (4X4)

BODY STYLE & WHEELBASE VANS:  
(11) = 109" W.B.  
(12) = 127" W.B.  
(13) = 127X" W.B.

WAGONS:  
(51) = 109" W.B.  
(52) = 127" W.B.  
(53) = 127X" W.B.

CONVENTIONAL:  
(61) = 115" W.B.  
(62) = 131" W.B.  
(63) = 135" W.B.  
(64) = 159" W.B.

SPORT UTILITY:  
(71) = 106" W.B.

CREW CAB:  
(82) = 149" W.B.  
(83) = 165" W.B.

AR = Use as Required - = Non Illustrated Part P.A.R. = Paint as Required